

Preface

I. General Plenary Papers

Ignition: a dual challenge

Pellat R.

3

Inertial fusion science and technology for the next century

Campbell E., Hogan W.

9

The prospect of laser fusion energy

Yamanaka C.

19

Laser megajoule project status

André M.

32

A. Physics of Laser Fusion

II. Ignition and High Gain

OMEGA experiments and preparations for moderate-gain direct-drive experiments on NIF

McCrory R., Bahr R., Boehly T., Collins T., Craxton R., Delettrez J., Donaldson W., Epstein R., Goncharov V., Gram R., Harding D., Jaanimagi P., Keck R., Knauer J., Loucks S., Marshall F., McKenty P., Meyerhofer D., Morse S., Gotchev O., Radha P., Regan S., Seka W., Skupsky S., Smalyuk V., Soures J., Stoeckl C., Town R., Whitman M., Yaakobi B., Zuegel J.

43

Design of ignition targets for the National Ignition Facility

Haan S., Dittrich T., Marinak M., Hinkel D.

54

Target design for the MJ laser

Holstein P., Casanova M., Chaland F., Charpin C., Cherfils C., Divol L., Dumont H., Galmiche D., Giorla J., Hallo L., Laffite S., Lours L., Monteil M., Mourenas D., Poggi F., Saillard Y., Schurtz G., Valadon M., Vanderhaegen D., Wagon F.

60

Progress in target physics research at CEA to achieve DT ignition on LMJ

Jolas A., Bayer C., Dattolo E., Drevet C., Fortin X., Holstein P., Juraszek D., Lefebvre E., Richard A., Saillard Y., Tassart J., Vanderhaegen D.

68

Feasibility of high yield/high gain NIF capsules

Suter L., Rothenberg J., Munro D., Van Wonterghem B., Haan S., Lindl J.

74

Robustness of the LMJ target against experimental uncertainties

Giorla J., Dumont H., Dupuis A.-J., Perrot F., Poggi F.

82

The injected entropy approach for the ignition of high gain targets by heavy ion beams or incoherent x-ray pulses

Caruso A., Strangio C.

88

Two-dimensional diffusion code for calculating alpha-particle's energy and momentum deposition in ICF plasmas

Johzaki T., Oda A., Nakao Y., Kuroki Y., Kudo K.

94

Tritium-poor targets in low temperature ignition scheme

Johzaki T., Nakao Y., Mori M., Kudo K.

98

Direct drive laser fusion calculations at CEA

Fortin X., Canaud B.

102

LMJ target implosions: sensitivity of the acceptable gain to physical parameters and simplification of the radiative transport model

Charpin C., Bonnefille M., Charrier A., Giorla J., Holstein P., Malinié G.

106

Implosion and ignition theories of high gain targets

Saillard Y.

110

III. Implosion

Spherical implosion experiments on OMEGA: measurements of the cold, compressed shell

Yaakobi B., Smalyuk V., Delettrez J., Town R., Marshall F., Glebov V., Petrasso R., Soures J., Meyerhofer D., Seka W.

115

Increase of the drive pressure in soft x-ray irradiated foam foil packages

Willi O., Pasley J., Iwase A., Nazarov W., Rose S.

122

Overview of laser fusion program at Russian Federal Nuclear Center - VNIIEF

Kirillov G., Kochemasov G., Bessarab A., Garanin S., Gasparian P., Mkhitarian L., Murugov V., Sukharev S., Terekhin V., Vatulin V., Zhidkov N.

130

Tetrahedral hohlraums at OMEGA

Kyrala G., Goldman S., Batha S., Wallace J., Klare K., Schappert G., Oertel J., Turner R.

136

Asymmetry influence on indirect-drive ISKRA-5 implosions

Mkhitarian L., Bel'kov S., Bessarab A., Bondarenko S., Eremenko Y., Vinokurov O., Gaidash V., Zhidkov N., Isgorodin V., Kirillov G., Kochemasov G., Litvin D., Martinenko S., Murugov V., Petrov S., Pinegin A., Suslov N.

142

Uniform implosion of fusion pellets using indirect-direct hybrid scheme

Nishimura H., Shiraga H., Nishikino M., Azechi H., Miyanaga N., Nakai M., Shigemori K., Ochi Y., Fujita K., Izumi N., Matsuoka M., Murakami M., Nishihara K., Ishizaki R., Ohnishi N., Takabe H., Nagai K., Norimatsu T., Mima K., Yamanaka T.

148

Interaction of powerful laser and x-ray pulses with porous materials for advanced ICF targets applications

Bugrov A., Burdonsky I., Gavrilov V., Goltsov A., Guskov S., Kondrashov V., Kovalsky N., Koptyaev S., Medovchshikov S., Pergament M., Petryakov V., Rozanov V., Zhuzhukalo E.

154

Hohlraum x-ray drive control: an issue in the design of LMJ / NIF targets

Dattolo E., Monteil M., Laffite S., Jadaud J., Dague N., Suter L., Glenzer S., Turner B., Landen O.

158

Simulations of radiation symmetry experiments at Nova and Omega

Monteil M., Colin F., Laffite S., Dague N., Jadaud J., Koenig J., Richard A., Amendt P., Glendinning G., Landen O., Delamater N., Magelssen G.

162

Numerical investigation of x-flux asymmetry over DT-capsule in the spherical hohlraum experiments on the 'Iskra-5' facility

Bondarenko S., Kochemasov G.

166

Two-dimensional radiation-hydrodynamics simulation of non-uniformly irradiated targets

Temporal M., Atzeni S., Grandjouan N., Koenig M., Benuzzi A., Batani D., Hall T.

170

Indirect-drive time-dependent symmetry diagnosis at NIF-scale

Landen O., Bradley D., Pollaine S., Amendt P., Glendinning S., Jones O., Suter L., Turner R., Wallace R., Hammel B., Delamater N., Wallace J., Magelssen G., Gobby P.

174

High convergence implosion symmetry in cylindrical hohlraums

Landen O., Amendt P., Turner R., Bradley D., Suter L., Wallace R., Hammel B.

178

Numerical analysis of imprint mitigation with soft x-ray radiation using integrated code

Ohnishi N., Nagatomo H., Takabe H., Nishimura H., Nishikino M., Shiraga H., Yamanaka T.

184

Laser MegaJoule target design: effect of different ablators and of the hohlraum spectrum on implosion performances

Wagon F., Chaland F., Saillard Y., Vandenboomgaerde M.

188

2D simulation of the radiation symmetry on a LMJ target with a view factor code

Poggi F., Giorla J.

192

IV. Hydrodynamic Instabilities

Scaling laws of nonlinear Rayleigh-Taylor and Richtmyer-Meshkov instabilities in two and three dimensions

Shvarts D., Oron D., Kartoon D., Rikanati A., Sadot O., Srebro Y., Yedwab Y., Ofer D., Levin A., Sarid E., Ben-Dor G., Erez L., Erez G., Yosef-Hai A., Alon U., Arazi L.

197

Experimental study of direct-drive hydrodynamic instability at ILE Osaka

Yamanaka T., Shiraga H., Nakai M., Heya M., Azechi H., Miyanaga N., Nishimura H., Fujita K., Ochi Y., Nishihara K., Takabe H., Nakai S., Mima K.

205

Stability analysis of directly driven NIF capsules

Goncharov V., Skupsky S., McKenty P., Delettrez J., Town R., Cherfils-Cl rouin C.

214

Direct drive ablation front stability: numerical predictions against flame front model

Masse L., Hallo L., Talbot C.

220

Measurements of the growth rate of the short wavelength Rayleigh-Taylor instability of foam foil packages driven by a soft x-ray pulse

Willi O., Pasley J., Iwase A., Nazarov W., Rose S.

224

Saturation amplitude of linear growth in Rayleigh-Taylor instability with a finite spectrum width

Ikegawa T., Nishihara K.

228

Nonlinear evolution of single spike in Richtmyer-Meshkov instability

Fukuda Y., Nishihara K., Matsuoka C., Wouchuk J.

232

Numerical analysis of spherically convergent Rayleigh-Taylor experiments on the Nova laser

Galmiche D., Cherfils C., Glendinning S., Laffite S., Remington B., Richard A., Wallace R., Divol L.

236

Numerical modeling of linear stability problems applied to gas dynamics and MHD

Olazabal M., Cahen J., Raviart P.

240

Influence of a magnetic field on the dynamic and stability of laser produced plasma

Pisarczyk T., Kasperczuk A., Miklaszewski R.

244

Laser driven ablative surface instability in a porous layer

Rudraiah N., Sridharan P., Desai T.

248

The effect of free electrons on the stability of shock waves in metals

Rutkevich I., Mond M., Zaretsky E.

253

V. Energy Transport

Non-standard model for electron heat transport for multidimensional hydrodynamic codes

Nicolai P., Busquet M., Schurtz G.

257

Characterization of laser energy deposition by thin foil x-ray emission. Part I: Experimental results at the Phebus facility

Canaud B., Vandenboomgaerde M., Chaigneau F., Cance D., Nicolai P.

261

Characterization of laser energy deposition by thin x-ray emission. Part II: Simulations and non-standard conduction models

Vandenboomgaerde M., Nicolai P., Canaud B., Chaigneau F., Cance D.

265

Time dependent energy transport in laser heated targets

Hoarty D., Willi O., Watt R., Gobby P.

269

Nonlocal heat transport on the laser produced plasmas

Sunahara A., Takabe H., Mima K.

275

X-ray transport in hohlraum systems

Abzaev F., Bazin A., Bessarab A., Vasina E., Vatulin V., Gaidach V., Jidkov N., Izgorodin V., Kirillov G., Kunin A., Pinegin A., Pleteneva N., Suraeva O., Suslov N., Chekshin V., Shagaliev R.

279

Moment closure hierarchy for the radiative transfer equation

Dubroca B., Feugeas J.-L.

285

VI. Laser-Plasma Interaction Physics

Laser-plasma interaction physics at LULI

Labauve C., Fuchs J., Depierreux S., Michard A., Baldis H., Pesme D., Laval G., H ller S.

289

Toward an ultimate goal for universal solution of laser-matter interaction by the CIP method – 3D space and 6D phase space solver

Yabe T., Nakamura T., Tanaka R., Kondoh Y.

298

Recent laser-plasma interaction studies at LLNL

Young P., Berger R., Decker C., Divol L., Kirkwood R., Geddes C., Glenzer S., Hinkel D., Langdon A., MacGowan B., Moody J., Rothenberg J., Still C., Suter L., Williams E.

307

Polarization smoothing in laser-plasma experiments

Fuchs J., Labauve C., Depierreux S., Michard A., Baldis H.

313

Recent Los Alamos experiments on laser-plasma instabilities

Fern ndez J., Cobble J., Montgomery D., Rose H., Wilke M.

318

Nonlinear propagation of a spatially incoherent laser beam: self-induced smoothing and reduction of scattering instabilities

Maximov A., Ourdev I., Pesme D., Rozmus W., Tikhonchuk V., Capjack C., Mounaix P., Divol L., H ller S.

324

Optical mixing controlled stimulated scattering instabilities: progress toward the control of stimulated Raman and Brillouin scattering levels with overlapping laser beams in ICF targets

Afeyan B., Geddes C., Montgomery D., Kirkwood R., Bellomo P., Estabrook K., Decker C., Meyerhofer D., Regan S., Seka W., Town R., Schmitt A.

331

Filamentation of smoothed laser beams in hot plasmas

Riazuelo G., Bonnaud G.

337

Saturation of stimulated Raman backscattering with varying ion acoustic wave damping <i>Salcedo A., Bers A., Ram A.</i>	343
Enhanced Brillouin reflectivity from plasmas with temperature gradients <i>Bawa'aneh M., Boyd T.</i>	349
Nonlinear interaction processes in experiments on laser irradiation of low-density porous materials <i>Bugrov A., Burdonsky I., Gavrilov V., Goltsov A., Kondrashov V., Kovalsky N., Pergament M., Petryakov V., Sorokin A., Yankovsky E., Zhuzhukalo E.</i>	355
Two-dimensional kinetic simulations of Raman scattering <i>Curtet M., Bonnaud G., Lefebvre E., Charpentier S.</i>	359
Angular dependence of $3\omega_0/2$ spectra from laser-produced plasmas <i>Young P., Moody J., Rozmus W.</i>	363
Observation of secondary plasma waves in laser-plasma interaction experiments <i>Depierreux S., Labaune C., Baldis H., Fuchs J., Michard A.</i>	367
Suppression of Raman gain by finite level ion acoustic waves in inhomogeneous plasma <i>Barr H., Boyd T., Lukyanov A.</i>	372
Anisotropic self-focusing and filamentation instability of intense laser beams in dense plasmas <i>Sheng Z., Nishihara K., Honda T., Mima K., Bulanov S.</i>	376
VII. Fast Ignition	
Experimental research on fast ignitor <i>Mima K., Tanaka K., Kodama K., Kitagawa Y., Yamanaka T.</i>	381
Studies of the relativistic electron source and related phenomena in petawatt laser matter interactions <i>Key M., Campbell E., Cowan T., Hatchett S., Henry E., Koch J., Langdon A., Lasinski B., Lee R., MacKinnon A., Offenberger A., Pennington D., Perry M., Phillips T., Roth M., Sangster T., Singh M., Snavely R., Stoyer M., Wilks S., Yasuike K.</i>	392
Study of relativistic laser plasmas related to fast ignition at Osaka <i>Tanaka K., Kodama R., Izumi N., Takahashi K., Heya M., Fujita H., Kato Y., Kitagawa Y., Mima K., Miyanaga N., Norimatsu T., Sentoku Y., Sunahara A., Yamanaka T., Koase T., Iwatani T., Ohtani F., Miyakoshi T., Habara H., Tanpo M., Tohyama S., Weber F., Barbee T., DaSilva L.</i>	401
Hosing, sausinging, filamentation and sidescatter of a high-intensity short-pulse laser in an under-dense plasma <i>Najmudin Z., Krushelnick K., Clark E., Salvati M., Santala M., Tatarakis M., Dangor A., Malka V., Neely D., Allott R., Danson C.</i>	409
Improved studies on ignition requirements for DT and T-poor fast ignitors <i>Atzeni S.</i>	415
Superintense laser-solid interaction, anomalous transport and its possible implications for the fast ignitor concept <i>Mulser P., Hain S., Ruhl H., Cornolti F.</i>	421
Relativistic laser-plasmas and guided conical compression experiments relevant to the fast ignitor scheme for ICF <i>Norreys P., Allott R., Beg F., Clark E., Clarke R., Evans R., Habara H., Kodama R., Ledingham K., Machacek A., McCanny T., Neely D., Rose S., Santala M., Singhal R., Spencer I., Tatarakis M., Wark J., Watts I., Wilks S., Woolsey N., Zepf M., Kruselnick K., Dangor A.</i>	427
Fast electron propagation experiments for fast ignition: evidence for electric field effects <i>Batani D., Pisani F., Martinolli E., Bernardinello A., Antonicci A., Davies J., Koenig M., Amiranoff F., Gremillet L., Bandulet H., Baton S., Rosseaux C., Hall T., Scott D., Norreys P., Djaoui A., Fewes P.</i>	433
Solid-state density plasmas and fast-electron jets <i>Witte K., Andiel U., Eidmann K., Gahn C., Habs D., Mancini R., Meyer-ter-Vehn J., Pretzler G., Pukhov A., Saemann A., Tsakiris G.</i>	439
Fast ignition and the problem of relativistic electron transport with currents above 100 MA <i>Honda M., Meyer-ter-Vehn J., Pukhov A.</i>	445
Experimental evidence of fast electron jets travelling through solid targets irradiated at relativistic laser intensities <i>Gremillet L., Amiranoff F., Baton S., Gauthier J.-C., Koenig M., Martinolli E., Pisani F., Bonnaud G., Lebourg C., Rousseaoux C., Toupin C., Antonicci A., Batani D., Bernardinello A., Hall T., Scott D., Norreys P., Bandulet H., Pépin H.</i>	451
Electron acceleration at the betatron resonance in relativistic laser channels <i>Pukhov A., Meyer-ter-Vehn J.</i>	457
Measurements of deep heating generated by ultra-intense laser-plasma interactions <i>Koch J., Hatchett S., Key M., Lee R., Pennington D., Stephens R., Tabak M.</i>	463

Thermal transport and deep heating by hot electrons in intense femtosecond laser-matter interaction <i>Forget P., Dorchies F., Gallant P., Jiang Z., Kieffer J., Pépin H., Hebert B.</i>	467
Penetration of relativistic electrons created by ultra-intense laser pulses in solid/overdense plasma <i>Toupin C., Bonnaud G., Gremillet L., Walraet F., Lefebvre E., Rax J., Robiche J.</i>	471
Correlated stopping of relativistic electron beams in supercompressed DT fuel <i>Deutsch C., Fromy P.</i>	475
X-ray imaging to characterize MeV electrons propagation through plastic targets <i>Stephens R., Key M., Koch J., Pennington D.</i>	480
Paraxial approximation at relativistic self-focusing for the fast ignitor with volume ignition <i>Osman F., Castillo R., Hora H.</i>	484

B. Fusion with Particle Beams

VIII. Ignition and Interaction with Particle Beams

Interaction of swift heavy ion beams with dense plasma of low z material. Application to heavy ions inertial fusion <i>Maynard G., Deutsch C., Chabot M., Gardès D.</i>	495
Indirect fusion targets for heavy ion driver scenario <i>Vatulin V., Afanas'eva V., Bazin A., Ermolovich V., Jidkov N., Karepov V., Kharitonov A., Romanov Y., Shagaliev R., Skrypnik S., Vasina E., Vinokurov O., Bock R., Maruhn J., Hoffmann D.</i>	503
Hohlraum targets for HIDIF <i>Ramis R., Honrubia J., Ramirez J., Meyer-ter-Vehn J.</i>	509
High-gain capsule design for the HIDIF project <i>Honrubia J., Ramirez J., Ramis R., Cerrada J., Gómez R.</i>	515
Ion beam transport in a laser initiated discharge channel <i>Tauschwitz A., Niemann C., Penache D., Presura R., Funk U., Geissel M., Golubev A., Hoffmann D., Karstens F., Knobloch R., Neuner U., Penache C., Roth M., Süß W., Turtikov V., Wille E., Winkelmann O., Wahl H.</i>	521
Ion pulse transport in target chambers <i>Rosenbluth M., Lee E., Briggs R.</i>	527
A study of proton generated dense plasmas <i>Marten H., Meisel G., Baumung K., Bluhm H., Hoppé P., MacFarlane J.</i>	533
Energy loss of protons in solid deuterium <i>Jacoby J., Kolb J., Funk U., Hoffmann D., Neuner U.</i>	539
Investigation of fast ions and hot electrons in laser produced plasmas by means of high resolution x-ray spectroscopy <i>Rosmej F., Hoffmann D., Süß W., Geissel M., Faenov A., Skobelev I., Magunov A., Pikuz T., Bock R., Letardi T., Flora F., Bollanti S., Lazzaro P., Satov Y., Smakovskii Y., Stepanov A., Roerich V., Khomenko S., Nischuk S., Makarov K., Reale A., Scafati A., Auguste T., d'Oliveira P., Hulin S., Monot P., Sharkov B.</i>	545
Spectroscopic analysis of heavy ion beam initiated radiation from frozen neon <i>Funk U., Hoffmann D., Rosmej F.</i>	551
2-D simulation of hohlraum targets for HIDIF: Gold vs Beryllium converters <i>Ramirez J., Ramis R., Honrubia J., Meyer-ter-Vehn J.</i>	555
Preparatory experiments for heavy ion beam induced high energy density in matter <i>Neuner U., Bock R., Constantin C., Dudin S., Funk U., Hoffmann D., Postnov V., Stöwe S., Tahir N., Tauschwitz A., Udrea S., Varentsov D., Yakushev V.</i>	559
Clusters ions fragmentation in dense target <i>Deutsch C.</i>	563
Energy loss and charge states of low-energy heavy ions interacting with laser-produced plasmas <i>Ogawa M., Neuner U., Nishigori K., Kojima M., Hasegawa J., Sakumi A., Shibata K., Sato R., Oguri Y.</i>	568
'Thick target' approach for precise measurement of total stopping ranges <i>Golubev A., Bakhmetjev I., Cherkasov A., Fertman A., Turtikov V., Sharkov B., Punin V., Jidkov N., Kunin A., Vasina E., Vatulin V., Hoffmann D.</i>	572
Numerical simulations of future heavy-ion-matter interaction experiments at the GSI Darmstadt <i>Tahir N., Hoffmann D., Kozyreva A., Maruhn J., Neuner U., Tauschwitz A., Spiller P., Shotov A., Bock R.</i>	576

C. Fusion with Z-Pinches

IX. Z-Pinches

The prospects for high yield ICF with a Z-pinch driven dynamic Hohlraum

Lash J., Chandler G., Cooper G., Derzon M., Douglas M., Hebron D., Leeper R., Matzen M., Mehlhorn T., Nash T., Olson R., Ruiz C., Sanford T., Slutz S., Peterson D., Chrien R.

583

Superfast multi-wire liner implosion physics study at Angara-5-1

Alexandrov V., Branitsky A., Volkov G., Fedulov G., Grabovsky E., Nedoseev L., Oleinik G., Samokhin A., Sasorov F., Smirnov V., Frolov I., Zaitzev V., Zurin M., Spielman R., Deeney C.

591

The dynamics of wire array Z-pinch implosions

Lebedev S., Chittenden J., Aliaga-Rossel R., Bland S., Dangor A., Haines M

597

Study of fast Z-pinches in Kurchatov Institute

Kingssep A., Blinov P., Chernenko A., Chukbar K., Danko S., Gordeev A., Kalinin Y., Mizhiritsky V., Rudakov L., Shashkov A.

603

Z-pinch generated x-rays in static-wall-hohlraum geometry demonstrate potential for indirect-drive ICF studies

Sanford T., Olson R., Mock R., Chandler G., Hebron D., Leeper R., Nash T., Ruggles L., Simpson W., Struve K., Vesey R., Bowers R., Matuska W., Peterson D., Peterson R.

609

Inertial fusion by magnetically transmitted axial cumulation

Eliezer S., Martínez-Val J., Piera M., Vorobeichik I., Henis Z.

615

Studies of the initial stage of wire array explosion at Angara-5-1

Alekseyev A., Branitskii A., Grabovskii E., Frolov I., Krasilnikov A., Oleinik G., Portnov D., Samokhin A., Sasorov P., Volkov G., Zurin M.

621

Plasma formation studies in carbon and deuterium Z-pinch neck

Bakshaev Y., Blinov P., Chernenko A., Dan'ko S., Gordeev E., Kingssep A., Korolev V., Medovschikov S., Nedoseev S., Shashkov A., Tumanov V.

624

Application of binary metal/salt coolants for electrodes for pulsed-power fusion plants

Peterson P., Cole C., Donelli A., Olander D.

628

D. Drivers, Inertial Fusion Energy and Technologies

X.1. Laser Drivers

Mercury and beyond: diode-pumped solid-state lasers for inertial fusion energy

Bibeau C., Beach R., Bayramian A., Chanteloup J., Ebberts C., Emanuel M., Orth C., Rothenberg J., Schaffers K., Skidmore J., Sutton S., Zapata L., Payne S., Powell H.

635

Laser-diode pumped 10J x 10Hz Nd: glass slab laser for inertial fusion energy

Yamanaka M., Matsui H., Kawada Y., Kandasamy R., Eguchi T., Kanabe T., Nakatsuka M., Izawa Y., Nakai S., Kawashima T., Okada Y., Kanzaki T., Miyajima H., Miyamoto M., Kan H.

644

Optimisation of beam configuration for upgrade Gekko laser system

Murakami M.

650

LMJ focal spot simulations

Ribeyre X., Videau L.

656

Which smoothing technique for the LMJ project?

Videau L., Ribeyre X., Rouyer C.

660

Broadband beam smoothing on OMEGA with two-dimensional smoothing by spectral dispersion

Zuegel J., Jacobs-Perkins D., Marozas J., Roides R., Bittle W., Michaels E., Regan S., Craxton R., Kelly J., Kessler T., Seka W., Skupsky S.

664

Dynamic control of focusing pattern by kinoform phase plate

Tsubakimoto K., Sueda K., Nakatsuka M., Miyanaga N.

669

Smoothed KrF laser irradiation with a wide divergence oscillator and a phase plate

Matsushima I., Takahashi E., Matsumoto Y., Okuda I., Kato S., Tomie T., Owadano Y.

673

Upgrades to Asterix IV implemented on a new facility PALS

Rus B., Rohlena K., Skála J., Jungwirth K., Ullschmied J., Witte K., Baumhacker H.

677

Achieving relativistic interaction intensities on Vulcan

Danson C., Allott R., Collier J., Clark R., Edwards C., Hancock S., Hatton P., Hawkes S., Hutchinson M., Hernandez-Gomez C., Kidd A., Lester W., Neely D., Norreys P., Notley M., Pepler D., Pitts M., Reason C., Rodkiss D., Winstone T., Wyatt R., Wyborn B.

681

Development of a petawatt-class Ti: sapphire laser system

Matsuoka S., Yamakawa K.

687

Towards 100 TW - 10 Hz titanium-sapphire laser facilities: the European FIRE project

Kalachnikov M., Nickles P., Kulcsar G., Schönagel H., Sandner W., Chambaret J., LeBlanc C., Mysyrowicz A.

691

High power Nd: glass laser for fast ignition research

Kawasaki T., Yoshida H., Matsuo S., Kanabe T., Kodama R., Fujita H., Kitagawa Y., Tanaka K., Nakatsuka M., Yamanaka T., Mima K.

695

Multi-petawatt laser performances

Reichart A., Blanchot N., Nicolaizeau M., Ribeyre X., Bettinger A.

699

PHELIX - A petawatt high-energy laser for heavy-ion experiments

Bock R., Borneis S., Bruske C., Caird J., Habs D., Hoffmann D., Kluge H., Kühl T., Marx D., Nickles P., Perry M., Roth M., Sandner W., Seelig W., Tauschwitz A.

703

Temporal distortions control in CPA technique using phase modulator as temporal corrector

Salmon E., Blanchot N., Husson D., Rouyer C., Sauteret C., Migus A.

709

Phase conjugation at SBS of profiled laser pulses

Kochemasov G., Ladagin V., Starikov F.

713

Laser pulse propagation calculations using the Miró software

Morice O., Nassiet D., Gallice G., Rivoire V.

717

High efficiency second-harmonic generation in four-pass quadrature frequency conversion scheme

Kiryama H., Matsuoka S., Maruyama Y., Arisawa T.

721

Nuclear pumped lasers in the ICF problem

Seregin A., Dobrovol'sky A., D'yachenko P., Lapidus V., Seregina E., Tikhonov G.

725

X.2. Ion Beam Drivers

Recent developments in heavy ion driver studies at GSI

Hofmann I.

731

Heavy ion drivers for inertial fusion energy

Lee E.

739

Progress and challenges in the development of light ion beam drivers for inertial fusion energy (IFE)

Bluhm H., An W., Buth L., Hoppé P., Licht V., Meisel G., Rusch D., Singer J., Stoltz O., Knyazev B., Yoo S.

744

First measurement of small divergence angle accompanied with medium mass ion source

Kasuya K., Kishi Y., Kamiya T., Saitoh S., Funatsu M., Renk T., Turman B., Leeper R., Mehlhorn T., Quintenz J.

752

XI. Inertial Fusion Energy

Target experimental area and systems of the US National Ignition Facility

Tobin M., Van Wonerghem B., MacGowan B., Hibbard W., Kalantar D., Lee F., Pittenger L., Wong K.

757

High fusion yield shots in the LMJ target area

Schirmann D., Bonneau F., Bianchi L., Courchinoux R., Dubern C., Fornier A., Jacquet H., Jequier F., Geille A., Gommé J.-C., Lonjaret T., Rostaing M.

765

Investigation toward laser driven IFE power plant

Nakai S., Kozaki Y., Izawa Y., Yamanaka M., Kanabe T., Kato Y., Furukawa H., Norimatsu T., Nagai K., Nakatsuka M., Jitsuno T., Yamanaka T., Yamanaka C.

773

Scaling and design for hydraulics response in thick-liquid protected IFE target chambers

Peterson P.

781

Computer simulation of tritium releases in inertial fusion reactors

Perlado J., Velarde M.

788

Flux effects on defect production and damage accumulation in Cu and Fe exposed to IFE-like conditions

Alonso E., Caturia M., Diaz de la Rubia T., Marian J., Perlado J.M., Stoller R.

794

Developments in numerical simulation of IFE target and chamber physics

Velarde G., Minguez E., Alonso E., Gil J., Malerba L., Marian J., Martel P., Martinez-Val J., Mu-oz R., Ogando F., Perlado J., Piera M., Reyez S., Rubiano J., Sanz J., Sauvan P., Velarde M., Velarde P.

800

Advances in the neutron feedback ICF reactor concept <i>Miley G.</i>	806
Neutron dynamics and materials damage in inertial fusion reactors <i>Perlado J., Malerba L., Marian J., Lodi D., Díaz de la Rubia T., Alonso E.</i>	811
Nuclear heating, radiation damage, and waste management options for the HYLIFE-II final focus magnets <i>Lathowski J., Moir R., House P.</i>	815
Radiation damage and waste management options for the SOMBRERO final focus system and neutron dumps <i>Reyes S., Lathowski J., Meier W.</i>	819
Safety and environmental advantages of using tritium-lean targets for inertial fusion energy <i>Lathowski J., Logan B., Perkins L., Meier W., Moir R., Atzeni S., Sanz J.</i>	823
Laser-produced plasma simulation of the direct conversion of ICF-energy in magnetic field <i>Zakharov Y., Antonov V., Melekhov A., Posukh V., Shaikhislamov I., Nakashima H.</i>	827

XII. Targer Chamber

Occupational dose estimates for the National Ignition Facility <i>Lathowski J.</i>	831
Activation analysis of target debris in the National Ignition Facility <i>Sanz J., Marian J., Lathowski J.</i>	839
Shrapnel studies in laser interaction experiments <i>Bianchi L., Courchinoux R., Jequier F., Geille A., Schirmann D.</i>	845
Debris shield survivability and lifetimes for NIF <i>Tobin M., Eder D., Thomas I., Lathowski J., Brereton S., MacGowan B., Horton R., Diewer T., Zaka F., Davis S., Ertel J.</i>	851
Elemental analysis of as-built concrete and aluminum for the National Ignition Facility and their effect upon residual dose rates <i>Lathowski J., Sanz J.</i>	858
X-ray damage predictions of materials in the near target vicinity in high fusion yield shots <i>Bonneau F., Combis P., Daval G., Favier J., Souny G.</i>	862
Dynamic tests of a low-density aluminum foam as a structure for shielding equipment close to NIF and LMJ targets <i>Courchinoux R., Labrousche J., DiPeso G., Pittenger L., Schirmann D.</i>	866
Influence of transitions of phase in laser matter interaction <i>Bonneau F., Combis P., Daval G., Lamaignère L.</i>	870

XIII. Target Fabrication

Target fabrication activities for high gain experiments with the Gekko laser <i>Norimatsu T., Takaki T., Nakajima M., Maeda T., Shimomura T., Kimura Y., Nagai K., Yamanaka T.</i>	875
Target technologies for indirect drive ignition on the NIF <i>Bernat T.</i>	883
The technology of indirectly irradiated targets for inertial fusion researches at the Russian Federal Nuclear Center – VNIIEF <i>Andramanova Y., Veselov A., Zhidkov N., Ivanin I., Ignatev Y., Izgorodin V., Kirillov G., Komleva G., Makarov M., Medvedev E., Morovov A., Nikolaev G., Pinegin A., Romaev V., Solomatina E., Tacenko M., Tenyaev B., Cherkesova I., Yukhimchuk A.</i>	891
Current results in the area of cryogenic fuel layering obtained at realization of the ISTC project n° 512 <i>Koresheva E., Aleksandrova I., Baranov G., Belolipetskiy A., Veselov V., Listratov V., Osipov I., Rivkis L., Soloviev V., Timofeev I., Tolokonnikov S., Usachev G., Yaquzhinskiy L.</i>	897
A new cryogenic system for the production of solid H₂, D₂ and Ne for heavy ion experiments at GSI <i>Funk U., Bock R., Hoffmann D., Rosmej F., Tauschwitz A., Neuner U.</i>	903
Thin-walled plastic shells for ICF experiments <i>Nakano H., Fukuda T.</i>	907
Automated selection and control of shells for ICF targets. Method of separation in liquid according to wall nonuniformity <i>Veselov A.</i>	912

Capsule production and development for ICF experiments <i>Nikroo A., Elsner F., Czechowicz D., Gibson J., Grant S., Greenwood A., Hoppe M., Husband D., McQuillan B., Miller W., Pontelandolfo J., Steinman D., Stephens R., Schultz K., Takagi M.</i>	917
Design and testing of cryogenic target systems <i>Besenbruch G., Alexander N., Baugh W., Bernat T., Collins R., Boline K., Brown L., Gibson C., Goodin D., Harding D., Lund L., Nobile A., Schultz K., Stemke R.</i>	921

XIV. Diagnostics

X-ray imaging diagnostics for the inertial confinement fusion experiments <i>Aglitkiy Y., Lehecka T., Obenschain S., Pawley C., Sethian J., Brown C., Seely J., Koch J., Holland G.</i>	927
Frequency measurements by time of flight method on DC to AC radiation converter <i>Higashiguchi T., Yugami N., Okabe H., Niyama T., Sasaki S., Takahashi E., Ito H., Nishida Y.</i>	933
The natural diamond detector based time of flight fusion product spectrometer for ICF experiments <i>Krasilnikov A., Alekseyev A., Amosov V., Portnov D., Rastyagaev I.</i>	937
Monte Carlo simulation of high-bandwidth Cerenkov detectors for NIF fusion burn measurements <i>Mack J., Young C.</i>	941
Quantitative measurements of ion tracks on CCD element with conventional solid state track detector <i>Kasuya K., Yamashita T., Kamiya T., Saitoh S., Funatsu M., Mroz W.</i>	945
Time resolved monochromatic x-ray imaging of compressed fusion plasmas <i>Uschmann I., Fujita K., Niki I., Butzbach R., Nishimura H., Funakura J., Nakai M., Förster E., Mima K.</i>	949

E. Fundamental Applications of Inertial Fusion Science

XV. Femtosecond Laser Interaction

Relativistic solitons generated by high intensity laser pulses in plasmas <i>Bulanov S., Califano F., Esirkepov T., Mima K., Naumova N., Nishihara K., Pegoraro F., Sentoku Y., Vshivkov V.</i>	955
Measurements of energetic proton generation from intense laser interactions with solids <i>Clark E., Krushelnick K., Davies J., Zepf M., Tatarakis M., Beg F., Machacek A., Norreys P., Santala M., Watts I., Dangor A.</i>	961
Observation of ultrafast plasma dynamics <i>Takahashi E., Katsura K., Miura E., Yugami N., Nishida Y., Honda H., Kondo K.</i>	966
Parametric instabilities of ultraintense laser pulses in under and overdense plasma <i>Barr H., Mason P., Parr D.</i>	970
Guiding of short, intense laser pulses through solid guides and preformed plasma channels <i>Borghesi M., Mackinnon A., Blanchot N., Canaud B., Davies J., Gaillard R., Malka G., Miquel J., Offenberger A., Vickers C., Willi O.</i>	974
Solitary structure of anomalously penetrating ultrahigh intense short pulse laser <i>Sakagami H., Mima K.</i>	978
High-intensity subpicosecond laser pulse propagation in a 1-cm capillary tube and fast ignitor experiments <i>Malka G., Courtois C., Cros B., Matthieussent G., Blanchot N., Bonnaud G., Busquet M., Canaud B., Desenne D., Disdier L., Garçonnet J.P., Louis-Jacquet M., Lefebvre E., Lours L., Mens A., Miquel J., Peyrusse O., Rousseaux C., Borghesi M., Gaillard R., Mackinnon A., Willi O., Danson C., Neely D., Aitenberd D., Feurer T., Forster E., Gibbon P., Sauerbray R., Teubner U., Theobald W., Uschmann I., Amiranoff F., Baton S., Gremillet L., Fuchs J., Marques J., Gallant P., Kieffer J., Pepin H., Adam J., Heron A., Laval G., Mora P.</i>	982
The simulation of the physical phenomena proceeded at the interaction of powerful ultra-short laser pulses with matter <i>Lykov V., Gryaznykh D., Kandiev Y., Karlykhanov N., Litvinenko I., Nikolaev V., Politov V., Chernyakov V., Chikulaev A., Shinkarev M.</i>	986
Resonant coupling between surface and interface plasma waves in high-density sharp-edged planar or spherical plasmas produced by ultrafast laser pulses <i>Kuperszych J., Raynaud M.</i>	990
Modeling of polarized x-ray satellite line emission from Si plasmas driven by high-intensity femtosecond pulsed lasers <i>Hakel P., Mancini R., Gauthier J.C., Minguez E., Dubau J., Cornille M.</i>	994

Short microwave generation by superluminous DARC

Yugami N., Higashiguchi T., Niiyama T., Sasaki S., Ito H., Nishida Y.

998

XVI. Nuclear Reactions and Energetic Particles with Untra-Intense Lasers

Nuclear fusion in gases of deuterium clusters heated with a femtosecond laser

Ditmire T., Zweiback J., Yanovsky V., Cowan T., Hays G., Wharton K.

1003

High-energy electron, positron, ion and nuclear spectroscopy in ultra-intense laser-solid experiments on the petawatt

Roth M., Cowan T., Hunt A., Johnson J., Brown C., Fountain W., Hatchett S., Henry E., Key M., Kuehl T., Parnell T., Pennington D., Perry M., Sangster T., Christl M., Singh M., Snavely R., Stoyer M., Takahashi Y., Wilks S.

1010

Fast-ion induced nuclear reactions in the plasma blow-off in intense laser-solid interactions

Santala M., Clark E., Watts I., Beg F., Tatarakis M., Zepf M., Krushelnick K., Dangor A., McCanny T., Spencer I., Ledingham K., Machacek A., Wark J., Allott R., Clarke R., Norreys P.

1016

Energetic particle and photon production with ultra-intense lasers

Lefebvre E., Toupin C., Bonnaud G.

1020

Fast neutron emission induced by a high intensity subpicosecond laser pulse

Disdier L., Garçonnet J.-P., Miquel J.-L.

1026

High energy ion generation at relativistic laser intensities

Maksimchuk A., Gu S., Flippo K., Umstadter D., Mourou G., Sarkisov G., Bychenkov V., Tichonchuk V.

1032

High energy ions produced by the interaction of ultra-short laser pulses with atomic clusters

Eloy M., Azambuja R., Desai T., Mendonça J., Bingham R.

1038

A study of angular distribution of ions emitted from plasma produced by a high power laser

Badziak J., Krása J., Láská L., Parys P., Wolowski J., Woryna E.

1042

Hard x-ray generation and fast particle production by multi-terrawatt picosecond laser pulse interaction with solid targets

Andreev A., Borodin V., Charukchev A., Chernov V., Gilev O., Zapisov A., Komarov V., Malinov V., Migel V., Nikitin N., Saprikyn V.

1046

XVII. Laboratory Astrophysics

The relevance of HED lasers to astrophysics

Arnett D.

1053

Laboratory simulation of the collision of supernova 1987A with its ring nebula

Kang Y., Nishimura H., Takabe H., Azechi H., Norimatsu T., Nakai M., Nagatomo H., Sunahara A., Fujita K., Nakatsuka M., Mima K., Kim H.

1061

The interaction of supernova Remnants with interstellar clouds: from the nova laser to the galaxy

Klein R., Budil K., Perry T., Bach D., Marinak M.

1067

Calculations of Compton scattering of line radiation

Rose S.

1073

Designing cylindrical targets to measure the radiative properties of high density and temperature plasmas

Xu Y., Rose S.

1079

The ASTROLABE I experiment: Rayleigh-Taylor instabilities in supernova

Baclet P., Benuzzi-Mounaix A., Bouquet S., Cherfils C., Chièze J.-P., Mucchielli F., Munsch P., Polès L., Reverdin C., Teyssier R., Thais F., Thébault J.-P., Troussel P.

1083

XVIII. Spectroscopy, Dense Plasmas and Equations of State

Using Ar doped implosions as a test bed for high energy density plasma spectroscopy and stable hydro-dynamics simulations

Klein L., Lee R., Nash J., Back C., Dalhed S., Libby S., Missalla T., Nishimura H., Fujita K., Nagatomo H., Ochi Y., Azechi H., Shiraga H., Miyanaga N., Uschmann I., Butzbach R., Foerster E., Mancini R., Woolsey N., Calisti A., Stamm R., Talin B.

1087

Interpretation of Mn, Fe and Co spectra recorded in laser-produced plasmas

Fajardo M., Marchesin R., Olivier F., Gauthier J.-C., Chenais-Popovics C., Wyart J.-F.

1093

Picosecond x-ray absorption spectra of a nanosecond laser-produced aluminium plasma

Chenais-Popovics C., Fajardo M., Audebert P., Yashiro H., Teubner U., Gauthier J.-C., Renaudin P.

1097

X-ray spectroscopy of laser heated CF₂-targets

Geissel M., Faenov A., Hoffmann D., Pikuz T., Pirzadeh P., Rosmej B., Roth M., Seelig W., Süss W., Tauschwitz A.

1102

Near-equilibrium atomic processes in dense plasmas

More R., Kato T., Faussurier G.

1106

X-rays absorption in dense plasmas theory vs. experiment

Blenski T., Perrot F., Renaudin P., Chenais-Popovics C., Fajardo M., Merdji H., Gilleron F., Gauthier J.-C., Eidmann K., Andiel U.

1111

Atomic physics in dense plasmas. Recent advances

Leboucher-Dalimier E., Angelo P., Ceccotti T., Derfoul H., Poquérusse A., Sauvan P., Oks E., Calisti A., Talin B.

1115

Ion-ion correlation effects in opacities of ultra-dense and hot plasmas

Sauvan P., Minguez E., Angelo P., Derfoul H., Ceccotti T., Poquérusse A., Gharbi I., Leboucher-Dalimier E.

1119

Opacity analysis of the He β line in Ar-doped indirect drive implosions at NOVA

Golovkin I., Mancini R., Woolsey N., Back C., Lee R., Klein L.

1123

High pressure equation of state of water and iron

Koenig M., Benuzzi-Mounaix A., Batani D., Philippe F., Temporal M., Morelli A., Cauble R., Celliers P., Collins G., Da Silva L., Dague N., Masclet I., Marchet B., Rabec M., Reverdin C., Grandjouan N., Hall T., Cavazzoni C.

1127

Shock measurements of liquid deuterium at megabar pressures and $\Gamma > 10$

Cauble R., Celliers P., Collins G., Da Silva L., Gold D., Moon S., Munro D., Weber F.

1133

Equation of state in the average-ion model

Bel'kov S., Bondarenko S., Mitrofanov E.

1139

XIX. Particle Acceleration and Other Applications

Recent progress on laser-driven particle accelerators

Nakajima K., Nakanishi H., Dewa H., Hosokai T., Kando M., Kondoh S., Kotaki H.

1145

Possibility of improved phase-matching in a laser wakefield accelerator by variable profile capillary discharge

Zigler A., Cohen C., Kaganovich D., Sasorov P.

1151

Observation of MeV-electrons from underdense plasmas produced by fs-TW-laser interaction with gas-jet targets

Koyama K., Saito N., Tanimoto M.

1157

Gas jet electron acceleration using a 527 nm frequency doubled CPA laser pulse

Neely D., Allott R., Amiranoff F., Clarke E., Clarke R., Collier J., Dangor A., Danson C., Edwards C., Gordon D., Hernandez-Gomez C., Hutchinson H., Krushelnick K., Malka G., Malka V., Modena A., Najmudin Z., Notley M., Pepler D., Randerson M., Springall J., Salvati M., Santala M., Stubbs M., Tatarakis M.

1163

Generation mechanism of slow-time-scale magnetic fields and electron acceleration by the field in an underdense relativistic Vlasov plasma

He X., Zhu S., Zheng C.

1167

Acceleration of electrons in vacuum by lasers at relativistic intensities

Hora H., Hoelss M., Scheid W., Wang J., Ho Y., Osman F., Castillo R.

1171

Proton acceleration employed $V_p \times B$ scheme mechanism by an intense electromagnetic wave

Ito H., Imai M., Yugami N., Nishida Y.

1179

Numerical simulations for Au planar targets irradiated by non-Planck x-ray

Dongxian L., Yan X., Tinggui F., Ke L.

1183

Shock wave collisions in low density foams

Schiavi A., Borghesi M., Pasley J., Willi O., Neely D., Notley M., Nazarov W.

1187

Analysis of exploding plasma behaviors in a dipole magnetic field

Nakashima H., Uchimura H., Muranaka T., Zakharov Y., Nikitin S., Ponomarenko A.

1191

Instability analysis of exploding plasma in magnetic fields using a 3D hybrid code

Muranaka T., Usui H., Nakashima H., Zakharov Y., Ponomarenko A.

1194

Laser-produced Ag ions : source characterization and results of direct implantation

Boody F., Woryna E., Wolowski J., Kriliov B., Krsa J., Lska L., Pfeifer M., Rohlena K., Skla J., Perina V., Hpfel R., Hora H.

1198

Auhor index

1203