

CONTENTS

| | |
|---|----------|
| Preface | v |
| 1. INTRODUCTION | 1 |
| 2. PLASMA | |
| 2.1 Plasma Transport | 13 |
| 2.1.1 Energy confinement | 13 |
| 2.1.2 Plasma design | 15 |
| 2.1.3 Burn control | 21 |
| 2.2 Plasma Equilibrium and Beta Limit | 23 |
| 2.2.1 Plasma equilibrium | 23 |
| 2.2.2 Beta study | 35 |
| 2.3 Heating and Current Drive | 37 |
| 2.3.1 Radio frequency heating | 37 |
| 2.3.2 Radio frequency current drive | 42 |
| 2.3.3 Neutral beam injection heating | 49 |
| 2.3.4 Beam driven currents | 53 |
| 2.4 Divertor | 56 |
| 3. FIRST WALL AND IMPURITY CONTROL ENGINEERING | |
| 3.1 Introduction | 65 |
| 3.2 Design procedure of first wall | 65 |

| | |
|---|-----|
| 3.3 Environmental Conditions | 67 |
| 3.3.1 First wall | 67 |
| 3.3.2 Divertor | 70 |
| 3.3.3 Limiter | 76 |
| 3.4 Sputtering and Redeposition | 78 |
| 3.4.1 Introduction | 78 |
| 3.4.2 Experimental data of physical sputtering yield | 78 |
| 3.4.3 Equations for calculation of physical sputtering yield | 87 |
| 3.4.4 Dependence of physical sputtering yield on incident angle | 91 |
| 3.4.5 Multicomponent systems | 92 |
| 3.4.6 Temperature effects on sputtering yield | 94 |
| 3.4.7 Self sputtering | 95 |
| 3.4.8 Redeposition | 96 |
| 3.5 Engineering Impact of Plasma Disruption | 102 |
| 3.5.1 Introduction | 102 |
| 3.5.2 Heat load during plasma disruption | 107 |
| 3.5.3 Thermal analysis | 110 |
| 3.6 Structural Integrity | 120 |
| 3.6.1 Structural integrity evaluation | 120 |
| 3.6.2 Application of fracture mechanics | 123 |
| 3.7 Design Examples | 129 |
| 3.7.1 Typical design of first wall | 129 |
| 3.7.2 Typical design of divertor | 135 |
| 3.7.3 Typical design of pumped limiter | 144 |
| 4. BLANKET AND SHIELD | |
| 4.1 Blanket | 181 |
| 4.1.1 Requirements for blanket | 181 |
| 4.1.2 Material selection | 184 |
| 4.1.3 Structural concept of the blanket | 188 |
| 4.1.4 Neutronics design | 190 |
| 4.1.5 Thermal design | 197 |
| 4.1.6 Stress evaluation of blanket vessel | 204 |

| | |
|---|-----|
| 4.1.7 Integrity of breeder material | 208 |
| 4.1.8 Tritium inventory in breeder (Li_2O) | 210 |
| 4.2 Shield Structure | 213 |
| 4.2.1 Introduction | 213 |
| 4.2.2 Design criteria for the shield structure | 215 |
| 4.2.3 The policy of shielding design | 219 |
| 4.2.4 Design codes and nuclear data | 220 |
| 4.2.5 Shielding ability of candidate materials | 223 |
| 4.2.6 Radiation streaming from openings | 224 |
| 4.2.7 Examples of shield structure | 224 |
| 4.3 Electro-magnetic Design of Torus Structures | 227 |
| 4.3.1 Penetration of loop voltage | 227 |
| 4.3.2 Induced vertical field | 229 |
| 4.3.3 Penetration of magnetic field | 229 |
| 4.3.4 Plasma vertical position control | 231 |
| 4.3.5 Plasma disruption effects | 235 |
| 4.3.6 AC loss in cryogenic structures | 240 |
| 5. MAGNET | |
| 5.1 Toroidal Coil | 246 |
| 5.1.1 Introduction | 246 |
| 5.1.2 Evolution of toroidal coil development | 246 |
| 5.1.3 Basic selections for the coil design | 251 |
| 5.1.4 Practical superconducting materials and conductor design | 254 |
| 5.1.5 Heat flux design | 260 |
| 5.1.6 Design of a low-loss pulsed conductor | 263 |
| 5.1.7 Structural design of superconducting magnet in torus coil system | 266 |
| 5.1.8 New cryogenic structural materials | 273 |
| 5.1.9 Mechanical behavior of winding under mechanical loading | 276 |
| 5.1.10 Design of a data acquisition and control system for a coil | 279 |

| | |
|--|-----|
| 5.1.11 Thermal design | 281 |
| 5.1.12 Cryogenic system design | 288 |
| 5.1.13 Principal cryogenic machines | 293 |
| 5.1.14 Concluding remarks | 298 |
| 5.2 Poloidal Magnet | 300 |
| 5.2.1 Outline of poloidal magnet | 300 |
| 5.2.2 Design of pulsed superconducting magnet | 304 |
| 6. HEATING | |
| 6.1 Introduction | 327 |
| 6.2 Requirements for Heating System Design | 328 |
| 6.2.1 Neutral beam injection | 328 |
| 6.2.2 Ion cyclotron range frequency wave system | 330 |
| 6.2.3 Lower hybrid wave system | 333 |
| 7. POWER SUPPLY | 337 |
| 7.1 Introduction | 337 |
| 7.2 Various Power Supply System | 341 |
| 7.2.1 Toroidal field (TF) coil power supply system | 341 |
| 7.2.2 Poloidal field (PF) coil power supply system | 342 |
| 7.2.3 Energy storage system | 347 |
| 8. TRITIUM SYSTEMS | 348 |
| 8.1 Introduction | 348 |
| 8.2 Fuel Gas Circulation System | 350 |
| 8.2.1 System description | 350 |
| 8.2.2 Fuel gas circulation rate | 350 |
| 8.2.3 Fuel gas purification system | 351 |
| 8.2.4 Isotope separation system | 358 |
| 8.3 Blanket Tritium Recovery System | 365 |
| 8.3.1 Recovery method | 365 |

| | |
|--|-----|
| 8.3.2 Catalytic oxidation-adsorption method | 366 |
| 8.4 Primary Coolant Detritiation System | 370 |
| 8.5 Tritium Containment System | 371 |
| 8.5.1 Multiple barrier containment | 371 |
| 8.5.2 Capacity of emergency air detritiation system | 374 |
| 8.6 Tritium Permeation into Coolant | 375 |
| 8.7 Technical Appendix | 378 |
| 8.7.1 Physical and chemical data on tritium | 378 |
| 8.7.2 Radiation safety regulation for tritium | 380 |
| 8.7.3 Evaluation of tritium inventory | 383 |
| 9. FUEL SUPPLY SYSTEM | |
| 9.1 Fueling Methods | 387 |
| 9.2 An Outline of the Pellet-Injection Method | 388 |
| 9.2.1 Pellet production | 388 |
| 9.2.2 The pellet acceleration method | 389 |
| 9.3 The Present Situation in Pellet Injector Development | 391 |
| 9.4 Pellet Speed | 394 |
| 9.4.1 Required speed | 391 |
| 9.4.2 Theoretical maximum speed (light gas gun) | 394 |
| 9.4.3 The relation between pellet speed and acceleration length (light gas gun) | 395 |
| 9.5 Future Subject | 397 |
| 10. REMOTE HANDLING | |
| 10.1 Introduction | 398 |
| 10.2 Design Philosophy | 400 |
| 10.3 Maintenance Procedure | 400 |

| | |
|--|------------|
| 10.4 Maintenance System/Equipment | 400 |
| 10.5 Conclusion | 411 |
| 11. VACUUM SYSTEM | 414 |
| 11.1 Introduction | 414 |
| 11.2 Requirements and Issues of Vacuum System | 415 |
| 11.3 Design Example of Torus Pumping System | 417 |
| 11.4 Examples of Large Scale Pumping System | 425 |
| 12. BUILDING | 431 |
| 12.1 Introduction | 431 |
| 12.2 Primary Function of the Tokamak Machine Facilities | 431 |
| 12.3 Tokamak Machine Building Functional and Operational Requirements | 432 |
| 12.4 Tokamak Machine Building Design and Study Flow | 432 |
| 13. COOLING SYSTEM | 440 |
| 13.1 Introduction | 440 |
| 13.2 Example of Design | 442 |
| 13.3 Analysis of Temperature Fluctuations in Cooling System | 451 |
| 13.3.1 Blanket model | 451 |
| 13.3.2 IHX model | 454 |
| 13.3.3 Condition and result of analysis | 456 |
| 14. FUNDAMENTALS FOR DESIGN TECHNOLOGY | 459 |
| 14.1 Materials | 459 |
| 14.1.1 Structural materials | 459 |
| 14.1.2 Breeding materials | 479 |
| 14.1.3 Special purpose materials | 483 |

| | |
|--|------------|
| 14.1.4 Superconducting magnet materials | 497 |
| 14.2 Thermal Hydraulics | 504 |
| 14.2.1 Heat conduction and thermal radiation | 504 |
| 14.2.2 Heat transfer by convection | 513 |
| 14.2.3 Pressure drop with water and gaseous coolants | 516 |
| 14.2.4 Liquid metal heat transfer | 519 |
| 14.2.5 Liquid metal MHD flow phenomena | 521 |
| 14.2.6 Coolant and material considerations | 525 |
| 14.2.7 Thermal cycle | 532 |
| 14.3 Neutronics | 538 |
| 14.3.1 Nuclear data and group constants | 540 |
| 14.3.2 Neutron transport theory, sensitivity and uncertainty analysis | 549 |
| 14.3.3 Monte Carlo method | 557 |
| 14.3.4 Simplified methods for shielding calculation | 564 |
| 14.3.5 Nuclear heating, radiation damage, induced activity and decay heat | 568 |
| 14.4 Electromagnetics | 583 |
| 14.4.1 Introduction | 583 |
| 14.4.2 Eddy current analysis | 583 |
| 14.4.3 Coupling between eddy current and mechanical dynamics | 598 |