

CONTENTS OF VOLUME 2

III. DATABASE ASSESSMENT	1
1. Physics	1
1.1. Operational limits and plasma performance	1
1.1.1. Energy confinement	1
1.1.1.1. Importance for ITER	1
1.1.1.2. Energy confinement experiments	3
1.1.1.3. Status of theory	6
1.1.1.4. Confinement scalings	7
1.1.1.5. Conclusions and research needs	10
1.1.2. Fast ion and alpha particle confinement	13
1.1.2.1. Importance for ITER	13
1.1.2.2. Fast ion confinement	13
1.1.2.3. Alpha particle confinement	13
1.1.2.4. Conclusions and unresolved issues	15
1.1.3. Density limit	15
1.1.3.1. Importance for ITER	15
1.1.3.2. General physical picture	16
1.1.3.3. Experimental findings	16
1.1.3.4. Density limit scalings	17
1.1.3.5. Conclusions and R&D needs	18
1.1.4. MHD limits	19
1.1.4.1. Importance for ITER	19
1.1.4.2. Experimental results on beta and q-limits	19
1.1.4.3. Theoretical prediction on beta and q-limits	23
1.1.4.4. Beta limit of fast alpha particles	27
1.1.4.5. Conclusions and future work	28
1.2. Poloidal field design	29
1.2.1. Importance for ITER	29
1.2.2. Present status of PF modelling capability	29
1.2.3. Status of volt-second consumption estimates	31
1.2.3.1. Empirical scaling	31
1.2.3.2. Semi-empirical modelling approaches	32
1.2.3.3. Margin for ITER volt-second requirements	32
1.2.4. Conclusions and development needs	33

1.3.	Current drive and heating	34					
1.3.1.	Importance for ITER	34					
1.3.2.	Neutral beams	34					
1.3.2.1.	Neutral beam and bootstrap currents	35					
1.3.2.2.	Cross-section for neutral beam penetration	35					
1.3.2.3.	Alfvén wave instability	36					
1.3.2.4.	Plasma rotation	36					
1.3.3.	Lower hybrid waves	38					
1.3.3.1.	Current drive schemes	38					
1.3.3.2.	Current drive efficiency	38					
1.3.3.3.	Electron heating	39					
1.3.3.4.	Sawtooth suppression and profile tailoring	39					
1.3.3.5.	Confinement and impurity behaviour	39					
1.3.3.6.	Theory and modelling	40					
1.3.4.	Electron cyclotron waves	41					
1.3.4.1.	Pre-ionization	41					
1.3.4.2.	Heating	42					
1.3.4.3.	Profile control	42					
1.3.4.4.	Current drive	42					
1.3.5.	Ion cyclotron waves	45					
1.3.6.	Conclusions and research needs	47					
1.4.	Impurity control and exhaust of power and particles	48					
1.4.1.	Importance for ITER	48					
1.4.2.	Discussion of the database	49					
1.4.2.1.	General aspects of divertor performance	49					
1.4.2.2.	H-mode operation	51					
1.4.2.3.	Single- and double-null configurations	51					
1.4.2.4.	Divertor geometry	52					
1.4.2.5.	Spacing between separatrix and first wall	53					
1.4.2.6.	Helium exhaust	53					
1.4.2.7.	Divertor plate material	54					
1.4.2.8.	Erosion and redeposition	55					
1.4.2.9.	First wall erosion	55					
1.4.2.10.	Localized loads	56					
1.4.2.11.	Fuelling	56					
1.4.3.	General conclusions	57					
1.5.	Disruptions	58					
1.5.1.	Importance for ITER	58					
1.5.2.	Present knowledge	59					
1.5.2.1.	Appearance	59					
1.5.2.2.	Evolution of major disruptions at the density limit in large tokamaks	60					
1.5.2.3.	Features of other disruptions	64					
1.5.3.	Conclusions and research needs	65					
1.5.3.1.	Energy quench	65					
1.5.3.2.	Current quench	65					
1.5.3.3.	Disruption frequency and disruption control ...	66					
1.5.3.4.	Source of information	66					
2.	Basic device engineering	67					
2.1.	Toroidal field coils	67					
2.2.	Poloidal field coils	68					
2.3.	Plasma system	68					
2.4.	Maintenance	69					
3.	Nuclear engineering	69					
3.1.	Materials database	69					
3.2.	PFC manufacturing/testing	72					
3.3.	Neutronics	78					
IV. SCOPING STUDIES AND RATIONALE FOR							
CONCEPTS SELECTION							
81							
1.	Introduction	81					
2.	Design space overview and ignition capability	81					
2.0.	Introduction	81					
2.1.	Basic simple equations	82					
2.2.	I-A space characteristics	83					
2.2.1.	Unconstrained by wall load	83					
2.2.2.	Constrained by wall load	85					
2.3.	Sensitivity to assumptions	87					
2.3.1.	Elongation and safety factor	87					
2.3.2.	Peak toroidal field	87					
2.3.3.	Z_{eff}	87					
2.4.	Conclusions	90					
3.	Current drive capability over design space	90					
3.0.	Introduction	90					
3.1.	Basic equations and assumptions	91					
3.2.	I-A space under constrained operation	91					
3.3.	Steady-state operation space	95					
3.4.	Optimized current drive performance in I-A space	98					
3.5.	Conclusions	100					
4.	Background to machine selection	101					
4.1.	General options for ITER	101					
4.2.	Impact of changes in design assumptions	104					
4.3.	A survey of candidate designs	108					

5.	ITER design choice and characteristics	109							
5.1.	Characteristics of design baseline	109							
5.2.	Operation space analysis	111							
5.3.	Operational flexibility	113							
V.	PERFORMANCE FLEXIBILITY	117							
1.	Introduction	117							
2.	Overview of options	118							
2.1.	Physics phase	118							
2.2.	Technology phase	119							
3.	Impact of the flexibility requirement on the device	120							
3.1.	Flexibility of reactor concept	120							
3.2.	Flexibility of poloidal field system	122							
3.2.1.	High current and large size plasma	123							
3.2.2.	Single null divertor configuration	123							
3.2.3.	Small minor radius and large major radius	123							
3.2.4.	Reduced plasma current with reduced size	127							
3.2.5.	Preliminary study in the reference concept	127							
3.3.	Engineering consideration of operation range	127							
3.3.1.	Plasma facing components	127							
3.3.2.	Magnet	130							
4.	Flexibility in the physics phase	130							
4.1.	Plasma parameter range	130							
4.2.	Plasma operation scenarios	133							
4.2.1.	Ignition mode	133							
4.2.2.	Steady state mode	134							
4.2.3.	Hybrid operation scenarios for ITER	138							
5.	Flexibility in the technology phase	140							
5.1.	Inductive operation	140							
5.2.	Hybrid operation scenarios	142							
5.3.	Steady state operation	143							
VI.	ITER CONCEPT	145							
1.	Physics	145							
1.1.	Confinement and operational limits	145							
1.1.1.	Energy confinement	145							
1.1.2.	Fast ion and α -particle confinement	147							
1.1.2.1.	α -particle losses	147							
1.1.2.2.	Toroidal field ripple limit	147							
1.1.2.3.	Other channels of α -particle losses	149							
1.1.3.	Density limit	149							
1.1.4.	MHD stability limits	150							
1.1.5.	Plasma performance	152							
1.2.	Power and particle control	155							
1.2.1.	Guideline for the conceptual design	155							
1.2.2.	Trends in divertor performance	156							
1.2.3.	Performance of the ITER divertor	157							
1.2.4.	Conclusions	164							
1.3.	Disruptions	165							
1.3.1.	Introductory remark	165							
1.3.2.	Specifications of plasma disruptions	166							
1.3.2.1.	Plasma characteristics and number of discharges	166							
1.3.2.2.	Major disruption	166							
1.3.2.3.	Minor disruptions	169							
1.4.	Current drive and heating	169							
1.4.1.	Neutral beams	171							
1.4.1.1.	Current drive efficiency	171							
1.4.1.2.	Beam energy required for ITER	171							
1.4.1.3.	Profile control flexibility	173							
1.4.1.4.	Current rampup and transformer recharging by neutral beam current drive.....	173							
1.4.2.	Lower hybrid waves	174							
1.4.2.1.	Penetration to the plasma core	175							
1.4.2.2.	Current drive efficiency	175							
1.4.2.3.	Frequency selection	176							
1.4.2.4.	Spectral broadening	176							
1.4.3.	Electron cyclotron current drive and heating	176							
1.4.3.1.	Plasma formation	177							
1.4.3.2.	Local current profile control	177							
1.4.3.3.	Heating	177							
1.4.3.4.	Current drive	177							
1.4.4.	ICRF current drive and heating	179							
1.4.4.1.	Choice of the best heating scheme	179							
1.4.4.2.	Choice of fast wave CD scheme	179							
1.4.4.3.	Antenna requirements and optimization	180							
1.5.	Plasma operating scenario	181							
1.5.1.	Inductive operation in the physics phase	181							
1.5.2.	Steady state operation in the technology phase	184							

1.6.	Diagnostics	184			
1.6.1.	Introduction	184			
1.6.2.	Diagnostic R and D program requirements	185			
1.6.2.1.	Reliability	187			
1.6.2.2.	New diagnostics	187			
1.6.2.3.	Radiation effects	188			
1.6.2.4.	Radiation shielding design	189			
1.6.2.5.	Tritium systems	189			
1.7.	ITER physics guidelines	189			
2.	Basic device engineering	194			
2.1.	Reactor configuration and containment structure	194			
2.1.1.	Introduction and scope	194			
2.1.2.	General reactor configuration	196			
2.1.2.1.	Vertical configuration with divertor removal from outside (Solution A1)	199			
2.1.2.2.	Vertical configuration with in-vessel divertor removal (Solution A2)	201			
2.1.2.3.	Other configuration options considered	202			
2.1.3.	Torus building layout and equipment location	205			
2.1.3.1.	Biological shield concepts	205			
2.1.3.2.	Torus equipment location and maintenance considerations	206			
2.1.3.3.	Configuration issues which impact building dimensions	208			
2.1.4.	Vacuum vessel and ports	209			
2.1.5.	Results of structural analysis	215			
2.2.	Assembly and maintenance	216			
2.2.1.	Introduction	216			
2.2.2.	Assembly scenarios and procedures	217			
2.2.2.1.	Start of the assembly	218			
2.2.2.2.	Assembly of TF coils, vacuum vessels and shield segments	218			
2.2.2.3.	Assembly of the central solenoid and PF ring coils	222			
2.2.2.4.	Connections of power supply leads and magnet cooling pipes	224			
2.2.2.5.	Completion of the assembly	224			
2.2.3.	Maintenance scenarios, procedures and impact on configuration	225			
2.2.3.1.	General	225			
2.2.3.2.	Maintenance of short life items	226			
2.2.3.3.	Maintenance of medium scale components	230			
			2.2.3.4.	Maintenance of large scale components	230
			2.2.3.5.	Options having a significant impact on maintenance	230
			2.2.4.	Remote handling equipment	231
			2.2.4.1.	General requirements including transfer casks ..	231
			2.2.4.2.	Divertor maintenance	231
			2.2.4.3.	Guard limiter maintenance	232
			2.2.4.4.	Armor tile maintenance	232
			2.2.4.5.	Blanket replacement	232
			2.2.4.6.	Maintenance of other components	233
			2.2.5.	Continuing work	233
		2.3.	Magnets		233
		2.3.1.	Introduction		233
		2.3.2.	Design criteria		236
		2.3.3.	Design analysis		239
		2.3.4.	Magnet design concept		244
		2.3.5.	Cryogenic system design concept		249
		2.3.6.	Concluding remarks		250
		2.4.	Poloidal field system		250
		2.4.1.	Vertical position control system		250
		2.4.2.	Poloidal field optimization		254
		2.4.3.	Electromagnetic effects of disruption		257
		2.5.	Primary vacuum		261
		2.5.1.	Design philosophy and main requirements		261
		2.5.2.	Proposed concept		263
		2.5.3.	Turbomolecular pumps		264
		2.5.4.	Compound cryopumps		264
		2.5.5.	Thermonuclear pumps		265
		2.5.6.	Other vacuum components		265
		2.6.	Current drive and heating systems		266
		2.6.1.	Neutral beam system		267
		2.6.2.	Lower hybrid wave systems		270
		2.6.2.1.	Introduction		270
		2.6.2.2.	LHW launchers		270
		2.6.2.3.	Transmission lines		272
		2.6.2.4.	Power sources		272
		2.6.3.	Electron cyclotron system		272
		2.6.3.1.	IAP conceptual design		274
		2.6.3.2.	Windows		275
		2.6.3.3.	System description		275
		2.6.4.	Ion cyclotron system		276
		2.6.4.1.	Preliminary physics requirements		276
		2.7.	Impedance matching system		279

3. Nuclear engineering	281	3.6.4. Plasma exhaust processing	334
3.1. Tentative operation parameters	281	3.6.5. Future design work	334
3.2. In-vessel configuration	283	4. Systems	335
3.3. Plasma facing components (PFC)	290	4.1. Plant systems	335
3.3.1. Operating requirements	290	4.1.1. Introduction	335
3.3.2. The first wall (FW)	291	4.1.2. Containment/confinement philosophy	335
3.3.2.1. Plasma facing FW armor	291	4.1.3. Reactor building	336
3.3.2.2. General FW design features	295	4.1.4. Maintenance building	337
3.3.2.3. Selection of initial FW design options	296	4.1.5. Tritium processing building	337
3.3.2.4. Thermomechanical analysis and operating limits	298	4.1.6. Cryogenic system	337
3.3.3. The divertor plates (DP)	300	4.1.7. Power supply system	338
3.3.3.1. Plasma facing DP armor	300	4.1.8. Primary heat transport system	339
3.3.3.2. DP design concepts	301	4.1.9. Secondary cooling water system	339
3.3.3.3. Thermomechanical analysis and operating limits	303	4.1.10. Gases, fluids and heat supply systems	339
3.3.4. Alternative schemes of divertor targets for ITER	305	4.1.11. Electrical power distribution system	340
3.4. Blanket and shield	306	4.1.12. Waste handling system	340
3.4.1. Shield concept, analyses and performance	307	4.1.13. Site services and structures	340
3.4.2. Reference blanket options	310	4.1.14. Plant layout	340
3.4.2.1. General blanket goals and features	310	4.1.15. Conclusions	341
3.4.2.2. Selection rationale	311	4.1.16. Future programme	341
3.4.2.3. Aqueous salt concept	314	4.2. Safety and environment	342
3.4.2.4. Solid breeder concepts	315	4.2.1. Introduction	342
3.4.2.5. Lithium-lead concept	315	4.2.2. Legal requirements and proposed targets	342
3.4.2.6. Temperature design guidelines	318	4.2.2.1. Public exposure to normal operation radioactive effluents	343
3.4.2.7. Safety analysis guidelines	319	4.2.2.2. Worker exposure to radioactivity	343
3.4.2.8. R&B on blanket/shield	320	4.2.2.3. Maximum public accidental exposure to radioactivity	344
3.5. Structural material considerations	320	4.2.2.4. Limiting radioactivity accidental risk to the public	344
3.5.1. Introduction	320	4.2.2.5. Passive safety	345
3.5.2. Stainless steels	321	4.2.2.6. Management of radioactive wastes and decommissioning	346
3.5.3. Low activation alloys	323	4.2.2.7. Chemical toxins	346
3.5.4. Copper alloys	324	4.2.2.8. Fields	346
3.5.5. Refractory alloys	325	4.2.2.9. Conclusions and proposed targets for radiation protection	347
3.6. Fuel cycle	327	4.2.3. Accident analyses	348
3.6.1. Fuelling	327	4.2.4. Dispersion of radioactivity	350
3.6.2. Tritium extraction and recovery from breeder blankets	330	4.2.4.1. Types of radioactivity considered and state of calculational methodology	350
3.6.2.1. Aqueous salt blanket	331	4.2.4.2. Key results	351
3.6.2.2. Ceramic breeder	332		
3.6.2.3. ^{17}Li - ^{83}Pb breeder	332		
3.6.3. External tritium recovery, facility impacts and tritiated waste processing	333		

4.2.4.3. Conclusions	352
4.2.5. Radioactive wastes	353
4.2.6. Component handling	354
4.2.7. Future programme	354
4.3. Reliability and availability	355
4.3.1. Introduction	355
4.3.2. Basic assumptions	355
4.3.3. Availability goals	356
4.3.4. General reliability related design guidelines	360
4.3.5. Analyses	360
4.3.6. Information base	365
4.3.7. Future programme	365
4.4. Cost	375
4.4.1. Cost centre breakdown	375
4.4.2. Future cost considerations	376
VII. OPERATIONS AND EXPERIMENTAL/TESTING PROGRAMME	377
1. Operating and test phases	377
2. Physics phase	380
2.1. Zero activation phase	381
2.1.1. Initial Ohmic operation (hydrogen, $B \leq 3.5$ T, 6 months)	382
2.1.2. Full field and heating system tests (hydrogen, $B \leq 5$ T, 3 months)	382
2.1.3. Hands-on maintenance shutdown, test of remote maintenance (4 months)	383
2.1.4. Physics studies: energy confinement and plasma-wall interactions (hydrogen, $B \leq 5$ T, 7 months)	383
2.1.5. Shutdown: change of plasma facing components, demonstration of remote maintainability (3 or 5 months)	383
2.1.6. Physics studies: steady state (hydrogen, 6 months)	384
2.2. Low activation phase	384
2.2.1. Pre-ignition optimization: ion mass effect, He-pumping (D/He, 4 months)	384
2.2.2. Shutdown: internal changes for DT ignition studies (5 months)	384
2.3. High activation phase (D/T, 2 years)	385

3. Nuclear operations and testing	385
3.1. Objectives of nuclear test program	385
3.2. Testing requirements on ITER design and parameters	386
3.2.1. Requirements on engineering design	386
3.2.2. Requirements on device parameters	386
3.3. Overall strategy of test program	395
3.4. Description of test program	397
3.5. Test program R&D	401
4. Engineering operations and testing	403

VIII. ITER PARAMETERS AND DESIGN PHASE SCHEDULE 405

1. ITER Parameters	405
2. Design Phase schedule	405

IX. RESEARCH AND DEVELOPMENT 415

1. Introduction	415
2. ITER physics R&D	418
2.1. Specific design related R&D tasks	419
2.2. Performance related R&D issues needing more emphasis	424
3. ITER technology R&D	428
3.1. Rationale for the R&D on blanket	428
3.2. Blanket R&D tasks	430
3.3. Rationale for the R&D on plasma facing components	447
3.4. Plasma facing components R&D tasks	448
3.5. Rationale for the R&D for magnet	465
3.6. Magnet R&D tasks	465
3.7. Rationale for fuel cycle R&D	483
3.8. Fuel cycle R&D tasks	484
3.9. Rationale for heating and current drive R&D	493
3.10. Heating and current drive R&D tasks	494
3.11. Rationale for R&D on maintenance	504
3.12. Maintenance R&D tasks	504

X. APPENDICES 509

1. Summaries of specialists' meetings	509
1.1. Control of impurities and exhaust of power and particles	509
1.2. Poloidal field system and operational scenario	510

1.3.	Energy confinement	511
1.4.	Operational limits	512
1.5.	Current drive and heating physics	513
1.6.	Magnets-I	514
1.7.	Magnets-II	515
1.8.	Assembly, maintenance and reactor configuration	516
1.9.	Neutral beam technology	517
1.10.	Technology of current drive and heating systems	518
1.11.	Plasma facing components (PFC)	519
1.12.	Shield/blanket/first wall design concepts and tritium breeding materials	521
1.13.	Plasma fuelling and exhaust	522
1.14.	Tritium extraction and recovery from nuclear components	523
1.15.	Test program/devices	526
1.16.	Materials database meeting	528
1.17.	Safety and environment	529
2.	Divertor issues	530
2.1.	Divertor lifetime issues	530
2.1.1.	Introduction	530
2.1.2.	Overview of problems	532
2.1.3.	Impact on scenario choice	536
2.1.4.	R&D requirements	538
2.1.5.	Alternative concepts	538
2.1.6.	Summary	545
3.	Separatrix sweeping	546
3.1.	Introduction	546
3.2.	Analysis assumptions and methods	546
3.3.	Analysis results	547
3.3.1.	Maximum armor temperature	547
3.3.2.	Maximum temperature of cooled surface	553
3.3.3.	Maximum stress and allowable number of cycles	556
3.4.	Concluding remarks	558
4.	Neutronic shielding calculations	558
5.	Definition phase contributors	561