

## CONTENTS

1.0	OVERVIEW .....	15
1.1	PHYSICS GOALS .....	15
1.2	DESIGN PHILOSOPHY .....	15
1.3	SUMMARY OF PHYSICS DESIGN GUIDELINES .....	17
1.4	SUMMARY OF PHYSICS ISSUES .....	17
1.4.1	Plasma Performance .....	19
1.4.2	Design Related Physics Issues .....	22
1.4.2.1	<i>Power and particle control</i> .....	23
1.4.2.2	<i>Disruptions</i> .....	25
1.4.2.3	<i>Auxiliary systems</i> .....	26
1.5	PHYSICS R&D FOR ITER .....	28
1.6	PHYSICS STATUS .....	29
	REFERENCES (§1.0) .....	30
2.0	PLASMA PERFORMANCE .....	31
2.1	CONFINEMENT .....	31
2.1.1	Introduction .....	31
2.1.2	Confinement Requirements .....	32
2.1.3	Energy Confinement Database .....	32
2.1.3.1	<i>L-Mode</i> .....	32
2.1.3.2	<i>H-Mode</i> .....	38
2.1.3.3	<i>Additional confinement regimes</i> .....	43
2.1.4	Particle Confinement .....	45
2.1.4.1	<i>Parameter dependence of <math>\tau_p</math> in OH and L-mode discharges</i> .....	45
2.1.4.2	<i>Local transport coefficients in ohmic and L-mode plasmas</i> .....	46
2.1.4.3	<i>Electron particle transport in improved confinement mode</i> .....	46
2.1.4.4	<i>Ion transport</i> .....	47
2.1.5	Momentum Confinement Database .....	47
2.1.6	Theory and Modeling .....	48
2.1.6.1	<i>Anomalous transport theory and modeling</i> .....	48
2.1.6.2	<i>Equivalence considerations</i> .....	50
	References (§2.1) .....	51
2.2	MHD STABILITY .....	53
2.2.1	Introduction .....	53
2.2.2	Database .....	55
2.2.2.1	<i>Shape effects on beta limits</i> .....	55
2.2.2.2	<i>Profile effects on beta limits</i> .....	58
2.2.2.3	<i>Operation region and margin</i> .....	61

2.2.2.4	<i>The m = 1 phenomena</i>	65	3.2.2	Upstream SOL Plasma Density and Temperature Characteristics	111
2.2.2.5	<i>Non-ideal effects</i>	68	3.2.3	Effect of Additional Heating on SOL Plasma Density	111
2.2.3	Predictions and Recommendations for ITER	68	3.2.4	Empirical Scaling for SOL Plasma Characteristics in Divertor Discharge	112
2.2.3.1	<i>General conclusions</i>	68	3.2.5	Transport Processes and Coefficients	112
2.2.3.2	<i>Shape effects</i>	69	3.2.6	Comparison of SOL Parameters for SN and DN Divertor	114
2.2.3.3	<i>Profile effects</i>	69	3.2.7	Characteristics of Heat and Particle Loads on Divertor	115
2.2.3.4	<i>Summary and guidelines</i>	70	3.2.7.1	<i>Power load half-width</i>	115
2.2.4	Major Issues Emphasized in the Future R&D Activity	70	3.2.7.2	<i>Asymmetry of heat and particle fluxes onto the divertor</i>	115
2.2.4.1	<i>Issues</i>	70	3.2.7.3	<i>Heat loads characteristics of DN divertor</i>	116
2.2.4.2	<i>Future R&amp;D tasks</i>	71	3.2.7.4	<i>Characteristic of ELMs</i>	118
	References (§2.2)	72	3.2.8	Impurity Transport, Accumulation, and the Associated Radiation Loss	119
2.3	DENSITY LIMITS	74	3.2.8.1	<i>Level of <math>Z_{eff}</math>: graphite divertor/first wall components</i>	119
2.3.1	Introduction	74	3.2.8.2	<i>Level of <math>Z_{eff}</math>: beryllium, boronized, and metal divertor/first wall components</i>	119
2.3.2	L-mode Density Limits	74	3.2.8.3	<i>Impurity transport and the associated radiation</i>	120
2.3.2.1	<i>General picture</i>	74	3.2.8.4	<i>Edge radiation cooling of the edge</i>	120
2.3.2.2	<i>Experimental studies</i>	75	3.2.9	Helium Transport and Exhaust	121
2.3.2.3	<i>Modeling studies</i>	78	3.2.9.1	<i>Helium transport in the core plasma</i>	121
2.3.3	H-mode Density Limits	82	3.2.9.2	<i>Helium exhaust requirements</i>	122
2.3.4	Projections to ITER	83	3.2.9.3	<i>Tritium throughput</i>	122
2.3.5	Summary and Conclusions	84	3.3	STATUS OF MODEL VALIDATION	122
	References (§2.3)	85	3.3.1	Models of the Edge Plasma Region	122
2.4	ALPHA PARTICLE PHYSICS	86	3.3.2	Scrape-off-Layer Parameters	123
2.4.1	Introduction	86	3.4	MODEL PREDICTIONS OF DIVERTOR HEAT LOADS	125
2.4.2	Ripple Losses	87	3.4.1	Results of Model Predictions for ITER Divertor Plates	126
2.4.2.1	<i>Qualitative analysis</i>	87	3.4.2	Effect of In/Out and Up/Down Asymmetry on Divertor Heat Load Specification	135
2.4.2.2	<i>Description of numerical codes</i>	90	3.4.3	Physics Safety and Peaking Factor to be Applied to the Power Load	137
2.4.2.3	<i>Numerical results for an ideal first wall</i>	90	3.4.4	Improvement of Divertor Heat Loads by Ergodization and Sweeping	139
2.4.2.4	<i>Heat load at limiters and port edges</i>	94	3.4.5	Peaking Factors for Plate Temperature and Sheath Potential	140
2.4.3	Collective Effects	94	3.5	OPTIMIZATION OF DIVERTOR GEOMETRY	141
2.4.3.1	<i>Toroidal Alfvén eigenmodes (TAE's)</i>	95	3.5.1	Divertor Depth	142
2.4.3.2	<i>Ballooning modes</i>	95	3.5.2	Plate Inclination	142
2.4.3.3	<i>Experimental results in relation to Alfvén and ballooning modes</i>	97	3.5.3	Plate Shape	143
2.4.3.4	<i>Alpha particle driven fishbone oscillations</i>	99	3.6	COMPARISON OF SINGLE- AND DOUBLE-NULL DIVERTOR PERFORMANCE OF ITER	144
2.4.3.5	<i>Concluding remarks</i>	99	3.7	IMPURITY TRANSPORT AND RADIATED POWER	146
2.4.4	Control of Fusion Power Production Rate (Burn Control)	100	3.7.1	Divertor and SOL Regions	146
2.4.4.1	<i>Introduction</i>	100	3.7.2	Core and Edge Regions	148
2.4.4.2	<i>Operating point (equilibrium) control</i>	100			
2.4.4.3	<i>Fusion power stability control</i>	102			
2.4.4.4	<i>Rapid termination of fusion power production</i>	105			
	References (§2.4)	106			
3.0	POWER AND PARTICLE CONTROL	109			
3.1	INTRODUCTION	109			
3.2	EXPERIMENTAL DATABASE	110			
3.2.1	General Characteristics of SOL and Divertor Plasmas	110			

3.8	DIVERTOR PLATE EROSION AND REDEPOSITION .....	149	5.3.1	Physics Issues Relevant for High- $\beta$ Operation .....	191
3.8.1	Low-Z Materials .....	152	5.3.1.1	<i>Penetration limit due to wave damping</i> .....	191
3.8.2	High-Z Materials .....	155	5.3.1.2	<i>Penetration limit due to propagation effects in toroidal geometry</i> .....	192
3.9	HELIUM EXHAUST .....	156	5.3.1.3	<i>Spectral broadening issue</i> .....	193
3.9.1	Helium Transport in the Bulk Plasma .....	156	5.3.1.4	<i>Consequences of restricted penetration: restricted total power and current</i> .....	193
3.9.2	Helium Transport in the Edge Plasma .....	157	5.3.1.5	<i>Current diffusion</i> .....	194
3.9.3	Helium Transport in the Pump Duct .....	158	5.3.2	Selection of Frequency, Interaction with $\alpha$ -Particles .....	194
3.10	FIRST-WALL OPERATING CONDITIONS .....	159	5.3.2.1	<i>Lowest frequency for avoiding interaction with <math>\alpha</math>-particles</i> .....	195
3.10.1	Heat Loads on the First Wall .....	159	5.3.2.2	<i>Coupling density</i> .....	195
3.10.2	Erosion .....	160	5.3.2.3	<i>Selection of the frequency for the LHW system: Summary</i> .....	196
3.10.3	Plasma Contamination .....	160	5.3.3	Current Drive Efficiency .....	196
3.10.4	Effects on the Divertor .....	160	5.3.4	Current Ramp-up Assist with LHW .....	197
3.11	STARTUP SCENARIO AND STARTUP LIMITER CONSIDERATIONS .....	161	5.4	NEUTRAL BEAM PHYSICS .....	198
3.12	CONDITIONING .....	163	5.4.1	Introduction .....	198
3.12.1	Baking .....	163	5.4.2	Status of Database .....	198
3.12.2	Conditioning Techniques .....	163	5.4.2.1	<i>Neutral beam current drive</i> .....	198
3.13	PASSIVE SHUT-DOWN .....	164	5.4.2.2	<i>Alfvén wave instability and beam slowing down</i> .....	199
3.14	PHYSICS R&D REQUIREMENTS .....	166	5.4.2.3	<i>Neutral beam stopping cross-section</i> .....	200
REFERENCES (§3.0) .....	167	5.4.2.4	<i>Plasma rotation</i> .....	201	
4.0	DISRUPTIONS .....	171	5.4.3	Design Issues .....	202
4.1	CHARACTERISTICS OF TYPICAL DISRUPTIONS .....	171	5.4.3.1	<i>Current drive efficiency</i> .....	202
4.1.1	Classification of Disruptions .....	171	5.4.3.2	<i>Beam energy, beam aiming and beam penetration</i> .....	202
4.1.2	Evolution of Disruptions .....	171	5.4.3.3	<i>Profile controllability of beam driven current</i> .....	205
4.1.3	Disruption Frequency .....	172	5.4.3.4	<i>Beam shinethrough</i> .....	205
4.1.4	Characterization of Disruptions for Representative ITER Scenario .....	173	5.4.3.5	<i>Consistency with lower hybrid waves</i> .....	205
4.2	CHARACTERISTICS OF VERTICAL DISPLACEMENT EVENTS .....	173	5.5	ION CYCLOTRON PHYSICS .....	206
4.3	SPECIFIC ASPECTS OF DISRUPTIONS .....	178	5.5.1	Theory and Modeling of Fast Wave Current Drive .....	206
4.3.1	Energy Deposition During Thermal Quench .....	178	5.5.1.1	<i>Low frequency fast wave current drive scenarios</i> .....	206
4.3.2	Energy Deposition During Current Quench .....	178	5.5.1.2	<i>Intermediate frequency fast wave current drive scenarios</i> .....	207
4.3.3	Runaway Electrons .....	179	5.5.1.3	<i>High frequency fast wave current drive scenarios</i> .....	207
4.4	CONTROL AND AVOIDANCE OF DISRUPTIONS .....	181	5.5.2	Experimental Database .....	208
4.4.1	Active Control Method .....	181	5.5.3	Ion Cyclotron Heating .....	208
4.4.2	Stable Operational Range .....	182	5.5.3.1	<i>Deuterium minority heating</i> .....	208
4.5	REQUIREMENTS IN R&D .....	183	5.5.3.2	<i>He<sup>3</sup> and other minority heating schemes</i> .....	209
REFERENCES (§4.0) .....	184	5.5.3.3	<i>Heating and current drive at high frequency</i> .....	209	
5.0	CURRENT DRIVE AND HEATING .....	187	5.6	BOOTSTRAP CURRENT .....	210
5.1	INTRODUCTION .....	187	5.6.1	Status of Database .....	210
5.2	IONIZATION, PREHEATING, AND CURRENT INITIATION .....	188	5.6.2	Bootstrap Current in ITER .....	211
5.2.1	Experimental Results .....	189			
5.2.2	EC Startup Theory: Status and Predictions for ITER .....	189			
5.3	LOWER HYBRID PHYSICS .....	190			

5.7	REFERENCE OPERATING SCENARIO .....	213	8.0	FUELLING .....	265
5.7.1	Current Profile Control .....	214	8.1	FUELLING REQUIREMENTS .....	265
5.7.1.1	<i>Bulk current profile control</i> .....	214	8.1.1	Required Particle Fluxes .....	265
5.7.1.2	<i>Detailed current profile control</i> .....	216	8.1.2	Control of Density and Density Profile .....	265
5.7.2	Start-up Assist .....	216	8.1.3	Fuelling Requirements for Burn Control .....	266
5.7.3	Noninductive Current Ramp-up and/or Current Ramp-up Assist .....	216	8.1.4	Restriction on Density profile Choice .....	266
5.7.4	Plasma Heating and Burn Control .....	217	8.1.4.1	<i>Edge density</i> .....	266
5.8	ALTERNATE OPERATING SCENARIO .....	217	8.1.4.2	<i>Beta limit</i> .....	266
5.8.1	Fast Wave Current Drive .....	218	8.1.4.3	<i>Damage to the first wall</i> .....	267
5.8.1.1	<i>Scenarios with high bootstrap current</i> .....	218	8.1.5	DT Mix Requirements and Tritium Inventory .....	267
5.8.1.2	<i>Long-pulse ignition and hybrid scenarios</i> .....	219	8.1.6	Wall Conditioning .....	267
5.8.2	Fast Wave Heating and Burn Control .....	220	8.2	RELATION OF PARTICLE TRANSPORT TO FUELLING .....	267
5.9	CONTROL OF MAJOR DISRUPTION BY EC CURRENT DRIVE .....	220	8.2.1	Particle Confinement Time .....	267
REFERENCES (§5.0)	.....	221	8.2.2	Diffusivity and Inward Pinch .....	268
6.0	AXISYMMETRIC MAGNETICS .....	229	8.3	FUELLING METHODS .....	269
6.1	INTRODUCTION .....	229	8.3.1	Gas Puffing .....	269
6.1.1	Axisymmetric Magnetics Design Issues .....	229	8.3.2	Pellet Injection and Pellet Ablation Physics .....	269
6.1.2	Topics and Organization .....	230	8.3.3	Alternative Methods .....	270
6.1.3	Relation to Other Design Elements .....	230	8.3.3.1	<i>NB injection</i> .....	270
6.2	AXISYMMETRIC MAGNETICS REQUIREMENTS .....	231	8.3.3.2	<i>Ripple fuelling</i> .....	270
6.2.1	Basic Requirements .....	231	8.3.3.3	<i>Compact toroids</i> .....	271
6.2.2	Equilibrium Analysis Method and Validation .....	231	8.4	MODES OF OPERATION .....	271
6.2.3	A1 Operational Scenario and Plasma Profile Parameters .....	232	8.4.1	Fuelling During Burn .....	271
6.2.4	Plasma Volt-second Balance and Resistive Volt-second Requirements .....	234	8.4.1.1	<i>Fuelling only by gas puffing</i> .....	271
6.3	PLASMA EQUILIBRIUM .....	237	8.4.1.2	<i>Fuelling only by pellet injection</i> .....	271
6.3.1	Reference Plasma Configuration and PF Coil Locations .....	237	8.4.1.3	<i>Combination of pellet injection and gas puffing</i> .....	272
6.3.2	PF System Optimization and Performance Evaluation .....	239	8.4.2	Compatibility of Pellet Fuelling with Lower Hybrid Current Drive .....	272
6.3.3	Alternate Plasma Configurations .....	241	8.4.3	Density Ramp-up to Ignition .....	272
6.3.4	Plasma Operations Cycle .....	242	8.5	CONTROL OF DENSITY AND DT MIX .....	273
6.3.5	Equilibrium Control .....	244	8.6	PHYSICS R&D NEEDS .....	273
6.4	AXISYMMETRIC STABILITY AND DYNAMIC EVOLUTION .....	246	8.6.1	Particle Transport .....	273
6.4.1	Axisymmetric Stability .....	246	8.6.2	Pellet Ablation Physics .....	273
6.4.2	Plasma Dynamics .....	249	8.6.3	Innovative Fuelling Methods .....	274
6.5	SUMMARY AND FUTURE NEEDS .....	251	REFERENCES (§8.0)	.....	274
REFERENCES (§6.0)	.....	252	9.0	TOKAMAK OPERATIONS .....	277
7.0	DIAGNOSTICS .....	255	9.1	OPERATIONAL PLANS .....	277
7.1	INTRODUCTION .....	255	9.1.1	Zero-Activation Phase .....	277
7.2	SUMMARY .....	255	9.1.2	Low-Activation Phase .....	277
7.3	DIAGNOSTICS ISSUES .....	261	9.1.3	High-Activation Phase .....	278
7.4	DIAGNOSTICS R&D PLAN .....	262	9.2	OPERATIONAL MODES .....	279
7.4.1	Examples of Diagnostics R&D Needs .....	262	9.2.1	Major Characteristics of Operating Points: Inductive Operation .....	282
REFERENCES (§7.0)	.....	264	9.2.2	Major Characteristics of Operating Points: Long-Pulse Operation .....	283
			9.2.3	Divertor Sweeping .....	285

9.3	OPERATIONAL SCENARIOS .....	285
9.3.1	Reference Ignition Scenario .....	285
9.3.2	Reference Long-Pulse Scenario .....	288
9.3.3	Nominal Steady-State .....	289
9.3.4	Variants Based on Noninductive Ramp-up Assist .....	292
9.3.5	Outboard Start-up .....	292
	REFERENCES (§9.0) .....	293
10.0	PHYSICS R&D .....	295
10.1	INTRODUCTION .....	295
10.2	PROGRAMME 1989-1990 .....	295
10.3	PROGRAMME 1991-1995 .....	296
10.3.1	Approach .....	296
10.3.2	Programme 1991-1992 .....	296
10.3.3	Diagnostics .....	297
	REFERENCES (§10.0) .....	297
11.0	ACKNOWLEDGMENTS .....	299