

CONTENTS

I. INTRODUCTION	15
1. SYSTEM FUNCTION	15
2. CONCEPTUAL DESIGN PROCEDURE	15
II. DESIGN SUMMARY	17
1. SCOPE AND MAIN PARAMETERS	17
2. FUEL CYCLE DESIGN OPTIONS	17
2.1 Fuelling	17
2.2 Plasma chamber vacuum pumping	22
2.3 Fuel cleanup	23
2.4 Blanket tritium recovery	23
2.5 Auxiliaries and common processes	25
3. CONCLUSIONS	27
III. DESIGN REQUIREMENTS	29
1. FUELLING	29
1.1 Functions and main requirements	29
1.2 Operational conditions and restrictions	29
2. PLASMA VACUUM PUMPING	32
2.1 Functions and main requirements	32
2.2 Operational conditions and restrictions	33
3. FUEL CLEANUP	39
3.1 Function and main requirements	39
3.2 Operational conditions and restrictions	39
4. BLANKET TRITIUM RECOVERY	39
4.1 Ceramic breeder	39
4.1.1 Function and main requirements	39
4.1.2 Operational conditions and restrictions	47
4.2 Aqueous salt breeder	47
4.2.1 Function and main requirements	47
4.2.2 Operational conditions and restrictions	48
5. AUXILIARIES/COMMON PROCESSES	49
5.1 Isotope separation	49
5.1.1 Function and main requirements	49
5.1.2 Operational conditions and restrictions	49
5.2 Waste water processing	49
5.2.1 Function and main requirements	49
5.2.2 Operational conditions and restrictions	52

5.3	Fuel management and storage	53	3.2	Permeation/water gas shift (batch process)	104
5.3.1	Function and main requirements	53	3.2.1	Design approach	104
5.3.2	Operational conditions and restrictions	54	3.2.2	Permeation of hydrogen isotopes through palladium silver membranes	105
5.4	Atmosphere processing	55	3.2.3	Water gas shift reaction	105
5.4.1	Function and main requirements	55	3.2.4	Decomposition of hydrocarbons and/or ammonia on a nickel catalyst	105
5.4.2	Operational conditions and restrictions	59	3.2.5	Physical configuration	108
IV. DESIGN DESCRIPTION		61	3.3	Hot metal tritium gas purification	108
1.	FUELLING	61	3.3.1	Design approach	108
1.1	Gas puffing	61	3.3.2	Process description	110
1.1.1	Design considerations	61	3.3.3	Physical configuration	110
1.1.2	System configuration	65	3.3.4	Commissioning, operation, reliability and maintenance	110
1.1.3	Safety considerations	65	4.	BLANKET TRITIUM RECOVERY	111
1.2	Pellet injection	65	4.1	Ceramic breeder tritium recovery	111
1.2.1	Design considerations	65	4.1.1	Cryogenic molecular sieve option	111
1.2.2	Rampup and burn phase	66	4.1.2	Vacuum swing sorption/TCPSA/Pd permeator	117
1.2.3	Single and two-stage injectors	67	4.2	Aqueous salt blanket tritium recovery	120
1.2.4	Physical configuration	67	4.2.1	Design approach	120
1.2.5	Operation, reliability, and maintenance	70	4.2.2	Process description and design considerations	120
2.	PLASMA VACUUM PUMPING	67	4.2.3	Process flow calculations and process control	123
2.1	Primary torus exhaust	67	4.2.4	Physical configurations	124
2.1.1	Design approach	67	4.2.5	Commissioning, operation, reliability, safety and maintenance	124
2.1.2	Argon-spray cryopumps	73	4.3	Lithium-lead tritium recovery	124
2.1.3	Solid sorbent cryosorption pumps	80	4.3.1	Design approach	124
2.2	Forepump system	81	4.3.2	Design considerations	125
2.2.1	Design approach	81	4.3.3	Process description	125
2.2.2	Mechanical forepumps	83	4.3.4	Physical configuration	128
2.2.3	Cryogenic forepumps	90	4.3.5	Commissioning, operation, reliability and maintenance	129
3.	FUEL CLEANUP (FCU)	92	4.3.6	An alternative method of tritium extraction	129
3.1	Multi-path impurity removal and processing	92	5.	AUXILIARIES/COMMON PROCESSES	129
3.1.1	Design approach	92	5.1	Isotope separation	129
3.1.2	FCU purification schemes	93	5.1.1	Design approach	129
3.1.3	FCU regeneration schemes - water intermediate	95	5.1.2	Cryogenic distillation	131
3.1.4	FCU regeneration schemes - direct tritium recovery	97	5.2	Water detritiation	136
3.1.5	Conclusion	99	5.2.1	Design approach	136
3.1.6	Process description	99	5.2.2	Distillation plus vapour phase catalytic exchange	136
3.1.7	Operating models - normal	102			
3.1.8	Operating modes - off-normal	102			

5.2.3	Isotopic separation by electrolysis plus isotopic exchange on Pd hydride	141	4.2	Fail safe design	200
5.3	Fuel management and storage	143	4.3	Isolation from the torus	200
5.4	Atmosphere processing	147	4.4	Control performance and reliability	200
5.4.1	Torus maintenance cover gas detritiation	147	4.5	Personnel access	201
5.4.2	Inert gas detritiation	150	VIII.	R&D PROGRAMME SUMMARY	203
5.4.3	Glove box detritiation system	155	1.	NEAR-TERM R&D RESULTS	203
5.4.4	Circulating air detritiation system	158	1.1	ITER technology R&D task FC1: fuelling	203
5.4.5	Radioactive ventilation system	163	1.2	ITER technology R&D task FC2: pumping	203
5.4.6	Exhaust gas detritiation system	163	1.3	ITER technology R&D task FC3: fuel purification and isotope separation	205
5.4.7	Emergency detritiation system	169	2.	LONG-TERM R&D NEEDS	211
5.4.8	Waste gas detritiation system	170	IX.	COSTING.	213
V.	FUEL CYCLE DESIGN INTEGRATION	171	1.	METHODOLOGY	213
1.	INTRODUCTION	171	X.	CONCLUSIONS.	215
2.	DESIGN INTEGRATION	171	1.	STATUS OF CDA FUEL CYCLE DESIGN ACTIVITY ...	215
2.1	Design approach	171	2.	ACHIEVEMENT OF DESIGN OBJECTIVES	215
2.2	Documentation of the design	174	3.	EDA CONSIDERATIONS	217
2.3	Summary of options used in design integration	174	XI.	REFERENCES.	219
2.3.1	Fuelling	174			
2.3.2	Torus vacuum pumping, cryotransfer pumps ..	175			
2.3.3	Fuel and impurity processing	175			
2.3.4	Blanket tritium recovery	175			
2.3.5	Auxiliaries and common processes	175			
3.	RESULTS	177			
3.1	Flow summary	185			
3.2	Notes	185			
VI.	FUEL CYCLE BUILDING LAYOUT	187			
1.	DESIGN APPROACH	187			
2.	LAYOUT DESCRIPTION	187			
VII.	SAFETY CONSIDERATIONS	197			
1.	TRITIUM INVENTORIES	197			
2.	SAFETY SYSTEMS FOR OVERPRESSURE ACCIDENT .	197			
3.	FAILURE MODES AND EFFECTS ANALYSIS	197			
4.	GUIDELINES FOR FUEL CYCLE DESIGN	198			
4.1	Multiple barrier confinement	198			
4.1.1	Primary confinement	198			
4.1.2	Secondary confinement	199			
4.1.3	Tertiary confinement	199			