

<u>Data Acquisition & Control</u>	681
Real-time processor for a tokamak. A. Ogata et al. JAERI, Tokai-mura, Japan	683
Control, acquisition and data retrieval for the TCA tokamak. J.B. Lister and A. Simik CRPP, Lausanne, Switzerland.	689
Design of the control and data acquisition system for SPICA II. SPICA II team. FOM-Instituut, Nieuwegein, The Netherlands.	695
Standardization of data organisation and management. Rijnhuizen Users Software Team. FOM-Instituut, Nieuwegein, The Netherlands.	701
Acquisition, archiving, and analysis of Doublet III diagnostic data on a distributed computer system. A. Glad et al. General Atomic Company, San Diego, U.S.A.	705
Control systems for sustaining neutral beam power supplies. James D. Cummins Aydin Energy Division, Palo Alto, U.S.A.	711
A distributed intelligence control system using fibre optics. A.J. Vickers et al. Culham Laboratory, Abingdon, U.K.	717
An automatic method for storing and retrieving raw data and analysed results. V.J. Calderbank et al. Culham Laboratory, Abingdon, U.K.	723
Data acquisition for the DITE surface physics experiments. E.K. Sinton and J.M. Weaver Culham Laboratory, Abingdon, U.K.	729
The structure and support of a laboratory control and data acquisition system. A.H. Read et al. Culham Laboratory, Abingdon, U.K.	735
The engineering data system for the HBTXIA experiment. M.E.U. Smith and E.K. Sinton Culham Laboratory, Abingdon, U.K.	741
Improved data acquisition system for TFR. Mme J. Breton et al. CEN, Fontenay-aux-Roses, France.	747
Progress in computer-assisted diagnosis, and control of neutral beam lines. E. Theil et al. Lawrence Berkeley Laboratory, California, U.S.A.	751
System design of ZENKEI, the central control system for JT-60. Y. Suzuki et al. JAERI, Tokai-mura, Japan.	757

Data acquisition and processing system for the HCN interferometer diagnostic at the TEXTOR experiment. 763
M. Korten and H. Soltwisch
KFA, Julich, Fed. Rep. of Germany.

Microcomputer control of vacuum and gas filling systems. 769
L. Firth
Culham Laboratory, Abingdon, U.K.

Remote control and display for TEXTOR with a CAMAC-computer system. 775
W. Tenten et al.
KFA, Julich, Fed. Rep. of Germany.

Power Supplies 783

The sustaining neutral beam power supply system for the mirror fusion test facility. 785
R.D. Eckard et al.
Lawrence Livermore Laboratory, California, U.S.A.

MFTF neutral-beam pulse power modulator. 793
R.D. Eckard and D.H. Hesselgrave
Lawrence Livermore Laboratory, California, U.S.A.

High power vacuum tube technology applied to fusion systems components. 801
D.R. Carter et al.
Radio Corporation of America, Pennsylvania, U.S.A.

DITE Mk2 bundle divertor power supplies and control system. 807
D.V. Bayes et al.
Culham Laboratory, Abingdon, U.K.

Plasma current control system in JIPP T-II. 813
S. Tanahashi et al.
Nagoya Institute of Technology, Japan.
Power supply system of neutral beam injector for JFT-2. 819
S. Ioka et al.
Toshiba Corporation, Tokyo, Japan.

A half megawatt RF system for ion-cyclotron heating of the ERASMUS tokamak. 825
A.M. Messiaen et al.
Ecole Royale Militaire, Brussels, Belgium.

Toroidal field circuit for a large RFP experiment. 835
A. Maschio
University of Padua, Italy.

A modular approach for RFX DC power supplies. 841
S. Bolognani et al.
University of Padua, Italy.

Some electro-technology aspects of HBTXIA. 847
G.C.H. Heywood et al.
Culham Laboratory, Abingdon, U.K.

Feedback-controlled power supply for the vertical and horizontal field of TCA. 853
R. Keller and A. Tuszal
CRPP, Lausanne, Switzerland.

High speed thyristor power amplifier control for JT-60 poloidal field. 859
I. Takahashi et al.
Nagaoka Institute of Technology, Japan.

A thyristor breaker of $1.5 \text{ M } 10^4 \text{ V.A.}$ for the poloidal field system of Torus Supra. B. Bareyt et al. CEN, Fontenay-aux-Roses, France.	865
The JET toroidal field power supply-capabilities and limitations. K. Selin JET Joint Undertaking, Abingdon, U.K.	873
Test results of the Heliotron E power supply and control system. K. Uo et al. Kyoto University, Japan.	877
A 150kW low frequency oscillator for wall cleaning and preionisation of the TCA tokamak. A. Lietti CRPP, Lausanne, Switzerland.	883
JT-60 ohmic heating power supply. N. Miya et al. JAERI, Tokai-mura, Japan.	889
Optimized ohmic heating system with vacuum interrupter for the W VII stellarator. D. Dorst and J. Sapper Max-Planck-Institut, Garching, Fed. Rep. of Germany.	897
The ASDEX overvoltage protection system. H. Rapp et al. Max-Planck-Institut, Garching, Fed. Rep. of Germany.	903
A 2MJ drum-type homopolar motor-generator: developments and tests. S. Bolognani et al. University of Padua, Italy.	909
Interactions between the line connected static convertors of TEXTOR. B. Giesen and F. Petree KFA, Julich, Fed. Rep. of Germany.	915
The grounding system of TEXTOR. C. Neumeyer and U. Schwarz Ebasco Services Inc., New York, U.S.A. and KFA, Julich, Fed. Rep. of Germany.	921
A storage coil adapted to a power pulse system. R. Baget et al. University of Paris (South), France.	927
Large flywheel generator - diode convertor for the JET tokamak. M. Huart and E. Beedham JET Joint Undertaking, Abingdon, U.K.	931

Plasma Engineering

Beamline system of neutral beam injector for JFT-2. S. Ioka et al. Toshiba Corporation, Tokyo, Japan.	939
Design considerations of neutral beam injection system for an ignition tokamak. H. Yamato et al. Toshiba Corporation, Kawasaki, Japan.	947
Development of extraction electrode systems for 80kV long pulse operation on the Culham megawatt beam line. Neutral Injection Development Group. Culham Laboratory, Abingdon, U.K.	955

Transient simulation analysis of gas feed into a NBI neutral cell. A. Maekawa et al. Energy Research Laboratory, Hitachi Ltd., Japan.	961
Neutral beam injector performance on the PLT and PDX tokamaks. G. Schilling et al. Princeton Plasma Physics Laboratory, New Jersey, U.S.A.	967
Considerations and calculations for the neutral-injection system in ZEPHYR. J.H. Feist et al. Max-Planck-Institut, Garching, Fed. Rep. of Germany.	975
Physics design calculations for the JET neutral injectors. H. Altmann et al. JET Joint Undertaking, Abingdon, U.K.	981
High power-density steady-state heat sinks. J.L. Hemmerich et al. KFA, Julich, Fed. Rep. of Germany.	989
Investigation of the RF ion source RIG 10 for neutral injectors. J. Freisinger et al. 1st Institute of Physics, Giessen, Germany.	993
A new procedure for the design of the equilibrium-field-currents for non-circular plasmas. S. Bobbio et al. University of Naples, Italy.	999
Analytical evaluation of the inductances and dL/dR matrices in JET. S. Bobbio University of Naples, Italy.	1.005
Plasma equilibrium control in Doublet III. R. Stambaugh et al. General Atomic Company, San Diego, U.S.A.	1.011
Experimental research on power supply and plasma control using simulator. K. Yabuno et al. Hitachi Ltd., Ibaraki-ken, Japan.	1.019
Operation of the ASDEX feedback system. F. Schneider Max-Planck-Institut, Garching, Fed. Rep. of Germany.	1.027
Plasma feedback control in JET. D. Ciscato et al. JET Joint Undertaking, Abingdon, U.K.	1.033
Particle and energy unloading from a tokamak using scrape-off limiters combined with helical islands. G. Fuchs et al. KFA, Julich, Fed. Rep. of Germany.	1.041
Heat removal in INTOR via a toroidal limiter. P. Mioduszewski. KFA, Julich, Fed. Rep. of Germany.	1.047
Design considerations and lay-out of the JET limiters. K.J. Dietz JET Joint Undertaking, Abingdon, U.K.	1.053
TRAIL: a tokamak rail gun limiter. W-S Yu et al. Brookhaven National Laboratory, New York, U.S.A.	1.059

Limiters in the Frascati tokamak device. A. Alessandrini et al. CNEN, Frascati, Italy.	1.067
Thermal consequences of plasma disruptions in TFTR and ETF. R. Budny and C. Ludescher Princeton Plasma Physics Laboratory, New Jersey, U.S.A.	1.073
Estimates on a helical magnetic limiter applied to INTOR W. Feneberg and G.H. Wolf Max-Planck-Institut, Garching, Fed. Rep. of Germany.	1.079
High power RF systems for RFC-XX device. T. Aoki et al. Nogoya University, Japan.	1.083
Technical aspects of a grill coupling system for lower hybrid heating in the WEGA tokamak. M. Lipa et al. CEN, Grenoble, France.	1.089
Application of torsional TTMP heating in PETULA tokamak - development necessary for large machines. J.P. Perin and G. Rey CEN, Grenoble, France.	1.095
An all metal array of antennae for RF heating of tokamaks in the ion cyclotron range of frequency. J. Jacquinet et al. CEN, Fontenay-aux-Roses, France.	1.101
Start-up and heating of RFP reactors and large experiments. M. Bagatin and S. Ortolani University of Padua, Italy.	1.107
Acceleration and injection of D ₂ -pellets. V. Andersen et al. Risø National Laboratory, Roskilde, Denmark.	1.113
Conceptual design of cluster ion accelerator with moving potential wells. Hiroshi Enjoji Mie University, Tsu, Japan.	1.119
Ion beam generation with an inverse reflex tetrode Koichi Kasuya et al. Tokyo Institute of Technology, Yokohama, Japan.	1.127
<u>Reactor Studies</u>	1.133
A tandem mirror reactor with an inherent thermal barrier. T. Kammash and D.L. Galbraith University of Michigan, Ann Arbor, U.S.A.	1.135
Energy accounting for heavy ion fusion reactor with various driver accelerators. Akira Miyahara et al. Nagoya University, Japan.	1.141
Culham Conceptual Tokamak Reactor Mk II. Conceptual layout of buildings for a twin reactor power station. J.A.S. Guthrie and N.H. Harding Associated Nuclear Services, Epsom, U.K.	1.147
The effect of engineering considerations being accepted as the prime constraint in tokamak fusion reactor design. R.S. Challender Nuclear Power Development Establishment, Risley, U.K.	1.155

A steady-state tokamak reactor with non-divertor impurity control - STARFIRE. Charles C. Baker Argonne National Laboratory, Illinois, U.S.A.	1.161
The Belt-Screw-Pinch reactor and other high-beta systems. B. Brandt et al. FOM-Instituut, Nieuwegein, The Netherlands.	1.169
Inertial confinement fusion reactor systems. T.G. Frank et al. Los Alamos Scientific Laboratory, New Mexico, U.S.A.	1.179
Modelling of divertor flow for a reactor regime. J.G. Morgan and P.J. Harbour Culham Laboratory, Abingdon, U.K.	1.187
Electromagnetic transient effects in the structure of experimental fusion reactors. E. Coccoresse and R. Martone Universities of Naples and Calabria, Italy.	1.195
An analysis of the estimated capital cost of a fusion-reactor. L.S. Evans and A.A. Hollis AERE, Harwell, U.K.	1.203
Factors affecting the minimum capital cost of a tokamak reactor. R. Hancox Culham Laboratory, Abingdon, U.K.	1.209
HYFIRE: a tokamak-high-temperature electrolysis system. J.A. Fillo et al. Brookhaven National Laboratory, New York, U.S.A.	1.215
A high flux energy and particle collection scheme for divertors. K.A. Werley et al. University of Illinois, Urbana, U.S.A.	1.223
A "compact" reversed-field pinch (CRFP) reactor design. G.H. Miley and R.A. Nebel University of Illinois, Urbana, U.S.A.	1.229
Conceptual studies on high gain laser fusion reactor with magnetically guided Li flow. S. Ido et al. Osaka University, Japan.	1.235
Preliminary studies of the systems integration of NET/INTOR. F. Farfaletti-Casali et al. Joint Research Centre, Ispra, Italy.	1.241
Preliminary investigation of burn control in NET-INTOR. A. Sestero et al. CNEN, Frascati, Italy.	1.249
Neutron wall load, power density and pay-back time. K.H. Schmitter Max-Planck-Institut, Garching, Fed. Rep. of Germany.	1.255
WITAMIR-I, a tandem mirror reactor with non-zero nu. John F. Santarius University of Wisconsin, Madison, U.S.A.	1.261

<u>Fusion Materials</u>	1.267
Radiation damage simulation experiments on a Mn-Cr austenitic stainless steel in a HVEM. M. Snykers and E. Ruedl SCK/CEN, Mol, Belgium and JRC, Ispra, Italy.	1.269
Random walk of helium bubbles in vanadium. P.J. Goodhew and S.K. Tyler University of Surrey, Guildford, U.K.	1.275
Electron beam weldability of nitrogen strengthened austenitic structural materials for fusion magnets. G. Friesinger et al. KFK, Karlsruhe, Fed. Rep. of Germany.	1.281
Irradiation creep and microstructural changes of stainless steel under light ion irradiation. P. Jung et al. KFA, Julich, Fed. Rep. of Germany.	1.287
An aluminium alloy for a non-breeding blanket NET/INTOR. F. Brossa et al. Joint Research Centre, Ispra, Italy.	1.295
First wall design and low-Z material development in JT-60. H. Nakamura et al. JAERI, Tokai-mura, Japan.	1.303
List of Poster Sessions	1.309
List of Discussion Sessions	1.310
List of Participants	1.311
Author Index	1.317