

CONTENTS OF VOLUME 2

COMBINED POSTER SESSION A2/A4 (CORE PLASMA PHYSICS, AND DIVERTOR AND EDGE PHYSICS)

Characteristics of confinement and fusion reactivity in JT-60U high- β_p and TFTR supershot regimes with deuterium neutral beam injection (IAEA-CN-60/A2/A4-P1)	3
<i>H.K. Park et al.</i>	
Confinement of ohmic and ICRF heated plasmas in Alcator C-Mod (IAEA-CN-60/A2/A4-P2)	15
<i>M.J. Greenwald et al.</i>	
Energy confinement in FTU ohmic plasma (IAEA-CN-60/A2/A4-P3)	23
<i>F. Alladio et al.</i>	
H-modes in ITER-like configurations on COMPASS-D tokamak (IAEA-CN-60/A2/A4-P4)	29
<i>S.J. Fielding et al.</i>	
Energy confinement in ohmic H mode in TUMAN-3 (IAEA-CN-60/A2/A4-P5)	37
<i>M.V. Andrejko et al.</i>	
OH mode with L-H-like transition after boronization in the T-11M tokamak (IAEA-CN-60/A2/A4-P6)	45
<i>V.B. Lazarev et al.</i>	
Plasma turbulence and associated transport in TFTR D-D and D-T discharges (IAEA-CN-60/A2/A4-P7)	53
<i>R.J. Fonck et al.</i>	
Results of turbulence investigations on T-10 with correlation reflectometry and multipine Langmuir probe (IAEA-CN-60/A2/A4-P8)	65
<i>V.A. Vershkov et al.</i>	
Role of fluctuations in determining transport in TEXT (IAEA-CN-60/A2/A4-P9)	73
<i>A.J. Wootton et al.</i>	
Vortices, holes and turbulent relaxation in sheared electron columns (IAEA-CN-60/A2/A4-P10)	79
<i>C.F. Driscoll et al.</i>	
Helium transport and exhaust studies in enhanced confinement regimes on the DIII-D tokamak (IAEA-CN-60/A2/A4-P11)	87
<i>D.L. Hillis et al.</i>	
Transport and exhaust of helium ash in enhanced confinement regimes on JT-60U (IAEA-CN-60/A2/A4-P12)	95
<i>A. Sakasai et al.</i>	

EDITORIAL NOTE

The Proceedings have been edited by the editorial staff of the IAEA to the extent considered necessary for the reader's assistance. The views expressed remain, however, the responsibility of the named authors or participants. In addition, the views are not necessarily those of the governments of the nominating Member States or of the nominating organizations.

Although great care has been taken to maintain the accuracy of information contained in this publication, neither the IAEA nor its Member States assume any responsibility for consequences which may arise from its use.

The use of particular designations of countries or territories does not imply any judgement by the publisher, the IAEA, as to the legal status of such countries or territories, of their authorities and institutions or of the delimitation of their boundaries.

The mention of names of specific companies or products (whether or not indicated as registered) does not imply any intention to infringe proprietary rights, nor should it be construed as an endorsement or recommendation on the part of the IAEA.

The authors are responsible for having obtained the necessary permission for the IAEA to reproduce, translate or use material from sources already protected by copyrights.

Material prepared by authors who are in contractual relation with governments is copyrighted by the IAEA, as publisher, only to the extent permitted by the appropriate national regulations.

Radiating boundary in ASDEX Upgrade divertor discharges (IAEA-CN-60/A2/A4-P13)	105
<i>A. Kallenbach et al.</i>	
Effects of plasma edge control and LHCD on confinement in HL-1 (IAEA-CN-60/A2/A4-P14)	111
<i>Y.Z. Zheng et al.</i>	
Non-linear phenomena, turbulence and anomalous transport in fusion plasmas (IAEA-CN-60/A2/A4-P15)	119
<i>C. Hidalgo et al.</i>	
Poloidal asymmetry and convective transport in CCT (IAEA-CN-60/A2/A4-P16)	127
<i>R.J. Taylor et al.</i>	
Steady state plasma control for long pulse operation with actively cooled plasma facing components (IAEA-CN-60/A2/A4-P17)	133
<i>Equipe Tore Supra</i>	
High-Z elements as target materials in fusion devices (IAEA-CN-60/A2/A4-P18)	143
<i>G. Fussmann et al.</i>	
Experiments with molybdenum and tungsten limiters in TEXTOR (IAEA-CN-60/A2/A4-P19)	149
<i>V. Philipps et al.</i>	
First results of the 140 GHz, 0.5 MW ECRH experiment on the FTU tokamak (IAEA-CN-60/A2/A4-P20)	159
<i>S. Cirant et al.</i>	

COMBINED POSTER SESSION A3/A5 (HEATING AND CURRENT DRIVE, AND CONCEPT OPTIMIZATION)

Observation of kinetic instabilities under OH and ECRH in the T-10 tokamak (IAEA-CN-60/A3/A5-P1)	169
<i>V.I. Poznyak et al.</i>	
Power dependence of ECR CD efficiency at the second harmonic in T-10 (IAEA-CN-60/A3/A5-P2)	177
<i>A.Yu. Kuyanov et al.</i>	
Control of MHD activities by ECH in the WT-3 tokamak (IAEA-CN-60/A3/A5-P3)	189
<i>Y. Terumichi et al.</i>	
High power lower hybrid coupling and investigation of fast electron dynamics in Tore Supra (IAEA-CN-60/A3/A5-P4)	197
<i>G. Giruzzi et al.</i>	
Burst of MHD modes and energy collapse during LHCD in the HT-6B tokamak (IAEA-CN-60/A3/A5-P5)	203
<i>Fangchuan Zhong et al.</i>	

Fast wave current drive in DIII-D (IAEA-CN-60/A3/A5-P6)	211
<i>C.C. Petty et al.</i>	
Fast wave studies in JET (IAEA-CN-60/A3/A5-P7)	221
<i>JET Team</i>	
Control of fast ³ He transport by ICRH on TEXTOR (IAEA-CN-60/A3/A5-P8)	229
<i>R. Koch et al.</i>	
Ion Bernstein wave current drive in the TO-2 tokamak (IAEA-CN-60/A3/A5-P9)	237
<i>V.F. Bogdanov et al.</i>	
Alfvén wave current drive and heating (IAEA-CN-60/A3/A5-P10)	245
<i>N. Hershkowitz et al.</i>	
q profile evolution and enhanced core confinement of high β_p plasmas in DIII-D (IAEA-CN-60/A3/A5-P11)	251
<i>B.W. Stallard et al.</i>	
MHD behavior during RF current profile control experiments in PBX-M (IAEA-CN-60/A3/A5-P12)	259
<i>S. Sesnic et al.</i>	
Predictions of fast wave heating, current drive, and current drive antenna arrays for advanced tokamaks (IAEA-CN-60/A3/A5-P13)	271
<i>D.B. Batchelor et al.</i>	
Plasma response to external rotating magnetic fields in the JFT-2M tokamak (IAEA-CN-60/A3/A5-P14)	279
<i>K. Oasa et al.</i>	
Passive and active control of MHD instabilities in the HBT-EP tokamak (IAEA-CN-60/A3/A5-P15)	287
<i>T.H. Ivers et al.</i>	
Fluctuation suppression by bias electrode induced poloidal flow and feedback in a toroidal plasma (IAEA-CN-60/A3/A5-P16)	295
<i>S. Jacob et al.</i>	
A spherical tokamak employing magnetically driven plasma guns (IAEA-CN-60/A3/A5-P17)	303
<i>S. Sinman, A. Sinman</i>	

COMBINED POSTER SESSION A6/C (HELICAL SYSTEM PHYSICS, AND PINCHES AND OPEN SYSTEMS)

Particle transport study of electron cyclotron heated plasmas in Heliotron E (IAEA-CN-60/A6/C-P1)	319
<i>H. Zushi et al.</i>	
L-2 stellarator modernization and first results of ECRH experiments (IAEA-CN-60/A6/C-P2)	327
<i>S.E. Grebenshchikov et al.</i>	

Impact of rotational transform profile control on plasma confinement and stability in CHS (IAEA-CN-60/A6/C-P3)	331
<i>K. Toi et al.</i>	
First experimental results and recent MHD studies for the H-1 heliac (IAEA-CN-60/A6/C-P4)	337
<i>B.D. Blackwell et al.</i>	
Helias-Heliac hybrid stellarator for currentless plasma confinement (IAEA-CN-60/A6/C-P5)	345
<i>M. Yokoyama et al.</i>	
Loop voltage anomaly and resistivity profile effects in the Extrap T1 reversed-field pinch (IAEA-CN-60/A6/C-P6)	353
<i>P. Nordlund et al.</i>	
Poloidal and toroidal divertor experiments on the TPE-2M reversed field pinch (IAEA-CN-60/A6/C-P7)	363
<i>K. Hattori et al.</i>	
Magnetic fluctuation induced transport and edge dynamo measurements in the MST reversed-field pinch (IAEA-CN-60/A6/C-P8)	371
<i>S.A. Hokin et al.</i>	
Reversed field pinch and ultra-low q discharges in the SWIP-RFP device (IAEA-CN-60/A6/C-P9)	377
<i>Peng Zhang et al.</i>	
First results on the large dense Z-pinch at Imperial College. Stability theory (IAEA-CN-60/A6/C-P10)	387
<i>M.G. Haines et al.</i>	

PINCHES AND OPEN SYSTEMS (Session C)

Recent results of tandem mirror experiments in GAMMA 10 and HIEI (IAEA-CN-60/C-1)	399
<i>T. Tamano et al.</i>	
Discussion	404
Comparison of different RFX operation modes (IAEA-CN-60/C-2)	405
<i>V. Antoni et al.</i>	
Discussion	413
Fluctuations and confinement in the TPE-1RM20 reversed field pinch (IAEA-CN-60/C-3)	415
<i>Y. Yagi et al.</i>	
Discussion	421
Compact toroid merging experiment to study three dimensional effects of magnetic reconnection in current carrying toroidal plasmas (IAEA-CN-60/C-4)	423
<i>M. Katsurai et al.</i>	
Discussion	429

Fluctuations and transport in the reversed field pinch: Characterization and reduction (IAEA-CN-60/C-5)	431
<i>J.S. Sarff et al.</i>	
Discussion	440
Production of a long life FRC plasma by translation, and the study of its confinement properties (IAEA-CN-60/C-6)	441
<i>S. Okada et al.</i>	
Discussion	446

ITER (Session E)

The ITER EDA Outline Design (IAEA-CN-60/E-1)	451
<i>P.-H. Rebut et al.</i>	
Discussion	466
ITER operational capability (IAEA-CN-60/E-2)	469
<i>Y. Shimomura et al.</i>	
Discussion	475
ITER physics basis (IAEA-CN-60/E-3)	477
<i>F. Perkins et al.</i>	
Discussion	489
The ITER divertor concept (IAEA-CN-60/E-4)	491
<i>K.J. Dietz et al.</i>	
Discussion	497
The ITER magnet system (IAEA-CN-60/E-5)	499
<i>M. Huguet et al.</i>	
ITER vacuum vessel, blanket and shield (IAEA-CN-60/E-6)	507
<i>R.R. Parker et al.</i>	
Performance, sensitivity and optimization studies for the ITER Outline Design (IAEA-CN-60/E-P1)	511
<i>J. Wesley et al.</i>	
ITER plasma modelling and MHD stability limits (IAEA-CN-60/E-P2)	517
<i>M.N. Rosenbluth et al.</i>	
Projection of ITER performance using the multimachine L and H mode databases (IAEA-CN-60/E-P3)	525
<i>ITER Confinement Database and Modeling Group</i>	
Alpha particle physics for ITER (IAEA-CN-60/E-P4)	535
<i>S. Putvinski et al.</i>	
ITER steady state operation and advanced scenarios (IAEA-CN-60/E-P5) ...	543
<i>W.M. Nevins et al.</i>	
Physics basis and design of ITER divertor and of pumping-fuelling system (IAEA-CN-60/E-P6)	549
<i>G. Janeschitz et al.</i>	

ITER divertor modelling: Predictions and experimental validation (IAEA-CN-60/E-P7)	561
<i>D. Post et al.</i>	
Ion cyclotron heating and current drive system in ITER (IAEA-CN-60/E-P8)	567
<i>G. Bosia et al.</i>	
Neutral beam and electron cyclotron heating and current drive systems for ITER (IAEA-CN-60/E-P9)	575
<i>T. Nagashima et al.</i>	
Plasma equilibrium and control in ITER (IAEA-CN-60/E-P10)	583
<i>P.-L. Mondino et al.</i>	
Superconducting magnets: Major design and R&D issues for ITER (IAEA-CN-60/E-P11)	591
<i>R.J. Thome et al.</i>	
ITER nuclear engineering: First wall, blanket, shield design and R&D programme (IAEA-CN-60/E-P12)	597
<i>Y. Gohar et al.</i>	
Alternative design of ITER first wall, blanket and shield (IAEA-CN-60/E-P13)	603
<i>T. Kurasawa et al.</i>	

NEW DEVICES, REACTORS AND TECHNOLOGY (Session F)

Conceptual design of JT-60 Super Upgrade (IAEA-CN-60/F-1)	613
<i>H. Ninomiya et al.</i>	
Discussion	624
Physics design of the Tokamak Physics Experiment (IAEA-CN-60/F-2)	625
<i>K.I. Thomassen et al.</i>	
Discussion	632
Steady state spherical tokamaks and future applications (IAEA-CN-60/F-3)	633
<i>R. Buttery et al.</i>	
Discussion	640
Physics progress towards compact tokamak reactors with normal conducting toroidal field coils (IAEA-CN-60/F-4)	643
<i>Y.-K.M. Peng et al.</i>	
Physics assessment of stellarators as fusion power plants (IAEA-CN-60/F-5)	655
<i>J.F. Lyon et al.</i>	
Discussion	662
System analysis of the laser fusion reactor KOYO driven by laser diode pumped solid state laser (IAEA-CN-60/F-6)	663
<i>K. Mima et al.</i>	

HYLIFE-II: An approach to a long lived first wall component for inertial fusion power plants (IAEA-CN-60/F-7)	673
<i>R.W. Moir et al.</i>	
Tritium handling experience at TFTR (IAEA-CN-60/F-9)	681
<i>J.L. Anderson et al.</i>	
Discussion	685
Development of high power negative ion sources and accelerators for neutral beam heating and current drive systems (IAEA-CN-60/F-10)	687
<i>T. Inoue et al.</i>	
Discussion	693
European negative ion based neutral beam developments (IAEA-CN-60/F-11)	695
<i>J. Pamela et al.</i>	
Accelerators for heavy ion inertial fusion: Progress and plans (IAEA-CN-60/F-12)	701
<i>R.O. Bangerter et al.</i>	
Discussion	706
RF linac and storage ring approach to heavy ion inertial fusion (IAEA-CN-60/F-13)	709
<i>I. Hofmann et al.</i>	
Status of vanadium alloy development for fusion first wall/blanket applications (IAEA-CN-60/F-14)	715
<i>D.L. Smith et al.</i>	
Discussion	724
The International Fusion Materials Irradiation Facility (IAEA-CN-60/F-15)	725
<i>T.E. Shannon et al.</i>	
Discussion	730
Requirements and design envelope for a volumetric neutron source (VNS) fusion facility for fusion nuclear technology development (IAEA-CN-60/F-16)	733
<i>M.A. Abdou et al.</i>	
Discussion	739
A compact tokamak transmutation reactor for treatment of high level wastes (IAEA-CN-60/F-17)	741
<i>L.J. Qiu et al.</i>	
Design studies and technology development of tokamak main components for fusion experimental reactors (IAEA-CN-60/F-P1)	749
<i>K. Koizumi et al.</i>	
Helium cooling in fusion power plants (IAEA-CN-60/F-P2)	757
<i>C.P.C. Wong et al.</i>	

New evaluation method of superconductor characteristics for realizing the Large Helical Device (IAEA-CN-60/F-P3)	765
<i>J. Yamamoto et al.</i>	
Local island divertor concept for LHD (IAEA-CN-60/F-P4)	773
<i>A. Komori et al.</i>	
Extrapolation to a demonstration reactor from the ITER and advanced physics and materials databases (IAEA-CN-60/F-P5)	779
<i>W.M. Stacey</i>	
Scattering of fusion products and magnetic reconnection in igniting plasmas; developments in the Ignitor program (IAEA-CN-60/F-P6)	785
<i>B. Coppi et al.</i>	
Optimization of MHD stability in the Steady State Tokamak Reactor (IAEA-CN-60/F-P7)	795
<i>T. Ozeki et al.</i>	
Advanced design of a pulsed tokamak fusion reactor (IAEA-CN-60/F-P8)	803
<i>Y. Ogawa et al.</i>	
Chairmen of Sessions and Secretariat of the Conference	809

Combined Poster Session A2/A4

CORE PLASMA PHYSICS
AND
DIVERTOR AND EDGE PHYSICS