

Contents

Editorial Note, <i>J. Yamamoto and P. Komarek</i>	vii
Preface, <i>O. Motojima</i>	ix
Committee Members	xi
List of Participants	xiii
I. Superconducting Fusion Devices	
Physics and engineering design studies on the Large Helical Device, <i>O. Motojima, K. Akaishi, K. Fujii, S. Fujiwaka, S. Imagawa, H. Ji, H. Kaneko, S. Kitagawa, Y. Kubota, K. Matsuoka, T. Mito, S. Morimoto, A. Nishimura, K. Nishimura, N. Noda, I. Ohtake, N. Ohyabu, S. Okamura, A. Sagara, M. Sakamoto, S. Satoh, T. Satow, K. Takahata, H. Tamura, S. Tanahashi, T. Tsuzuki, S. Yamada, H. Yamada, K. Yamazaki, N. Yanagi, H. Yonezu, J. Yamamoto, M. Fujiwara and A. Iiyoshi</i>	3
The impact of fusion on superconducting magnet development in Europe, <i>P. Komarek</i>	15
Superconducting coil development for the Wendelstein 7-X stellarator, <i>J. Sapper and W 7-X Technical Group</i>	23
ITER conceptual design and development progress at JAERI, <i>E. Tada, K. Okuno, K. Shibanuma and S. Shimamoto</i>	33
TF-coil system and experimental results of Tore Supra, <i>A. Torossian</i>	43
The system and test results for the Tokamak T-15 magnet, <i>N.A. Chernoplekov</i>	55
II. Design of the Large Helical Device	
Present status of superconducting magnets design for the Large Helical Device, <i>T. Satow, J. Yamamoto, S. Imagawa, H. Tamura, K. Takahata, N. Yanagi, S. Satoh, T. Mito, K. Yamazaki, M. Takeo, O. Motojima and the LHD Design Group</i>	67
Radial build between helical coil and plasma in the Large Helical Device, <i>N. Ohyabu, K. Yamazaki, H. Ji, S. Imagawa, H. Kaneko, S. Morimoto, N. Noda, T. Satow, J. Yamamoto, O. Motojima and the LHD Design Group</i>	73
Requirements for accuracy of superconducting coils in the Large Helical Device, <i>K. Yamazaki, N. Yanagi, H. Ji, H. Kaneko, N. Ohyabu, T. Satow, S. Morimoto, J. Yamamoto, O. Motojima and the LHD Design Group</i>	79
Design analysis of electromagnetic forces on the Large Helical Device, <i>S. Imagawa, H. Tamura, K. Yamazaki, T. Satow, J. Yamamoto, O. Motojima and the LHD Design Group</i>	87
Structural design of the cryostat for the LHD, <i>H. Tamura, A. Nishimura, S. Imagawa, T. Satow, J. Yamamoto, O. Motojima and the LHD Design Group</i>	97
Preliminary design of the vacuum system for the LHD cryostat, <i>K. Fujii, K. Akaishi, N. Noda, T. Satow, J. Yamamoto, O. Motojima and the LHD Design Group</i>	103
Design study of power supplies for LHD superconducting magnets, <i>S. Tanahashi, T. Satoh, S. Morimoto, S. Yamada, S. Kitagawa, T. Satow, J. Yamamoto, O. Motojima and the LHD Design Group</i>	107

Conceptual design and development of a superconducting bus-line for the Large Helical Device, <i>T. Mito, K. Takahata, S. Yamada, J. Yamamoto, T. Uede and M. Ikeda</i>	113
Design of a centralized control system for a plasma machine with superconducting helical magnets, <i>H. Kaneko, K. Yamazaki, Y. Taniguchi, J. Yamamoto, O. Motojima and the LHD Design Group</i>	121
Conceptual design of cryogenic refrigeration for the Large Helical Device, <i>S. Satoh, T. Mito, T. Satow, S. Yamada, J. Yamamoto, O. Motojima and the LHD Design Group</i>	129

III. Research and Development for the Large Helical Device

Research and development of superconductors and superconducting coils for the Large Helical Device, <i>J. Yamamoto, T. Mito, O. Motojima, K. Takahata, N. Yanagi, S. Yamada, A. Nishimura, M. Sakamoto, H. Tamura, S. Imagawa, S. Satoh, T. Satow, M. Takeo, M. Fujiwara and A. Iiyoshi</i>	139
Superconducting test facility of NIFS for the Large Helical Device, <i>J. Yamamoto, T. Mito, K. Takahata, S. Yamada, N. Yanagi, I. Otake, A. Nishimura and O. Motojima</i>	147
Fabrication of the R&D forced-flow poloidal coil (TOKI-PF), <i>S. Mizumaki, K. Nakamoto, K. Yamamoto, Y. Wachi, S. Ioka, J. Yamamoto, T. Mito, K. Takahata, S. Yamada and O. Motojima</i>	153
Experimental results of the R&D forced-flow poloidal coil (TOKI-PF), <i>K. Takahata, T. Mito, N. Yanagi, M. Sakamoto, A. Nishimura, S. Yamada, J. Yamamoto, S. Mizumaki, K. Nakamoto, K. Yamamoto, T. Yoshida, H. Itoh, M. Shimada, Y. Wachi and H. Shinohara</i>	161
Mechanical analysis and fabrication of the R&D forced-flow helical coil (TOKI-TF), <i>K. Kitamura, M. Shibui, S. Tsuruga, S. Mizumaki, K. Nakamoto, K. Yamamoto, H. Shinohara, J. Yamamoto, K. Takahata, T. Mito, S. Yamada, A. Nishimura and O. Motojima</i>	167
Development of a composite superconductor (Design-M) for research and development programs of the Large Helical Device, <i>O. Kasuu, S. Saito, Y. Yamada, M. Nagata, M. Yokota, T. Minato, T. Sasaki, T. Ichihara, K. Toyoda, Y. Tsuda, T. Mito, K. Takahata, N. Yanagi, J. Yamamoto and O. Motojima</i>	175
Stress analysis of the Module Coil (TOKI-MC) as an R&D Program for the Large Helical Device, <i>M. Sakamoto, T. Mito, A. Nishimura, S. Imagawa, H. Tamura, K. Takahata, N. Yanagi, S. Yamada and J. Yamamoto</i>	181
Fabrication of TOKI-MC R&D coil, <i>T. Minato, T. Sasaki, S. Takagi, T. Ichihara, K. Toyoda, S. Tado, B. Ikeda, T. Tsukamoto, T. Mito, K. Takahata, N. Yanagi, J. Yamamoto and O. Motojima</i>	187
Design and construction of the helical R&D coil (TOKI-HB), <i>T. Senba, S. Suzuki, T. Masumoto, T. Yamagawi, S. Watanabe, N. Yanagi, K. Takahata, T. Mito, J. Yamamoto and O. Motojima</i>	195
Characteristics of dc 75 kA power supply in the superconducting magnet test facilities, <i>S. Yamada, T. Mito, S. Tanahashi, H. Kubo, Y. Yonenaga, R. Watanabe, K. Takahata, N. Yanagi, M. Sakamoto, A. Nishimura, O. Motojima and J. Yamamoto</i>	201
Rigidity tests of a superconducting coil at 4.2 K simulated for the helical coil on the LHD program, <i>A. Nishimura, H. Tamura, T. Mito, K. Takahata, N. Yanagi, M. Sakamoto, S. Yamada, J. Yamamoto and O. Motojima</i>	211
Development of 100 kA current leads for superconductor critical current measurement, <i>T. Mito, K. Takahata, N. Yanagi, S. Yamada, A. Nishimura, M. Sakamoto, J. Yamamoto, T. Uede, K. Sakaki, I. Itoh, Y. Yasukawa and K. Ueda</i>	217

IV. Superconductors

Production and characteristics of high current superconductors, <i>H. Krauth</i>	225
Short sample tests of aluminum-stabilized superconductors for the Large Helical Device, <i>T. Mito, K. Takahata, N. Yanagi, S. Yamada, M. Sakamoto, A. Nishimura, J. Yamamoto and O. Motojima</i>	233
Cable in conduit superconductors with sectoral configuration featuring improved stability, <i>A. Torossian, D. Bessette, B. Turck and B. Kaziemiersak</i>	243
$(\text{Nb}, \text{Ti})_3\text{Sn}$ forced-flow-cooled superconductor, <i>F. Iida, R. Takahashi, Y. Hotta, H. Fujisaki and N. Tada</i>	249
Development of kA-class ac superconducting wires, <i>R. Takahashi, F. Iida, Y. Hotta, K. Kouriki and N. Tada</i>	257
The degradation of the critical current density in a Nb_3Sn tape conductor due to parallel and transversal strain, <i>B. ten Haken and H.H.J. ten Kate</i>	265
Critical-current degradation in Nb_3Al wires due to axial and transverse stress, <i>T. Kuroda, H. Wada, S.L. Bray and J.W. Ekin</i>	271
Development of an internally reinforced superconductor for a high field pulsed magnet, <i>K. Arai, H. Tateishi, K. Agatsuma and T. Onishi</i>	277
Two dimensional analysis of the stability in superconductors proposed for the LHD coil, <i>T. Fujiwara, T. Ohnishi, M. Matsukawa, K. Noto, K. Sugita and J. Yamamoto</i>	283

V. Superconducting Magnets

Large scale superconducting magnet technology at the KfK Karlsruhe, <i>W. Maurer</i>	291
Recent progress of the superconducting magnet for MHD in China, <i>L.G. Yan, L.Z. Lin and B.H. Jing</i>	299
Monitoring of a superconducting magnet using an ultrasonic technique, <i>A. Ninomiya, Y. Kanda and T. Ishigohka</i>	305
Superconducting magnets for 60 GHz to 140 GHz gyrotrons, <i>G.B. Ferguson, N.W. Kerley and G.A. Kirby</i>	311

VI. Stability and AC Loss of Superconducting Magnets

On the classical theories of stability of pool-cooled superconductors, <i>T. Ito and H. Kubota</i>	319
Disturbance due to conductor motion and stability of large scale conductors, <i>O. Tsukamoto</i>	327
Frictional heating and temperature rise of magnet-structural materials at 4 K, <i>A. Iwabuchi, H. Arai, S. Iida and H. Takahashi</i>	333
Disturbance characteristics and stability of high current density superconducting wires, <i>N. Amemiya, T. Takao and O. Tsukamoto</i>	339
Racetrack coil instability resulting from friction-heat generation at fixtures, <i>T. Yazawa, M. Urata, G.R. Chandratilleke and H. Maeda</i>	345
Stability, protection and ac loss of cable-in-conduit conductors – a designer's approach, <i>L. Bottura</i>	351
AC loss in large-scale superconducting cables, <i>G.B.J. Mulder</i>	363
Sweep-rate dependences of losses in aluminum-stabilized superconducting conductors for the Large Helical Device, <i>F. Sumiyoshi, Y. Kanai, T. Kawashima, M. Iwakuma, T. Mito, K. Takahata, N. Yanagi and J. Yamamoto</i>	371

VII. Power Applications

Structure requirements for magnetic energy storage devices, <i>Y.M. Eyssa and X. Huang</i>	379
Plans on developments of a SMES system in Kyushu, <i>M. Takeo, S. Sato, K. Funaki, H. Okada, T. Ezaki, F. Sumiyoshi, F. Irie, A. Ichiki, T. Tokunaga and H. Kanetaka</i>	385
Power system control experiments using 1 MJ SMES, <i>S. Sugimoto</i>	389
Development of polymer-insulated superconducting power cables, <i>M. Kosaki, M. Nagao, Y. Mizuno, N. Shimizu and K. Horii</i>	399
Stabilization of a Nb ₃ Sn persistent current switch, <i>M. Urata, H. Maeda, S. Nakayama, E. Yoneda, Y. Oda, T. Kumano, N. Aoki, T. Tomisaki and S. Kabashima</i>	409
A mechanical arcless dc circuit breaker for a superconducting magnet system, <i>S. Yamaguchi, H. Sasao, Y. Matumura and T. Tukamoto</i>	415

VIII. Cryogenic Materials

Strain and irradiation effects in practical superconducting wires for fusion application, <i>K. Katagiri, T. Okada, K. Noto, T. Kuroda and H. Kodaka</i>	423
Fatigue testing and properties of structural materials at cryogenic temperatures, <i>K. Ishikawa, T. Yuri, O. Umezawa, K. Nagai and T. Ogata</i>	429
Cryogenic mechanical properties of an aged austenitic stainless steel, <i>M. Shimada</i>	437
Effects of magnetic fields on martensitic transformation and serration of austenitic Fe–Ni and Fe–Cr–Ni steels at 4 K, <i>Y. Kurita, S. Emura, K. Fujita, K. Nagai, K. Ishikawa and K. Shibata</i>	445
Effects of a high magnetic field on fracture toughness at 4.2 K for austenitic stainless steels, <i>S. Murase, S. Kobatake, M. Tanaka, I. Tashiro, O. Horigami, H. Ogiwara, K. Shibata, K. Nagai and K. Ishikawa</i>	451
Reinforcing stabilizers for large scale and/or high field superconducting magnets, <i>K. Noto, M. Matsukawa, K. Katagiri, A. Iwabuchi, T. Sato, K. Watanabe, H. Kawabe, T. Fukutsuka and Y. Monju</i>	455
Radiation resistant organic composites for superconducting fusion magnets, <i>S. Nishijima and T. Okada</i>	463
Mechanical behavior of woven composites at low temperatures, <i>Y. Shindo, S. Ueda and Y. Nishioka</i>	469
Evaluation of ethylene propylene rubber as solid electrical insulation material of superconducting cable, <i>Y. Mizuno, M. Iizuka, Y. Mitsuyama, M. Nagao, M. Kosaki, N. Shimizu and K. Horii</i>	475

IX. Cryogenics

The Tore Supra He II cryogenic system, <i>G. Claudet</i>	485
Cryogenic system for TRISTAN superconducting RF cavities, <i>K. Hosoyama, K. Hara, A. Kabe, Y. Kojima, T. Ogitsu, Y. Sakamoto, S. Kawamura and K. Matsumoto</i>	491
Research on forced-flow cooling of large superconducting magnets in the Russian Federation, <i>V. Keilin</i>	499
Transients in the heat transfer to He I and He II confined in a narrow space, <i>H. Kobayashi, M. Uchida and K. Akama</i>	505
Exergy analysis of refrigerators for large scale cooling systems, <i>K. Lohlein and T. Fukano</i>	511

High specific pumping cryo-panel for LHD neutral beam injector, <i>O. Kaneko, A. Ando, T. Kuroda, Y. Oka, Y. Takeiri, K. Tsumori, K. Yamamoto, K. Wakabayashi, Y. Iwasa and T. Kai</i>	519
Author index	525