

CONTENTS

Preface and Editorial Note, <i>A. Miyahara and T. Kuroda</i>	vii
Committee Members	ix
List of Participants	xi
I. High Power Heating and Current Drive in Magnetic Confinement Devices	
A. Tokamaks	
Recent DIII-D high power heating and current drive experiments, <i>T.C. Simonen, G.L. Jackson, E.A. Lazarus, M.A. Mahdavi, T.W. Petrie, P.A. Politzer and T.S. Taylor</i>	5
Review of neutral beam heating on JET for physics experiments and the production of high fusion performance plasmas, <i>C.D. Challis</i>	17
Theory and experiments on r.f. plasma heating, current drive and profile control in Tore Supra, <i>D. Moreau</i>	29
Non-inductive current drive experiments on DIII-D, and future plans, <i>R. Prater, M. Austin, F.W. Baity, R.W. Callis, S.C. Chiu, J.S. deGrassie, R.L. Freeman, C.B. Forest, R.H. Goulding, R.W. Harvey, D.J. Hoffman, H. Ikezi, J. Lohr, R.A. James, K. Kupfer, Y.R. Lin-Liu, T.C. Luce, C.P. Moeller, C.C. Petty, R.I. Pinsker, M. Porkolab, J. Squire and V. Trukhin</i>	49
Non-inductive current drive experiments in JT-60U, <i>M. Matsuoka</i>	59
Electron cyclotron heating combined with lower hybrid current drive on WT-3, <i>K. Hanada, T. Maehara, S. Yoshimura, S. Tabuchi, K. Nakamura, M. Nakamura, T. Maekawa and Y. Terumichi</i>	69
Control of magnetohydrodynamic activities by electron cyclotron heating in WT-3, <i>S. Yoshimura, K. Hanada, Y. Kishigami, T. Maehara, S. Tabuchi, K. Nakamura, T. Iinuma, M. Nakamura, T. Maekawa and Y. Terumichi</i>	77
Lower hybrid current drive and ion Bernstein wave heating experiments on PBX-M, <i>S. Bernabei</i>	83
Initial ICRF coupling and heating experiments on Alcator C-Mod, <i>Y. Takase, S.N. Golovato, M. Porkolab and P.T. Bonoli</i>	89
Recent ion cyclotron range of frequencies experiments in JT-60U, <i>H. Kimura, T. Fujii, M. Saigusa, S. Moriyama, M. Sato, M. Nemoto, T. Kondoh and K. Hamamatsu</i>	95
Recent results on ion cyclotron and combined heating of TEXTOR, <i>R. Koch, A.M. Messiaen, J. Ongena, R. Van Nieuwenhove, G. Van Oost, G. Van Wassenhove, P. Dumortier, F. Durodie, P.E. Vandenplas, D. Van Esteer, M. Vervier, R.R. Weynants, K.H. Finken, H. Euringer, V. Philipps, U. Samm, B. Unterberg, J. Winter, G. Bertschinger, H.G. Esser, G. Fuchs, B. Giesen, E. Hintz, F. Hoenen, P. Hütteman, L. Könen, M. Korten, H.R. Koslowski, A. Krämer-Flecken, M. Lochter, G. Mank, A. Pospieszczyk, B. Schweer, H. Soltwisch, G. Telesca, R. Uhlemann, G. Waidmann, G.H. Wolf, J. Boedo, D. Gray, D.L. Hillis, T. Oyevaar, H.F. Tammen, T. Tanabe and Y. Ueda</i>	103
Preliminary oscillating fluxes current drive experiment in DIII-D tokamak, <i>S. Yamaguchi, M. Schaffer and Y. Kondoh</i>	121

B. Helical Systems

- High β experiment and confinement regimes in a compact helical system, *K. Matsuoka, S. Okamura, K. Nishimura, K. Tsumori, R. Akiyama, H. Yamada, S. Sakakibara, A. Lazaros, J. Xu, K. Ida, K. Tanaka, T. Morisaki, S. Morita, H. Arimoto, A. Ejiri, M. Fujiwara, H. Idei, H. Iguchi, O. Kaneko, T. Kawamoto, S. Kubo, T. Kuroda, O. Motojima, T. Ozaki, V.D. Pustovitov, A. Sagara, C. Takahashi, K. Toi, T. Watari and I. Yamada* 135
- 140 GHz electron cyclotron resonance heating experiments at the W7-AS stellarator, *V. Erckmann, U. Gasparino, H. Hartfuß, W. Kasperek, G.A. Müller, P.G. Schüller, A. Borschevovsky, V.I. Il'in, V.I. Kurbatov, S. Malygin and V.I. Malygin* 141
- 106 GHz electron cyclotron heating experiment on Heliotron-E, *K. Nagasaki, H. Zushi, M. Sato, F. Sano, K. Kondo, S. Sudo, T. Mizuuchi, S. Besshou, H. Okada, M. Iima, S. Kobayashi, K. Sakamoto, A. Isayama and T. Obiki* 153
- Transition phenomena observed during edge electron cyclotron heating in the Heliotron-E helical device, *K. Nagasaka, H. Zushi, T. Mizuuchi, K. Kondo, F. Sano, S. Besshou, H. Okada, M. Iima, S. Kobayashi, K. Sakamoto, T. Obiki, Y. Kurimoto, H. Takada, T. Nakayama, M. Sato, T. Bigelow, M. Murakami and J. Lyon* 159
- Experimental study on density pump-out due to electron cyclotron heating in the compact helical system heliotron-torsatron, *H. Idei, S. Kubo, H. Sanuki, H. Iguchi, K. Ida, S. Morita, R. Akiyama, H. Arimoto, K. Matsuoka, K. Nishimura, K. Ohkubo, S. Okamura, C. Takahashi, Y. Takita, K. Toi, K. Tsumori, H. Yamada and I. Yamada* 167
- Ion cyclotron range of frequency heating with hydrogen and helium minority species in Heliotron E, *H. Okada, T. Mutoh, M. Okamoto, M. Ohnishi, A. Fukayama, H. Zushi, K. Kondo, T. Mizuuchi, S. Beshhou, F. Sano, K. Nagasaki, M. Wakatani and T. Obiki* 173
- High power ion cyclotron range of frequency heating in a compact helical system, *K. Nishimura, R. Kumazawa, T. Mutoh, T. Watari, T. Seki, S. Masuda and F. Shinpo* 179
- A study of three-half-turn and frame antennae for ion cyclotron range of frequency plasma heating in the URAGAN-3M torsatron, *A.I. Lysoivan, V.E. Moiseenko, V.V. Plyusnin, S.V. Kasilov, V.N. Bondarenko, V.V. Chechkin, I.P. Fomin, L.I. Grigor'eva, V.G. Konovalov, S.V. Koval'ov, A.P. Litvinov, Yu.K. Mironov, N.I. Nazarov, O.S. Pavlichenko, R.O. Pavlichenko, A.N. Shapoval, A.I. Skibenko and E.D. Volkov* 185
- The H-1 radio frequency system and an initial study of plasma formation, *G.G. Borg, B.D. Blackwell, S.M. Hamberger, D. Rudakov, D.A. Schneider, L.E. Sharp, M. Shats and B.C. Zhang* 191
- Dynamics of r.f. production of Stellarator plasmas in the ion cyclotron range of frequency, *V.E. Moiseenko, A.I. Lysoivan, S.V. Kasilov and V.V. Plyusnin* 203
- Efficiencies of the ion cyclotron range of frequency minority heating in the compact helical system and large helical device plasmas, *S. Murakami, M. Okamoto, N. Nakajima and T. Mutoh* 209
- Equilibrium and stability control of heliotron/torsatron with driven current, *M. Wakatani, Y. Nakamura, K. Watanabe and K. Ichiguchi* 217
- Development of high-power heating for large helical device, *T. Kuroda, K. Ohkubo, T. Watari, M. Sato, R. Kumazawa, T. Mutoh, O. Kaneko, Y. Oka, S. Kubo, Y. Takeiri, K. Tsumori, A. Ando, H. Idei and T. Seki* 227

C. Mirror, RFP

- Electron cyclotron resonance heating experiments in the GAMMA 10 tandem mirror, *T. Saito, Y. Kiwamoto, Y. Tatematsu, Y. Yoshimura, T. Takahashi, A. Kasugai, F. Kira, I. Katanuma, N. Yamaguchi and T. Tamano* 241
- Stability of ICRF-heated plasmas in the GAMMA 10 tandem mirror, *M. Ichimura, M. Inutake, R. Katsumata, A. Ishihara, A. Mase, H. Hojo, K. Ishii, Y. Nakashima, I. Katanuma and T. Tamano* 251
- Theoretical investigation on r.f. current drive in reversed-field pinch plasma, *S. Shiina, Y. Kondoh, K. Saito, T. Shimada and T. Maekawa* 259

II. Technical Development on High Power RF and Beam Systems

A. Electron Cyclotron Heating Systems

- High-power and long-pulse gyrotron development in JAERI, *A. Kasugai, K. Sakamoto, M. Tsuneoka, S. Maebara, T. Nagashima, T. Imai, T. Kariya, Y. Okazaki, N. Shirai, T. Okamoto, K. Hayashi, Y. Mitsunaka and M. Komuro* 281
- 1 MW gyrotron development for a large helical device, *M. Sato, T. Shimosuma, S. Kubo, Y. Takita, Y. Tsubokawa, K. Ohkubo, T. Kuroda, H. Huey and H. Jory* 287
- Recent advanced technology in electron cyclotron heating systems, *M. Thumm and W. Kasperek* 291
- Antenna and transmission system for high power electron cyclotron heating in a compact helical device, *S. Kubo, K. Ohkubo, H. Idei, M. Sato, Y. Takita, M. Iwase and T. Kuroda* 319
- Rectangular corrugated waveguide and parallel corrugated plates for an elliptical gaussian beam, *K. Ohkubo, S. Kubo, M. Sato, H. Idei, Y. Takita and T. Kuroda* 325
- Development of submillimeter wave gyrotron for plasma diagnostics, *Y. Shimizu, S. Makino, K. Ichikawa, T. Idehara and I. Ogawa* 335

B. Lower Hybrid Current Drive Systems

- Design of a 5 GHz window in a lower hybrid r.f. system, *S. Maebara, Y. Ikeda, M. Seki and T. Imai* 343
- Electron acceleration by a localized r.f. field and spectrum gap problem in lower hybrid current drive, *A. Hatayama, K. Nagasaka, M. Ogasawara and K. Kimura* 351
- Full-wave theory of a quasi-optical launching system for lower hybrid waves: the step density case, *F. Frezza, F. Gori, M. Santarsiero, F. Santini and G. Schettini* 361
- Experiment on a large-diameter plasma-filled backward-wave oscillator, *K. Ogura, K. Minami, K. Kurashina, W. Kim, T. Watanabe, K. Ishii and S. Sugito* 365

C. Ion Cyclotron Range of Frequency Heating Systems

- Performance of toroidally wide-separation loop antennae for JT-60U ICRF experiments, *T. Fujii, M. Saigusa, H. Kimura, S. Moriyama, H. Kubo, T. Sugie and N. Hosogane* 377
- Development of steady-state ICRF heating for LHD, *T. Mutoh, R. Kumazawa, T. Seki, F. Simpo, S. Masuda and T. Watari* 387

- Development of a folded waveguide antenna for ICRF heating in the large helical device,
*R. Kumazawa, T. Mutoh, T. Seki, T. Watari, S. Masuda, F. Shimbo, K. Nishimura,
 T. Kuroda, D.A. Rasmussen, R.H. Goulding, M.D. Carter and D.J. Hoffman* 395

D. Neutral Beam Injection Systems

- European negative ion based neutral beam developments, *J. Pamela, M. Fumelli,
 R.S. Hemsworth, C. Jacquot, F. Jequier, A. Simonin, M.B. Hopkins, M.M. Turner,
 H.P.L. De Esch, C. Challis, D. Stork and E. Thompson* 407
- Progress of neutral beam R&D for plasma heating and current drive at JAERI, *Y. Ohara* 415
- Long pulse neutral beam system for the Tokamak Physics Experiment, *L.R. Grisham,
 O.N. Bowen, F. Dahlgren, J.W. Edwards, J. Kamperschroer, R. Newman, T. O'Connor,
 S. Ramakrishnan, G. Rossi, T. Stevenson, A. von Halle and K.E. Wright* 425
- Conceptual design of a neutral beam system for a next step tokamak, *R.S. Hemsworth,
 F. Jequier, J. Paméla and A. Simonin* 431
- High energy negative-ion based neutral beam injection system for JT-60U, *M. Kuriyama,
 N. Akino, M. Araki, N. Ebisawa, M. Hanada, T. Inoue, M. Kawai, M. Kazawa,
 J. Koizumi, T. Kunieda, M. Matsuoka, M. Miyamoto, M. Mizuno, K. Mogaki, Y. Ohara,
 T. Ohga, Y. Okumura, H. Oohara, F. Satoh, T. Suzuki, S. Takahashi, T. Takayasu,
 H. Usami, K. Usui, K. Watanabe, M. Yamamoto and T. Yamazaki* 445
- Design study of a negative-ion-based neutral injector for the large helical device,
*O. Kaneko, A. Ando, K. Hanatani, Y. Oka, M. Okamoto, Y. Takeiri, K. Tsumori,
 R. Akiyama, T. Kawamoto and T. Kuroda* 455
- Negative ion production with the PAGODA source, *M. Fumelli, F. Jequier, J. Paméla
 and A. Simonin* 463
- Improvement of the large current negative hydrogen ion source for neutral injection in the
 large helical device, *K. Tsumori, A. Ando, T. Okuyama, Y. Suzuki, O. Kaneko, Y. Oka,
 Y. Takeiri, R. Akiyama, T. Kawamoto, K. Seko and T. Kuroda* 473
- Design and experimental study of a large vacuum-immersed negative-ion source, *Y. Oka,
 Y. Takeiri, O. Kaneko, A. Ando, K. Tsumori, R. Akiyama, T. Kawamoto and T. Kuroda* 485
- Extraction of a negative hydrogen ion beam from a microwave ion source, *K. Hashimoto
 and S. Asano* 495
- Development of an r.f. driven negative hydrogen ion source, *Y. Takeiri, T. Takanashi,
 O. Kaneko, Y. Oka, A. Ando, K. Tsumori and T. Kuroda* 501
- Numerical simulation of a hybrid negative ion source, *M. Ogasawara, R. Sakurai, T.
 Koishimine, S. Mitsuhashi and A. Hatayama* 507
- Two-dimensional particle simulation on negative ion extraction from a volume source,
H. Naitou, O. Fukumasa, K. Sakachou and K. Mutou 523
- Development of a high current supersonic ion source for electromagnetic accelerators,
K. Hirano, K. Sugisaki, K. Sato, M. Mimura, A. Fujisawa and J. Fujita 529
- A power supply system for a 125 keV/250 keV neutral beam injector test stand based on
 negative ion sources, *Y. Suzuki, M. Naito, T. Shodo, R. Iibuchi, F. Saito, O. Kaneko,
 Y. Takeiri, Y. Oka, A. Ando, K. Tsumori, R. Akiyama, T. Kawamoto and T. Kuroda* 535
- A 250 MVA motor generator for large-scale plasma heating in the large helical device,
*S. Kitagawa, S. Tanahashi, T. Kuroda, R. Akiyama, J. Kodaira, T. Tsuzuki, F. Saito and
 T. Kai* 539

III. Next Step Experimental Devices and Reactors

Status of large helical device project, <i>M. Fujiwara</i>	547
The Tokamak Physics Experiment: tokamak improvement through advanced steady state control, <i>G.H. Neilson, D.B. Batchelor, D.N. Hill, R.J. Goldston, S.C. Jardin, S.S. Medley, W.M. Nevins, M. Porkolab, J.A. Schmidt, K.I. Thomassen and M. Ulrickson</i>	563
Fast-wave heating and current drive scenarios for the Joint European Torus and International Thermonuclear Experimental Reactors, <i>V.P. Bhatnager and J. Jacquinet</i>	575
The optimization of neutral beams for ignition and burn control on next-step reactors, <i>H.P.L. de Esch, D. Stork, C. Challis and B. Tubbing</i>	589
D- ³ He tokamak reactor with inductive a.c. and unidirectional current operation, <i>O. Mitarai</i>	605
Hybrid inductive current drive–non-inductive current drive for a tokamak reactor, <i>Q. Yu, D. Zhang and X. Shen</i>	619
Author Index of Volume 26	623
Instructions to Contributors	631