



# CONTENTS

<i>Preface</i> . . . . .	<b>v</b>
--------------------------	----------

<i>Dedication</i> . . . . .	<b>xxi</b>
-----------------------------	------------

## SESSION 1: ORIGIN AND APPLICATIONS OF RADIONUCLIDES IN THE MARINE ENVIRONMENT

<i>The use of natural radionuclides in oceanography: an overview</i> . . . . .	<b>1</b>
<i>R. Chesselet and C. Lalou</i>	

<i>Sources of artificial radionuclides in the marine environment</i> . . . . .	<b>12</b>
<i>R. J. Pentreath</i>	

## SESSION 2: STUDY OF LARGE-SCALE OCEANOGRAPHIC PROCESSES USING NATURALLY OCCURRING RADIONUCLIDES

*(Chairman: K. COCHRAN)*

<i>Use of tritium and helium-3 for the study of oceanographic processes. An example: the northeastern Atlantic ocean</i> . . . . .	<b>35</b>
<i>C. Andrié and L. Merlivat</i>	

<i>Mesure du couple tritium/helium océanique par spectrometrie de masse</i> . . . . .	<b>45</b>
<i>P. Jean-Baptiste, C. Andrié et M. Lelu</i>	

<i>Les isotopes du beryllium dans le milieu marin et quelques applications</i> . . . . .	<b>55</b>
<i>F. Yiou, G. M. Raisbeck et D. Bourlès</i>	

<i>Determination of carbon-14 by accelerator mass-spectrometry: oceanographic applications</i> . . . . .	<b>64</b>
<i>J. C. Duplessy, E. Bard, M. Arnold and P. Maurice</i>	

<i>Ra-226 and Ba in the north east Atlantic deep and bottom water. Limitations of Ra-226 as a time tracer</i> . . . . .	<b>74</b>
<i>M. Rhein and W. Roether</i>	

Determination of thorium in seawater by neutron activation analysis and mass spectrometry . . . . .	84
<i>Chih-An Huh</i>	

Sorbents for the extraction of radionuclides from natural waters . . . . .	92
<i>R. M. Gershey and D. R. Green</i>	

SESSION 3: NATURALLY OCCURRING RADIONUCLIDES AS  
TRACERS OF SCAVENGING AND PARTICULATE TRANSPORT  
PROCESSES IN OPEN AND COASTAL ENVIRONMENTS

(Chairman: C. LALOU)

Marine scavenging of Th and Pa—evidence from mid-ocean ridge, continental margin and open ocean sediments . . . . .	101
<i>G. B. Shimmield and N. B. Price</i>	

Effect of natural colloidal matter on the equilibrium adsorption of thorium in seawater . . . . .	111
<i>Sherry E. H. Niven and Robert M. Moore</i>	

Temporal changes of Th-234 concentrations and fluxes in the northwestern Mediterranean . . . . .	121
<i>P. Buat-Ménard, H. V. Nguyen, J. L. Reyss, S. Schmidt, Y. Yokoyama, J. La Rosa, S. Heussner and S. W. Fowler</i>	

Scavenging and bioturbation in the Irish sea from measurements of $^{234}\text{Th}/^{238}\text{U}$ and $^{210}\text{Pb}/^{226}\text{Ra}$ disequilibria . . . . .	131
<i>P. J. Kershaw, P. A. Gurbutt, A. K. Young and D. J. Allington</i>	

$^{234}\text{Th}/^{238}\text{U}$ disequilibrium to estimate the mean residence time of thorium isotopes in a coastal marine environment . . . . .	143
<i>A. Battaglia, W. Martinotti and G. Queirazza</i>	

SESSION 4: NATURALLY OCCURRING RADIONUCLIDES IN MARINE  
SEDIMENTS AND OVERLYING WATERS

(Chairman: R. D. CHERRY)

Sources and sinks of lead-210 in Puget sound . . . . .	153
<i>A. E. Nevissi</i>	

The geochemistry of uranium in marine sediments . . . . .	162
<i>Christina Barnes and J. K. Cochran</i>	
Uranium in the marine environment. A geochemical approach to its hydrologic and sedimentary cycle . . . . .	171
<i>Renata Djogic, G. Kniewald and M. Branica</i>	
Some aspects of the marine geochemistry of uranium . . . . .	183
<i>J. Toole, M. S. Baxter and J. Thomson</i>	
Natural radioactivity of heavy mineral sands: a tool for coastal sedimentology? . . . . .	195
<i>R. J. de Meijer, L. W. Put, R. D. Schuiling, J. de Reus and J. Wiersma</i>	
<b>SESSION 5: CHERNOBYL FALLOUT AS AN OCEANOGRAPHIC TRACER</b>	
( <i>Chairman: A. WALTON</i> )	
Characteristics of Chernobyl fallout in the southern Black Sea . . . . .	204
<i>H. D. Livingston, K. O. Buesseler, E. Izdar and T. Konuk</i>	
Spatial and temporal variations in the levels of cesium in the north western Mediterranean seawater (1985–1986) . . . . .	217
<i>D. Calmet, J. M. Fernandez, P. Maunier and Y. Baron</i>	
The contamination of the North sea and Baltic sea by the Chernobyl fallout . . . . .	227
<i>H. Nies and Ch. Wedekind</i>	
Cs-137 and other radionuclides in the benthic fauna in the Baltic sea before and after the Chernobyl accident . . . . .	240
<i>P-O. Agnedal</i>	
<b>SESSION 6: USE OF ARTIFICIAL RADIONUCLIDES IN THE STUDY OF WATER MOVEMENTS IN COASTAL AND OPEN OCEAN SYSTEMS</b>	
( <i>Chairman: A. PRESTON</i> )	
Artificial radioactivity in the northeast Atlantic . . . . .	250
<i>H. Nies</i>	

Utilisation de radionucléides artificiels ( $^{125}\text{Sb}$ - $^{137}\text{Cs}$ - $^{134}\text{Cs}$ ) pour l'observation (1983-1986) des déplacements de masses d'eau en Manche . . . . .	260
<i>P. Guegueniat, R. Gandon, Y. Baron, J. C. Salomon, J. Pentreath, J. M. Brylinski et L. Cabioch</i>	
Determination of distribution processes, transport routes and transport times in the North sea and the northern north Atlantic using artificial radionuclides as tracers . . . . .	271
<i>H. Kautsky</i>	
Sellafield radiocaesium as a tracer of water movement in the Scottish coastal zone . . . . .	281
<i>P. E. Bradley, B. E. Economides, M. S. Baxter and D. J. Ellet</i>	
The application of seaweeds as bioindicators for radioactive pollution in the Channel and southern North sea . . . . .	294
<i>A. Aarkrog, H. Dahlgaard, S. Duniec, P. Guegueniat and E. Holm</i>	
<i>Fucus vesiculosus</i> as an indicator for caesium isotopes in Irish coastal waters . . . . .	304
<i>I. R. McAulay and D. Pollard</i>	
Répartition de deux traceurs radioactifs ( $^{106}\text{Ru}$ -Rh, $^{60}\text{Co}$ ) chez deux espèces indicatrices ( <i>Fucus serratus</i> , L., <i>Mytilus edulis</i> , L.) le long du littoral français de la Manche . . . . .	312
<i>P. Germain, Y. Baron, M. Masson et D. Calmet</i>	
 SESSION 7: ARTIFICIAL RADIONUCLIDES AND SEDIMENTARY PROCESSES IN COASTAL WATERS AND ESTUARIES	
 (Chairman: M. S. BAXTER)	
The behaviour of dissolved plutonium in the Esk estuary, U.K. . . . .	321
<i>M. Kelly, S. Mudge, J. Hamilton-Taylor and K. Bradshaw</i>	
Mixing process in near-shore marine sediments as inferred from the distributions of radionuclides discharged into the northeast Irish sea from BNFL, Sellafield . . . . .	331
<i>D. S. Woodhead</i>	
Radionuclide distributions in the surface sediments of Loch Etive . . . . .	341
<i>T. M. Williams, A. B. MacKenzie, R. D. Scott, N. B. Price and I. M. Ridgway</i>	

Chemical partitioning of plutonium and americium in sediments from the Thule region (Greenland) . . . . .	351
<i>E. Holm, J. Gastaud, B. Oregioni, A. Aarkrog, H. Dahlgaard and J. N. Smith</i>	

**SESSION 8: DEVELOPMENT AND APPLICATION OF MODELS TO DESCRIBE THE BEHAVIOUR OF RADIONUCLIDES IN THE MARINE ENVIRONMENT**

(Chairman: R. J. PENTREATH)

Polonium-210 in selected categories of marine organisms: interpretation of the data on the basis of an unstructured marine food web model . . . . .	362
<i>R. D. Cherry and M. Heyraud</i>	
Modèle mathématique du transport des radionucléides sur le plateau continental nord-européen . . . . .	373
<i>S. Djennidi, J. C. J. Nihoul et A. Garnier</i>	
A Lagrangian model for long term tidally induced transport and mixing. Verification by artificial radionuclide concentrations . . . . .	384
<i>J. C. Salomon, P. Guegueniat, A. Orbi and Y. Baron</i>	
Modelling the distribution of soluble and particle-adsorbed radionuclides in the Irish sea . . . . .	395
<i>P. A. Gurbutt, P. J. Kershaw and J. A. Durance</i>	
High-level radioactive waste disposal into the seabed: investigation of the sediment-barrier efficiency by means of analytical models . . . . .	407
<i>D. Boust, M. Poulin and R. Chesselet</i>	

**ROLE OF THE CEC IN THE DEVELOPMENT OF PROGRAMMES TO INVESTIGATE THE BEHAVIOUR OF ARTIFICIAL RADIONUCLIDES IN THE MARINE ENVIRONMENT**

Description des résultats obtenus en matière d'océanographie dans le cadre du programme radioprotection de la CCE . . . . .	416
<i>G. Desmet et C. Myttenaere</i>	

LIST OF PAPERS AND POSTERS PUBLISHED IN THE FORM OF  
ABSTRACTS

$^{10}\text{Be}$ in the water column of the equatorial Atlantic . . . . .	427
<i>M. Segl, A. Mangini, G. Bonani, H. J. Hofmann, M. Suter and W. Wölfli</i>	
Vertical flux of radionuclides in marine systems mediated by biogenic debris . . . . .	428
<i>N. S. Fisher, J. K. Cochran and S. Krishnaswami</i>	
$^{10}\text{Be}$ fluxes from sediment traps . . . . .	429
<i>G. M. Raisbeck, F. Yiou, S. Honjo, J. Klein and R. Middleton</i>	
Natural radionuclides in two anoxic marine environments . . . . .	430
<i>J. F. Todd, R. J. Elsinger and W. S. Moore</i>	
Processes involved in long-term behaviour of americium in deep-sea sediments investigated by rare earth elements analogy . . . . .	431
<i>D. Boust, C. Lambert, R. Chesselet and J. L. Joron</i>	
$^{10}\text{Be}/^9\text{Be}$ as a potential paleoceanographic tracer (Poster) . . . . .	432
<i>D. Bourlès, G. M. Raisbeck and F. Yiou</i>	
Mixing rates on the continental slope derived from radium measurements. (Poster) . . . . .	432
<i>P. A. Gurbutt</i>	
Le krypton-85 océanique: technique de mesure et intérêt en océanographie (Poster) . . . . .	433
<i>P. Jean-Baptiste, J. Radwan et J. F. Ternon</i>	
Radionuclides in submarine hydrothermal systems (Poster) . . . . .	434
<i>D. Kadko</i>	
Radiocarbon dating of Irish Sea sediments (Poster) . . . . .	435
<i>P. J. Kershaw</i>	
Major ions as master parameters in radionuclide partition between sediments and seawater (Poster) . . . . .	436
<i>A. M. Hansen, L. D. Mee and J. O. Leckie</i>	
Particle associated $^{10}\text{Be}$ in the ocean (Poster) . . . . .	437
<i>F. Yiou, G. M. Raisbeck, D. Bourlès and M. Bacon</i>	

Teneurs en $^{99}\text{Tc}$ chez <i>Fucus sp.</i> et dans les eaux de mer sur le littoral de la Manche: synthèse (Poster) . . . . .	438
<i>M. Masson, F. Patti et D. Calmet</i>	
The marine dispersion of radionuclides from Winfrith (Poster) . . . . .	439
<i>S. E. Nowell</i>	
Processus sédimentaire et niveaux d'activité du $^{137}\text{Cs}$ dans les sédiments de Méditerranée nord occidentale (Poster) . . . . .	440
<i>D. Calmet et J. M. Fernandez</i>	
Determination of recent sedimentation rate in the Tyrrhenian sea using 239, 240-Pu and 210-Pb (Poster) . . . . .	441
<i>R. Delfanti, C. Papucci and G. Paganin</i>	
Distributions of 239, 240-Pu and 14-C in north-east Atlantic sediments (waste disposal and NOAMP areas) (Poster) . . . . .	442
<i>C. Papucci and R. Delfanti</i>	
Sellafield waste radionuclides in the intertidal sediments of Skyreburn Bay, south west Scotland (Poster) . . . . .	443
<i>A. B. MacKenzie and R. D. Scott</i>	
Pathways of removal of Chernobyl-induced radionuclides from northwestern Mediterranean waters . . . . .	444
<i>S. W. Fowler, P. Buat-Ménard, S. Ballestra, Y. Yokoyama and H. V. Nguyen</i>	
Sellafield tracers in the Norwegian sea and Arctic ocean . . . . .	445
<i>J. N. Smith, K. M. Ellis and E. P. Jones</i>	
Radioactive tracers from the European nuclear industry in Fram Strait and Greenland Sea oceanography . . . . .	446
<i>H. Dahlgaard, A. Aarkrog and E. Holm</i>	
L'utilisation des traceurs radioactifs artificiels et des capteurs radiométriques en sédimentologie dynamique . . . . .	447
<i>A. Caillot</i>	
Origin and fate of artificial radionuclides in the Rhone delta, France . .	448
<i>J. M. Martin and A. Thomas</i>	

Accumulation du $^{137}\text{Cs}$ dans les sédiments estuariens et littoraux de la Manche . . . . .	449
<i>P. Walker, P. Geuguéniat, J. P. Auffret et Y. Baron</i>	
<i>Author index</i> . . . . .	451
<i>List of participants</i> . . . . .	453

