

Contents

| | |
|--|-----|
| Preface | iii |
| Executive Summary | ix |
| List of Symbols and Abbreviations | x |
| 1. General Introduction | 1 |
| 1.1 Preamble | 1 |
| 1.2 The Problem of Defining the Quality of the Image | 1 |
| 1.3 The Decision-Making Paradigm | 2 |
| 1.4 Decision Makers | 3 |
| 1.4.1 The Ideal Decision Maker | 3 |
| 1.4.2 Quasi-Ideal Observers | 4 |
| 1.4.3 Human Observers | 4 |
| 1.5 Image Quality and the Diagnostic Process | 4 |
| 1.6 Outline of the Report | 4 |
| 2. Present Approaches to Measuring Image Quality | |
| Parameters | 6 |
| 2.1 Introduction | 6 |
| 2.2 Physical Image Assessment Methods | 6 |
| 2.2.1 Physical Parameters | 6 |
| 2.2.2 Difference Metrics | 7 |
| 2.2.3 Statistical Decision Theory | 7 |
| 2.2.3.1 Ideal Observer Formalism | 7 |
| 2.2.3.2 Other Observers | 7 |
| 2.3 Psychophysical Approaches | 7 |
| 2.3.1 Subjective Assessment of Image Quality | 7 |
| 2.3.2 Method of Constant Stimulus | 8 |
| 2.3.3 Diagnostic Accuracy | 8 |
| 2.3.4 Contrast-Detail Experiments | 9 |
| 2.3.5 Resolution Targets | 9 |
| 2.3.6 Forced Choice Experiments | 9 |
| 2.3.7 Graded Response (Receiver Operating Characteristic Curve) | 9 |
| 2.3.8 Relationship between Graded Response and Method of Constant Stimulus | 9 |
| 2.4 Summary | 10 |
| 3. Quality of the Acquired Data | 11 |
| 3.1 Introduction | 11 |
| 3.2 Physical Performance Measurements | 11 |
| 3.2.1 Large-Area Transfer Characteristics | 11 |
| 3.2.2 Spatial Detail Transfer Characteristics | 12 |
| 3.2.3 Elements of System Noise Analysis | 13 |
| 3.2.3.1 Pre- and Post-Noise Insertion Processes | 14 |
| 3.3 Bayesian Signal Detection Theory and the Ideal Observer | 15 |
| 3.4 Spatial-Frequency Dependence of Ideal Observer SNR | 15 |
| 3.4.1 Task factor and Physical Measurements Factor | 16 |
| 3.4.2 Definitions of NEQ and DQE | 16 |
| 3.4.3 Elementary Detection and Discrimination Tasks | 17 |
| 3.5 Non-Ideal Observers | 18 |
| 3.5.1 The Hotelling Observer | 19 |
| 3.5.2 The Non-Prewhitening Matched Filter (NPWMF) | 19 |
| 3.5.3 Experimental Implementation of Model Observers | 20 |
| 3.6 Relationship between Signal-to-Noise Ratio and Performance of Ideal and Quasi-Ideal Observers | 20 |

| | | |
|-----------|---|-----------|
| 3.7 | Comparing the Ideal and the Human Observer..... | 20 |
| 3.7.1 | Statistical Efficiency | 21 |
| 3.7.2 | Sources of Human Inefficiency | 21 |
| 3.8 | Estimation..... | 21 |
| 3.9 | Summary..... | 22 |
| 4. | Quality of the Observed Image..... | 23 |
| 4.1 | The Need for an Empirical Approach to Image Quality..... | 23 |
| 4.2 | Receiver Operating Characteristic (ROC) Analysis..... | 23 |
| 4.2.1 | Basic Concepts | 23 |
| 4.2.2 | Receiver Operating Characteristic Curves from Confidence-Rating data | 24 |
| 4.2.3 | Indices of Performance..... | 26 |
| 4.2.3.1 | The Area under the Receiver Operating Characteristic Curve (A_2) as an Index of Performance | 26 |
| 4.2.3.2 | Signal-to-Noise Ratio..... | 26 |
| 4.3 | Forced-Choice Analysis..... | 26 |
| 4.3.1 | Two-Alternative Forced-Choice Experiments | 27 |
| 4.3.2 | Multiple-Alternative Forced-Choice Experiments..... | 27 |
| 4.4 | Test Patterns for Observer Performance Experiments | 28 |
| 4.4.1 | Clinical Images..... | 28 |
| 4.4.2 | Phantom Images | 29 |
| 4.4.3 | Computer-Generated Images | 29 |
| 4.4.4 | Hybrid Images | 29 |
| 4.5 | Summary..... | 30 |
| 5. | Measurement of Image Quality Parameters..... | 31 |
| 5.1 | Introduction | 31 |
| 5.2 | Definition of Task and Choice of Test Image Set..... | 31 |
| 5.2.1 | Choice of Task | 31 |
| 5.2.2 | Choice of Test Pattern | 31 |
| 5.3 | Quality of the Acquired Data..... | 31 |
| 5.3.1 | Determination of the Large Area Transfer Factor | 32 |
| 5.3.2 | Determination of Modulation Transfer Function | 32 |
| 5.3.3 | Measurement of the Noise Power Spectrum | 32 |
| 5.3.3.1 | Separation of Stochastic Noise from Deterministic Artifacts | 32 |
| 5.3.3.2 | Image Artifacts..... | 34 |
| 5.3.4 | Calculation of Noise Equivalent Quanta..... | 34 |
| 5.3.4.1 | Calculation of Signal-to-Noise Ratio..... | 35 |
| 5.3.4.2 | Advantages and Disadvantages | 35 |
| 5.4 | Quality of the Displayed Data | 35 |
| 5.4.1 | Rating Technique..... | 35 |
| 5.4.2 | Forced Choice Technique..... | 36 |
| 5.4.3 | Comparison of Rating and Forced-Choice Techniques.. | 36 |
| 5.5 | Relative Role of the Ideal and Real Observers in Measuring Quality..... | 36 |
| 5.6 | Suggested Approach to Measuring Image Quality Parameters | 36 |
| 5.6.1 | Experimental Procedure..... | 36 |
| 5.6.2 | Use of Image Quality Parameters..... | 36 |
| 6. | Future Work..... | 38 |
| 6.1 | Image Quality in the Diagnostic Process..... | 38 |
| 6.1.1 | Image Quality and Clinical Diagnosis | 38 |
| 6.1.2 | Applicability to Other Imaging Devices | 39 |
| 6.2 | Conclusions..... | 39 |
| | Appendix A: Medical Imaging Devices..... | 40 |

| | | |
|--|--|-----------|
| A.1 | X-Ray | 40 |
| A.1.1 | Planar Projection Imaging | 40 |
| A.1.1.1 | Basic Imaging Technique | 40 |
| A.1.1.2 | Applicability of the Proposed Technique for Measuring Image Quality | 40 |
| A.1.2 | Digital X-Ray Imaging | 40 |
| A.1.2.1 | Basic Imaging Technique | 40 |
| A.1.2.2 | Applicability of the Proposed Technique for Measuring Image Quality | 41 |
| A.1.3 | Computed Tomographic Imaging | 41 |
| A.1.3.1 | Basic Imaging Technique | 41 |
| A.1.3.2 | Applicability of the Proposed Technique for Measuring Image Quality | 41 |
| A.2 | Nuclear Medicine | 41 |
| A.2.1 | Planar Projection Imaging | 41 |
| A.2.1.1 | Basic Imaging Technique | 41 |
| A.2.1.2 | Applicability of the Proposed Technique for Measuring Image Quality | 42 |
| A.2.2 | Single Photon Emission Computed Tomography | 42 |
| A.2.2.1 | Basic Imaging Technique | 42 |
| A.2.2.2 | Applicability of the Proposed Technique for Measuring Image Quality | 42 |
| A.2.3 | Positron Emission Tomography | 42 |
| A.2.3.1 | Basic Imaging Technique | 42 |
| A.2.3.2 | Applicability of the Proposed Technique for Measuring Image Quality | 43 |
| A.3 | Magnetic Resonance Imaging (MRI) | 43 |
| A.3.1 | Basic Imaging Technique | 43 |
| A.3.2 | Other Modes of Image Acquisition | 43 |
| A.3.3 | Image Contrast | 43 |
| A.3.4 | Image Resolution | 44 |
| A.3.5 | Applicability of the Proposed Technique for Measuring Image Quality | 45 |
| A.4 | Ultrasonography | 45 |
| A.4.1 | Basic Imaging Technique | 45 |
| A.4.2 | Applicability of the Proposed Technique for Measuring Image Quality | 45 |
| A.5 | Other Imaging Techniques | 46 |
| A.5.1 | Thermography | 46 |
| A.5.1.1 | Basic Imaging Technique | 46 |
| A.5.1.2 | Applicability of the Proposed Technique for Measuring Image Quality | 46 |
| A.5.2 | Impedance Imaging | 46 |
| A.5.2.1 | Basic Imaging Technique | 46 |
| A.5.2.2 | Applicability of the Proposed Technique for Measuring Image Quality | 47 |
| A.5.3 | Biomagnetic Imaging | 47 |
| A.5.3.1 | Basic Imaging Technique | 47 |
| A.5.3.2 | Applicability of the Proposed Technique for Measuring Image Quality | 47 |
| A.5.4 | Light Transmission Imaging | 47 |
| A.5.4.1 | Basic Imaging Technique | 47 |
| A.5.4.2 | Applicability of the Proposed Technique for Measuring Image Quality | 47 |
| Appendix B: Image Degradation | | 48 |
| B.1 | Spatial Resolution | 48 |

| | |
|---|----|
| B.2 Noise | 48 |
| B.3 Geometric Distortion | 48 |
| B.4 Point Intensity Distortion | 48 |
| B.5 Quantization | 48 |
| B.6 Mismatch to the Observer | 49 |
| B.7 Conclusion | 49 |
| Appendix C: The Ideal Bayesian Observer | 50 |
| C.1 Overview | 50 |
| C.2 Mathematical Derivation of the Ideal Observer Signal-to- Noise Ratio | 50 |
| Appendix D: | 53 |
| D.1 Introduction | 53 |
| D.2 Example I. Screen/Film Systems and Photon Detection with Logarithmic Amplification | 54 |
| D.3 Example II. Linear Amplification: Image Intensifier Tubes/Nuclear Medicine Gamma Cameras | 56 |
| D.4 Example III. Magnetic Resonance Imaging/Fourier Domain Data Acquisition | 57 |
| D.5 Example IV. Images Reconstructed from Projections—Computed Tomography and Positron Emission Tomography | 60 |
| Appendix E: Hotelling Observer | 63 |
| E.1 Overview | 63 |
| E.2 Mathematical Derivation of the Signal-to-Noise Ratio for the Hotelling Observer | 63 |
| E.3 Applications of the Hotelling Figure of Merit | 65 |
| Appendix F: The Non-Prewhitening Matched Filter (NPWMF) | 66 |
| F.1 Overview | 66 |
| F.2 Mathematical Derivation of the Non-Prewhitening Matched Filter | 66 |
| F.3 Applications of the Non-Prewhitening Matched Filter | 67 |
| Appendix G: Models of the Human Observer | 68 |
| Appendix H: Estimation | 70 |
| Appendix I: Glossary | 72 |
| References | 75 |
| ICRU Reports | 82 |
| Index | 86 |

