

Contents

Foreword	v
<i>5. RAPID SOLIDIFICATION PROCESSING</i>	
High performance aerospace alloys via rapid solidification processing	1
S. K. Das and L. A. Davis (Morristown, NJ, U.S.A.)	
Solidification on a substrate	13
R. E. Maringer (Columbus, OH, U.S.A.)	
Fundamental experimental parameters in the direct wire-casting process	21
J. Liu, L. Arnberg, N. Bäckström and S. Savage (Stockholm, Sweden)	
Development of a rapid solidification process with a double-roller method	25
K. Shibuya, F. Kogiku, M. Yukumoto, S. Miyake, M. Ozawa and T. Kan (Chiba, Japan)	
Infrared measurements of the melt puddle in planar flow casting	29
G. Stephani, H. Mühlbach, H. Fiedler and G. Richter (Dresden, G.D.R.)	
Characteristics of Ni ₃ Al+Fe powders produced by spark erosion quenching	33
R. W. Cahn (Cambridge, U.K.), J. L. Walter and D. W. Marsh (Schenectady, NY, U.S.A.)	
Measurements of ultrarapid solidification rates in greatly undercooled bulk melts with a high speed photosensing device	39
E. Schleip, R. Willnecker, D. M. Herlach and G. P. Görler (Cologne, F.R.G.)	
Fluid flow behaviour and solidification studies during ultrasonic gas atomization	43
J. Liu, L. Arnberg, N. Bäckström, H. Klang and S. Savage (Stockholm, Sweden)	
Process control during high pressure atomization	47
S. D. Ridder and F. S. Biancanello (Gaithersburg, MD, U.S.A.)	
Co-Cr thin film preparation by facing targets sputtering	53
Y. Niimura, S. Nakagawa and M. Naoe (Tokyo, Japan)	
Formation of metastable structures and amorphous phases in plutonium-based systems using the triode sputtering technique ...	57
H. F. Rizzo, A. W. Echeverria, W. L. Wien (Livermore, CA, U.S.A.) and T. B. Massalski (Pittsburgh, PA, U.S.A.)	
The microstructure of rapidly solidified Al-Cr-Fe powder	61
P. S. Goodwin, P. Tsakirooulos and N. Saunders (Guildford, U.K.)	
Pressure characteristics at the pour-tube orifice in ultrasonic gas atomization	65
J. Baram (Beer-Sheva, Israel)	
Computer modelling of ribbon formation in the melt spinning of crystalline metals	71
Z. Sun and H. A. Davis (Sheffield, U.K.)	
Fe-6.5wt.%Si ribbons prepared by the single- and double-roller techniques: a comparative study of ribbon formation and microstructural peculiarities	75
J. Branzovsky (Ostrava, Czechoslovakia), M. Jurisch (Dresden, G.D.R.), V. V. Maslov (Kiev, U.S.S.R.), W. Neumann (Dresden, G.D.R.), V. K. Nosenko (Kiev, U.S.S.R.), R. Sellger (Dresden, G.D.R.) and G. Richter (Riesa, G.D.R.)	
Preparation and IR properties of crystalline and amorphous tungsten and WSi ₂ films	79
M. Kadri, A. Deneuve and M. Brunel (Grenoble, France)	
Nucleation in bulk undercooled nickel-base alloys	85
R. Willnecker, D. M. Herlach and B. Feuerbacher (Köln, F.R.G.)	
Effects of process parameters on melt-spun Ag-Cu	89
D. J. Thoma (Madison, WI, U.S.A.), T. K. Glasgow, S. N. Tewari (Cleveland, OH, U.S.A.), J. H. Perepezko (Madison, WI, U.S.A.) and N. Jayaraman (Cincinnati, OH, U.S.A.)	
An infrared thermography study of the temperature variation of an amorphous ribbon during production by planar flow casting	95
P. Cremer (Imphy, France) and J. Bigot (Vitry-sur-Seine, France)	
Containerless solidification of alloys in a drop-tube	99
R. F. Cochrane, P. V. Evans and A. L. Greer (Cambridge, U.K.)	
Metastable phases formed by nanosecond laser-quenching of metals and binary alloys	105
S. Vitta, A. L. Greet and R. E. Somekh (Cambridge, U.K.)	
Some considerations on wetting behaviour in liquid-alloy-substrate-metal systems	111
H. Miura, S. Isa and K. Omuro (Amagasaki, Japan)	
A technique for evaluating aluminium alloys for high pressure gas atomization	115
N. J. E. Adkins, P. S. Goodwin and P. Tsakirooulos (Guildford, U.K.)	
Production of rapidly solidified Al-Pb-Cu alloy by liquid stirring ultrasonic gas atomization and liquid dynamic compaction ..	119
Y.-C. Zhang, Y.-Y. Hao, Z.-F. Liu and G.-Y. Chen (Shenyang, China)	

6. MICROSTRUCTURE OF RAPIDLY SOLIDIFIED ALLOYS

Microstructural variations in rapidly solidified alloys	123
W. J. Boettinger (Gaithersburg, MD, U.S.A.)	
The microstructure of rapidly solidified and heat-treated Al-8Fe-2Mo-Si alloys	131
V. K. Vasudevan and H. L. Fraser (Urbana, IL, U.S.A.)	
Structure, properties and fracture of electron beam welds in RS-PM Al-8Fe-Mo	137
S. Krishnaswamy and W. A. Baeslack III (Columbus, OH, U.S.A.)	
Development of Al-Cr-X and Al-Cr-Zr-X alloys by rapid solidification from the melt	143
P. Tsakiroopoulos, R. C. Pratt, H. Jones (Sheffield, U.K.), J. E. Restall and R. W. Gardiner (Farnborough, U.K.)	
Microstructural characterization of rapidly solidified Al-Si alloys	149
N. Apaydin and R. W. Smith (Kingston, Canada)	
Microstructure development in undercooled Al-Al ₂ Cu alloys	153
B. A. Mueller (Columbus, OH, U.S.A.) and J. H. Perepezko (Madison, WI, U.S.A.)	
A close-packed phase with a seven-layer repeat unit prepared by rapid solidification: m-Nb(Rh _{0.60} Pd _{0.40}) ₃	157
M. X. Quan, P. Haldar and B. C. Giessen (Boston, MA, U.S.A.)	
Microstructural stability of rapidly-solidified Cu-B alloys	161
E. Batawi, M. A. Morris and D. G. Morris (Neuchatel, Switzerland)	
Rapidly solidified tungsten-based alloys	165
J. C. Lasalle, D. Raybould, E. V. Limoncelli, S. K. Das (Morristown, NJ, U.S.A.) and S. Cytron (Picatinny Arsenal, NJ, U.S.A.)	
Long-range ordering in rapidly quenched Ti-Al compounds	169
Z. X. Li, Z. C. Li and S. H. Whang (Brooklyn, NY, U.S.A.)	
Microstructural coarsening at high temperatures in rapidly solidified Ti-5wt.%Al-2.9wt.%Y and Ti-5wt.%Al-7.5wt.%Th	173
S. H. Whang (Brooklyn, NY, U.S.A.), W. W. Park, P. K. Kim and D. H. Kim (Seoul, South Korea)	
Precipitation hardening in rapidly quenched Ti-Zr-B alloys	179
Y. Z. Lu, B. C. Giessen (Boston, MA, U.S.A.) and S. H. Whang (Brooklyn, NY, U.S.A.)	
The annealing behaviour of rapid solidification processed Al-Mo alloys	185
C. P. Chang and M. H. Loretto (Birmingham, U.K.)	
Microstructural stability of rapidly quenched Al-Fe alloys: influence of zirconium	191
G. Vigier, U. Ortiz-Mendez, P. Merle, G. Thollet and F. Fouquet (Villeurbanne, France)	
An investigation of a rapidly solidified Al-Cr alloy using field ion microscopy-atom probe analysis and high resolution electron microscopy	197
B. A. Shollock, A. Cerezo, E. D. Boyes, B. Cantor and G. D. W. Smith (Oxford, U.K.)	
Effect of solidification front velocity on the characteristics of aluminium-rich Al-Mn alloy solutions extended by rapid solidification	201
J. A. Juarez Islas, H. Jones and W. Kurz (Sheffield, U.K.)	
Rapid solidification of aluminium-rich Al-V alloys	207
Y.-W. Kim and F. H. Froes (Dayton, OH, U.S.A.)	
Solidification of an "amorphous" phase in rapidly solidified Al-Fe-Si alloys	213
L. A. Bendersky (Gaithersburg, MD, U.S.A.), M. J. Kaufman (Seattle, WA, U.S.A.), W. J. Boettinger and F. S. Biancaniello (Gaithersburg, MD, U.S.A.)	
Rapid solidification of peritectic aluminium alloys	217
N. J. E. Adkins, N. Saunders and P. Tsakiroopoulos (Guildford, U.K.)	
Microstructure of rapidly solidified aluminum alloy powders for elevated temperature applications	221
M. A. Zaidi (Alcoa Center, PA, U.S.A.)	
Evaluation of aluminum and nickel alloy materials produced by spray deposition	227
M. G. Chu, D. K. Denzer, A. K. Chakrabarti and F. R. Billman (Alcoa Center, PA, U.S.A.)	
Study of small-angle X-ray scattering of Al-Ag alloys quenched from the liquid state	233
A. Naudon and T. Slimani (Poitiers, France)	
Microstructures of rapidly quenched Ti-V-Cr-Er alloys	239
A. G. Jackson, M. Gutierrez, F. H. Froes (Dayton, OH, U.S.A.) and R. G. Rowe (Schenectady, NY, U.S.A.)	
The effect of liquid phase separation on the microstructure of rapidly solidified titanium-rare earth alloys	243
S. A. Court, J. W. Sears, M. H. Loretto and H. L. Fraser (Urbana, IL, U.S.A.)	
Microstructural study of rapidly solidified titanium eutectoid alloys	251
T. A. Bhaskaran, R. Seshadri, R. V. Krishnan and S. Ranganathan (Bangalore, India)	
The influence of Nb addition on structure and properties of rapidly solidified intermetallics	257
G. Venketaraman, A. G. Jackson, K. R. Teal and F. H. Froes (Dayton, OH, U.S.A.)	

Pathways for microstructural development in TiAl	265
J. A. Graves (Madison, WI, U.S.A.), L. A. Bendersky, F. S. Biancanello (Gaithersburg, MD, U.S.A.), J. H. Perepezko (Madison, WI, U.S.A.) and W. J. Boettinger (Gaithersburg, MD, U.S.A)	
Tetragonal distortion and its relaxation in rapidly quenched $L1_0$ TiAl compounds	269
S. H. Whang and Z. X. Li (Brooklyn, NY, U.S.A.)	
Rapid solidification and ordering of B2 and $L2_1$ phases in the NiAl–NiTi system	273
W. J. Boettinger, L. A. Bendersky, F. S. Biancanello and J. W. Cahn (Gaithersburg, MD, U.S.A.)	
Rapidly solidified Fe–Ni–Al–C alloys: metastable phase formation	277
H. T. Chen, S. A. Meyers and C. C. Koch (Raleigh, NC, U.S.A.)	
The effect of rapid solidification on the order–disorder transformation in iron-based alloys	281
K. Raviprasad and K. Chattopadhyay (Bangalore, India)	
Structures and properties of rapidly solidified Fe–Ni–Cr–C-based alloys	285
C. N. Elliot, H. A. Davies and G. W. Greenwood (Sheffield, U.K.)	
Amorphization of a metalloid-rich ferritic steel by a continuous CO_2 laser: a microstructural investigation	291
E. Gaffet, G. Deluze, G. Martin (Vitry-sur-Seine, France), J. M. Pelletier (Villeurbanne, France) and D. Pergue (Chatillon, France)	
The solidification structures of planar flow cast Fe–(20–47)at.%Al ribbons	295
E. Vogt, G. Frommeyer, J. E. Wittig (Düsseldorf, F.R.G.) and H. Sassik (Vienna, Austria)	
Microstructure of rapidly solidified stainless steel	301
E. Johnson, L. Gråbæk, A. Johansen, L. Sarholt Kristensen (Copenhagen, Denmark) and J. V. Wood (Milton Keynes, U.K.)	
Laser surface melting of a pearlitic grey cast iron	305
F. Fouquet and E. Szmatala (Villeurbanne, France)	
Microstructure characterization and stability of rapidly solidified Ni–Au and Rh–Cu alloys	309
L. Irons, S. Mini and W. E. Brower, Jr. (Carbondale, IL, U.S.A.)	
Structure and properties of rapidly solidified magnesium–silicon alloys	313
F. C. Grensing and H. L. Fraser (Urbana, IL, U.S.A.)	
Structures in rapidly solidified zinc	321
M. V. Akdeniz, C. N. Reid and J. V. Wood (Milton Keynes, U.K.)	
Formation of metastable Nb–Si phases by picosecond and nanosecond pulsed laser quenching	325
W.-K. Wang, C. J. Lobb and F. Spaepen (Cambridge, MA, U.S.A.)	
The effects of non-equilibrium processing in the development of copper alloys	329
A. N. Patel and S. Diamond (Columbus, OH, U.S.A.)	
Reduced segregation in rapidly solidified Cu–Ni–Sn alloys	335
L. E. Collins and J. R. Barry (Ottawa, Canada)	
Comparison of microstructures and solidification behaviour of melt-spun Cu–Ni ribbons and bulk undercooled Cu–Ni alloys	339
C. Caesar, U. Köster (Dortmund, F.R.G.), R. Willnecker and D. M. Herlach (Köln, F.R.G.)	
Non-equilibrium Ag–TM alloys produced by vapour quenching (TM \equiv Cr, Mn, Fe and Co)	343
K. Sumiyama, N. Kataoka and Y. Nakamura (Kyoto, Japan)	
Structure and properties of rapidly quenched microcrystalline alloys with immiscible elements: the case of superconducting Pb–Bi–Ge	347
F. Weiss, B. Obst (Karlsruhe, F.R.G.) and A. R. Yavari (Saint-Martin-d’Hères, France)	
Solidification phenomena in formation process of rapidly solidified metallic wire	351
Y. Abe, K.-I. Miyazawa and M. Nakamura (Kawasaki, Japan)	
Modelling of crystal growth and solute redistribution during rapid solidification	357
P. V. Evans and A. L. Greer (Cambridge, U.K.)	
Age hardening response in rapidly quenched molybdenum alloys	363
Y. T. Ning, S. H. Whang (Brooklyn, NY, U.S.A.), S. C. Hsu and R. V. Raman (Waltham, MA, U.S.A.)	
Non-equilibrium interface kinetics during rapid solidification: theory and experiment	369
M. J. Aziz (Cambridge, MA, U.S.A.)	
Structural investigations of rapidly quenched Nb–(0–50)at.%Co alloys	373
H. Schlüter, G. V. S. Sastry and H. C. Freyhardt (Göttingen, F.R.G.)	
Atomic structures of unconventional solid solutions	377
M. A. Marcus (Murray Hill, NJ, U.S.A.) and C. L. Tsai (St. Paul, MN, U.S.A.)	
7. CONSOLIDATION AND FORMING OF RAPIDLY SOLIDIFIED ALLOYS	
Spray deposition of metals: a review	381
E. J. Lavernia and N. J. Grant (Cambridge, MA, U.S.A.)	
Microstructure of Ti_3Al +Nb alloys produced via rapid solidification processing	395
S. C. Jha, R. Ray and P. J. Clemm (North Billerica, MA, U.S.A.)	

Warm consolidation of spray-quenched amorphous Ni-Fe-based alloy powders.....	399
K. Omuro, H. Miura, S. Isa and K. Ikuta (Amagasaki, Japan)	
Stress-assisted laser cutting of amorphous alloys.....	403
A. I. Taub and P. G. Frischmann (Schenectady, NY, U.S.A)	
Joining mechanism of ceramics to metals using an amorphous titanium-based filler metal	407
M. Naka, I. Okamoto and Y. Arata (Osaka, Japan)	
Consolidation of rapidly solidified Cu-Ni powders.....	411
S. H. Lo, W. M. Gibbon (Mississauga, Ontario, Canada) and R. S. Hollingshead (Atlantic, Canada)	
Preparation of bulk amorphous alloys by high temperature sintering under a high pressure.....	415
Y. Kawamura, M. Takagi (Kariya City, Japan), M. Senoo (Tsu City, Japan) and T. Imura (Nagoya, Japan)	
Hot extrusion and mechanical properties of rapidly solidified Al and Cu alloy powders	419
J. Liu, U. Backmark, L. Arnberg, N. Bäckström, O. Gröndler and S. Savage (Stockholm, Sweden)	
Dependence of the ion milling rate of liquid-quenched stainless steel on the cooling condition	425
N. Inoue, Y. Sekiguchi, T. Shima and Y. Nishi (Hiratsuka, Japan)	
Ion milling of liquid-quenched glasses.....	429
N. Inoue, T. Shima and Y. Nishi (Hiratsuka, Japan)	
Modifications to high speed steels by rapid solidification.....	433
J. V. Wood (Milton Keynes, U.K.), A. Horlock (Nottingham, U.K.), J. V. Bee (Adelaide, Australia)	
Microstructural development in a rapidly solidified Al-5Mn-2.5Cr alloy	437
P. Liu, G. L. Dunlop (Göteborg, Sweden) and L. Arnberg (Stockholm, Sweden)	
Properties of equiatomic TiNi alloy produced by rapid solidification	443
M. Igharo and J. V. Wood (Milton Keynes, U.K.)	
A newly developed extrusion technique for compacting amorphous alloy powders.....	449
Y. Kawamura, M. Takagi, M. Akai, (Aichi, Japan) and T. Imura (Nagoya, Japan)	
Grinding peculiarities of rapidly quenched powders.....	453
V. A. Vasiljev, B. S. Mitin, V. M. Archangelsky and A. A. Skuridin (Moscow, U.S.S.R.)	
Preparation of bulk amorphous alloys by explosive consolidation and properties of the prepared bulk	457
M. Takagi, Y. Kawamura, M. Araki, Y. Kuroyama (Aichi, Japan) and T. Imura (Nagoya, Japan)	
Explosive compaction of metallic glass powders	461
R. Prümmer (Freiburg, F.R.G.)	
8. MECHANICAL PROPERTIES	
Negative creep and mechanochemical spinodal in amorphous metals	465
J. C. M. Li (Rochester, NY, U.S.A.)	
On improvement in the mechanical properties of rapidly solidified shape memory alloys	469
S. Eucken, P. Donner and E. Hornbogen (Bochum, F.R.G.)	
Tensile and fatigue properties of two high-strength aluminum alloys prepared by rapid solidification technology.....	475
S. C. Jha and R. Ray (North Billerica, MA, U.S.A.)	
Mechanical properties of rapidly solidified copper alloys: dependence on composition and microstructure	479
M. A. Morris, E. Batawi and D. G. Morris (Neuchâtel, Switzerland)	
Structure of magnetic domains surrounding metallic glass shear bands.....	483
V. Lakshmanan and J. C. M. Li (Rochester, NY, U.S.A.)	
Compressive deformation of amorphous Pd ₄₀ Ni ₄₀ P ₂₀	487
P. E. Donovan (Cambridge, U.K.)	
Absence of thermal embrittlement in some Fe-B and Fe-Si-B glassy alloys	491
A. R. Yavari (Saint-Martin-d'Hères, France)	
Influence of phosphorus and sulphur additions on the mechanical, surface and thermal properties of Fe ₇₈ B ₁₃ Si ₉ amorphous alloy	495
L. Bresson, M. Harmelin, J. Bigot (Vitry-sur-Seine, France) and J.-C. Joud (Saint-Martin-d'Hères, France)	
Fatigue crack propagation in an Ni ₇₈ Si ₁₀ B ₁₂ metallic glass with amorphous and partially crystalline structures	501
A. T. Alpas, L. Edwards and C. N. Reid (Milton Keynes, U.K.)	
Effects of peening on resistance to plastic deformation in a metallic glass	505
Y. Nishi, H. Harano, H. Ishizuki, M. Kawakami and E. Yajima (Hiratsuka, Japan)	
Shape memory effects in rapidly quenched Cu-12%Al and Cu-12%Al-1%Si alloys	509
S. Fujiwara and S. Miwa (Kochi, Japan)	
High ductility and shape memory effect on rapidly solidified B-2 compounds in the Ni-Fe-Al system	515
S. Furukawa, A. Inoue and T. Masumoto (Sendai, Japan)	
Internal stress in IBS films	519
H. Kondo and T. Mizoguchi (Tokyo, Japan)	

Surface deformation and bubble growth in amorphous alloys due to noble gas implantations	523
G. Knuyt, M. D'Olieslaeger, L. de Schepper and L. M. Stals (Diepenbeek, Belgium)	
Calculation of elastic constants for an amorphous metal	527
G. Knuyt, L. de Schepper and L. M. Stals (Diepenbeek, Belgium)	
Microstructure and mechanical properties of TiN precipitation-hardened 316L stainless steel produced by hot extrusion of rapidly solidified powder	531
Y.-Z. Li, L. Arnberg, S. Savage (Stockholm, Sweden)	
Effects of quenching rate on properties and structures of amorphous alloys	535
J.-T. Wang, D.-X. Pang, Q.-H. Song and B.-Z. Ding (Shenyang, China)	
Mechanical and magnetic properties of amorphous FeCrPC ribbons and wires	539
B. de Guillebon (Pont-à-Mousson, France), M. Henry, G. Le Gal (Le Mans, France) and C. Tete (Pont-à-Mousson, France)	
Enhanced strength in high conductivity copper alloys	543
M. J. Tenwick and H. A. Davis (Sheffield, U.K.)	
The role of interfaces in the application of rapidly solidified metal ribbons as reinforcements for composites	547
A. Ruutopold, R. A. Varin (Waterloo, Canada) and Z. Wronski (Ottawa, Canada)	
EXAFS study on mechanical deformation for Pd-Si amorphous alloy	553
T. Nasu, K. Nagaoka (Yamagata, Japan), M. Sakurai, T. Fukunaga, F. Itoh and K. Suzuki (Sendai, Japan)	
AUTHOR INDEX	559

A Cumulative Subject Index covering Volumes 97-99 will appear in Volume 99.