

## CONTENTS

Preface . . . . .	v
Dedication . . . . .	vi
<i>FUNDAMENTAL PROPERTIES</i>	
Physics of transition metal carbides . . . . . W. S. Williams (Cleveland, OH, U.S.A.)	1
Theory of bulk moduli of hard solids . . . . . M. L. Cohen (Berkeley, CA, U.S.A.)	11
Hardness anisotropies: a new approach . . . . . S. G. Roberts, P. D. Warren and P. B. Hirsch (Oxford, U.K.)	19
Vacancy arrangements in NbC <sub>x</sub> . . . . . K. Ohshima, J. Harada (Nagoya, Japan), M. Morinaga (Aichi, Japan), P. Georgopoulos and J. B. Cohen (Evanston, IL, U.S.A.)	29
The brittle-to-ductile transition in silicon . . . . . J. Samuels, S. G. Roberts and P. B. Hirsch (Oxford, U.K.)	39
Self-diffusion of silicon-30 and nitrogen-15 in $\alpha$ phase silicon nitride . . . . . K. P. Kunz (Raleigh, NC, U.S.A.), V. K. Sarin (Waltham, MA, U.S.A.), R. F. Davis (Raleigh, NC, U.S.A.) and S. R. Bryan (Cleveland, OH, U.S.A.)	47
Characterization of carbides by scanning tunneling microscopy . . . . . D. A. Bonnell (Yorktown Heights, NY, U.S.A.)	55
<i>CERAMICS (STRUCTURE/PROPERTIES)</i>	
High toughness ceramics . . . . . A. G. Evans (Santa Barbara, CA, U.S.A.)	65
Microcrack and transformation toughening of zirconia-containing alumina . . . . . M. Rühle (Santa Barbara, CA, U.S.A.)	77
Resistance curve behavior of supertough MgO-partially-stabilized ZrO <sub>2</sub> . . . . . A. H. Heuer, M. J. Readey and R. Steinbrech (Cleveland, OH, U.S.A.)	83
Physicochemical aspects of the fracture rupture of ceramics under intensive mechanical and thermal loading . . . . . V. Ya. Shevchenko and V. A. Fjodorov (Moscow, U.S.S.R.)	91
Strengthening and toughening of boride and carbide hard material composites . . . . . R. Telle and G. Petzow (Stuttgart, F.R.G.)	97
Mechanical properties and wear resistance of a whisker-reinforced zirconia-toughened alumina . . . . . M. Böhmer and E. A. Almond (Teddington, U.K.)	105
Influence of mechanical and tribochemical properties on the wear behaviour of B <sub>4</sub> C-TiB <sub>2</sub> -W <sub>2</sub> B <sub>5</sub> composites . . . . . R. Lörcher, R. Telle and G. Petzow (Stuttgart, F.R.G.)	117
Sintering behaviour and phase reactions of TiB <sub>2</sub> with ZrO <sub>2</sub> additives . . . . . R. Telle, S. Meyer, G. Petzow and E. D. Franz (Stuttgart, F.R.G.)	125
Hardness and fracture toughness of semiconducting materials studied by indentation and erosion techniques . . . . . F. Ericson, S. Johansson and J.-A. Schweitz (Uppsala, Sweden)	131
Some fundamental aspects of the mechanical wear of hard ceramic crystals due to sliding . . . . . C. A. Brookes and A. R. Parry (Hull, U.K.)	143
On the $\alpha$ -to- $\beta$ phase transformation in silicon nitride . . . . . V. K. Sarin (Waltham, MA, U.S.A.)	151
Mixed $\alpha$ - and $\beta$ -(Si-Al-O-N) materials with yttria and neodymia additions . . . . . T. Ekström, P.-O. Käll, M. Nygren and P.-O. Olsson (Stockholm, Sweden)	161

The effect of temperature and yttria content on the properties of hot isostatically pressed $\text{Si}_3\text{N}_4$ . . . . .	169
L. Pejryd (Fagersta, Sweden)	
Room temperature strength and microstructure of $\text{Si}_3\text{N}_4$ - $\text{Y}_2\text{O}_3$ - $\text{ZrO}_2$ - $\text{Al}_2\text{O}_3$ ceramics . . . . .	175
K. Hayashi (Tokyo, Japan) and A. Yamakawa (Itami, Japan)	
Pressureless-sintered $\text{Al}_2\text{O}_3$ -TiC composites. . . . .	183
R. A. Cutler, A. C. Hurford and A. V. Virkar (Salt Lake City, UT, U.S.A.)	
Fracture behaviour of selected mixed-ceramic tool materials up to 1200 °C . . . . .	193
G. Brandt (Stockholm, Sweden), B. Johannesson and R. Warren (Göteborg, Sweden)	
Joining of silicon nitride ceramics to metals: the phase diagram base . . . . .	201
J. C. Schuster (Novara, Italy), F. Weitzer (Vienna, Austria), J. Bauer (Rennes, France) and H. Nowotny (Storrs, CT, U.S.A.)	
Indentation fracture toughness and dynamic Young's modulus of ceramic biomaterials . . . . .	207
D. W. Jones, A. S. Rizkalla, E. J. Sutow and H. W. King (Halifax, NS, Canada)	
<i>CEMENTED CARBIDES (PROCESS/STRUCTURE)</i>	
Kinetics of liquid phase sintering . . . . .	215
R. M. German, S. Farooq and C. M. Kipphut (Troy, NY, U.S.A.)	
Kinetics of compositional modification of (W,Ti)C-WC-Co alloy surfaces . . . . .	225
M. Schwarzkopf, H. E. Exner, H. F. Fischmeister (Stuttgart, F.R.G.) and W. Schintlmeister (Reutte, Austria)	
Anomalous growth of the complex carbide phase in carbon-deficient WC-Co hard metal during the infiltration of eutectic liquid. . . . .	233
J.-K. Park, K. Y. Eun and D. N. Yoon (Seoul, South Korea)	
Identification of optimum binder phase compositions for improved WC hard metals. . . . .	237
E. A. Almond and B. Roebuck (Teddington, U.K.)	
Sintering of submicron WC-10wt.%Co hard metals containing nickel and iron. . . . .	249
G. S. Upadhyaya and S. K. Bhaumik (Kanpur, India)	
Investigations of phase equilibria in the Ti-N and Ti-Mo-N systems . . . . .	257
W. Lengauer and P. Ettmayer (Vienna, Austria)	
Cemented titanium carbonitrides: effects of temperature and carbon-to-nitrogen ratio. . . . .	265
D. Moskowitz (Livonia, MI, U.S.A.) and L. L. Terner (Detroit, MI, U.S.A.)	
The sintering characteristics and properties of hard metal with Ni-Cr binders . . . . .	269
R. Cooper, S. A. Manktelow, F. Wong (Mississauga, Ont., Canada) and L. E. Collins (Ottawa, Canada)	
Residual stress distribution in cermets . . . . .	275
A. D. Krawitz, M. L. Crapenhoft, D. G. Reichel (Columbia, MO, U.S.A.) and R. Warren (Gothenburg, Sweden)	
Atom probe microanalysis of the $\gamma$ phase in cemented carbide materials . . . . .	283
U. Rolander and H.-O. Andrén (Göteborg, Sweden)	
Binder mean-free-path determination in cemented carbide by coercive force and material composition . . . . .	289
R. Porat and J. Malek (Nahariya, Israel)	
Dislocation microstructures in explosively deformed hard materials . . . . .	293
T. B. Merala, H. W. Chan, D. G. Howitt (Davis, CA, U.S.A.), P. V. Kelsey (Alcoa Center, PA, U.S.A.), G. E. Korth and R. L. Williamson (Idaho Falls, ID, U.S.A.)	
<i>CEMENTED CARBIDES (PROPERTIES)</i>	
Compressive deformation and fracture in WC materials . . . . .	299
D. J. Rowcliffe (Menlo Park, CA, U.S.A.), V. Jayaram, M. K. Hibbs and R. Sinclair (Stanford, CA, U.S.A.)	

Finite element modelling of crack propagation in WC-Co hard metals . . . . .	305
H. F. Fischmeister, S. Schmauder and L. S. Sigl (Stuttgart, F.R.G.)	
Internal friction in WC-Co hard metals . . . . .	313
R. Schaller, J. J. Ammann (Lausanne, Switzerland) and C. Bonjour (Nyon, Switzerland)	
The failure of hard materials in cyclic compression: theory, experiments and applications . . . . .	329
S. Suresh (Providence, RI, U.S.A.)	
Applicability of the critical strain fracture criterion to WC-Co hard metals . . . . .	331
R. Godse and J. Gurland (Providence, RI, U.S.A.)	
Pre-compression, internal stresses and coercivity in WC-Co . . . . .	337
F. R. N. Nabarro, G. Venkinis (Pretoria, South Africa) and S. Bartolucci Luyckx (Johannesburg, South Africa)	
The mechanical behaviour of cemented carbides at high temperatures . . . . .	343
H. G. Schmid, D. Mari, W. Benoit (Lausanne, Switzerland) and C. Bonjour (Nyon, Switzerland)	
Subcritical crack growth and plastic deformation in the fracture of hard metals. . . . .	353
B. Johannesson and R. Warren (Göteborg, Sweden)	
Elevated temperature properties of WC-Co cemented carbides. . . . .	363
M. T. Laugier (Limerick, Ireland)	
Fracture toughness measurement by microindentation and three-point bend methods . . . . .	369
M. Lee and M. K. Brun (Schenectady, NY, U.S.A.)	
Effects of microstructure on hardness and palmqvist fracture toughness of WC-Co alloys. . . . .	377
Y. Shin, W. Cao (Raleigh, NC, U.S.A.), G. Sargent (Dayton, OH, U.S.A.) and H. Conrad (Raleigh, NC, U.S.A.)	
Effects of residual stresses in fracture toughness testing of hard metals . . . . .	383
R. Godse, J. Gurland and S. Suresh (Providence, RI, U.S.A.)	
Recent observations of the erosion of hard materials . . . . .	389
R. C. Pennefather, S. E. Hankey, R. Hutchings and A. Ball (Rondebosch, South Africa)	
Abrasive wear of some titanium-carbonitride-based cermets . . . . .	395
J. Larsen-Basse (Atlanta, GA, U.S.A.)	
Titanium-carbonitride-based hard alloys for cutting tools . . . . .	401
H. Pastor (Grenoble, France)	
Local impact damage and erosion mechanisms in WC-6wt.%Co alloys . . . . .	411
K. Anand and H. Conrad (Raleigh, NC, U.S.A.)	
A comparison of the strength of WC-Co measured by ring and transverse rupture strength specimens . . . . .	423
F. R. Vandeput and N. Mastrantonis (Johannesburg, South Africa)	
Microstructure and wear of TiC-cubic BN tools . . . . .	429
R. M. Hooper, J. I. Shakib and C. A. Brookes (Exeter, U.K.)	
 <i>SURFACE MODIFICATION</i>	
Chemical vapor deposition for surface conditioning—opportunities and cautions . . . . .	435
J. M. Blocher, Jr. (Oxford, OH, U.S.A.)	
Mechanical properties, structure and performance of chemically vapor-deposited and physically vapor-deposited coated carbide tools . . . . .	443
D. T. Quinto, A. T. Santhanam and P. C. Jindal (Greensburg, PA, U.S.A.)	
Mechanical and tribological properties of chemically vapour-deposited boron carbide coatings. . . . .	453
M. Olsson, B. Stridh, U. Jansson, J.-O. Carlsson (Uppsala, Sweden) and S. Söderberg (Stockholm, Sweden)	

Chemical vapour deposition coating of crystalline Si <sub>3</sub> N <sub>4</sub> on a quartz crucible for nitrogen-doped Czochralski silicon crystal growth. . . . .	465
H. Doi, N. Kikuchi and Y. Oosawa (Omiya, Japan)	
The structure and composition of Ti-Zr-N, Ti-Al-Zr-N and Ti-Al-V-N coatings. . . . .	481
O. Knotek (Aachen, F.R.G.), M. Böhmer (Teddington, U.K.), T. Leyendecker and F. Jungblut (Aachen, F.R.G.)	
Friction and wear of ion-implanted TiB <sub>2</sub> . . . . .	489
C. S. Yust, C. J. McHargue and L. A. Harris (Oak Ridge, TN, U.S.A.)	
Hard transition metal nitride films deposited by triode ion plating. . . . .	497
A. S. Korhonen, J. M. Molarius, I. Penttinen and E. Harju (Espoo, Finland)	
Microstructural study of ion-implanted WC-Co . . . . .	503
A. D. Anderson, M. H. Loretto (Edgbaston, U.K.) and G. Dearnley (Didcot, U.K.)	
Wear mechanisms modification induced by ion implantation in cemented tungsten carbide . . . . .	509
S. Bartolucci Luyckx and J. P. F. Sellschop (Johannesburg, South Africa)	
Adhesion at elevated temperatures of TiN coatings on cemented carbides . . . . .	513
M. T. Laugier (Limerick, Ireland)	
<i>DIAMOND (SYNTHESIS/PROPERTIES)</i>	
Synthesis of sintered diamond with a high electrical resistivity and high hardness. . . . .	517
M. Akaishi, S. Yamaoka, J. Tanaka, T. Ohsawa (Ibaraki, Japan) and O. Fukunaga (Tokyo, Japan)	
Characteristics of thin film growth in the synthesis of diamond by chemical vapour deposition and application of the thin film synthesis technology for tools . . . . .	525
N. Kikuchi, T. Komatsu (Saitama, Japan) and H. Yoshimura (Tokyo, Japan)	
Growth of diamond on single crystals of tungsten carbide in microwave plasma . . . . .	535
M. Kamo, H. Chawanya, T. Tanaka, Y. Sato and N. Setaka (Ibaraki, Japan)	
Preparation of a diamond-corundum layer composite using low pressure diamond plasma-assisted chemical vapour deposition . . . . .	543
R. Bichler, J. Peng, R. Haubner and B. Lux (Vienna, Austria)	
The microstructure of ultrahard material compacts studied by transmission electron microscopy . . . . .	549
J. C. Walmsley (Bristol, U.K.)	
Deminerlization and microstructure of carbonado . . . . .	555
J. P. Dismukes, P. R. Gaines, H. Witzke, D. P. Leta, B. H. Kear, S. K. Behal and S. B. Rice (Annandale, NJ, U.S.A.)	
The dynamometer as a qualitative gauge in diamond polishing . . . . .	565
Y. Yarnitsky (Haifa, Israel), J. P. F. Sellschop, M. Rebak and S. Bartolucci Luyckx (Johannesburg, South Africa)	
Size separation for hard microparticles . . . . .	571
C. Tianshou (Anhui, China)	
AUTHOR INDEX. . . . .	577
SUBJECT INDEX. . . . .	579