

CONTENTS

| | |
|----------------------------|------|
| Preface | xiii |
| Organizing Committee | xv |
| Opening Remarks | xvii |
| K. Prelec | |

FUNDAMENTAL PROCESSES

| | |
|---|-----|
| Sputtering in Surface Conversion Negative Ion Sources | 3 |
| R. M. A. Heeren, M. J. de Graaf, D. B. Meyler, D. Ćirić, H. J. Hopman, and A. W. Kleyn | |
| Theoretical Calculations of Negative Ion Formation in the Process of Ion-Solid Interactions | 16 |
| A. M. Ektessabi | |
| Surface Production of Negative Hydrogen Ions | 25 |
| M. Seidl, H. L. Cui, J. D. Isenberg, H. J. Kwon, and B. S. Lee | |
| Surface Production of H^- Ions by Backscattering of H^+ and H_2^+ Ions in the 3–50 eV Ion Energy Range | 38 |
| J. D. Isenberg, H. J. Kwon, and M. Seidl | |
| Surface Production of H^- Ions by Backscattering Hyperthermal Hydrogen Atoms | 48 |
| B. S. Lee and M. Seidl | |
| Measurement of Heavy Negative Ion Production Probabilities by Sputtering | 66 |
| J. Ishikawa, H. Tsuji, Y. Gotoh, and S. Azegami | |
| Negative Ion Volume Production Model: State of the Experimental Confirmation | 76 |
| P. Berlemont, D. A. Skinner, and M. Bacal | |
| Isotope Effects in a Multicusp Tandem Ion Source | 90 |
| W. G. Graham | |
| Plasma Physics Modeling of H^- Sources | 101 |
| A. J. T. Holmes | |
| Modeling Effects of Cesium Vapor Injection in a Volume H^- Ion Source | 117 |
| O. Fukumasa, H. Naitou, and T. Tanebe | |
| Dynamics of Elementary Processes and Modeling of Negative D^- Sources | 130 |
| M. Capitelli, M. Cacciatore, R. Celiberto, C. Gorse, G. D. Billing, and A. Lagana | |
| Modeling the Kinetics of Pulsed Volume Sources | 142 |
| D. A. Skinner and M. Bacal | |
| Atomic Processes in Hydrogen and Deuterium Negative Ion Discharges | 155 |
| J. R. Hiskes | |
| Optimum Current Densities from High Current H^- and D^- Sources | 165 |
| J. R. Hiskes | |

| | |
|---|------------|
| Mutual Electron Detachment in Collisions Between Negative Ions..... | 177 |
| R. Schulze, F. Melchert, S. Krüdener, S. Meuser, S. Petri, M. Benner, and E. Salzborn | |
| Measurement of Negative Ion Density in a Pulsed Multicusp Negative Ion Source | 184 |
| B. Coonan, K. N. Mellon, and M. B. Hopkins | |
| Comparison of the Modeling Solutions with the Hydrogen Discharge Data.... | 191 |
| J. R. Hiskes | |
| Kinetic Processes in the Negative Hydrogen Ion Sources under High Power Discharge..... | 201 |
| V. P. Goretsky, A. V. Ryabtsev, I. A. Soloshenko, A. F. Tarasenko, and A. I. Tschedrin | |
| Isotope Effect in Negative Ion Production | 210 |
| D. A. Skinner, A. M. Bruneteau, P. Berlemont, C. Courteille, R. Leroy, and M. Bacal | |
| Generation of Negative Hydrogen Ions in Low-Voltage Cesium-Hydrogen Discharge | 223 |
| F. G. Baksht, G. A. Djuzhev, L. I. Elizarov, V. G. Ivanov, A. A. Kostin, and S. M. Shkolnik | |

SOURCES/H⁻,D⁻

| | |
|--|------------|
| The Art of the High Brightness Ion Beam Production | 239 |
| V. G. Dudnikov and G. E. Derevyankin | |
| Hollow Cathode Penning SPS with Anode H⁻ Production | 255 |
| Yu. I. Belchenko and A. S. Kupriyanov | |
| Penning Surface-Plasma Source Scaling Laws—Theory and Practice | 271 |
| H. V. Smith, Jr., P. Allison, and J. D. Sherman | |
| CW 8X Ion Source Development | 282 |
| H. V. Smith, Jr., P. Allison, C. Geisik, S. D. Orbesen, D. R. Schmitt, J. D. Schneider, J. E. Stelzer, B. Abel, I. Birnbaum, R. Heuer, J. Porter, and J. Sredniawski | |
| A D⁻ Surface-Conversion Source for Neutral Beam Applications | 295 |
| J. W. Kwan, G. D. Ackerman, C. F. Chan, M. E. Cooper, W. S. Cooper, G. J. DeVries, K. N. Leung, W. F. Steele, R. P. Wells, A. West, and M. D. Williams | |
| Study of Modernized H⁻ Ion Hollow Cesium Cathode Source Characteristics..... | 305 |
| L. I. Elizarov and V. M. Chesnokov | |
| Development of a Multi-Ampere H⁻ Ion Source at JAERI..... | 316 |
| T. Inoue, M. Hanada, M. Mizuno, Y. Ohara, Y. Okumura, Y. Suzuki, M. Tanaka, and K. Watanabe | |
| Cs Effects in a Large Multi-Ampere D⁻ Ion Source..... | 326 |
| K. Watanabe, M. Hanada, Y. Okumura, M. Fumelli, F. Jequier, and J. Paméla | |
| Cesium-Seeded Experiments on the 1/3-Scaled H⁻ Ion Source for Large Helical Device | 339 |
| A. Ando, K. Tsumori, Y. Takeiri, O. Kaneko, Y. Oka, T. Okuyama, H. Kojima, Y. Yamashita, R. Akiyama, T. Kawamoto, K. Mineo, T. Kurata, and T. Kuroda | |

| | |
|--|------------|
| Pure and Cesiumated CW Volume Source Performance at the Culham Ion Source Test Stand..... | 353 |
| R. McAdams, R. F. King, G. Proudfoot, and A. J. T. Holmes | |
| Production of H⁻ Ions by an RF-Driven Multicusp Source | 368 |
| K. N. Leung, D. A. Bachman, and D. S. McDonald | |
| The Characteristics of RF-Driven, Multicusp, Negative Ion Sources | 375 |
| T. W. Debiak, S. Melnychuk, G. Gammel, M. Cole, L. Solensten, J. Sredniawski, and K. N. Leung | |
| BNL Volume H⁻ Sources..... | 387 |
| J. G. Alessi, K. Prelec, and D. McCafferty | |
| Delivery of Cesium to a Volume Ion Source and the Role of Cesium as an Additive | 397 |
| S. J. Cox, G. Proudfoot, R. King, and R. McAdams | |
| Development of a Double Plasma Type Negative Ion Source..... | 411 |
| O. Fukumasa and T. Iwasaki | |
| High Current Density Magnetically Insulated H⁻ Diodes | 422 |
| E. Garate, R. Prohaska, H. Kosai, and N. Rostoker | |
| Cesium Influence on H⁻ Ion Emission from a Source with Reflection-Type Discharge | 430 |
| P. M. Golovinsky, V. P. Goretsky, A. V. Ryabtsev, I. A. Soloshenko, A. F. Tarasenko, and A. I. Tschedrin | |
| Performance of a BNL-Type H⁻ Ion Source with Circular Permanent Magnet Cusps | 441 |
| Å. M. Larsson and C. R. Meitzler | |
| RF Volume H⁻ Ion Source for the Superconducting Super Collider | 448 |
| K. Saadatmand, J. E. Hebert, and N. C. Okay | |
| Effect of Primary Electron Drift on the Negative Ion Efficiency of a Volume Hybrid Multicusp H⁻ Ion Source | 458 |
| C. Courteille, J. Bruneteau, F. P. G. Valckx, Z. Sledziewski, and M. Bacal | |

SOURCES/OTHER

| | |
|--|------------|
| The Munich Laser-Ion-Source for Use of Negative Ions | 471 |
| T. Henkelmann and G. Korschinek | |
| Production by Surface Sputtering and Acceleration of Heavy Negative Ions in Tandem Accelerators | 474 |
| S. Dobrescu and L. Marinescu | |
| New Versions of Sources for Nuclear Polarized Negative Ion Production..... | 485 |
| V. G. Dudnikov, A. L. Shabalin, B. B. Wojtsekowski, A. S. Belov, V. E. Kuzik, Yu. V. Plohinsky, and V. P. Yakushev | |
| Development and Application of a C⁻ Ion Source and Extraction System to a High-Resolution Mass Spectrometer System | 498 |
| A. T. Young, C. Y. Li, C. F. Chan, and K. N. Leung | |
| The BNL Polarized H⁻ Ion Source Development Program..... | 507 |
| A. Kponou, J. Alessi, A. Hershcovitch, and B. DeVito | |
| Heavy Ion Source Development at Brookhaven National Laboratory's Tandem Van de Graaff Facility..... | 513 |
| K. S. Smith, D. B. Steski, M. J. Zarcone, and P. Thieberger | |

| | |
|---|------------|
| Compact Li⁻ Ion Source for Plasma Diagnostics | 522 |
| M. Wada, H. Tsuda, and M. Sasao | |
| RF Plasma Sputter-Type DC-Mode Heavy Negative Ion Source | 530 |
| H. Tsuji, J. Ishikawa, Y. Gotoh, and Y. Okada | |

DIAGNOSTICS

| | |
|--|------------|
| Laser, Spectroscopic, and Langmuir Probe Diagnostics of an Inductively-Coupled RF Discharge H⁻ Ion Source..... | 543 |
| A. T. Young, D. A. Bachman, P. Chen, K. N. Leung, C. Y. Li, D. S. McDonald, L. Pan, D. Ponce, and H. F. Döbele | |
| Beam Intensity and Brightness in H⁻ and D⁻ Hybrid Sources: Measurement of Basic Parameters..... | 558 |
| M. Bacal, C. Courteille, R. Leroy, and R. A. Stern | |
| New Method of H⁻ Beam Diagnostics | 569 |
| A. S. Artiomov | |
| Correlation Method of Measurements of the Negative (H⁻, D⁻) Ion Beam Parameters..... | 576 |
| A. S. Artiomov | |
| Method and Apparatus for Multifunctional Nonperturbative Diagnostics of H⁻ Beams..... | 582 |
| A. S. Artiomov, N. G. Vaganov, A. K. Gevorkov, V. V. Limar, and V. P. Sidorov | |
| Rotational and Gas Temperatures in a Surface Conversion Negative Ion Source | 588 |
| M. J. de Graaf, Z. Qing, G. van Rooij, M. C. M. van de Sanden, D. C. Schram, R. M. A. Heeren, and A. W. Kleyn | |
| Photodetachment Measurements of the H⁻ and D⁻ Density in a Tandem Multicusp Ion Source | 595 |
| A. Al-Jibouri and W. G. Graham | |
| Photoneutralization of H⁻ Ion Beams by Polarized Laser Radiation..... | 604 |
| V. V. Antsiferov, V. A. Baturin, and G. I. Dremin | |
| The Slow Recovery of Negative Ion Density After Photodetachment..... | 607 |
| D. A. Skinner and C. Courteille | |
| Measurement of High-Intensity Atomic and Ionic Beams by Using Method of Doppler Laser Spectroscopy..... | 616 |
| V. V. Antsiferov | |

EXTRACTION, TRANSPORT, ACCELERATION

| | |
|---|------------|
| Emittance Growth in Negative Ion Beam Formation: Effects Due to Secondary Positive Ions on the Extraction Sheath | 621 |
| R. G. Cowan, J. Niemel, R. L. Campbell, R. J. Raridon, J. H. Whealton, C. Michaut, and M. Bacal | |
| Particle Simulation on Extraction of Negative Ions From a Volume Source.... | 634 |
| H. Naitou, O. Fukumasa, and K. Mutou | |
| High-Current Negative-Ion Beam Transport..... | 646 |
| R. R. Stevens, Jr. | |

| | |
|---|------------|
| Mathematical Simulation of Precision Scanning by a H⁻ Beam..... | 658 |
| A. D. Dymnikov, V. V. Limar, and V. P. Sidorov | |
| Study of Emittance Growth and Its Control for a Low-Energy H⁻ Beam | |
| Transport System | 672 |
| S. K. Guharay, C. K. Allen, M. Reiser, K. Saadatmand, and C. R. Chang | |
| H⁻ Beam Neutralization Measurements in a Solenoidal Beam | |
| Transport System | 686 |
| J. Sherman, E. Pitcher, R. Stevens, and P. Allison | |
| Experimental Study of the Characteristics of D⁻ and H⁻ Beams Produced by a Multi-Hole Multi-Ampere Accelerator at Energies Up to 105 keV | 695 |
| J. Paméla, M. Fumelli, F. Jequier, A. Simonin, M. Hanada, Y. Okumura, and K. Watanabe | |
| Multi-Second H⁻ Ion Beam Production in a 350-keV Electrostatic Accelerator..... | 710 |
| M. Mizuno, M. Hanada, T. Inoue, S. Maeno, Y. Ohara, Y. Okumura, M. Tanaka, and K. Watanabe | |
| Simple Optics Description of the Plasma Sheath and Plasma Electrode Region | 717 |
| C. L. Fink and B. P. Curry | |
| Focusing of an H⁻ Beam by a Gridded Einzel Lens..... | 727 |
| G. Gammel and S. Melnychuk | |
| Self-Consistent Solution of Multispecies Charged Particle Optics Problems Using a Hybrid Fluid/Raytrace/Poisson-Boltzmann Algorithm | 738 |
| J. L. Orthel | |
| Energy Distributions of H⁻ Extracted from a Low Converter Voltage Surface H⁻ Source..... | 746 |
| M. Wada and H. Tsuda | |
| Numerical Simulation of Secondary Particles in Electrostatic Accelerator | 754 |
| A. I. Krylov, A. A. Panasenkov, and G. S. Kulygina | |
| Low-Energy H⁻ Injector Design for SSC RFQ..... | 762 |
| C. F. Chan and K. N. Leung | |
| H⁻-Ion Beam Injector for RFQ Linac | 770 |
| A. P. Strokach, Yu. V. Afanasiev, Yu. P. Vakhrushin, M. F. Vorogushin, S. V. Grigorenko, and Yu. A. Svistunov | |
| Development of the Volume H⁻ Ion Source and the Helical Electrostatic Quadrupole at KEK | 776 |
| Y. Mori, T. Okuyama, A. Takagi, and T. Ishida | |

NEUTRALIZATION

| | |
|--|------------|
| On the Efficiency of Plasma Neutralizers for Energetic H⁻ Ion Beams | 789 |
| F. Melchert, M. Benner, S. Krüdener, R. Schulze, S. Meuser, and E. Salzborn | |
| Measurement of the Neutral and Charged Beam Fractions in a D⁻ 100-keV 2-A Neutral Beam Injector..... | 795 |
| F. Jequier, M. Fumelli, J. Paméla, M. Hanada, Y. Okumura, and K. Watanabe | |

| | |
|---|------------|
| Polarized-Angular Anisotropy of the H⁻ Ion Beams Photoneutralization | 808 |
| V. V. Antsiferov, V. A. Baturin, and G. I. Dremin | |
| Density and Temperature Measurements in a Large Volume Plasma | |
| of Relevance to Plasma Neutralizers | 817 |
| L. M. Lea, S. B. Schneider, and A. J. T. Holmes | |
| APPLICATIONS AND SYSTEMS | |
| Negative Ion-Based Neutral Beam Development Activities at Cadarache..... | 829 |
| J. Paméla, M. Fumelli, R. S. Hemsworth, H. J. Hopman, C. Jacquot, F. Jequier, and A. Simonin | |
| Negative Ion-Based Neutral Beam Injector for JT-60U | 839 |
| Y. Okumura, M. Araki, M. Hanada, T. Inoue, S. Kunieda, M. Kuriyama, M. Matsuoka, M. Mizuno, Y. Ohara, M. Tanaka, and K. Watanabe | |
| The Kurchatov Institute Program on Negative Ion Beam Development | 851 |
| N. N. Semashko | |
| European Design of a Neutral Beam Injector Module for ITER..... | 855 |
| R. S. Hemsworth, C. Jacquot, J. Paméla, A. J. T. Holmes, and H. J. Hopman | |
| First Results of Negative Ion-Based NBI Test-Stand for Large | |
| Helical Device..... | 869 |
| Y. Takeiri, A. Ando, O. Kaneko, Y. Oka, K. Tsumori, R. Akiyama, T. Kawamoto, and T. Kuroda | |
| Formation of D⁻ (H⁻) Ion Beams in a Multi-Channel Radio-Frequency | |
| Injector for ITER..... | 879 |
| V. P. Sidorov, S. Yu. Udovichenko, N. G. Vaganov, and L. P. Skripal | |
| The European Design of a Scalable Model Test Bed and 1-MV Source | |
| for ITER | 894 |
| R. S. Hemsworth, C. Jacquot, J. Paméla, C. Deck, L. Doceul, and H. J. Hopman | |
| Energy Recovery Experiments with a Powerful 100-keV D⁻-Based | |
| Neutral Beam Injector | 909 |
| M. Fumelli, F. Jequier, J. Paméla, M. Hanada, Y. Okumura, and K. Watanabe | |
| Effects of Collective Processes on Transportation of D⁻ (H⁻) Beams | |
| in an Injector of a Thermonuclear Reactor..... | 921 |
| V. P. Sidorov and S. Yu. Udovichenko | |
| Proposal for a 1-MeV, 0.1-A, dc D⁻ Beam Acceleration Experiment at | |
| Cadarache | 934 |
| M. Fumelli, F. Jequier, J. Paméla, and A. Simonin | |
| Concluding Remarks..... | 950 |
| M. Bacal | |
| Appendix I: List of Participants..... | 955 |
| Appendix II: List of Sessions | 963 |
| Author Index..... | 975 |