

Contents (to Volume 1 and Volume 2)

Volume 1

Preface	i
Editorial Note	ii
Section A Waves and Instabilities	
Radiative relativistic shock adiabat <i>Tsintsadze, L.N. and Nishikawa, K.</i>	2
Enhanced electrostatic fluctuations in plasmas <i>Mace, R.L., Hellberg, M.A. and Treumann, R.A.</i>	6
Evidence for the generation of current-driven ion-cyclotron instability in a plasma <i>Ajiki, H., Hatakeyama, R. and Sato, N.</i>	10
Formation of wave patterns and potential structures due to current-driven electrostatic ion-cyclotron instability <i>Ishiguro, S., Sato, T., Takamaru, H. and The Complexity Simulation Group</i>	14
Interaction between high-power microwaves and plasma in a corrugated wall waveguide <i>Naito, Y., Minami, K., Kurashina, M. and Shiozaki, A.</i>	18
Model for the Richtmyer-Meshkov instability <i>Wouchuk, J.G. and Nishihara, K.</i>	22
An experimental study of electron beam plasma interaction for strong beams <i>Gunell, H., Brenning, N., Torvén, S. and Schrittwieser, R.</i>	26
Experimental studying of strong Langmuir turbulence in a magnetized plasma <i>Vyacheslavov, L.N., Kandaurov, I.V., Kruglyakov, E.P., Meshkov, O.I. and Sanin, A.L.</i>	30
A study of plasma-lined Cherenkov maser <i>El Nadi, A.M., Kirolos, H.A. and El Hamawy, H.A.</i>	34
Simulation of Whistler mode propagation in an ECR plasma <i>Muta, H., Sakoda, T., Ueda, Y. and Kawai, Y.</i>	38
On the possibility to observe the Whistler modes transitional radiation in the beam-plasma experiments in the ionosphere <i>Anisimov, I.O. and Kelnyk, O.I.</i>	42
Evolution of the space charge waves of the electron beam in the overcritical plasma barrier <i>Anisimov, I.O., Kotlyalov, I.Yu., Levitsky, S.M., Opanasenko, O.V., Palets, D.B. and Romanyuk, L.I.</i>	46
Limitation of field-aligned currents in Alfvén wings <i>Brenning, N.</i>	50
Non-local theory of parametric instability of upper hybrid waves in a plasma cylinder <i>Sharma, S.C. and Tripathi, V.K.</i>	54
Turbulent renormalization of electromagnetic forces on plasma particles: the plasma maser <i>Vladimirov, S.V.</i>	58
Electric forces in time-dependent plasmas <i>Vladimirov, S.V.</i>	62
Excitation of waves in the ionospheric plasma due to a meteoroid impact onto the earth's atmosphere <i>Popel, S.I.</i>	66
Observation of ion sheath instability in multi-component plasmas containing negative ions <i>Koga, K., Hayashi, N. and Kawai, Y.</i>	70
Dispersion relation of ion waves in a negative ion plasma <i>Yoshimura, S., Nakamura, Y., Watanabe, T. and Kawai, Y.</i>	74

Ion cyclotron instability of ion beams induced by self-organized periodic structure <i>Mineo, T., Hatakeyama, R. and Sato, N.</i>	78
Unstable ion cyclotron harmonic waves in an inhomogeneous ion beam-plasma system <i>Sugawa, M., Iwamoto, S., Kondo, T., Utsunomiya, S., Maehara, T. and Sugaya, R.</i> ...	82
Gravitational instability of stars and anisotropic plasma <i>Bora, M.P. and Talwar, S.P.</i>	86
Generation of drift-Alfvén waves in field-aligned density striations <i>Morales, G.J., Maggs, J.E. and Peñano, J.R.</i>	90
A fast numerical method to calculate drift instability growth rate in multispecies inhomogeneous plasmas <i>Puerta, J. and Cereceda, C.</i>	94
Simulation of the MHD Kelvin-Helmholtz instability including vortex pairing: tangential stress at the magnetospheric boundary <i>Miura, A.</i>	98
On the question of saturation level and wave lengths of non-MHD Rayleigh-Taylor instability <i>Shaikhislamov, I.F. and Zakharov, Yu.P.</i>	102
The Kelvin-Helmholtz instability in a radiation electron-positron plasma <i>Tsintsadze, L.N., Chilashvili, M.G. and Nishikawa, K.</i>	106
New transparency regions for the intermediate frequency waves in a non-uniform magnetoactive plasma <i>Gusakov, E.Z., Irzak, M.A. and Piliya, A.D.</i>	110
Charged particle propagation and run-away in scattering medium <i>Dogiel, V.A.</i>	114
Irregular wave fields in nearly circular cross sections <i>Hellsten, T., Källbäck, J. and Eriksson, L.G.</i>	118
Instabilities and power balance in D- ³ He tandem mirror plasma with $\beta-1$ <i>Khvesyuk, V.I., Semenov, D.V., Lyakhov, A.N.</i>	122
Numerical investigation of Alfvén ion-cyclotron instability in GAMMA-10 tandem mirror <i>Lyakhov, A.N., Khvesyuk, V.I.</i>	126
Excitation of Alfvén waves in an RFP plasma <i>Sato, T., Takada, H., Shimada, T., Itagaki, M. and Watanabe, M.</i>	130
Stability of LHD plasmas with bootstrap current <i>Ichiguchi, K., Nakajima, N. and Okamoto, M.</i>	134
Off-axis global Alfvén eigenmodes in a tokamak <i>Moiseenko, V.E. and Tennfors, E.</i>	138
Magnetic soliton- and shock-like propagation along a current loop in moving weakly ionized plasmas <i>Sakai, J. and Ryutova, M.</i>	142
Excitation of large-amplitude Alfvén waves in a nonrelativistic electron-positron plasma with a temperature anisotropy <i>Zhao, J., Ohi, T. and Sakai, J.I.</i>	146
Dynamics of relativistic electron-positron plasma cloud moving across a magnetic field <i>Kitanishi, T. and Sakai, J.I.</i>	150
Magnetohydrodynamic waves amplification and mutual transformations in parallel shear flows <i>Chagelishvili, G.D., Chanishvili, R.G., Lominadze, J.G. and Tevzadze, A.G.</i>	154
A model equation of high-n TAE and ballooning modes in an L=2 heliotron/torsatron system <i>Nakajima, N.</i>	158
On the spectrum of n=0 Alfvén eigenmodes <i>Villard, L. and Vaclavik, J.</i>	162
Effects of the axial magnetic field on RF plasma generation mechanism using a spiral antenna <i>Takechi, S., Shinohara, S. and Kawai, Y.</i>	166
Slow thermal waves in magnetized radiative plasmas <i>Morozov, D.Kh. and Herrera, J.J.E.</i>	170

Analysis of the hybrid dissipative trapped electron ITG mode <i>Bai, L., Qiu, X.M. and Huang, L.</i>	174
Spectral instability of cylindrical reduced MHD in low- β plasma <i>Noguchi, K., Hatori, T. and Kato, T.</i>	178
Structure of MHD perturbations around singular lines <i>Farina, D. and Pozzoli, R.</i>	182
Density fluctuations in heliotron E high T_i plasmas measured using CO ₂ laser phase contrast method <i>Kado, S., Muraoka, K., Kondo, K., Sano, F., Mizuuchi, T., Besshou, S., Okada, H., Nagasaki, K. and Obiki, T.</i>	186
Control of mode locking of tearing mode by lower hybrid current drive and electron cyclotron heating in WT-3 <i>Yoshimura, S., Yoshizawa, Y., Sukegawa, M., Matsunaga, K., Izuhara, T., Uno, K., Yamazaki, A., Nakamura, M., Asakawa, M., Tanaka, H., Maekawa, T. and Terumichi, Y.</i>	190
Nonstationary three-waves interaction processes in a relativistic plasma beam <i>Pavlenko, V.N. and Davidov, S.V.</i>	194
Interaction of ion beam with a negative ion plasma <i>Nakamura, Y. and Morita, S.</i>	198
Two waves in a beam-plasma system at low pressures <i>Morimoto, T. and Mori, I.</i>	202
Observation of spiky ion-acoustic waves in an electron-beam–plasma system <i>Odagiri, T., Nakamura, Y. and Ito, M.</i>	206
Excitation of plasma waves in aurora by electron beams <i>Da Silva, C.E., Viñas, A.F., De Assis, A.S., Sakanaka, P.H. and De Azevedo, C.A.</i> ...	210
The viscous MHD spectra-application to coronal loop heating <i>Santiago, M.A.M., De Assis, A.S., Sakanaka, P.H. and De Azevedo, C.A.</i>	214
Electromagnetic fluctuations in a plasma with large-scale random motions <i>Goutych, I.F., Sitenko, A.G., Zagorodny, A.G. and Schram, P.</i>	218
Continuum spectrum for whistler waves <i>De Assis, A.S., De Azevedo, C.A. and Sakanaka, P.H.</i>	222
Kelvin-Helmholtz instability of an anisotropic pressure plasma with generalized polytropic laws <i>Chhajlani, R.K., Sharma, P.K. and Parihar, A.K.</i>	226
Amplitude oscillation of DCLC mode <i>Yamaguchi, H., Kawabe, T. and Mizuno, N.</i>	230
Pollutionless approximation of the linearized MHD operator spectrum <i>Ida, A., Todoroki, J. and Sanuki, H.</i>	234
ICRF experiments and synergy with LHCD on HT-6M tokamak <i>Li, J., Yin, F.X., Wan, B.N., Liu, Y.X., Luo, J., Gong, X.Z., Gao, X., Shao, Y.G., Xu, W., Wu, X.C., Zhao, J., Liang, Y.F., Wu, Z.W., Zhang, S.Y., Jie, Y.X., Xue, D.Y., Deng, X., Watari, T., Kumazawa, R., Seki, K., Mutoh, T., Sasao, M., Adati, K. and Shimbo, F.</i>	238
Influence of density fluctuation to IBW propagation in tokamak edge <i>Li, J., Luo, J. and Guo, W.</i>	242
Ion cyclotron emission (ICE): new experimental results in JT-60U, theory of direct emission <i>DaCosta, O., Kimura, H., Moriyama, S., Tobita, K., Saigusa, M., The JT-60 Team and Grésillon, D.</i>	246
Dipolar electromagnetic waves in an inhomogeneous axially magnetized plasma column <i>Ghanashev, I., Arestova, I., Tatarova, E., Stoykov, Sv. and Zhelyazkov, I.</i>	250
External and internal electromagnetic resonances of 3D bounded plasmas <i>Ghanashev, I., Stoykov, Sv. and Zhelyazkov, I.</i>	254
Absorption of lower hybrid waves in magnetoactive plasma with density gradient <i>Pavlenko, V.N., Panchenko, V.G. and Rosum, I.N.</i>	258
Scattering of electromagnetic waves by density fluctuations in the inhomogeneous plasma with lower hybrid pump <i>Pavlenko, V.N., Panchenko, V.G. and Rosum, I.N.</i>	262

Section B Transport Phenomena

Mechanisms of the Accumulation of high-Z impurities in tokamaks

<i>Tokar, M.Z., Rapp, J., Unterberg, B., Bertschinig, G., Könen, L., Koslowski, H.R., Krämer-Flecken, A., Philipps, V. and Samm, U.</i>	266
Study of the core particle confinement during the transition phenomenon in the edge heating experiment in heliotron E	
<i>Kurimoto, Y., Zushi, H., Nagasaki, K., Sano, F., Kondo, K., Mizuuchi, T., Besshou, S., Okada, H. and Obiki, T.</i>	270
H _α spectrum in CHS	
<i>Ozaki, T., Kaneko, O., Takeiri, Y., Morita, S., Okamura, S., Matsuoka, K. and The CHS Group</i>	274
Ion transport analysis of NBI heated plasma in heliotron E	
<i>Hamada, T., Sano, F., Funaba, H., Ida, K., Watanabe, K., Kondo, K., Mizuuchi, T., Nagasaki, K., Okada, H., Bessho, S., Zushi, H., Hanatani, K., Nakasuga, M., Hidekuma, S., Kurimoto, Y., Kinoshita, T., Kado, S., Senju, T., Yaguchi, K., Kobayashi, S., Toshi, K., Sakamoto, K., Ijiri, Y. and Obiki, T.</i>	278
Electron thermal transport analysis for ECH and NBI plasmas in heliotron E	
<i>Funaba, H., Okada, H., Sano, F., Watanabe, K., Kondo, K., Nagasaki, K., Hanatani, K., Sudo, S., Ida, K., Mizuuchi, T., Besshou, S., Nakasuga, M., Zushi, H., Kurimoto, Y., Hamada, T., Kinoshita, T., Yaguchi, K., Tohshi, K., Senju, T., Kobayashi, S., Sakamoto, K., Ijiri, Y., Wakatani, M. and Obiki, T.</i>	282
Electrostatic potential confinement of a toroidal plasma with no poloidal magnetic field	
<i>Saeki, K., Grésillon, D., Chapey, B. and Truc, A.</i>	286
Neoclassical kinetic theory for the shaped tokamaks	
<i>Wang, Z. and Nicolai, A.</i>	290
Role of bumpy field for energetic particle confinement in helical axis stellarators	
<i>Yokoyama, M., Nakamura, Y. and Wakatani, M.</i>	294
Neoclassical transport analysis based on bounce averaged Fokker-Planck equation	
<i>Todoroki, J. and Sanuki, H.</i>	298
Transverse electrical conductivity of nearly collisionless magnetized plasmas	
<i>Kiyama, S.</i>	302
Nonlocal kinetic analysis of the toroidal η_i mode in tokamak plasmas	
<i>Li, J., Ding, H. and Huang, L.</i>	306
Nonequilibrium thermodynamics of toroidal plasmas with gyrokinetic turbulence	
<i>Sugama, H., Okamoto, M., Watanabe, K, Y., Horton, W. and Wakatani, M.</i>	310
Bootstrap current due to shear of magnetic field stochasticity	
<i>Kaganovich, I., Rozhansky, V. and Tendler, M.</i>	314
Transport simulation of sawtooth crash based on catastrophic bifurcation	
<i>Kubota, T., Itoh, S.-I., Yagi, M. and Fukuyama, A.</i>	318
Analysis of electrostatic and magnetic fluctuations on the CASTOR tokamak	
<i>Stöckel, J., Duran, I., Dhyani, V., Hron, M., Jakubka, K., Kryška, L., Svoboda, V., F, Žáček., Petržílka, J., Nanobashvili, I. and Nanobashvili, S.</i>	322
Enhanced radial transport of electrons due to the inwardly-directed strong radial electric field in a magnetized filamentary plasma	
<i>Matsubara, A. and Tanikawa, T.</i>	326
Measurements of impurity rotation in the GAMMA10 tandem mirror	
<i>Ikeda, K., Nagayama, Y., Yamaguchi, N., Aota, T., Ishii, K., Ishijima, T., Okamoto, Y., Mase, A., Tamano, T. and Yoshikawa, M.</i>	330
Plasma rotation and suppression of turbulence viewed from the cross-helicity dynamo model	
<i>Yokoi, N.</i>	334
Normal mode expansion for anomalous plasma transport	
<i>Yamagishi, T.</i>	338
Effect of coulomb particle collisions on fluctuations in plasma	
<i>Sitenko, A.G. and Zinevych, S.M.</i>	342
Radial profile of magnetic fluctuations in the CHS heliotron/torsatron	
<i>Oike, T., Toi, K., Ohdachi, S., Sakakibara, S., Morisaki, T., Minami, T., Tanaka, K., Morita, S., Okamura, S., Matsuoka, K. and The CHS Group</i>	346

Radial propagation of electron temperature disturbances in cold pulse experiments of the JIPP T-IIU tokamak <i>Toi, K., Ohdachi, S., Kitachi, K., Sakakita, H., Ejiri, A., Hamada, Y., Narihara, K., Kuramoto, H., Seki, T., Nomura, I., Kawahata, K., Sato, K.N. and The JIPP T-IIU Group</i>	350
Density profile modification and transport studies with the on- and off-axis pellet injection in the JIPP T-IIU tokamak <i>Sato, K.N., Sakakita, H., Nomura, I., Hamada, Y., Ida, K., Narihara, K., Toi, K., Seki, T., Ejiri, A., Kuramoto, H., Adachi, K., Fujisawa, A., Hidekuma, S., Hirokura, S., Iguchi, H., Kano, Y., Kawasumi, Y., Kojima, M., Nishizawa, A. and The Torus Exp. Group</i>	354
Aluminum micro-pellet ablation in hot plasma <i>Kardon, B., Bakos, J.S., Kálvin, S., Kocsis, G., Mank, G., Petravich, G., Pospieszczyk, A., Veres, G. and Zoletnik, S.</i>	358
Non-local response of the electron temperature and longitudinal propagation of the plasmoid during pellet injection on Heliotron E <i>Zushi, H., Kanda, Y., Hosotsubo, M., Nakasuga, M., Kondo, K., Sudo, S., Senju, T., Sato, K.N., Sakamoto, K., Yaguchi, K., Sergeev, V.Yu., Khlopenkov, K.V., Okamoto, T., Nakamura, Y., Wakatani, M., Mizuuchi, T., Okada, H., Nagasaki, K., Sano, F. and Obiki, T.</i>	362
Kinetic analyses of ballooning modes in tokamaks <i>Yamagiwa, M., Hirose, A. and Elia, M.</i>	366
Resistive ballooning modes in H mode plasmas <i>Bevli, G.S. and Singh, T.</i>	370
Particle-MHD simulations of the hybrid kinetic-MHD modes <i>Todo, Y., Sato, T. and The Complexity Simulation Group</i>	374
Propagation of focused proton beam <i>Niu, K.</i>	378
Fast expansion of a plasma beam controlled by short-circuiting effects in a longitudinal magnetic field <i>Kaganovich, I.D., Rozhansky, V.A., Tsendin, L.D. and Veselova, I.Yu.</i>	382
Influence of shear stress tensor on electron distribution function in fully and partially ionized plasmas <i>Oikawa, S., Enoto, T. and Yamashina, T.</i>	386
Effect of particle wall loss on electron energy distribution of D.C. helium diffusion-controlled positive columns <i>Sirghi, L. and Ohe, K.</i>	390
Section C Particle Acceleration and Beam Production	
Relativistic electron scattering by upper hybrid resonance waves outside the plasmopause <i>Shklyar, D.R. and Kliem, B.</i>	394
Cross-field flow of plasma produced by laser resonance photoionization <i>Matsumoto, H., Aishima, Y., Ikehata, T., Mase, H., Ogura, K. and Shibata, T.</i>	398
Waves excitation at anomalous Doppler effect for various electron beam energies <i>Gorozhanin, D.V., Ivanov, B.I., Khoruzhiy, V.M., Onishchenko, I.N. and Miroshnichenko, V.I.</i>	402
Anomalous penetration of high power microwave into overdense plasma <i>Ito, H., Nishida, Y. and Yugami, N.</i>	406
Microwave beatwave excitation of electron plasma wave and high energy electron production <i>Yatsuzuka, M., Obata, K. and Nobuhara, S.</i>	410
Experimental demonstration of $v_p \times B$ acceleration scheme using transverse electromagnetic waves <i>Kirihara, N., Sanjo, S., Yugami, N. and Nishida, Y.</i>	414
Relativistic electron beam acceleration by Compton scattering of extraordinary waves <i>Sugaya, R., Maehara, T. and Sugawa, M.</i>	418

Relativistic electron beam acceleration by cascading nonlinear Landau damping of electromagnetic waves in a plasma <i>Sugaya, R., Ue, A., Maehara, T. and Sugawa, M.</i>	422
Electron heating by nonlinear Landau damping of electrostatic waves <i>Maehara, T., Hase, M., Ikimatsu, M., Misou, T., Sugawa, M. and Sugaya, R.</i>	426
High energetic electron acceleration by nonlinear Landau damping of two electromagnetic waves <i>Maehara, T., Ue, A., Sugawa, M. and Sugaya, R.</i>	430
Intense-electron-beam transportation through an insulator beam guide and its focusing <i>Kawata, S., Mori, M., Nishiyama, S., Hanamori, S. and Kato, S.</i>	434
Electron beam generation in Z-pinch discharges <i>Vikhrev, V.V. and Baronova, E.O.</i>	438
Perpendicular ion acceleration by localized high-frequency electric fields in magnetized plasmas <i>Reitzel, K.J. and Morales, G.J.</i>	442
Propagation of intense ion beam in plasma channel <i>Nakamura, T. and Kato, T.</i>	446
Analysis of plasma behavior in a magnetic nozzle of laser fusion rocket <i>Nagamine, Y., Yoshimi, N., Nakama, Y., Muranaka, T., Mayumi, T. and Nakashima, H.</i>	450
Property of fast ions in mirror based volumetric neutron source FEF-II <i>Mizuno, N., Muramatsu, S., Tohrisawa, K. and Kawabe, T.</i>	454
Simulation of ion extraction and acceleration from electron cyclotron resonance ion sources <i>Khodja, H., Brenac, A., Girard, A. and Lamboley, G.</i>	458
Theoretical and experimental study of the electron distribution function in the plasma of an electron cyclotron resonance ion source <i>Girard, A., Perret, C., Lécot, C., Bourg, F., Khodja, H. and Melin, G.</i>	462
Isotope effect and enhancement of H^-/D^- volume production in a double plasma type negative ion source <i>Fukumasa, O., Niitani, E. and Sakiyama, S.</i>	466
Numerical study of cesium effects on negative ion production in volume H^- and D^- ion sources <i>Fukumasa, O., Niitani, E. and Yoshino, K.</i>	470
High-current negative hydrogen ion beam production in a cesium-injected multicusp source <i>Takeiri, Y., Tsumori, K., Kaneko, O., Oka, Y., Osakabe, M., Takanashi, T., Asano, E., Kawamoto, T., Akiyama, R. and Kuroda, T.</i>	474
Section D Magnetic Reconnection	
Experimental investigation of magnetic reconnection in antiparallel configuration <i>Kreshchuk, A.P. and Kurtmullaev, R.Kh.</i>	478
Impulsive relaxation process in MHD driven reconnection <i>Kitabata, H., Hayashi, T., Sato, T. and The Complexity Simulation Group</i>	482
Reconnection of magnetic field lines in structurally unstable magnetic configurations <i>Bulanov, S.V., Pichushkin, V.V. and Schindler, K.</i>	486
Numerical analyses for nonlinear growths of tearing mode <i>Li, D. and Li, B.</i>	490
Magnetic reconnection in solar corona <i>Kusano, K. and Nishikawa, K.</i>	494
Magnetic reconnection in the solar atmosphere <i>Somov, B.V.</i>	498
Simulation study on generation of Langmuir waves from Whistler waves by the plasma maser <i>Eda, M., Sakai, J.I., Zhao, J., Neubert, T. and Nambu, M.</i>	502
Magnetic reconnection through the current sheets as the universal process for plasma dynamics in nonuniform magnetic fields <i>Frank, A.G., Bogdanov, S.Yu., Burilina, V.B. and Kyrie, N.P.</i>	506

Surface waves and magnetic reconnection at a magnetopause <i>Uberoi, C., Lanzerotti, L.J. and Wolfe, A.</i>	510
Test particle simulations for the spontaneous fast magnetic reconnection <i>Shimizu, T. and Ugai, M.</i>	514
Energy conversion through collisionless driven reconnection <i>Horiuchi, R. and Sato, T.</i>	518
X-ray flares and outflows driven by magnetic interaction between a protostar and its surrounding disk <i>Hayashi, M., Shibata, K. and Matsumoto, R.</i>	522
A global magnetohydrodynamic simulation of the Jovian magnetosphere <i>Miyoshi, T., Kusano, K. and Nishikawa, K.</i>	526
Tomography analysis for resistive interchange mode driven internal disruption in Heliotron E <i>Hosotsubo, M., Zushi, H., Nakamura, Y. and Wakatani, M.</i>	530
Localized reconnection model for sawtooth crashes <i>Nagayama, Y., Fredrickson, E.D., Janos, A.C., McGuire, K.M., Taylor, G. and Yamada, M.</i>	534
Observation of sawtooth crashes associated with $m=2/n=1$ and $m=3/n=2$ precursors <i>Maekawa, T., Sukegawa, M., Yoshimura, S., Izuhara, T., Uno, K., Yamazaki, A., Nakamura, M., Asakawa, M. and Terumichi, Y.</i>	538
Gyrokinetic simulation of collisionless reconnection in a tokamak <i>Naitou, H., Sonoda, T., Kitagawa, H. and Tokuda, S.</i>	542
Direct ion heating and acceleration during merging formation of high-beta FRC <i>Ono, Y., Inomoto, M. and Okazaki, T.</i>	546
Experimental investigation of driven magnetic reconnection by use of two merging plasma toroids <i>Inomoto, M., Ono, Y., Okazaki, T., Akao, T. and Katsurai, M.</i>	550
Magnetic reconnection during double annular plasma merging in MRX <i>Ji, H., Yamada, M., Hsu, S. and Carter, T.</i>	554
MRX device for magnetic reconnection experiment and compact toroid research <i>Yamada, M., Ji, H., Carter, T., Hsu, S. and Ono, Y.</i>	558
Numerical simulation study on driven magnetic reconnection in spheromak merging <i>Watanabe, T.-H, Sato, T. and Hayashi, T.</i>	562
A field-reversal mechanism in the reversed-field pinch <i>Kubota, S., Amano, T., Nagata, A. and Sato, K.</i>	566
Section E Plasma-Edge Phenomena	
Collisionless edge instabilities in tokamaks <i>Hirose, A., Elia, M. and Yamagishi, T.</i>	570
Density asymmetry in the presence of a large poloidal rotation in tokamak toroidal geometry <i>Chen, X. and Shi, B.</i>	574
Modelling of impurity generation and transport in a boundary plasma <i>Kawamura, T., Ono, T., Kenmotsu, T. and Ohyaabu, N.</i>	578
Plasma flow in recycling region of tokamak divertor and plasma recombination <i>Soboleva, T.K., Krasheninnikov, S.I. and Pigarov, A. Yu.</i>	582
Physical mechanism of plasma detachment in linear gas divertor <i>Hayashi, N., Kawakami, Y., Hatayama, A. and Ogasawara, M.</i>	586
Effect of the directional contact of cooled gas with plasma in TPD-I device on the detachment of plasma <i>Kawamura, K., Tonegawa, A., Suzuki, H. and Takayama, K.</i>	590
Direct ion orbit loss near the plasma edge of a divertor tokamak in the presence of radial electric field <i>Miyamoto, K.</i>	594
Formation of nonlinear electrostatic potentials across magnetic field lines <i>Sato, K., Katayama, H. and Miyawaki, F.</i>	598

A theoretical model of H-mode transition triggered by condensed neutrals near X-point	
<i>Toda, S., Miura, Y., Itoh, S.-I., Yagi, M. and Itoh, K.</i>	602
As good as ELM-free H-mode confinement at high densities in stationary discharges with high edge impurity radiation on TEXTOR-94	
<i>Vandenplas, P.E., Messiaen, A.M., Ongena, J., Samm, U., Unterberg, B., Durodie, F., Van Oost, G., Van Wassenhove, G., Winter, J., Wolf, G.H., Bertschinger, G., Bonheure, G., Dumortier, P., Finken, K.H., Fuchs, G., Jaspers, R., Koch, R., Könen, L., Königs, C., Koslowski, H.R., Krämer-Flecken, A., Lysoivan, A., Mank, G., Rapp, J., Teresca, G., Uhlemann, R., Vervier, M., Waidmann, G. and Weynants, R.R.</i>	606
Comprehensive studies on secondary electron emission from material surface in magnetized plasma	
<i>Takamura, S., Mizoshita, S., Shiraishi, K. and Ohno, N.</i>	610
Static and dynamic characteristics of plasma detachment in gas target scheme	
<i>Ezumi, N., Tanaka, M., Mori, S., Ohno, N., Takagi, M., Takamura, S. and Suzuki, H.</i>	614
Effects of asymmetric plasma potential in the SOL on the particle radial transport and heat flux broadening	
<i>Hara, J., Uesugi, Y., Miura, Y. and Kawashima, H.</i>	618
Effect of an oblique end-plate on plasma parameters in magnetized sheet plasma	
<i>Tonegawa, A., Ono, M., Kawamura, K. and Takayama, K.</i>	622
Impurity charge distribution dynamics and radiative drift-thermal instabilities	
<i>Morozov, D.Kh. and Krasheninnikov, S.I.</i>	626
Edge plasma behavior in LID experiment on CHS	
<i>Masuzaki, S., Komori, A., Morisaki, T., Ohyabu, N., Suzuki, H., Ohdachi, S., Sakakibara, S., Akiyama, R., Idei, H., Inoue, N., Kubo, S., Minami, T., Morita, S., Nishimura, K., Nomura, I., Osakabe, M., Sato, K.N., Takahashi, C., Tanaka, K., Yamada, H., Watanabe, K., Watanabe, T., Okamura, S., Matsuoka, K. and Motojima, O.</i>	630
Correlation spectra between plasma edge electrostatic and magnetic fluctuations with external perturbations	
<i>Heller, M.V.A.P., Castro, R.M., Caldas, I.L., Brasilio, Z.A., DaSilva, R.P. and Nascimento, I.C.</i>	634
Vertical displacement caused by giant ELM in JT-60U	
<i>Ohsawa, M., Yoshino, R., The JT-60 Team and Itoh, S.</i>	638
Neutral deuterium and helium behavior in JT-60U divertor plasmas	
<i>Takenaga, H., Kubo, H., Sugie, T., Asakura, N., Sakasai, A., Kuroda, S., Uchino, K. and Muraoka, K.</i>	642
Effect of particle and heat fluxes on carbon generation during ELMy phase in JT-60U	
<i>Sakurai, S., Asakura, N., Itami, K., Kamada, Y., Kubo, H. and Sakasai, A.</i>	646
Sputtering of high-Z test limiters by simultaneous bombardment of carbon, oxygen and deuterium ions in TEXTOR	
<i>Ohya, K., Kawata, J., Tanabe, T., Philipps, V., Unterberg, B., Pospieszczyk, A., Schweer, B., Noda, N., Ueda, Y. and Wada, M.</i>	650
Analysis of poloidal divertor effects on RFP equilibrium	
<i>Maeyama, M. and Hotta, E.</i>	654
Edge measurement of a diverted RFP plasma in TPE-2M	
<i>Hayase, K., Hattori, K. and Sato, Y.</i>	658
Time evolution of the magnetic field near the force-free state	
<i>Kawamura, M., Kato, T. and Ohno, N.</i>	662
Instability of the current sheath implosion in an 18-kJ mather-type plasma focus	
<i>Lu, M., Yang, T., Han, M. and Yang, S.</i>	666
Current sheath structure in a linear Z-pinch device	
<i>Garamoon, A.A., Hassan, G., Yousef, M.Z. and Elakshar, F.F.</i>	670
Analysis of hysteresis characteristics and low frequency oscillation in gas discharge plasma	
<i>Matsunaga, Y. and Kato, T.</i>	674

Electron energy distribution function in a cathode fall region of DC-glow discharge <i>Elakshar, F.F., Hassouba, M.A. and Garamoon, A.A.</i>	678
Section F Elementary Processes	
Theoretical calculation of the mean power required for sustaining an electron-ion pair in a UHF argon discharge <i>Petrova, Ts., Benova, E. and Zhelyazkov, I.</i>	682
Modeling of the helicon discharge in argon <i>Krämer, M. and Enk, Th.</i>	686
Parametric studies for bound state excitation in ion-ion collisions related to gain modeling of X-ray lasers with Li-like ions <i>Stancalie, V.</i>	690
A collision integral for electron impact ionization based on doubly differential cross sections <i>Mairey, F. and Kuhn, S.</i>	694
Simplified model of the lateral spreading of a d.c. discharge in a coaxial structure <i>Minea, T.M., Popa, G. and Gavrilesco, C.</i>	698
Electric expansion of the avalanche heads during the formation of high pressure pulsed avalanche discharges <i>Brenning, N.</i>	702
Ion-ion collisions in plasma neutralization processes for NBI heating <i>Presnyakov, L.P. and Tawara, H.</i>	706
Characteristics of a high density cloud ablated from an ice pellet in the JIPP T-IIU tokamak plasma <i>Sakakita, H., Sato, K.N., Nomura, I., Hamada, Y., Ida, K., Narihara, K., Toi, K., Seki, T., Ejiri, A., Kuramoto, H., Adachi, K., Fujisawa, A., Hidekuma, S., Hirokura, S., Iguchi, H., Kano, Y., Kawasumi, Y., Kojima, M., Liang, R., Nishizawa, A. and The Torus Exp. Group</i>	710
Visible spectroscopic sawteeth on the HT-6M tokamak <i>Wan, B.N. and Xu, W.</i>	714
Energy and decay amplitude of the autoionizing $1s^2 3l3l'$ states for Be-like ions with $Z=6-54$ <i>Safronova, U.</i>	718
Contribution of the $1s^2 3lnl'$ states to the dielectronic recombination rate coefficients to the excited states of Be-like C, O and Ne <i>Safronova, U. I., Kato, T. and Ohira, M.</i>	722
Dielectronic recombination rate coefficients to the excited states of CII from CIII <i>Kato, T., Safronova, U.I. and Ohira, M.</i>	726
Effects of the non quasi steady state on the emission lines in plasmas <i>Kato, T., Kubo, H. and Shimizu, K.</i>	730
Atomic nuclear charge scaling for dielectronic recombination of Be-like ions <i>Moribayashi, K. and Kato, T.</i>	734
Thermonuclear instability in astrophysics <i>Murai, T.</i>	738
The density fluctuation of the plasma in the expanding space <i>Nong, X.</i>	742
Can the solar magnetosonic waves be probed by solar neutrino observations? <i>Colonia, J.H., Guzzo, M.M., Reggiani, N. and Sakanaka, P.H.</i>	746
Section H Nonlinear Phenomena	
Destabilization and suppression of inhomogeneous plasma parametric decay instability driven by frequency modulated pump <i>Arkhipenko, V.I., Budnikov, V.N., Gusakov, E.Z., Pisarev, V.A., Selenin, V.L., Simonchik, L.V. and Yakovlev, B.O.</i>	750
Theory for nonlinear magnetosonic waves in a two-ion-species plasma <i>Toida, M. and Ohsawa, Y.</i>	754
Nonlinear evolution and collisionless damping of perpendicular magnetosonic waves <i>Dogen, D., Toida, M. and Ohsawa, Y.</i>	758

Heavy ion acceleration by nonlinear magnetosonic waves in a multi-ion-species plasma <i>Toida, M. and Ohsawa, Y.</i>	762
Multi-dimensional solitons and its contribution to beam-plasma discharge <i>Mori, I., Morimoto, T., Kawakami, R., Hasebe, S. and Tominaga, K.</i>	766
Observation of solitons in an ion-beam-plasma system <i>Nakamura, Y., Sugai, H. and Komatsuda, K.</i>	770
Nonlinear wave phenomena in an electron-beam plasma <i>Yamagiwa, K., Tanaka, M., Itoh, T. and Nakayama, T.</i>	774
Weakly nonlinear electron plasma waves in the 3-harmonic approximation <i>Kuhn, S., Schupfer, N., DeAssis, A.S. and Hörhager, M.</i>	778
Observation of large-amplitude ion acoustic wave in microwave-plasma interaction experiments <i>Yugami, N. and Nishida, Y.</i>	782
Double layer-like potential structures associated with cavitons <i>Tanikawa, T., Nakamura, Y. and Wong, A. Y.</i>	786
Bifurcation of the potential relaxation instability in an electron-rich Q-machine plasma <i>Winter, M. and Schrittwieser, R.</i>	790
Electron beam-excited localized HF-discharge <i>Gunell, H., Schrittwieser, R. and Torvén, S.</i>	794
Critical power for lower hybrid current drive <i>DeAssis, A.S., Sakanaka, P.H., Busnardo-Neto, J. and DeAzevedo, C.A.</i>	798
Collective interaction of high-power microsecond electron beam with plasma on the GOL-3-II facility <i>Agafonov, M.A., Arzhannikov, A. V., Astrelin, V.T., Burdakov, A.V., Chagin, M.N., Denisenko, P.V., Koidan, V.S., Konyukhov, V.V., Mekler, K.I., Melnikov, P.I., Nikolaev, V.S., Postupaev, V.V., Rovenskikh, A.F., Sinitsky, S.L., Tarasov, A.V. and Vdovin, S.V.</i>	802
Effects of plasma fluctuations on the evolution of nonresonant plasma waves <i>Vladimirov, S.V. and Ishihara, O.</i>	806
Transition from chaotic state to static state of ion saturation current in region of rapid plasma density increase of microwave discharge <i>Kaga, J., Maeda, J. and Kogoshi, S.</i>	810
Chaotic phenomena observed in interaction between ion-plasma oscillation and ion-acoustic wave <i>Nagasawa, T.</i>	814
Observation of bifurcation phenomena in an electron beam plasma system <i>Hayashi, N. and Kawai, Y.</i>	818
Chaotic phenomena observed in DC glow discharge plasma <i>Hayashi, T. and Kawabe, T.</i>	822
Chaotic behavior of edge plasma in the Compact Helical System (CHS) <i>Komori, A., Baba, T., Iwase, M., Morisaki, T., Kono, M., Takeuchi, N., Takahashi, C., Nishimura, K., Yamada, H., Okamura, S., Matsuoka, K., Kawai, Y., Motojima, O. and Fujiwara, M.</i>	826
Lagrangian direct-interaction approximation for homogeneous turbulence <i>Goto, S. and Kida, S.</i>	830
A simulation of relativistic jet injected into perpendicular magnetic field. <i>Koide, S., Nishikawa, K. and Mutel, R.L.</i>	834
Simulation study of the structural formation in thermodynamically closed systems <i>Fujiwara, S., Sato, T. and The Complexity Simulation Group</i>	838
The magnetic field stochasticity in the presence of current sheets <i>Bulanov, S.V., Farina, D. and Pozzoli, R.</i>	842
The “Magnetosonic streaming” <i>Ryutova, M., Kaisig, M. and Tajima, T.</i>	846
Auto-oscillations in a continuously twisted magnetic flux tube <i>Bazdenkov, S., Sato, T., Watanabe, K. and The Complexity Simulation Group</i>	850
Nonlinear MHD sustainment dynamics of the reversed field pinch (RFP) configuration at different values of the pinch parameter <i>Cappello, S. and Biskamp, D.</i>	854

Relaxation phenomena in helical plasmas induced by nonlinear pressure driven instabilities <i>Hayashi, T., Sato, T. and The Complexity Simulation Group</i>	858
Motion of the vortex-current filaments <i>Yatsuyanagi, Y., Hatori, T. and Kato, T.</i>	862
Identification of central lines of swirling motion in turbulence <i>Miura, H. and Kida, S.</i>	866
MHD vortex evolution in the solar photosphere <i>Wood, A.M. and Diver, D.A.</i>	870
Strong turbulence driven by an intense relativistic electron beam <i>Masuzaki, M., Koguchi, H., Yoshida, H., Yoshikawa, M., Ando, R., Kamada, K. and Lee, C.Y.</i>	874
Positron-acoustic waves in a plasma with an electron beam <i>Nejoh, Y.N.</i>	878
Electron beam relaxation in turbulent plasma <i>Karfidov, D.M. and Lukina, N.A.</i>	882
Three-wave interactions in a plasma governed by Klimontovich-Dupree equation <i>Erofeev, V.I.</i>	886
Modulational interactions of waves associated with the lower-hybrid resonance and plasma stochasticity <i>Popel, S.I.</i>	890
Integrability of nonlinearly coupled wave systems in magnetized plasmas <i>Shukla, P.K. and Rao, N.N.</i>	894
Chaos of meandering particles — macroscopic effect of entropy production and its applications <i>Yoshida, Z., Asakura, H., Takemura, K., Morikawa, J. and Uchida, T.</i>	898
Excitation of chaos-like ion plasma oscillations caused by plasma parameter changes <i>Saitou, Y.</i>	902
Observation of intermittent chaos in ion beam-plasma instabilities <i>Ueki, T., Xu, X., Yugami, N. and Nishida, Y.</i>	906
Experimental observations of intermittent route to chaos in a plasma <i>Ma, L. and Wang, L.</i>	910
Lyapunov exponents and particle dispersion in drift-wave turbulence <i>Michelsen, P.K., Pedersen, T.S. and Rasmussen, J.J.</i>	914
Resistive coupling in drift wave plasma turbulence <i>Michelsen, P.K., Pedersen, T.S. and Rasmussen, J.J.</i>	918
Compressive and rarefactive solitons in a relativistic magnetized plasma with finite temperature ions <i>Malik, H.K. and Takamura, S.</i>	922
Laboratory investigation of drift vortical soliton properties in the magnetized plasma <i>Nezlin, M.V., Rylov, A.Yu., Titishov, K.B. and Chernikov, G.P.</i>	926
Investigation of lower hybrid wave packets with very large amplitude in a high-voltage linear plasma discharge <i>Takeda, Y., Inuzuka, H. and Yamagiwa, K.</i>	930
High power E.M. pulse propagation in a plasma with additional ionization <i>Cros, B., Matthieussent, G., Xu, X., Tsukada, T. and Nishida, Y.</i>	934
Enhanced propagation rate of the magnetic field in plasmas, due to the Hall effect, for arbitrary plasma inhomogeneity <i>Cherepanov, K.V. and Kukushkin, A.B.</i>	938
Electromagnetic waves transport through the barriers of dense plasma by means of electron beams: concurrence of modes <i>Anisimov, I.O., Dovbakh, S.V., Levitsky, S.M. and Lizunov, G.V.</i>	942
Nonlinear wave dynamics in two temperatures electron-positron-ion plasma <i>Shatashvili, N.L., Javakhishvili, J.I. and Kaya, H.</i>	946
Dynamics of the 3D FMS waves beam in plasma with stochastic fluctuations of magnetic field <i>Belashov, V.Yu.</i>	950

Dynamics of 3D Alfvén waves propagating in magnetized plasma and stability problem <i>Belashov, V. Yu.</i>	954
Nonlinear behavior of ion beam modes in a beam-plasma system <i>Honzawa, T., Hattori, M. and Saitou, Y.</i>	958
Observation of envelope shocks with reflected ions and trailing wave packets <i>Honzawa, T., Hoshina, T. and Saitou, Y.</i>	962
Three-dimensional simulation of a compressible magnetoconvection <i>Kawasaki, S., Kusano, K., Miyoshi, T. and Nishikawa, K.</i>	966
Nonlinear radial oscillations in a pinch plasma under oscillatory external magnetic field and application to controlling internal flux <i>Yatsu, S., Iobe, A., Iwamatsu, M., Abe, Y. and Kayukawa, N.</i>	970
Thermal relaxation in the reversed field pinch <i>Marrelli, L., Martin, P., Martin, A., Franz, P. and Spizzo, G.</i>	974
On the nonlinear dynamics of the potential relaxation instability in a weakly magnetized discharge plasma <i>Čerček, M., Gyergyek, T. and Stanojević, M.</i>	978
Potential formation between different plasmas along the magnetic mirror field <i>Ishiguro, S., Koyama, H. and Sato, N.</i>	982
Non-linear behavior of anode structures in a collisional helium plasma <i>Biborosch, L., Sanduloviciu, M. and Toma, M.</i>	986
Multi-scale semi-ideal magnetohydrodynamics of a tokamak plasma <i>Bazdenkov, S., Nakayama, Y., Sato, T. and Watanabe, K.</i>	990
Kinetic stability constraints on magnetized plasma equilibria: quasi-particle approach <i>Sosenko, P. and Weiland, J.</i>	994
Dynamic organizations of a negative ion plasma <i>Sakamoto, M., Iizuka, S. and Sato, N.</i>	998
Model for plasma structure formation in cometary ionospheres <i>Verkhoglyadova, O.P.</i>	1002
Generation and evolution of solar coronal magnetic loops <i>Moriyama, K., Kusano, K., Miyoshi, T. and Nishikawa, K.</i>	1006
Section I Heating and Current Drive	
Localized plasma heating experiments using a quasi-optical ECH system on the WT3 tokamak <i>Asakawa, M., Izuhara, T., Tanabe, K., Matsunaga, K., Yoshimura, S., Uno, K., Yamazaki, A., Nakayama, A., Maekawa, T. and Terumichi, Y.</i>	1010
Orbit effects on the ECRH deposition profile in stellarator-devices <i>Murakami, S., Nakajima, N., Okamoto, M., Gasparino, U., Maaßberg, H., Romé, M. and Marushchenko, N.</i>	1014
Effects of ECH on ion heating during NBI in Heliotron E <i>Mizuuchi, T., Zushi, H., Nagasaki, K., Kondo, K., Sano, F., Besshou, S., Okada, H., Ijiri, Y., Senju, T., Yaguchi, K., Kobayashi, S., Toushi, K., Sakamoto, K., Ida, K., Kado, S., Kurimoto, Y., Funada, H., Hamada, T., Hayakawa, A., Kamaike, Y. and Obiki, T.</i>	1018
Current drive efficiency of purely RF driven discharges on TRIAM-1M <i>Yamagajo, T., Jotaki, E., Makino, K., Sakamoto, M., Nakamura, K. and Itoh, S.</i>	1022
Anomalous heating and current drive phenomena by antiparallel magnetic structure evolution <i>Kurtmullaev, R.Kh., Kreshchuk, A.P. and Laukhin, J.N.</i>	1026
Turbulent characteristics of plasma in front of quasi-optical grill on CASTOR tokamak <i>Záček, F., Stöckel, J., Jakubka, K., Klíma, R., Kryška, L., Nanobashvili, S., Nanobashvili, I., Pavlo, P. and Preinhaelter, J.</i>	1030
Penetration of a rotating magnetic field for current drive in a field reversed configuration <i>Ohnishi, M. and Ishida, A.</i>	1034
Beta effects on RF-driven current profile and driving efficiency in reversed field pinch plasma <i>Kashiwagi, N., Kondoh, Y., Saito, K.N. and Shiina, S.</i>	1038

Simulation study on reversed field pinch plasmas with RF current drive <i>Nagai, T., Kusano, K., Kondoh, Y., Shiina, S. and Nishikawa, K.</i>	1042
Modulational excitation of drift waves by a beam of lower-hybrid waves in tokamak plasmas <i>Benkadda, S., Popel, S.I., Tsytovich, V.N., Devynck, P. and Laviron, C.</i>	1046
Generation of high heat flux plasma in divertor plasma simulator by ion cyclotron wave heating <i>Watanabe, S., Ohsawa, S., Takagi, M., Ohno, N., Uesugi, Y. and Takamura, S.</i>	1050
Effect of Alfvén waves on rotation of collisional (edge) plasmas in tokamaks <i>Tsy-pin, V.S., Elfimov, A.G., DeAssis, A.S. and DeAzevedo, C.A.</i>	1054
Heating of current filaments associated with nonlinear Alfvén waves in weakly ionized plasmas <i>Suzuki, M. and Sakai, J.I.</i>	1058
Bootstrap current in toroidal systems in the presence of a nonuniform radial electric field <i>Kabantsev, A.A.</i>	1062
Simulation of negative ion source for NBI heating <i>Okuda, Y., Morishita, T., Ogasawara, M. and Hatayama, A.</i>	1066
3D Maxwell-Vlasov boundary value problem solution in stellarator geometry in ion cyclotron frequency range <i>Vdovin, V., Watari, T. and Fukuyama, A.</i>	1070

Author index to volume 1 and volume 2