

Table of Contents

General Introduction

v

Section 1. Atoms in weak broadband quasiresonant light fields

Light shifts — Linear superpositions of atomic sublevels

- | | |
|---|-----|
| 1.1. Théorie quantique du cycle de pompage optique.
Vérification expérimentale des nouveaux effets prévus
<i>Ann. Phys. (Paris)</i> 7 , 423 (1962) | 7 |
| 1.2. Observation d'un déplacement de raie de résonance magnétique causé par l'excitation optique
<i>C.R. Acad. Sci.</i> 252 , 394 (1961) | 80 |
| 1.3. Experimental study of Zeeman light shifts in weak magnetic fields
(with J. Dupont-Roc)
<i>Phys. Rev. A</i> 5 , 968 (1972) | 84 |
| 1.4. Pompage optique en champ magnétique faible
(with J.-C. Lehmann)
<i>C.R. Acad. Sci.</i> 258 , 4463 (1964) | 102 |
| 1.5. Detection of very weak magnetic fields (10^{-9} Gauss)
by ^{87}Rb zero-field level crossing resonances
(with J. Dupont-Roc and S. Haroche)
<i>Phys. Lett. A</i> 28 , 638 (1969) | 107 |
| 1.6. Detection of the static magnetic field produced by the oriented nuclei of optically pumped ^3He gas
(with J. Dupont-Roc, S. Haroche, and F. Laloë)
<i>Phys. Rev. Lett.</i> 22 , 758 (1969) | 110 |

Section 2. Atoms in strong radiofrequency fields

The dressed atom approach in the radiofrequency domain

- | | |
|---|-----|
| 2.1. Optical pumping and interaction of atoms with the electromagnetic field
<i>Cargèse Lectures in Physics</i> , Vol. 2, ed. M. Levy
(Gordon and Breach, 1968), p. 347 | 119 |
|---|-----|

2.2. Modified Zeeman hyperfine spectra observed in H ¹ and Rb ⁸⁷ ground states interacting with a nonresonant rf field (with S. Haroche, C. Audoin, and J. P. Schermann) <i>Phys. Rev. Lett.</i> 24 , 861 (1970)	165
2.3. Resonant transfer of coherence in nonzero magnetic field between atomic levels of different <i>g</i> factors (with S. Haroche) <i>Phys. Rev. Lett.</i> 24 , 974 (1970)	170
2.4. Transverse optical pumping and level crossings in free and “dressed” atoms <i>Fundamental and Applied Laser Physics</i> , eds. M. S. Feld, A. Javan, and N. Kurnit (John Wiley, 1973), p. 791	176

Section 3. Atoms in intense resonant laser beams
The dressed atom approach in the optical domain

3.1. Atoms in strong resonant fields <i>Frontiers in Laser Spectroscopy</i> , eds. R. Balian, S. Haroche, and S. Liberman (North-Holland, 1977), p. 1	207
3.2. Dressed-atom approach to resonance fluorescence (with S. Reynaud) <i>Multiphoton Processes</i> , eds. J. H. Eberly and P. Lambropoulos (John Wiley, 1978), p. 103	310
3.3. Discrete state coupled to a continuum. Continuous transition between the Weisskopf–Wigner exponential decay and the Rabi oscillation (with P. Avan) <i>Etats Atomiques et Moléculaires Couplés à un Continuum. Atomes et Molécules Hautement Excités</i> Colloques Internationaux du CNRS, N°273 (1977), p. 93	328
3.4. Effect of a non-resonant irradiation on atomic energy levels — Application to light-shifts in two-photon spectroscopy and to perturbation of Rydberg states <i>Metrologia</i> 13 , 161 (1977)	343

3.5. Experimental evidence for compensation of Doppler broadening by light shifts (with S. Reynaud, M. Himbert, J. Dupont-Roc, and H. H. Stroke)	350
<i>Phys. Rev. Lett.</i> 42 , 756 (1979)	
3.6. Observation of Ramsey's interference fringes in the profile of Doppler-free two-photon resonances (with M. M. Salour)	355
<i>Phys. Rev. Lett.</i> 38 , 757 (1977)	

**Section 4. Photon correlations and quantum jumps
The radiative cascade of the dressed atom**

4.1. Atoms in strong light-fields: Photon antibunching in single atom fluorescence (with S. Reynaud)	364
<i>Phil. Trans. R. Soc. Lond. A</i> 293 , 223 (1979)	
4.2. Time correlations between the two sidebands of the resonance fluorescence triplet (with A. Aspect, G. Roger, S. Reynaud, and J. Dalibard)	380
<i>Phys. Rev. Lett.</i> 45 , 617 (1980)	
4.3. Single-atom laser spectroscopy. Looking for dark periods in fluorescence light (with J. Dalibard)	386
<i>Europhys. Lett.</i> 1 , 441 (1986)	
4.4. Photon statistics and quantum jumps: The picture of the dressed atom radiative cascade (with S. Reynaud and J. Dalibard)	395
<i>IEEE J. Quantum Electron.</i> 24 , 1395 (1988)	

**Section 5. Atoms in high frequency fields or in the vacuum field
Simple physical pictures for radiative corrections**

5.1. Effect of high frequency irradiation on the dynamical properties of weakly bound electrons (with P. Avan, J. Dupont-Roc, and C. Fabre)	409
<i>J. Phys. (Paris)</i> 37 , 993 (1976)	

5.2. Physical interpretations for radiative corrections in the non-relativistic limit (with J. Dupont-Roc and C. Fabre) <i>J. Phys. B</i> 11 , 563 (1978)	428
5.3. Vacuum fluctuations and radiation reaction: Identification of their respective contributions (with J. Dalibard and J. Dupont-Roc) <i>J. Phys. (Paris)</i> 43 , 1617 (1982)	447
5.4. Fluctuations in radiative processes <i>Physica Scripta</i> T12 , 19 (1986)	470

Section 6. Atomic motion in laser light

6.1. Deflection of an atomic beam by a laser wave: Transition between diffractive and diffusive regimes (with C. Tanguy and S. Reynaud) <i>J. Phys. B</i> 17 , 4623 (1984)	485
6.2. Proposals of stable optical traps for neutral atoms (with J. Dalibard and S. Reynaud) <i>Opt. Commun.</i> 47 , 395 (1983)	505
6.3. Dressed-atom approach to atomic motion in laser light: The dipole force revisited (with J. Dalibard) <i>J. Opt. Soc. Am. B</i> 2 , 1707 (1985)	512
6.4. Cooling atoms with stimulated emission (with A. Aspect, J. Dalibard, A. Heidmann, and C. Salomon) <i>Phys. Rev. Lett.</i> 57 , 1688 (1986)	528
6.5. Channeling atoms in a laser standing wave (with C. Salomon, J. Dalibard, A. Aspect, and H. Metcalf) <i>Phys. Rev. Lett.</i> 59 , 1659 (1987)	534
6.6. Atomic motion in a laser standing wave (with J. Dalibard, C. Salomon, A. Aspect, H. Metcalf, and A. Heidmann) <i>Laser Spectroscopy VIII</i> , eds. W. Persson and S. Svanberg (Springer-Verlag, 1987), p. 81	539

6.7. Mechanical Hanle effect (with R. Kaiser, N. Vansteenkiste, A. Aspect, and E. Arimondo) <i>Z. Phys. D</i> 18 , 17 (1991)	546
Section 7. Sisyphus cooling and subrecoil cooling	
7.1. New mechanisms for laser cooling (with W. D. Phillips) <i>Phys. Today</i> 43 , 33 (1990)	560
7.2. Laser cooling below the Doppler limit by polarization gradients: Simple theoretical models (with J. Dalibard) <i>J. Opt. Soc. Am. B</i> 6 , 2023 (1989)	570
7.3. The limits of Sisyphus cooling (with Y. Castin and J. Dalibard) <i>Light Induced Kinetic Effects on Atoms, Ions and Molecules</i> , eds. L. Moi, S. Gozzini, C. Gabbanini, E. Arimondo, and F. Strumia (ETS Editrice, Pisa, 1991), p. 5	595
7.4. Dynamics and spatial order of cold cesium atoms in a periodic optical potential (with P. Verkerk, B. Lounis, C. Salomon, J.-Y. Courtois, and G. Grynberg) <i>Phys. Rev. Lett.</i> 68 , 3861 (1992)	617
7.5. Sisyphus cooling of a bound atom (with D. J. Wineland and J. Dalibard) <i>J. Opt. Soc. Am. B</i> 9 , 32 (1992)	622
7.6. Laser cooling below the one-photon recoil energy by velocity-selective coherent population trapping (with A. Aspect, E. Arimondo, R. Kaiser, and N. Vansteenkiste) <i>Phys. Rev. Lett.</i> 61 , 826 (1988)	635
7.7. Laser cooling below the one-photon recoil energy by velocity-selective coherent population trapping: Theoretical analysis (with A. Aspect, E. Arimondo, R. Kaiser, and N. Vansteenkiste) <i>J. Opt. Soc. Am. B</i> 6 , 2112 (1989)	641

- 7.8. Review on fundamental processes in laser cooling 656
(with F. Bardou and A. Aspect)
Laser Spectroscopy X, eds. M. Ducloy,
E. Giacobino, and G. Camy
(World Scientific, 1992), p. 3

- Epilogue** 669