## **CONTENTS**

## DYNAMICS OF SUPERSONIC LANGMUIR TURBULENCE

## B. N. Breizman and K. Jungwirth

1.	Introduction	1
2.	Basic Equations	2
3.	Variational Approach to the Integrals of Motion	7
4.	Adiabatic Approximation and the Geometric-optics	
	Approximation for Supersonic Plasmons	11
5.	Composite Solitons	15
6.	Self-similar Collapse of Langmuir Waves	19
7.	Conservation Laws of Soliton Production and Interaction	22
8.	Soliton Formation Out of a Cluster of Langmuir Waves	30
9.	Modulation Instability (Linear	
	Theory)	41
10.	Nonlinear Dynamics of Modulational Instability in the One-	
	dimensional Model	50
11.	Fluctuational Formation of Solitons	60
12.	Generation of Ion Sound by Self-localized Plasmons	64
App	pendix 1	. 68
App	pendix 2	71
Ref	erences	74
	WALL PLASMA IN TOKAMAKS	
	WALL I DASMA IN TORAMANS	
	A. V. Nedospasov and M. Z. Tokar'	
Intr	oduction	77

v

vi	Con	itents	Contents	•	vii
1.	Theoretical Models Describing the Wall Region	. 80	5.6.	Role of Impurities in the Heat Balance of a	
	1.1. Hydrodynamic Approximation for the Plasma	. 80		Peripheral Plasma	198
	1.2. Kinetic Description of Plasma	. 84	5.7.	Comparison with Experiment	208
	1.3. Description of Neutral Component	. 89	6. Partic	le and Heat Transport in a Wall Plasma	211
2.	Recycling of Plasma on a Wall Parallel to the Magnetic Field	. 95	6.1.	General Information	211
	2.1. Analytic Methods of Solving the Kinetic		6.2.	Equations for Plasma Potential (Poloidal	
	Equations for the Neutrals	. 95		Limiter)	212
	2.2. Stationary State of a Plasma in the Wall Region	100	6.3.	Drift-Type Waves in SOL and Their Stability	214
	2.3. Instability of State with Plasma Recycling on the		6.4.	Convection of a Turbulent Plasma in the Shadow	
	Wall	106		of a Poloidal Limiter	216
	2.4. Turbulent Plasma Blanket	110	6.5.	Structure of Turbulence	222
	2.5. Comparison with Experiment	112	6.6.	Comparison with Experiment	225
3.	Role of Recycling in a Configuration with a Divertor	115	6.7.	Plasma Transport in Stationary Perturbations of	
	3.1. Characteristics of SOL Region	115		the Magnetic Field	
	3.2. One-Dimensional Approximation for Plasma in		References	5	233
	Divertor Volume	116			
	3.3. Plasma in the Main Part of the Divertor Layer	130			
	3.4. Separation of Deuterium and Tritium in the				
	D' I	138		ALPHA PARTICLES IN TOKAMAKS	
	Divertor Layer of a Tokamak Reactor	130		METINI TRICTICEED IN TOXINIMIS	
	3.5. Transition with Plasma "Condensation" in the				
	3.5. Transition with Plasma "Condensation" in the Recycling Region			S. V. Putvinskii	
	<ul> <li>3.5. Transition with Plasma "Condensation" in the Recycling Region</li></ul>				
	<ul> <li>3.5. Transition with Plasma "Condensation" in the Recycling Region</li></ul>	142 146 156	Introduction	S. V. Putvinskii	239
4.	<ul> <li>3.5. Transition with Plasma "Condensation" in the Recycling Region</li></ul>	142 146	1. Kineti	S. V. Putvinskii  on	239
4.	<ul> <li>3.5. Transition with Plasma "Condensation" in the Recycling Region</li></ul>	142 146 156 161	1. Kineti Plasm	S. V. Putvinskii  on	242
4.	3.5. Transition with Plasma "Condensation" in the Recycling Region	142 146 156 161	1. Kineti Plasm 1.1.	S. V. Putvinskii  on	
4.	3.5. Transition with Plasma "Condensation" in the Recycling Region	142 146 156 161	1. Kineti Plasm	S. V. Putvinskii  on	242 242
4.	3.5. Transition with Plasma "Condensation" in the Recycling Region	142 146 156 161 161	1. Kineti Plasm 1.1. 1.2.	S. V. Putvinskii  on	242
4.	3.5. Transition with Plasma "Condensation" in the Recycling Region	142 146 156 161 161 163 168	1. Kineti Plasm 1.1.	S. V. Putvinskii  on	242 242
4.	3.5. Transition with Plasma "Condensation" in the Recycling Region 3.6. Gas-Target Regime 3.7. Comparison with Experiment Wall Region in a Tokamak with a Limiter 4.1. Plasma in a Limiter Layer Penetrable to Neutral Particles 4.2. Influence of Limiter Recycling on the SOL Plasma 4.3. Pumpout Limiters 4.4. Comparison with Experiment	142 146 156 161 161 163 168 173	1. Kineti Plasm 1.1. 1.2.	S. V. Putvinskii  on	242 242 247 250
<b>4. 5.</b>	3.5. Transition with Plasma "Condensation" in the Recycling Region 3.6. Gas-Target Regime 3.7. Comparison with Experiment Wall Region in a Tokamak with a Limiter 4.1. Plasma in a Limiter Layer Penetrable to Neutral Particles 4.2. Influence of Limiter Recycling on the SOL Plasma 4.3. Pumpout Limiters 4.4. Comparison with Experiment Impurities in Tokamak Wall Plasma	142 146 156 161 161 163 168 173 176	1. Kineti Plasm 1.1. 1.2. 1.3.	S. V. Putvinskii  on	242 242 247
	3.5. Transition with Plasma "Condensation" in the Recycling Region 3.6. Gas-Target Regime 3.7. Comparison with Experiment Wall Region in a Tokamak with a Limiter 4.1. Plasma in a Limiter Layer Penetrable to Neutral Particles 4.2. Influence of Limiter Recycling on the SOL Plasma 4.3. Pumpout Limiters 4.4. Comparison with Experiment Impurities in Tokamak Wall Plasma 5.1. Entry of Impurities into Plasma	142 146 156 161 161 163 168 173 176	1. Kineti Plasm 1.1. 1.2.	S. V. Putvinskii  on  cs of Charged Thermonuclear Products in a Homogeneous a  Nuclear Reactions in a Thermonuclear Plasma  Energy Spectra of Thermonuclear-Particle  Spectra  Interaction of Energetic Thermonuclear Particles with a Plasma  Secondary Reactions  Distribution Function of α Particles in a	242 242 247 250 253
	3.5. Transition with Plasma "Condensation" in the Recycling Region 3.6. Gas-Target Regime 3.7. Comparison with Experiment Wall Region in a Tokamak with a Limiter 4.1. Plasma in a Limiter Layer Penetrable to Neutral Particles 4.2. Influence of Limiter Recycling on the SOL Plasma 4.3. Pumpout Limiters 4.4. Comparison with Experiment Impurities in Tokamak Wall Plasma 5.1. Entry of Impurities into Plasma 5.2. Transport of Impurities into the Peripheral	142 146 156 161 161 163 168 173 176	1. Kineti Plasm 1.1. 1.2. 1.3.	S. V. Putvinskii  on  cs of Charged Thermonuclear Products in a Homogeneous a  Nuclear Reactions in a Thermonuclear Plasma  Energy Spectra of Thermonuclear-Particle  Spectra  Interaction of Energetic Thermonuclear Particles with a Plasma  Secondary Reactions  Distribution Function of α Particles in a  Nonstationary Plasma	242 242 247 250 253
	3.5. Transition with Plasma "Condensation" in the Recycling Region 3.6. Gas-Target Regime 3.7. Comparison with Experiment Wall Region in a Tokamak with a Limiter 4.1. Plasma in a Limiter Layer Penetrable to Neutral Particles 4.2. Influence of Limiter Recycling on the SOL Plasma 4.3. Pumpout Limiters 4.4. Comparison with Experiment Impurities in Tokamak Wall Plasma 5.1. Entry of Impurities into Plasma 5.2. Transport of Impurities into the Peripheral Region	142 146 156 161 161 163 168 173 176 176	1. Kineti Plasm 1.1. 1.2. 1.3. 1.4. 1.5.	S. V. Putvinskii  On	242 242 247 250 253 258 261
	3.5. Transition with Plasma "Condensation" in the Recycling Region 3.6. Gas-Target Regime 3.7. Comparison with Experiment Wall Region in a Tokamak with a Limiter 4.1. Plasma in a Limiter Layer Penetrable to Neutral Particles 4.2. Influence of Limiter Recycling on the SOL Plasma 4.3. Pumpout Limiters 4.4. Comparison with Experiment Impurities in Tokamak Wall Plasma 5.1. Entry of Impurities into Plasma 5.2. Transport of Impurities into the Peripheral Region 5.3. Dynamics of Impurities in SOL	142 146 156 161 161 163 168 173 176 176	1. Kineti Plasm 1.1. 1.2. 1.3. 1.4. 1.5.	S. V. Putvinskii  on	242 242 247 250 253 258 261 261
	3.5. Transition with Plasma "Condensation" in the Recycling Region 3.6. Gas-Target Regime 3.7. Comparison with Experiment Wall Region in a Tokamak with a Limiter 4.1. Plasma in a Limiter Layer Penetrable to Neutral Particles 4.2. Influence of Limiter Recycling on the SOL Plasma 4.3. Pumpout Limiters 4.4. Comparison with Experiment Impurities in Tokamak Wall Plasma 5.1. Entry of Impurities into Plasma 5.2. Transport of Impurities into the Peripheral Region 5.3. Dynamics of Impurities in SOL 5.4. Screening Properties of SOL	142 146 156 161 161 163 168 173 176 176	1. Kineti Plasm 1.1. 1.2. 1.3. 1.4. 1.5. 2. Conta 2.1. 2.2.	S. V. Putvinskii  on	242 242 247 250 253 258 261 261 266
	3.5. Transition with Plasma "Condensation" in the Recycling Region 3.6. Gas-Target Regime 3.7. Comparison with Experiment Wall Region in a Tokamak with a Limiter 4.1. Plasma in a Limiter Layer Penetrable to Neutral Particles 4.2. Influence of Limiter Recycling on the SOL Plasma 4.3. Pumpout Limiters 4.4. Comparison with Experiment Impurities in Tokamak Wall Plasma 5.1. Entry of Impurities into Plasma 5.2. Transport of Impurities into the Peripheral Region 5.3. Dynamics of Impurities in SOL	142 146 156 161 161 163 168 173 176 176	1. Kineti Plasm 1.1. 1.2. 1.3. 1.4. 1.5.	S. V. Putvinskii  on	242 242 247 250 253 258 261 261 266 269

viii	Con	ntents	
2.5.	Distribution of $\alpha$ -Particle Flux over the Angles		
	of Incidence on the Wall	275	
2.6.	Inverse Problem for Direct Drift Losses of		
	Thermonuclear Particles	278	
2.7.	Inverse Problem for Particles with Large		
	Larmor Radius	287	
2.8.	α-Particle Losses from the Containment Region		
	by Scattering	289	
2.9.	α-Particle Diffusion-Flux Distribution over the		
	Wall	292	
2.10.	Distribution Function of Contained α Particles		
	with Allowance for the Finite Orbit Width	300	
2.11.	Bootstrap Current Produced by $\alpha$ Particles	307	
2.12.	Pseudodiffusion of $\alpha$ Particles	313	
3. Influen	ce of Magnetic-field Perturbations on α-Particle Contain-		
ment in	n a Tokamak	317	
3.1.	Characteristic Frequencies of Unperturbed α-		
	Particle Motion	317	
3.2.	Helical Perturbations of Magnetic Field	320	
3.3.	Ripple of Toroidal Field	332	
3.4.	Collisionless Banana Diffusion in a Rippled		
	Magnetic Field	334	
3.5.	Cyclotron Interaction of $\alpha$ -Particle Interaction		
	with the Ripple	341	
Conclusion		353	
References		354	