

Oral Presentations

- O 1 Scott S.D., Isler R.C., Murakami M., Bell J.D., Bush C.E., et al.
ORNL, Oak Ridge, Tennessee, USA
Carnevali¹ A., Murray L.E.
University of Tennessee, Knoxville, Tennessee, USA
¹Harding University, Searcy, Arkansas, USA
Neutral injection experiments on the ISX-B tokamak
- O 2 Greenwald M., Parker J., Besen M., Fiore C.L., Foord M., et al.
Plasma Fusion Center, MIT, Cambridge, Massachusetts, USA
Milora S., Schuresco D.
ORNL, Oak Ridge, Tennessee, USA
Hydrogen pellet injection into ALCATOR-C
- O 3 Burrell K.H., Doublet III Physics, Operations and Neutral Beam Groups
GA-Technologies, Inc., San Diego, Ca., USA
A regime of improved energy and particle confinement in neutral beam heated divertor discharges in DOUBLET III
- O 4 Ellis J.J., Morris A.W.
Culham Laboratory, Abingdon, Oxon, UK
Instability control with active saddle coils on TOSCA
- O 5 Dobrokhotoy E.J., Dremim M.M., Pavlov Yu.D., Petrov D.P., Solntsev A.M., Stefanovskij A.M., Terebkov A.L., Shcherbak A.F.
I.V.Kurchatov Institute of Atomic Energy, Moscow, USSR
Bolometer measurements of the energy losses in the graphite wall tokamak
- O 6 Fußmann G., Behringer K., Bernhardt K., Haas G., Poschenrieder W., et al.
MPI für Plasmaphysik, Garching, FRG
Kissel¹ S., Szymanski² Z.,
¹on leave from MIT, Cambridge, Massachusetts, USA
²on leave from Institute of Fundamental Technological Research, Warsaw, Poland
Impurity retention in the divertor of ASDEX
- O 7 Meyer-ter-Vehn J., Arnold R., Metzler N., Schmalz R., Unterseer K., Witkowski S.
MPI für Quantenoptik, Garching, FRG
ICF-target research at MPQ/Garching
- O 8 Yoshida K., Miyanaga N., Kitagawa Y., Kato Y., Nishihara K., et al.
Institute of Laser Engineering, Osaka University, Osaka, Japan
Efficient and uniform compression to high density with 1.052 μ m GM-II laser
- O 9 Rockett P.D., Tarvin J.A., Busch Gar. E., Charatis G., Johnson R.R., et al.
KMS Fusion, Inc., Ann Arbor, Michigan, USA
The impact of quality diagnostics on ICF research at KMS-Fusion, Inc.
- O 10 Kaye S.M., Bell M., Bol K., Boyd D., Brau K., et al.
PPPL, Princeton University, Princeton, NJ, USA
High confinement discharges in PDX with neutral beam injection
- O 11 Degtyarev L.M., Poshekhonov Yu.Yu.
Keldysh Institute of Applied Mathematics
Shafranov V.D.
I.V. Kurchatov Institute of Atomic Energy, Moscow, USSR
Comparative characteristics of various plasma systems
- O 12 Chance M.S., Chen L., Furth H.P., Goldston R., Grimm R.C., et al.
PPPL, Princeton University, Princeton, NJ, USA
Dewar R.L.
Research School of Physical Sciences, A.N.U., Australia
Todd A.
Grumman Aerospace Corporation, Princeton, New Jersey, USA
Bean-shaped tokamak configurations
- O 13 Berk H.L., Rosenbluth M.N.
Institute for Fusion Studies, University of Texas at Austin, USA
Shohet J.L., Hitchon W.N.G.
University of Wisconsin, Torsatron/Stellerator Laboratory, Madison, Wisconsin, USA
Ballooning mode calculations in stellarators
- O 14 Register A., Hasselberg G., Waelbroeck F.
IPP, KFA Jülich GmbH, Jülich, FRG
On the origin of sawtooth relaxations and plasma disruptions
- O 15 Goedbloed¹ J.P., Freidberg J.P., Rohatgi R.
Plasma Fusion Center, MIT, Cambridge, Ma., USA
¹On leave from FOM-Instituut voor Plasmafysica, Rijnhuizen, Nieuwegein, The Netherlands
Influence of a limiter on the stability of external kink modes
- O 16 Faulconer D.W.
Laboratoire de Physique des Plasmas, Ecole Royale Militaire, Brussels, Belgium
Electrostatic shield fringe field interaction with plasma in rf heating
- O 17 Swain D.W., Colchin R.J., Baity F.W., Cobble J.A., Davis W.A., et al.
ORNL, Oak Ridge, Tennessee, USA
The EBT experiment
- O 18 Lyon J.F., Carreras B.A., Cooper W.A., Dory R.A., Garcia L., et al.
ORNL, Oak Ridge, Tennessee, USA
Charlton L.A., Fowler R.H., Hicks H.R., Holmes, J.A., Lynch V.E., Masden B.F.
Union Carbide Corporation Nuclear Division, Computer Sciences
ATF-1 torsatron studies
- O 19 Uo K., Iiyoshi A., Obiki T., Motojima O., Morimoto S., et al.
Plasma Physics Laboratory, Kyoto University, Kyoto, Japan
Recent results of nbi and ecr heating experiments on HELIOTRON E

- O 20 Andryukhina E.H., Agapov L.N., Batanov G.M., Berezhetskij M.S., Blokh M.A., et al.
General Physics Institute, USSR Academy of Sciences, Moscow, USSR
Initial experiments on electron cyclotron plasma heating in the L-2 stellarator
- O 21 Nedospasov A.V., Tokar M.Z.
Institute of High Temperatures, USSR Academy of Sciences, Moscow, USSR
Recycling influence on plasma of a tokamak periphery
- O 22 Bernard L.C., Bhadra D.K., Helton F.J., Lao L.L., GA Technologies, Inc., San Diego, California, USA
Todd T.N.
Culham Laboratory, Abingdon, Oxon, UK
Ideal MHD beta limits: scaling laws and comparison with DOUBLET III high-beta plasmas
- O 23 Czekaj S., Denus S., Kasperczuk A., Miklaszewski R., Paduch M., et al.
S. Kaliski Institute of Plasma Physics and Laser Microfusion, Warsaw, Poland
Investigation of connections between the plasma column evolution and the neutron emission in the plasma focus device
- O 24 Yokoyama M., Yamamoto Y., Kisoda A., Yamada Y., Kitagawa Y., Yamanaka M., Yamanaka C. et al.
Institute of Laser Engineering, Osaka University, Osaka, Japan
Dense plasma focus research in ILE, Osaka
- O 25 Herold H., Bertalot L., Jäger U., Schmidt H., Schmidt R., Shakhatre M.
Institut für Plasmaphysik, Universität Stuttgart, FRG
Plasma dynamics, neutron and ion emission of the POSEIDON plasma focus
- O 26 Brzosko¹ J.S., Conrads² H., Rager³ J.P., Robouch B.V., Steinmetz⁴ K.
Association EURATOM-ENEA, Frascati (Rome), Italy
¹University of Warsaw, Białystok Branch, Poland
²IPP, KFA Jülich GmbH, Jülich, FRG
³DG- 12-Fusion (Meeus), CCE Brussels, Belgium
⁴MPI für Plasmaphysik, Garching, FRG
Characteristics of high energy deuterons in the Frascati 1-MJ plasma focus
- O 27 Jerzykiewicz A., Bielik M., Jankowicz Z., Kociecka K., Kocinski L., et al.
Institute for Nuclear Studies, Swierk, Poland
Borowiecki M., Czekaj S., Denus S., Skrzeczanowski W.
Institute of Plasma Physics and Laser Microfusion, Warsaw, Poland
Preliminary investigations of 360 kJ plasma-focus device
- O 28 Nardi V., Bostick¹ W.H., Powell C., Prior W.
Stevens Institute of Technology, Hoboken, N.J., USA
¹Physics Department, University of New Mexico, Albuquerque, New Mexico, USA
Ion imaging and energy spectrum from the plasma-focus ion emission
- O 29 Tuszewski M., Armstrong W.T., Barnes Cris W., Barnes D.C., Bartsch R.R., et al.
Los Alamos Natl. Lab., Los Alamos, NM., USA
Gladd N.T.
Jaycor, Inc., Del Mar, California, USA
Shestakov A.I.
Lawrence Livermore Natl. Lab., Livermore, California, USA
Recent results in the Los Alamos compact torus program
- O 30 Antoni V., Buffa A., Giudicotti L., Martini S., Ortolani S., Puiatti M.E., Scanin P.
Istituto Gas Ionizzati del C.N.R., Padova, Italy
Reversed field pinch experiments at various currents in ETA-BETA II
- O 31 Watt R.G., Jacobson A.R., Massey R.S., Mondt J.P. and the ZT-40M Team
Los Alamos Natl. Lab., Los Alamos, New Mexico, USA
Recent results from the ZT-40M reversed field pinch program
- O 32 Porkolab M., Lloyd B., Schuss J.J., Takase Y., Texter S., et al.
Plasma Fusion Center, MIT, Cambridge, Ma., USA
Lower hybrid current drive and heating experiments at the 1MW rf power level on ALCATOR-C
- O 33 Nagayama Y., Tsuji S., Miyamoto K.
Department of Physics, University of Tokyo, Tokyo, Japan
Kawahata K., Noda N., Tanahashi S., Fujita J.
Institute of Plasma Physics, Nagoya University, Nagoya, Japan
A study of tokamak disruptions in JIPP T-II using soft X-ray imaging

Poster Presentations

Tokamaks

Part I, p. 1 -136

- A 1 FT Group: Alladio F., Barbato E., Bardotti G., Bartiromo R., Bracco G. et al.
CRE, Frascati, Italy
Iacono R., Mazzitelli G.
ENEA guests
Low-q discharges in FT tokamak
- A 2 FT Group
CRE, Frascati, Italy
Mazzitelli G.
ENEA guest
Decrease of central iron concentration in lh-heated FT discharges
- A 3 Barsukov A.G., Gorshkov A.V., Kovrov P.E., Levchenko Yu.M., Leonov V.M. et al.
I.V. Kurchatov Institute of Atomic Energy, Moscow, USSR
Low-q discharges in the T-11 tokamak
- A 4 Nakamura Y., Itoh S., Hiraki N., Nakamura K., Tanaka M., Nagao A., Kikuchi M.
Research Institute for Applied Mechanics, Kyushu University, Fukuoka, Japan
¹JAERI, Tokai, Naka, Ibaraki, Japan
High-field tokamak TRIAM-1M with superconducting toroidal magnets
- A 5 Niedermeyer H., Behringer K., Bernhardt K., Eberhagen A., Fußmann G.
MPI für Plasmaphysik Garching, FRG
Kissel¹ S., Szymanski² Z.,
¹ On leave from MIT, Cambridge, Massachusetts, USA
² On leave from Institute of Fundamental Technological Research, Warsaw, Poland
Change of plasma properties prior to high density disruptions in ASDEX
- A 6 Müller E.R., Niedermeyer H., Behringer K., Bernhardt K., Eberhagen A., et al.
MPI für Plasmaphysik, Garching, FRG
Bein¹ B.K., Kissel² S., Szymanski³ Z.,
¹Institut für Experimentalphysik VI, Ruhruniversität Bochum, FRG
²On leave from MIT, Cambridge, Massachusetts, USA
³On leave from Institute of Fundamental Technological Research, Warsaw, Poland
Total radiation losses and global energy balance in neutral beam-heated ASDEX discharges
- A 7 Steinmetz K., Rapp H., Behringer K., Bernhardt K., Eberhagen A., et al.
MPI für Plasmaphysik, Garching, FRG
Hübner K., Malek K., Kissel¹ S., Szymanski² Z.
Institut für Angewandte Physik II, Universität Heidelberg, FRG
¹On leave from MIT, Cambridge, Massachusetts, USA
²On leave from Institute of Fundamental Technological Research, Warsaw, Poland
Non-thermonuclear neutron production in hydrogen-beam- heated ASDEX plasmas
- A 8 Shoji T., Funahashi A., Hoshino K., Kasai S., Kawakami T. et al.
JAERI, Tokai, Naka, Ibaraki, Japan
Okita¹ K., Tamai² H., Yanagisawa³ I.,
¹On leave from Mitsubishi Electrical Corp.
²On leave from Mitsubishi Atomic Power Industries
³On leave from University of Tsukuba
Results from the JFT-2M experiments
- A 9 Strait E.J., Bernard L.C., Lee J.K., Moore R.W., Stambaugh R.D. and Doublet III Physics Operations, Neutral Beam and Theory Groups (presented by Keith H. Burrell)
GA Technologies Inc. San Diego, California, USA
MHD stability of high-beta plasmas in Doublet III
- A 10 Karger F., Klüber O., Niedermeyer H.
MPI für Plasmaphysik, Garching, FRG
Schüller F., Thomas P.,
JET Joint Undertaking, Abingdon, Oxon UK
Experimental studies of current ramp rates in ASDEX
- A 11 Strachan J.D., Soltwisch¹ H.,
PPPL, Princeton, New Jersey, USA
¹JPP, KFA Jülich GmbH, Jülich, FRG
The correlation of some parameters on PLT neutral beam heated plasmas
- B 1 Leonov V.M.
I.V. Kurchatov Institute of Atomic Energy, Moscow, USSR
Charge-exchange spectra in T-11 tokamak with neutral beam injection
- B 2 Gentle K., Brower¹ D.L., Bravenec R., Kochanski T., Luhmann¹ N.C.Jr., Peables¹ W.A., Phillips P., Richards B., Rowan W., Savagu¹ R., Yu¹ C.X.
University of Texas at Austin
Fusion Research Center, Austin, USA
¹University of California, Los Angeles, USA
The spectrum of density fluctuations in TEXT
- B 3 Atkinson D., Blewett S., Dalton A., Edlington T., Goldsmith P., Hall K., Parham B., Rabbett H., Robinson D.C., Todd T.N.
Culham Laboratory, Abingdon, Oxon, UK
Experimental studies of low-q tokamak discharges in the CLEO apparatus
- B 4 Cheatham A.D., Hamberger S.M., Hogg¹ G.R., How J.A., Kuwahara H., Morton A.H., Sharp L.E., Vance C.F.,
Plasma Research Laboratory, Australian National University, Canberra, Australia
¹AECC Lucas Heights Research Laboratories, Sutherland, NSW, Australia
MHD activity and disruptions in the LT-4 tokamak
- B 5 Simonet F., TFR Group
Département de Recherches sur la Fusion Contrôlée
CEN, Fontenay-aux-Roses, France
Measurements of electron density profile and local density fluctuations by microwave reflectometry on TFR
- B 6 Platz P., Bombarda F., TFR Group
Département de Recherches sur la Fusion Contrôlée
CEN, Fontenay-aux-Roses, France
Highly ionized argon in TFR plasmas
- B 7 TFR Group
Département de Recherches sur la Fusion Contrôlée,
CEN, Fontenay-aux-Roses, France
Grésillon D., Hémon A., Truc A.,
Laboratoire PMI, Ecole Polytechnique, Palaiseau, France
How to measure drift wave propagation along the torus of a tokamak

- B 8 Dubois M.A., TFR Group
Département de Recherches sur la Fusion Contrôlée
CEN, Fontenay-aux-Roses, France
Low-q MHD activity studies on TFR
- B 9 Luxon J.L., Brooks N.H., Davis L.G., Fisher R.K.,
Helton F.J., Mahdavi M.A. et al.
GA Technologies Inc., San Diego, California, USA
The big DEE upgrade of Doublet III
- B 10 Waidmann G.
IPP, KFA Jülich GmbH, Jülich, FRG
**Electron cyclotron emission diagnostics
on TEXTOR**
- B 11 Golant V.E., Goncharov S.G., Gornostaev¹ S.V.,
Grigorjev A.V., Gryaznevich M.P. et al.²
A.F. Ioffe Physico-Technical Institute, Leningrad, USSR
¹D.V. Efremov Scientific Research Institute for
Electrophysical Equipment, Leningrad, USSR
²I.V. Kurchatov Institute of Atomic Energy, Moscow,
USSR
**The investigation of plasma minor radius
compression in TUMAN-3 tokamak**
- B 12 Golant V.E., Bender¹ S.E., Gornostaev¹ S.V.,
Grigorjev A.V., Gryaznevich M.P. et al.
A.F. Ioffe Physico-Technical Institute, Leningrad, USSR
¹D.V. Efremov Scientific Research Institute
for Electrophysical Equipment, Leningrad, USSR
**The experiments with compressed plasma column
on TUMAN-3 tokamak**
- B 13 Nagami M., Kasai¹ M., Aikawa H.,
Kitsunozaki A., Kobayashi² T. et al.
JAERI, Tokai, Naka, Ibaraki, Japan
¹On leave from Mitsubishi Atomic Power Industries
²On leave from Hitachi, Ltd.
Angel T., Armentrout C., Blau F., Bramson G.,
Brooks N., et al.
GA Technologies, Inc., San Diego, USA
**High temperature and high density plasmas in
beam heated divertor discharges in Doublet III**
- B 14 Montvai A., Pócs L., Vályi L., Zoletnik S.
Central Research Institute for Physics Budapest,
Hungary,
**Phenomenology of the internal disruption
in MT-1 tokamak**
- C 1 Soltwisch H.
IPP, KFA Jülich GmbH, Jülich, FRG
**Measurement of electron and current density
profiles in TEXTOR by means of a far-infrared
laser interferometer/polarimeter**
- C 2 Vlases¹ G., Büchl K., Campbell² D.,
MPI für Plasmaphysik, Garching, FRG
¹University of Washington, Seattle, Washington, USA
²Culham Laboratory Abingdon, Oxon, UK
**Studies of tokamak transport based on pellet
injection**
- C 3 Chang C.T.
Risø National Laboratory, Roskilde, Denmark
**Some considerations of pellet injections in
JET and INTOR**
- C 4 Mercurio S.
Istituto di Fisica dell Università, Palermo, Italy
**Electrostatic shielding of pellets in plasmas
of controlled fusion experiments**
- Reversed Field Pinches, Compact Tori**
Part I, p. 137 - 174
- A 43 Hutchinson I.H.
Culham Laboratory, Abingdon, Oxon, UK
**Plasma resistance studies in HBTX1A
reversed field pinch**
- A 44 Bunting C.A., Carolan P.G., Muir¹ D.G.
Culham Laboratory, Abingdon, Oxon, UK
¹Royal Holloway College, Egham, London, UK
**Total radiation measurements from the HBTX1A
experiment**
- A 45 Long¹ J.W., Newton A.A., Gimblett C.G.
Culham Laboratory, Abingdon, Oxon, UK
¹Oxford Polytechnic, Oxford, UK
**Predictions of relaxation models in reversed
field pinches**
- A 46 Edenstrasser J.W.
Institut für Theoretische Physik, Universität Innsbruck,
Austria
Nalesso G.F.
University of Padova, Italy
**F-O diagrams of ETA-BETA II RFPs with β and the
safety factor an axis as parameters**
- A 47 Kaligin A.G., Kochan W.J., Kretchuk A.P.,
Kurtmullaev R.Kh., Proshletsov A.P.
I.V. Kurchatov Institute of Atomic Energy, Moscow, USSR
**Compact torus with combined magnetic structure
($B_z \neq 0$): Compression, heating, relaxation features**
- A 48 Es'kov A.G., Korshunov V.K., Krylov S.F.,
Kurtmullaev R.Kh., Laukhin Ya. et al.
I.V. Kurchatov Institute of Atomic Energy, Moscow, USSR
**Principles of compact torus equilibrium and translation
in profiled magnetic field**
- Stellarators, Bumpy Tori**
Part I, p. 175 - 246
- C 17 Ringler H., W VII-A Team, NI Group
MPI für Plasmaphysik, Garching, FRG
**Energy and particle confinement in currentless
W VII-A discharges**
- C 18 Weller A., W VII-A Team, NI Group
MPI für Plasmaphysik, Garching, FRG
**Impurity confinement studies in the Wendelstein
W VII-A stellarator**
- C 19 Müller G., W VII-A Team, NI Group
MPI für Plasmaphysik, Garching, FRG
**Plasma fluctuation measurements in the W VII-A
stellarator**
- C 20 Renner H., W VII-A Team, NI Group
MPI für Plasmaphysik, Garching, FRG
**Effect of the rotational transform on plasma
behaviour in the W VII-A stellarator**

- C 21 Maaßberg H., Wobig H.
MPI für Plasmaphysik, Garching, FRG
Monte-Carlo simulation of particle and energy confinement in stellarators at low collision frequency
- C 22 Fujiwara M., Shoji T., Hosokawa M., Iguchi H., Takasugi K. et al.
Institute of Plasma Physics, Nagoya University, Nagoya, Japan
¹Research Institute for Applied Mechanics, Kyushu University, Fukuoka, Japan
Plasma heating and confinement in Nagoya Bumpy Torus (NBT-1M)
- C 23 Sbitnikova I.S., Blokh M.A., Voronov G.S., Gippius E.F., Donskaya N.P. et al.
Lebedev Institute of Physics, Moscow, USSR
Profiles of diffusion coefficient of impurity ions in L-2 stellarator plasma
- C 24 McLenthian K.D., Shohet J.L.
University of Wisconsin, Torsatron/Stellarator Laboratory, Madison, Wisconsin, USA
Grieger G.
MPI für Plasmaphysik, Garching, FRG
Runaway current generation by cyclotron resonance in the Wendelstein VII-A stellarator
- D 12 Miyawaki S., Nagao S., Okajima S., Sasaki¹ N., Abe² Y.
Chubu Institute of Technology, Kasugai, Japan
¹Faculty of Engineering, Tohoku University, Sendai, Japan
²Institute of Plasma Physics, Nagoya University, Nagoya, Japan
Helical axis torsatron
- D 13 Funato Y., Kitajima S., Sakamoto I., Watanabe H., Nagao¹ S.
Tohoku University, Sendai, Japan
Chubu Institute of Technology, Kasugai, Japan
Experiments on the non-planar torus: Asperator NP-4
- D 14 Treffert J.D., Shohet J. L.
University of Wisconsin, Torsatron/Stellarator Laboratory, Madison, Wisconsin, USA
Measurement of self-generated Pfirsch-Schlüter and bootstrap currents in the PROTO-CLEO stellarator
- D 15 Anderson D.T., Anderson F.S.B., Shohet J.L., University of Wisconsin, Torsatron/Stellarator Laboratory, Madison, Wisconsin, USA
Design, fabrication and initial operation of IMS
- D 16 Kawahata K., Fujita J., Mase² A., Nishizawa A., Noda N., Sakai¹ T. et al.
Institute of Plasma Physics, Nagoya University, Nagoya, Japan
¹Faculty of Engineering, Nagoya University, Nagoya, Japan
²Plasma Research Center, University of Tsukuba, Ibaraki, Japan
Confinement and density fluctuations on JIPP T-II plasma
- D 17 Perepelkin N.F., Suprunenko V.A., Volkov E.D., Arsen'ev A.V., Burchenko P. Ya. et al.
Institute of Physics and Technology, Ukrainian Academy of Sciences, Kharkov, USSR
Restriction and suppression of electron runaway in a stellarator during ohmic heating of a magnetized plasma

Mirrors

Part I, p. 247 - 266

- D 18 Konstantinov S.G., Bocharov V.N., Kudryavtsev A.M., Myskin O.K., Panasyuk V.M. et al.
Institute of Nuclear Physics, Novosibirsk, USSR
The study of the radial density and velocity profiles of plasma rotation on the SVIPP device
- D 19 Bocharov V.N., Konstantinov S.G., Kudryavtsev A.M., Myskin O.K., Panasyuk V.M. et al.
Institute of Nuclear Physics, Novosibirsk, USSR
Stabilizing plasma layer for rotating plasmas
- D 20 Zhitiukhin A.M., Safronov V.M., Sidnev V.V., Skvortsov Yu.V.
I.V. Kurchatov Institute of Atomic Energy, Moscow, USSR
Magnetic mirrors effect on confinement of plasma produced through the collision of streams with $\beta \sim 1$
- D 21 Ioffe M.S., Kanaev B.I., Pastukhov V.P., Piterksy V.V., Chistyakov R.R. et al.
I.V. Kurchatov Institute of Atomic Energy, Moscow, USSR
Studies on nature of anomalous electron diffusion in ATOLL magneto-electrostatic trap
- D 22 McVey B.D., Post R.S., Blackfield D.T., Gerver M., Irby J. et al.
MIT, Cambridge, Massachusetts, USA
TARA tandem mirror

Heating and Current Drive

Part I, p. 267 - 466

- A 22 Zhang¹ Z.X., Wobig H.
MPI für Plasmaphysik, Garching, FRG
¹Institute of Physics, Peking, Academia Sinica, Guest of Alexander von Humboldt Stiftung
Ecrh calculations for the stellarator W-VII A
- A 23 FT Group
CRE, Frascati, Italy
Behaviour of electron cyclotron emission during heating at $\omega > \omega_{th}$ in the Frascati tokamak (FT)
- A 24 FT Group
CRE, Frascati, Italy
Mazzitelli G., ENEA-guest
Parametric decay instabilities observed in FT tokamak
- A 25 Barbato E., Santini F., CRE, Frascati, Italy
Features of lower hybrid wave trajectories in low and high density FT discharges
- A 26 T-10 Group
I.V. Kurchatov Institute of Atomic Energy, Moscow USSR
Andreev A.P., Kutsev B.V., Skoblikov S.V., Umov A.P., M.I. Kalinin Polytechnical Institute, Leningrad, USSR
Usov V.G., Flyagin V.A., Institute of Applied Physics, Gorki, USSR
Piekaar H.W., Sillen R.M.J., Oyevaar Th. FOM-Instituut voor Plasmafysica, Rijnhuizen, Nieuwegein, The Netherlands
Cavallo A. University of Maryland, USA
Transport of plasma energy in T-10 at ecrh with the resonance zone displaced from plasma center

- A 27 Hansen F.R., Lynov J.P., Michelsen P.
Risø National Laboratory, Roskilde, Denmark
Ecrh of a high density plasma
- A 28 Bures, M.
Royal Institute of Technology, Department of
Plasma Physics and Fusion Research, Stockholm,
Sweden
**Alfvén wave heating of a plasma surrounded
by a cold gas-mantle**
- A 29 Keller R., Appert K., Behn R., de Chambrier A.,
Collins G.A. et al.
CRPP-EPFL, Lausanne, Switzerland
**Experimental determination of ω/ω_{ce} effects
in shear Alfvén wave excitation in TCA tokamak**
- A 30 Appert K., Vaclavik J., Villard L.
CRPP-EPFL, Lausanne, Switzerland
Global modes in the Alfvén wave heating scheme
- A 31 Dorokhov V.V., Elfimov A.G., Lozovsky S.N.
Institute of Physics and Technology, Sukhumi, USSR
**Alfvén heating of axial uniform current-carrying
plasma**
- B 24 Tanaka S., Kubo S., Nakamura M., Cho T.,
Nakao S. et al.
Department of Physics, Kyoto University, Kyoto,
Japan
**Toroidal plasma current start-up and sustainment
by rf in the WT-2 tokamak**
- B 25 Petrzilka V.A., Klima R., Pavlo P.
Institute of Plasma Physics Czechoslovak Academy
of Sciences, Prague, Czechoslovakia
**Nonlinear variations of the reflection coefficient at
the lower hybrid heating**
- B 26 Surjalal, Sharma A., Mohna M.
Physical Research Laboratory, Ahmedabad, India
**Plasma heating by mode-conversion of lower-
hybrid to electron-acoustic mode**
- B 27 Canobbio E., Croci R.
MPI für Plasmaphysik, Garching, FRG
**On the interpretation of the lh current drive
experiments**
- B 28 Gormezano C., Bibet P., Blanc P., Briand P.,
Briffod G. et al.
Département de Recherches sur la Fusion
Contrôlée, CEN, Grenoble, France
**Lower hybrid heating and current drive in the
PETULA-B tokamak**
- B 29 Appert K., Kritiz¹ A.H., Succì S., Vaclavik J.
CRPP-EPFL, Lausanne, Switzerland
¹Department of Physics, Hunter College, CUNY
**Numerical studies of the influence of runaways
on current drive**
- B 30 Faillon G.
THOMSON-CSF, Boulogne-Bilancourt, France
Recent progress in plasma- heating klystrons
- B 31 Breizman B.N., Erofeev V.I.
Institute of Nuclear Physics, Novosibirsk, USSR
**Electron beam relaxation in a magnetically
confined plasma with random density
inhomogeneities**
- C 5 Anderson D., Lisak M.
Institute for Electromagnetic Field Theory, Chalmers
University of Technology, Göteborg, Sweden
Effects of icrh on fast ion containment in tokamaks
- C 6 Lisak M., Anderson D.
Institute for Electromagnetic Field Theory, Chalmers
University of Technology, Göteborg, Sweden
**Anomalous alpha-particle losses and generation
of a plasma current due to thermonuclear cone
instabilities in tokamaks**
- C 7 Brambilla M., Ottaviani M.
MPI für Plasmaphysik, Garching, FRG
**Ion cyclotron minority heating of a hydrogen
plasma**
- C 8 Boehmer H., Barter J., Dandl¹ R., Goede H.,
Lazar N. et al.
TRW Energy Research Center Redondo Beach CA, USA
¹Applied Microwave Plasma Concepts, Encinitas, Ca., USA
**Ion cyclotron resonance heating in the symmetric
tandem mirror**
- C 9 Scharer J., Romero H., Sund R.
University of Wisconsin, Madison, Wisconsin, USA
Tokamak wave coupling and heating in the Icrf
- C 10 Olivain J., TFR Group
Département de Recherches sur la Fusion Contrôlée,
CEN, Fontenay-aux-Roses, France
Truc A.
PMI, Ecole Polytechnique, Palaiseau, France
**Observation of fast and slow modes during
icrf heating in TFR by CO₂ coherent scattering-
comparison between rf excitations on the inner
and the outer side of the torus**
- C 11 Gambier D. J., Samain A.
Département de Recherches sur la Fusion Contrôlée,
CEN, Fontenay-aux-Roses, France
**Variational modelling of ion cyclotron
resonance heating**
- C 12 Evrard M.P., Bhatnagar V.P., Faulconer D.W.,
Koch R., Messiaen A.M. et al.
Laboratoire de Physique des Plasmas, Ecole Royale
Militaire, Brussels, Belgium
**Theoretical study of the JET trombone antenna
loading at the IC frequency**
- C 13 Bhatnagar V.P., Koch R., Weynants R.R.,
Geilfus P., Kirkpatrick R.
Laboratoire de Physique des Plasmas, Ecole Royale
Militaire, Brussels, Belgium
**Power deposition profile of the ion-cyclotron
resonance heating of large tokamaks by ray-
tracing technique**
- C 14 Sbitnikova I.S., Batyuk V.A., Blokh M.A.,
Grebenshchikov S.E., Kovan¹ T.A. et al.
Lebedev Institute of Physics, Moscow, USSR
¹I.V. Kurchatov Institute of Atomic Energy, Moscow, USSR
**Heating of hydrogen plasma on the first harmonic
of ion-cyclotron frequency in L-2 stellarator**
- C 15 Grekov D.L., Stepanov K.N.
Institute of Physics and Technology, Ukrainian
Academy of Sciences, Kharkov, USSR
RF plasma heating in DRACON devices

- C 16 Pavlenko V.N., Panchenko V.G., Revenchuk¹ S.M.
Institute of Physics and Technology and
¹Institute of Nuclear Research, Ukrainian
Academy of Sciences, Kharkov, USSR
**Anomalous absorption of electromagnetic wave energy
near the lower hybrid resonance**
- D 23 Bornatici M., Crestani M., Ferri P., Ruffina U.
Departement of Physics¹ A. Volta, University of
Pavia, Italy
**Electron cyclotron absorption and emission
in anisotropic plasmas**
- D 24 Airolidi A.C., Argenti L., Cirant S., Orefice A.,
Ramponi G.
Istituto di Fisica del Plasma, CNR, Milano, Italy
**Numerical simulation of the electron cyclotron
absorption in THOR plasma**
- D 25 Argenti L., Bonizzoni G., Carretta¹ U., Cima G.,
Cirant S. et al.²
Istituto di Fisica del Plasma, CNR, Milano, Italy
¹Centro Studi sulla Propulsione e l'Energetica,
CNR-Politecnico di Milano, Italy
²Istituto di Fisica dell'Università di Milano, Italy
The ecrh experiment in the THOR tokamak
- D 26 Scharer J., Lam N.T., Audenaerde K.,
Electrical and Computer Engineering Department,
University of Wisconsin, Madison, Wisconsin, USA
**Electron cyclotron resonance heating in realistic
tandem mirror configurations**
- D 27 Pestic S.
Laboratory for Physics, Institute of Nuclear
Sciences 'Boris Kidric'-Vince, Beograd, Yugoslavia
**Extraordinary wave absorption near the electron
cyclotron frequency**
- D 28 Alcock M.W., Atkinson D., Blewett S.,
Collins P.R., Dalton A. et al.
Culham Laboratory, Abingdon, Oxon, UK
Preliminary gyrotron heating results on CLEO
- D 29 Nakamura K., Itoh S., Nakamura Y., Hiraki N.,
Kikuchi¹ M., Nagao A., Watanabe T.
Research Institute for Applied Mechanics, Kyushu
University, Fukuoka, Japan
¹JAERI, Tokai, Japan
**Acceptable turbulent heating for large tokamak
devices**
- D 30 Tortur-Team: de Kluiver H., Yousef N.,
de Groot B., Barth C.J., van der Meiden H.J. et al.¹
ECE Team: Piekaar H.W., Sillen R.M.J. Oyevaar T.,
Tubbing B.J.D., Niestadt R.M.
FOM Instituut voor Plasmafysica, Rijnhuizen,
Nieuwegein, The Netherlands
¹On leave from Chubu Institute of Technology,
Kasugai, Japan
**High temperature plasma heating by
weak turbulence in the TORTUR tokamak**
- D 31 Edenstrasser J.W., de Kluiver¹ H.,
Schuurman¹ W.
University of Innsbruck, Austria
¹FOM Instituut voor Plasmafysica, Rijnhuizen,
Nieuwegein, The Netherlands
**Time-evolution of the turbulent heating
experiment TORTUR II**
- D 32 Ikezawa S., Takeda S.,
Chubu Institute of Technology, Kasugai, Japan
Mechanism of rf confinement of a plasma
- D 33 Peneva I.H., Kirchev S.D., Dukov I.V.,
Kondratenko¹ A.N., Sarhad I.Ibn
Higher Pedagogical Institute, Shumen, Bulgaria
¹Kharkov University, Kharkov, USSR
**The kinetic theory of nonsymmetric waves in
bounded plasma**
- E 26 Ainsworth N.R., Alcock M.W., Collins P.R.,
Morris W.A., Morris¹ A.W., Robinson D.C.
Culham Laboratory, Abingdon, Oxon, UK
¹University of Oxford, UK
High β and lower q studies on TOSCA using ecrh
- E 27 O'Brien M.R., Start D.F.H., Grace¹ P.M.V.
Culham Laboratory, Abingdon, Oxon, UK
¹St. John's College, Cambridge, UK
**The effects of the relativistic correction to
the electron mass on ecrh current drive**
- E 28 Riviere A.C.
Culham Laboratory, Abingdon, Oxon, UK
An assessment of tokamak ecrh experiments
- E 29 Charbit P., Faillon G., Garin P., Mourier G., Perre Y.
Thomson-CSF, Electron Tube Division Boulogne-
Bilancourt, France
Studies on high-power 100 GHz gyrotron
- E 30 Cap F.
Plasma Physics Group, Institut für Theoretische
Physik, University of Innsbruck, Innsbruck, Austria
**Propagation of electromagnetic low frequency
waves in inhomogeneous toroidal plasmas**
- E 31 Takamura S., Ushigusa K., Okuda T.
Department of Electrical Engineering, Nagoya
University, Nagoya, Japan
**Internal structure on energetic electrons and
waves in radio frequency current-driven tokamak
plasma**
- E 32 Da Costa Cabral J.A.
Centro de Electrodinamica, Instituto Superior
Técnico, Lisboa, Portugal
**Transformation of a Trivelpiece-Gould wave
with $F \sim F_{ce}$ into an electromagnetic wave in
an inhomogeneous plasma column**
- E 33 W VII-A Team: Junker J., Cattanei G., Dorst D., Elsner A.,
Erckmann V. et al.
NI Group: Freudenberger K., Lister G.G., Ott W.,
Penningfeld F.P., Speth E.
MPI für Plasmaphysik, Garching, FRG
Ion heating in the stellarator W VII-A
- E 34 Bulyginsky D.G., Gusev V.K., Djachenko V.V.,
Irzak M.A., Kantor M.Yu. et al.
A.F. Ioffe Physico-Technical Institute, Leningrad,
USSR
**Ecr - heating of plasma in FT-1 tokamak and its
influence on the ion component**
- E 35 Levin L.S., Dyachenko V.V., Larionov M.M.
Lebedev A.D., Serebreny G.A.,
A.F. Ioffe Physico-Technical Institute, Leningrad,
USSR
**Poloidal rotation of the tokamak plasma and
asymmetry of the charge exchange atoms flux**
- E 36 Subbarao D., Uma R.
Fusion Energy Cell, Centre of Energy Studies
Indian Institute of Technology, New Delhi, India
**Stochastic heating of charged particles during
reflection of em-waves from inhomogeneous
plasmas**

Plasma Focus Devices, Theta- and Z-Pinches
Part I, p. 467 - 578

- D 34 Bourham M.A., El Gamal H.A., Abu El Nasr¹ T.Z.
Nuclear Research Centre, Cairo, Egypt
¹Physics Department, Faculty of Science, Al Azhar University, Cairo, Egypt
Electromagnetic radiation from a turbulent plasma of a straight thetatron discharge
- D 35 Kucinski J., Rabinski M.
Institute of Nuclear Studies, Swierk-Otwock, Poland
Investigation of heat transfer to the anode of the plasma-focus device at elevated repetition rate
- D 36 Gacek A., Farynski A.
S. Kaliski Institute of Plasma Physics and Laser Microfusion, Warsaw, Poland
A diode model of high-energy charged particle emission in the plasma-focus device
- D 37 Decker G., Jäger¹ U., Kies W., Pross G., Rybach J.
Physikalisches Institut I, Universität Düsseldorf, FRG
¹Institut für Plasmaforschung, Universität Stuttgart, FRG
SPEED 1 : A high impedance, high voltage driven fast plasma focus of improved performance
- D 38 Khauliev E.Yu., Krauz V.I., Salukvadze R.G.
I.N. Vekua Institute of Physics and Technology, Sukhumi, USSR
Some features of ion beam formation in a plasma focus
- D 39 Burtsev V.A., Bardinov A.A., Zhukov A.P., Kozhevnikov V.M., Kuznetsov V.S. et al.
D.V. Efremov Scientific Research Institute of Electrophysical Apparatus, Leningrad, USSR
Laser theta-pinch heating of dense plasma in pulsed magnetic systems
- D 40 Gryzinski M.
Institute for Nuclear Studies, Swierk-Otwock, Poland
Fusion energy production at the ordered motion of ions
- D 41 Gryzinski M., Baranowski J., Gebalksi S., Langner J. et al.
Institute for Nuclear Studies, Swierk-Otwock, Poland
Structure of ion beams generated in RPI imploders
- D 42 Konkashbaev I.K., Nikandrov L.B., Ryltseva T.V., I.V. Kurchatov Institute of Atomic Energy, Moscow, USSR
Z-pinch-liner acceleration
- D 43 Gryukanov M.F., Konkashbaev I.K.
I.V. Kurchatov Institute of Atomic Energy Moscow, USSR
Heat waves in a dense plasma
- D 44 Alikhanov S.G., Novikov V.P.
I.V. Kurchatov Institute of Atomic Energy, Moscow, USSR
The toroidal inertial system with magnetogas-kinetic confinement of plasma
- E 1 Sinman S.
Middle East Technical University, Plasma Engineering Laboratory, Ankara, Turkey
Sinman A.
Ankara Nuclear Research and Training Center, Electron Physics Laboratory, Ankara, Turkey
A conceptual design study of a new DPF system for an alternative heating scheme
- E 2 Sinman S.
Middle East Technical University, Plasma Engineering Laboratory Ankara, Turkey
Sinman A.
Ankara Nuclear Research and Training Center Electron Physics Laboratory, Ankara, Turkey
Optimization of REB generators employing in collective ion acceleration
- E 3 Denus S., Czekaj S., Szydłowski A.
S. Kaliski Institute of Plasma Physics and Laser Microfusion, Warsaw, Poland
Measurement of fast deuteron emission from a plasma focus device
- E 4 Czekaj S., Borowiecki M., Denus S., Koziarkiewicz W., Skrzeczanowski W. et al.
S. Kaliski Institute of Plasma Physics and Laser Microfusion, Warsaw, Poland
The dynamics and plasma sheath structure in the plasma-focus device
- E 5 Sadowski M., Chyrczakowski S., Komar W., Rydygier E., Zebrowski J.
Institute for Nuclear Studies, Swierk-Otwock, Poland
Investigation of ion beams generated in a plasma focus
- E 6 Hirano K., Shimoda K., Yamamoto T., Sato M., Kobayashi K. et al.
Dept. of Electronic Engineering, Gunma University, Kiryu, Gunma, Japan
Plasma dynamics and charged particle emission in the plasma focus
- E 7 Challis, C.D., Dangor A.E., Wyndham E.S., Mosher¹ D., Bessell W.G. et al.
Imperial College, University of London, UK
¹Office of Naval Research, London, Branch Office
X-ray production in a gas-puff Z-pinch
- E 8 Dangor A.E., Favre M., Psimopoulos M.
Imperial College, London, UK
Mateev E.S.
Sofia University, Sofia, Bulgaria
Transformation of a gas-embedded Z-pinch into a Helix
- E 9 Zukakishvili G.G., Ryzhkov V.N., Salukvadze R.G., Tikhonov E.K., Chkuaseli Z.D., I.N. Vekua Institute of Physics and Technology, Sukhumi, USSR
Restriction of end losses in a linear theta-pinch by means of corrugated magnetic mirrors

- E 10 Panarella E., Savic P.
National Research Council, Ottawa, Canada
Scaling laws for the REXIMPLO spherical pinch
- E 11 Orlov M.M., Terentiev A.R., Khrabrov V.A.
I.V. Kurchatov Institute of Atomic Energy, Moscow, USSR
Plasma dynamics in plasma focus
- E 12 Forrest M.J., Peacock N.J.
Culham Laboratory Abingdon, Oxon, UK
Kirk R.E., Muir D.G.
On attachment from Royal Holloway College, London, UK
The significance of new measurements of density fluctuations and the current distribution in the Culham plasma focus
- E 13 Gorbulin Yu.M., Gordeev E.M., Zlotnikov D.M., Kalinin Yu.G., Kuksov P.V. et al.
I.V. Kurchatov Institute of Atomic Energy, Moscow, USSR
Study of intense relativistic electron beam self-focusing dynamics

Laser-Plasma Interaction, Inertial Confinement Part II, p. 1 - 50

- E 37 Atzeni S., Caruso A.
CRE, Frascati, Italy
Ignition criterion for dense, isobaric D-T plasmas and consequences on ICF target design
- E 38 Heikkinen J.A., Karttunen S.J., Salomaa¹ R.R.E.,
Technical Research Centre of Finland,
Nuclear Engineering Laboratory, Helsinki, Finland
¹Helsinki University of Technology, Espoo, Finland
Nonlinear ion waves in absolute Brillouin scattering
- E 39 Yoshida K., Kato Y., Nakatsuka M., Jitsuno T., Nowada S. et al.
Institute of Laser Engineering, Osaka University, Suita, Osaka, Japan,
GEKKO XII glass laser system for laser fusion research
- E 40 Hora H., Lalouis P., Ghatak A.K., Jones¹ D.A.
Talapaga-Rosenberger S.
Department of Theoretical Physics, University of New South Wales, Kensington, Australia
¹Materials Research Labs., Ascot Vale, Victoria
High electrostatic fields and oscillations in expanding inhomogeneous plasmas without external fields or with laser irradiation
- E 41 Sternlieb A.
Soreq Nuclear Research Centre, Yavne, Israel
Scaling laws for the resistive longitudinal instability in finite charged beams
- E 42 Nicolas J.A., Sanmartin J.R.
ETSI Aeronáuticos, Universidad Politécnica de Madrid, Spain
Inverse Bremsstrahlung effects on the coronae of laser-irradiated pellets and slabs
- E 43 Barrero A., Rosety L., Sanz¹ J.
ETSI Industriales, Universidad de Sevilla, Spain
ETSI Aeronáuticos, Universidad de Politécnica de Madrid, Spain
Spherical expansion plasmas in ion beam impinged pellets
- E 44 Wooding E.R., Brown D.A., Marchington P.S., Sayed N., Sudera Y.
Royal Holloway College, University of London, UK
Density profiles and fluctuations in CO₂ laser produced plasmas
- E 45 Murusidze I.G., Tsintsadze N.L., Tshakaya D.D.,
Institute of Physics, Academy of Sciences of the Georgian SSR, Tbilisi, USSR
Radiation of Alfvén waves by the accelerating Langmuir soliton

Diagnostics

Part II, p. 51 - 100

- E 14 Mori I.
Technical College of Tokushima University,
Tokushima, Japan
Ion temperature measurement with neutral beams
- E 15 Alladio F., Crisanti F.
CRE, Frascati, Italy
Equilibrium magnetic measurements by toroidal multipolar method for FTU tokamak
- E 16 Lehner Th.
Laboratoire de Physique des Milieux Ionisés, Ecole Polytechnique, Palaiseau, France
Ion Bernstein modes fluctuations as a measure of the magnetic field orientation
- E 17 von Hellermann M., Güllker H.J., Hasse O.R.,
FB Physik, Universität Essen, FRG
Observation of plasma turbulence by coherent far forward scattering using a multi channel detector array at 10 microns
- E 18 Airoidi A.C., Orefice A., Ramponi G.
Istituto di Fisica del Plasma, CNR Milano, Italy
Ece simulation for a toroidal plasma and its applications to JET
- E 19 Hallock G.A., Hickok R.L., Jennings W.C., Connor K.A., Forester J.C. et al.
Rensselaer Polytechnic Institute, Troy, NY., USA
Haste G.R., Wootton A.J.
ORNL, Oak Ridge, Tennessee, USA
Space potential measurements on EBT-S and ISX-B
- E 20 Tonetti G.
CRPP-EPFL, Lausanne, Switzerland
Measurement of the plasma magnetic field with an ion beam probe
- E 21 Woskoboinikow P., Mulligan W.J., Machuzak J., Cohn D.R., Temkin R.J. et al.
Plasma Fusion Center, MIT, Cambridge, USA
385µm D₂O Laser collective Thomson scattering ion temperature diagnostic
- E 22 Gimzewski J.K., Veprek S.
Institute of Inorganic Chemistry, University of Zürich, Zürich, Switzerland
A new method for the determination of impurity ion energies and their implantation depths in collection probes exposed to the scrape-off layer