

- Carrera R., Fu G.Y., Helton J., Hively L., Montalvo E., Ordonez C., Rosenbluth M.N., Tamor S., Van Dam J.W.
Analysis of the ignition experiment IGNITEX
P 4 A3 16 ... I-375
- Connor J.W., Hastie R.J., Cowley S.C., Martin T.J., Taylor J.B.
The effects of finite pressure and toroidicity on the stability of non-ideal modes in a tokamak
P 4 A3 17 ... I-379
- Hender T.C.
Curvature effects on nonlinear island growth
P 4 A3 18 ... I-383
- Hender T.C., Haynes P.S., Holt J.K., Robinson D.C., Sykes A., Todd T.N.
Studies of the tight-aspect-radio torus concept
P 4 A3 19 ... I-387
- Thyagaraja A., Haas F.A.
The nature of turbulent particle transport in toroidal plasma confinement
P 4 A3 20 ... I-391
- Gac K., Gacek A.
The stochastic collisionless and radial antidiffusion of alpha particles in tokamak
P 8 A3 2 ... I-395
- Sundaram A.K., Callen J.D.
The evolution of resistive ballooning modes in the banana-plateau collisionality regime
P 8 A3 3 ... I-399
- Sundarakam A.K., Sen A.
The stability of ideal and resistive ballooning modes in the presence of equilibrium flows.
P 8 A3 4 ... I-403
- Degtyarev L.M., Medvedev S.Yu.
Shear and current density effect on tokamak kink mode instability
P 8 A3 5 ... I-407
- Zelazny R., Stankiewicz R., Potemski S.
The behaviour of a plasma with poloidal flows in tokamaks
P 8 A3 6 ... I-411
- Kolesnichenko Ya.I., Yavorskij V.A.
Effect of the tokamak cross-section ellipticity on the ripple induced diffusion of fast ions
P 8 A3 8 ... I-415
- V.Ya. Goloborod'ko, V.A. Yavorskij
Angular distribution of alpha particle flux on the first wall of a tokamak
P 8 A3 9 ... I-419

- Elfimov A.G., Komoshvili K.G., Sidorov V.P., Dmitrieva M.V., Medvedev S.Yu., Pestryakova G.A.
Spectrum and impedance properties of a plasma in a helical magnetic field
P 8 A3 10 ... I-423
- Callen J.D., Chang Z.
Global energy confinement degradation due to macroscopic phenomena in tokamaks
P 8 A3 11 ... I-427
- Becker G.
Bootstrap current and ballooning stability in ASDEX L and H plasmas
P 9 A3 1 ... I-431
- Lengyel L.L., Lalouis P.J.
Non-local particle deposition and pellet wake evolution in pellet-fuelled tokamaks
P 9 A3 2 ... I-435
- Lortz D.
Instability of tokamaks with non-circular cross-section
P 9 A3 3 ... I-439
- Zanino R., Lackner K., Hsu C.T., Sigmar D.J.
A 1+1D model of ion-impurity Pfirsch-Schlüter transport in a rotating tokamak plasma
P 9 A3 5 ... I-443
- Albanese R., Ambrosino G., Coccoresse E., Garofalo F., Rubinacci G.
An alternative approach to the analysis of the active vertical stabilization in a tokamak
P 9 A3 6 ... I-447
- Takeuchi K., Abe M., Fukumoto H., Otsuka M.
A perturbation model of tokamak MHD equilibria for study of plasma boundary control
P 9 A3 7 ... I-451
- Hogewej G.M.D., Hordosy G., Lopes Cardozo N.J.
A method for local transport analysis in tokamaks with error calculation
P 9 A3 8 ... I-455
- van Milligen B.Ph.
Expansions of the flux and the current density in toroidal systems
P 9 A3 9 ... I-459
- A4. MHD phenomena (sawteeth, disruption, etc.)
- Vlad G., Bondeson A.
Fast crash and dependence of sawteeth on transport coefficients from reduced-MHD simulations
0 4 A4 1 ... II-465

Gill R.D., Edwards A.W., Keegan B., Lazzaro E., O'Rourke J., Weller A., Zsche D. <u>Q-Profiles in JET</u> O 7 A4 2	... II-469
Klüber O., Gernhardt J., von Goeler S., Kornherr M., Toi K. Zehrfeld H.P. <u>Instabilities of beam-heated L-type and H-type ASDEX plasmas</u> O 8 A4 4	... II-473
McGuire K.M., Buchse R., Cavallo A., Fredrickson E.D., Janos A., Kuo-Petravic G., Mansfield D., Murakami Y., Park W., Stodiek W. <u>Sawteeth in TFTR</u> P 2 A4 1	... II-477
Fredrickson E.D., McGuire K.M., Goldston R.J., Cheng C.Z. <u>Axisymmetric beam-driven modes during high power NBI on TFTR</u> P 2 A4 2	... II-481
Weisen H., Borg G.G., Joye B., Knight A.J., Lister J.B. <u>Measurement of the tokamak safety factor profile by means of driven resonant Alfvén waves</u> P 2 A4 3	... II-485
Nothnagel G., Sherwell D., Fletcher J.D., Roberts D.E., De Villiers, J.A.M., Louw D.F.B., O'Mahony J.R. <u>l=1 helical coil experiments on Tokoloshe tokamak</u> P 2 A4 4	... II-489
Roberts D.E., Fletcher J.D., Sherwell D., Nothnagel G., De Villiers J.A.M., Louw D.F.B., O'Mahony J.R. <u>Mode locking with a resonant helical L-2 coil on Tokoloshe tokamak</u> P 2 A4 5	... II-493
Gervais F., Gresillon D., Hennequin P., Quemeneur A., Truc A., Andreoletti J., Laviron C., Olivain J. <u>Specific turbulence associated with sawtooth relaxations in TFR plasmas</u> P 2 A4 6	... II-497
Galvao R.M.O., Goedbloed J.P., Huysmans G., Lazzaro E., O'Rourke J., Smeulders P. <u>Ideal ballooning stability of JET discharges</u> P 4 A4 1	... II-501
Nave M.F.F., Campbell D., Joffrin E., Pegoraro F., Porcelli F., Smeulders P., Thomsen K. <u>Fishbone-like events in JET</u> P 4 A4 2	... II-505
Campbell D.J., Edwards A.W., Pearson D. <u>Sawteeth and the m=1 mode in JET</u> P 4 A4 3	... II-509

Snipes J.A., Weisen H., de Esch H.P.L., Galvao R., Hender T.C., Lazzaro E., Stork D., von Hellermann M., Zsche D. <u>An analysis of plasma ion toroidal rotation during large amplitude MHD activity in JET</u> P 4 A4 4	... II-513
Kalvin S., Bakos J.S., Bürger G., Kardon B., Petravich G., Veres G., Zoletnik S. <u>Disruption measurement in the MT 1 tokamak by microchannel plate detector</u> P 4 A4 5	... II-517
Taylor T., Strait E., Lao L., Turnbull A., Lee J., Chu M., Ferron J. Jackson G., Kellman A., Lazarus E., Osborne T., Schaffer M., Stambaugh R. <u>Ideal and resistive stability near the beta limit in DIII-D</u> P 8 A4 1	... II-521
Schoch P.M., Connor K.A., Crowley T.P., Heard J.W., Hickok R.L., McCool S.C., Simicic V., Smith B.A., Wootton A.J., Yang X.Z. <u>Localized density, space potential, and magnetic fluctuation measurements during MHD oscillations on Text</u> P 8 A4 2	... II-525
Jadoul M., Waidmann G. <u>Study of sawtooth-correlated density fluctuations near the q=1 surface on Textor</u> P 8 A4 3	... II-529
Pégourié B., Dubois M.A., Gill R.D. <u>Detailed structure of the q profile around q=1 in JET</u> P 8 A4 4	... II-533
Anderson D., Lisak M. <u>Alpha particle losses during sawtooth activity in tokamaks</u> P 8 A4 5	... II-537
Morris A.W., Arshad S., Balkwill C., Fishpool G., Haynes P., Hender T.C., Hugill J., Johnson P.C., Percival J.B.B., Robinson D.C., Trotman D.L., Vickers A.J. <u>Feedback stabilisation of disruption precursor oscillations</u> P 8 A4 6	... II-541
Balkwill C., Arshad S., Cowley S.C., Haynes P.S., Hender T.C., Hugill J., Johnson P.C., Morris A.W., Percival J.B.B., Robinson D.C., Trotman D.L., Vickers A.J. <u>Plasma response to magnetic feedback on DITE</u> P 8 A4 7	... II-545
Nolte R., Fussmann G., Gruber O. <u>Sawtooth activity during impurity accumulation in ASDEX</u> P 9 A4 1	... II-549
Weiner R., Jardin S.C., Pomphrey N. <u>Investigation of axisymmetric splitting instabilities of a tokamak plasma</u> P 9 A4 2	... II-553

- Weiner R., Bruhns H., Cha S., Gruber O., Lackner K., Seidel U.
Simulation of ASDEX Upgrade shot scenarios with power supply constraints
 P 9 A4 3 ... II-557
- Kaye S.M., Preische S., Asakura N., Bell R., Fonck R., Holland A., Kugel H., LeBlanc B., Okabayashi M., Paul S., Reusch M., Sauthoff N., Sesnic S., Takahashi H.
MHD activity in PBX-M
 P 9 A4 4 ... II-561
- Schlüter J., Soltwisch H.
Experimental investigations of the intrinsic profile formation near rational surfaces in tokamaks
 P 9 A4 7 ... II-565
- B. STELLARATORS
- Okamura S., Fujiwara M., Hosokawa M., Ida K., Idei H., Iguchi H., Kubo S., Masai K., Matsuoka K., Morita S., Nishimura K., Noda N., Sanuki H., Shoji T., Takahashi C., Takita Y., Yamada H., Abe Y., Ando A., Aoki T., G.Bi D., Fujita J., Hidekuma S., Kaneko O., Kawamoto T., Mohri A., Nishizawa A., Sobhanian S., Tanahashi S., Tsuzuki K., Yamazaki K.
ECRH and ICRF heating experiments in CHS
 O 4 B 6 ... II-571
- Murakami M., Carreras B.A., Harris J.H., Anderson F.S.B., Bell G.L., Bell J.D., Bigelow T.S., Colchin R.J., Crume E.C., Dominguez N., Dunlap J.L., England A.C., Glowienka J.C., Horton L.D., Howe H.C., Isler R.C., Kaneko H., Kindsfather R.R., Leboeuf J.N., Lynch V.E., Menon M.M., Morris R.N., Neilson G.H., Paré V.K., Rasmussen D.A., Wilgen J.B., Wing W.R.
Second stability studies in the ATF Torsatron
 O 7 B 1 ... II-575
- Alladio F., Crisanti F., De Marco F., Mancuso S.
Analytical field results for low aspect ratio stellarator configurations
 P 2 B 1 ... II-579
- Dommaschk W., Herrnegger F., Schlüter A.
Approximate construction of rational magnetic surfaces in analytic vacuum stellarator fields
 P 2 B 2 ... II-583
- Merkel P.
Studies of islands in stellarator vacuum fields by solving a Neumann problem
 P 2 B 3 ... II-587
- Zehrfeld H.P., Kisslinger J., Wobig H.
Resistive ballooning stability of advanced stellarators
 P 2 B 4 ... II-591
- Beidler C., Harmeyer E., Herrnegger F., Kisslinger J., Merkel P., Montvai A., Rau F., Scardovelli R., Wobig H.
Vacuum fields and parameter range of a modular Helias configuration
 P 2 B 5 ... II-595
- Nemov V.V.
Investigation of plasma equilibrium currents in a Drakon-type trap
 P 2 B 6 ... II-599
- Zhdanov Yu.A., Omel'chenko A.Ya.
Stability of small-scale MHD modes of the finite-pressure plasma in stellarator-type traps
 P 2 B 7 ... II-603
- Varias A., Fraguas A.L., Garcia L., Carreras B.A., Dominguez N., Lynch V.E.
Ideal Mercier stability for the TJ-II
 P 2 B 8 ... II-607
- Garcia L., Carreras B.A., Dominguez N.
Stability of local modes in low-aspect-ratio stellarators
 P 2 B 9 ... II-611
- Colchin R.J., Harris J.H., Anderson F.S.B., England A.C., Gandy R.F., Hanson, J.D., Henderson M.A., Hillis D.L., Jernigan T.C., Lee D.K., Lynch V.E., Murakami M., Neilson G.H., Rome J.A., Saltmarsh M.J., Simpson C.M.
Correction of magnetic errors in the ATF Torsatron
 P 2 B 10 ... II-615
- Isler R.C., Horton L.D., Crume E.C., Howe H.C., Voronov G.S.
Impurity studies in the Advanced Toroidal Facility
 P 8 B 1 ... II-619
- Mioduszewski P.K., Uckan T., Hillis D.L., Rome J.A., Fowler R.H., Glowienka J.C., Murakami M., Neilson G.H.
Edge plasma and divertor studies in the ATF Torsatron
 P 8 B 2 ... II-623
- Jaenicke R., Schwörer K., Ascasibar E., Grigull P., Hailer H., Lakicevic I., Zippe M.
Experimental results of magnetic surface mapping in the stellarator W VII-AS
 P 8 B 3 ... II-627
- Gasparino U., Maassberg H., W VII-AS Team, NI Team, ECRH Group
Sources of toroidal current in the VII-AS stellarator
 P 8 B 4 ... II-631
- Maassberg H., Gasparino U., Kühner G., Ringler H., W VII-AS Team, NI Team, ECRH Group
Neoclassical transport in the W VII-AS stellarator
 P 8 B 5 ... II-635

- Sardei F., Ringler H., Dodhy A., Kühner G., W VII-AS Team, NI Team, ECRH Group
Neutral gas transport and particle recycling in the W VII-AS stellarator
 P 8 B 6 ... II-639
- Akulina D.K., Nakladov A.N., Fedyanin O.I., Chepizhko V.I.
Inner side electron cyclotron emission (ECE) measurements during electron cyclotron resonance heating (ECRH) in L-2 stellarator
 P 8 B 7 ... II-643
- Berezhny V.L., Vasil'ev M.P., Voitsenya V.S., Volkov E.D., Gutarev Yu.V., Dikij A.G., Zelenin G.V., Kravchin B.V., Kovalev S.V., Konovalov V.I., Kononenko V.I., Kotsubanov V.D., Lesnyakov G.G., Litvinov A.P., Mironov Ju.K., Nazarov N.I., Nikol'sky I.K., Pavlichenko O.S., Patlay I.I., Pashnev V.K., Pljusnin V.V., Perepelkin N.F., Skibenko A.I., Slavny A.S., Taran V.S., Thoryak T.O., Fedotov S.I., Fomin I.P., Shapoval A.N., Shvets O.M.
Power balance studies for RF heated plasma in the Uragan-3 torsatron
 P 8 B 8 ... II-647
- Doerner R.P., Anderson D.T., Hitchon W.N.G., Matthews P.G., Shohet J.L.
Electrostatic control of particle flows in a stellarator
 P 8 B 10 ... II-651
- Talmadge J.N., Anderson D.T., Anderson F.S.B., Shohet J.L.
Convection, electric fields and ECRH heating rates in the Interchangeable Module Stellarator
 P 8 B 11 ... II-655
- Likin K.M., Ochirov B.D.
Influence of density fluctuations on energy deposition profile during ECRH in L-2 stellarator
 P 8 B 13 ... II-659
- Batanov G.M., Sapozhnikov A.V., Sarksyian K.A., Shats M.G.
Small-scale density fluctuations in ohmic and ECR heated plasma in L-2 stellarator
 P 8 B 14 ... II-663
- Donskaya N.P., Larionova N.F., Roshchin V.I., Smirnova A.D., Voronov G.S.
Optical measurement of ECRH Helium plasma in the L-2 stellarator
 P 8 B 15 ... II-667
- Beasley Jr. C.O., Hedrick C.L., van Rij W.I.
Optimization of transport and direct high-energy losses in stellarators and torsatrons
 P 9 B 1 ... II-671
- Beidler C.D.
Modular ripple transport in stellarators
 P 9 B 2 ... II-675

- Beidler C., Harmeyer E., Herrnegger F., Kisslinger J., Maassberg H., Montvai A., Rau F., Scardovelli R., Wobig H.
On bootstrap currents in Helias configurations
 P 9 B 3 ... II-679
- Howe H.C., Horton L.D., Crume E.C., Harris J.H., Isler R.C., Wilgen J.B., Wing W.R.
Transport modeling of ECH and neutral-beam-heated plasmas in the Advanced Toroidal Facility
 P 9 B 4 ... II-683
- Navarro A.P., Ochando M.A., Weller A.
Equilibrium based iterative tomography technique for soft-X-ray in W7A stellarator
 P 9 B 5 ... II-687
- Ochando M.A., Navarro A.P.
Bolometric studies of plasma edge turbulence. Simulation for the TJ-II flexible heliac
 P 9 B 6 ... II-691
- Akao H., Watanabe T., Nishikawa K.
Particle orbit studies and the structure of magnetic fields in the stochastic region of helical systems
 P 9 B 7 ... II-695
- Beidler C., Harmeyer E., Herrnegger F., Kisslinger J., Montvai A., Rau F., Scardovelli R., Wobig H.
On the edge structure of a Helias configuration
 P 9 B 8 ... II-699
- C. ALTERNATIVE MAGNETIC CONFINEMENT SCHEMES
- C1. Reverse field pinch
- Alper B., Bevir M.K., Bodin H.A.B., Bunting C.A., Carolan P.G., Cunnane J.A., Evans D.E., Gimblett C.G., La Haye R.J., Martin P., Newton A.A., Noonan P.G., Patel A., Robertson S., Tsui H.Y.W., Wilcock P.D.
Results from HBTX1C with close and distant resistive shells
 O 2 C1 1 ... II-705
- Giubbilei M., Martin P., Ortolani S., Puiatti M.E., Valisa M.
Plasma performance in the RFX reversed field pinch
 P 4 C1 1 ... II-709
- Alper B., La Haye R.J.
Plasma confinement in HBTX with a distant resistive shell
 P 4 C1 2 ... II-713
- Lazaros A.
The effect of the velocity fluctuations on the ion and electron temperature and the energy confinement in the reversed field pinch
 P 4 C1 3 ... II-717

Newton A.A., Evans D.E., Tsui H.Y.W. <u>Electron runaway and heat loss in the RFP</u> P 4 C1 4	... II-721
Alper B., Martin P. <u>Soft X-ray activity in RFP plasmas with various shells times</u> P 4 C1 5	... II-725
Cunnane J.A., La Haye R.J., Tsui H.Y.W. <u>Magnetic fluctuation studies in RFPs with various shell times</u> P 4 C1 6	... II-729
Ji H., Toyama H., Shinohara S., Fujisawa A., Yamagishi K., Shimazu Y., Ejiri A., Shimoji K., Miyamoto K. <u>Equilibrium measurements on the REPUTE-1 RFP plasma</u> P 4 C1 7	... II-733
Toyama H., Shinohara S., Yamagishi K., Fujisawa A., Ji H., Shimazu Y., Ejiri A., Shimoji K., Miyamoto K., Saito K., Inoue N., Yoshida Z., Morikawa J. <u>Field error reduction experiment on the Repute-1 RFP device</u> P 8 C1 1	... II-737
Shinohara S., Toyama H., Fujisawa A., Ji H., Shimazu Y., Ejiri A., Yamagishi K., Miyamoto K., Yoshida Z., Inoue N. <u>RFP discharges with port bypass plate and trim coil in the REPUTE-1</u> P 8 C1 2	... II-741
Masamune S., Oshiyama H. <u>Equilibrium and stability of the STE RFP</u> P 8 C1 3	... II-745
Pickrell M.M., Phillips J.A., Munson C., Weber P.G., Miller G., Schoenberg K.F., Ingraham J.C. <u>Evidence for poloidal beta limited confinement on the ZT-40M reversed field pinch</u> P 8 C1 4	... II-749
Bunting C.A., Carolan P.G. <u>Ion temperature measurements in HBTXIC with a thin shell</u> P 8 C1 5	... II-753
Tsui H.Y.W., LaHaye R.J., Cunnane J.A. <u>A comparison of the magnetic behaviour in Ultra-Low-q and RFP discharges in HBTXIC</u> P 8 C1 6	... II-757
<u>C2. Other alternative magnetic confinements schemes</u>	
Decker G., Kies W., Koshelev K., Mälzig M., Sidelnikov Y., van Calker C., Ziethen G., Bluhm H., Rusch D., Ratajczak W. <u>Pinch formation in terawatt fiber experiments</u> P 4 C2 2	... II-763

Haines M.G. <u>An analytical model of radiative collapse of a Z-pinch</u> P 4 C2 3	... II-767
Culverwell I.D., Coppins M., Haines M.G. <u>Resistive stabilisation of a dense Z-pinch</u> P 4 C2 4	... II-771
Kociecka K., Jerzykiewicz A. <u>Current distribution measurements along the electrodes of PF360 plasma-focus facility</u> P 4 C2 7	... II-775
Sadowski M., Baranowski J., Jakubowski L., Rydygier E., Skladnik-Sadowska E., Szydłowski A., Zebrowski J. <u>Influence of gas-puffing on formation of PF-type discharges</u> P 4 C2 8	... II-779
Bortolotti A., Brzosko J.S., Fuschini A., Nardi V., Powell C. <u>Nuclear reactivity in submillimetric domains of focused discharges. A progress report on sit-uf experiments</u> P 4 C2 9	... II-783
Browning P.K., Browning B., Clegg J., Dooling P., Gibson K., Holford G., Kitson D., Cunningham G., Gee S.J., Rusbridge M.G., Sebtí K. <u>The design and magnetic behaviour of the SPHEX Spheromak</u> P 4 C2 11	... II-787
Burtsev V.A., Kozhevin V.M., Ljublin B.V., Litunovsky V.N., Makhankov A.N., Ovchinnikov I.B. <u>Formation of high-beta field reversed magnetic configurations using plasma accelerator</u> P 4 C2 12	... II-791
Goldenbaum G.C., Barrow B. <u>Observation of oppositely rotating plasma cells during spheromak formation</u> P 8 C2 1	... II-795
Fernandez J.C., Wysocki F.J., Jarboe T.R., Barnes Cris W., Henins I., Knox S.O., Marklin G.J. <u>Improved plasma confinement and evidence for a pressure-driven instability from reduced magnetic field errors in the CTX spheromak</u> P 8 C2 2	... II-799
Tuszewski M.G., Barnes G.A., Chrien R.E., Crawford E.A., Okada S., Rej D.J., Siemon R.E., Taggart D.P., Webster R.B., Wright B.L. <u>Measurements of azimuthal asymmetries in the FRX-C/LSM experiment</u> P 8 C2 3	... II-803
Sinman S., Sinman A. <u>Comparative analysis at SK/CG-1 machine for spheromak plasma heating</u> P 8 C2 4	... II-807
Ishii K., Katanuma I., Segawa T., Ohkawara H., Mase A., Miyoshi S. <u>Potential measurement and radial transport in Gamma 10 tandem mirror</u> P 8 C2 7	... II-811

Dimov G., Davydenko V., Lysyansky P.
Axisymmetric tandem mirror Ambal-M
 P 8 C2 8

... II-815

D. INERTIAL CONFINEMENT

Giulietti A., Afshar-rad T., Coe S., Willi O., Lin Z.Q., Yu W.
Effect of reduced coherence on the interaction of a laser beam with a long-scalelength preformed plasma
 O 8 D 2

...III-821

Batani D., Deha I., Giulietti A., Giulietti D., Gizzi L., Nocera L., Schifano E.
2 omega and 3/2 omega generation in laser produced plasmas from very thin plastic films
 P 2 D 1

...III-825

Palleschi V., Singh D.P., Vaselli M.
Core-corona coupling in a laser-irradiated spherical Z layered plasma target
 P 2 D 2

...III-829

Matsushima I., Tomie T., Koyama K., Yano M.
Effect of random phase plate irradiation on back scattering
 P 2 D 3

...III-833

Labaune C., Amiranoff F., Fabre E., Matthieussent G., Rousseaux C., Baton S.
Experimental study of laser-plasma interaction physics with short laser wavelength
 P 2 D 4

...III-837

Gamaly E.G., Lokteva O.V., Nikolaev F.A., Stukov O.I.
Generation of superhot electrons from laser plasmas at Delphin installation
 P 2 D 5

...III-841

Koermendi F.F.
Soliton propagation of laser pulses in a collisionless plasma
 P 2 D 6

...III-845

Willi O., Kiehn G., Edwards J., Barrow V., Smith R.A., Wark J., Rickard G.J., Bell A.R., Turcu E., Epperlein E.M.
Observations and two dimensional Fokker-Planck calculations of a short pulse, high power KrF laser-solid interaction
 P 2 D 8

...III-849

Singh D.P., Harith M.A., Palleschi V., Tropiano G., Vaselli M., Panarella E.
Simulation studies on the dynamics of imploding shock waves in spherical pinch experiments
 P 9 D 1

...III-853

Fabre E., Koenig M., Michard A., Fewes P.
Implosion studies at 0.26 micrometer laser wavelength
 P 9 D 4

...III-857

Toubhans I., Fabbro R., Gauthier J.C., Chaker M., Pepin H.
Photon transport and radiation losses in laser-created plasmas
 P 9 D 5

...III-861

Atzeni S., Guerrieri A.
2-D simulations of the implosion, collapse and stagnation of laser fusion shells
 P 9 D 6

...III-865

Hora H., Cicchitelli L., Kasotakis G., Phipps C., Miley G.H., Stening R.J.
Fusion gain calculations for ideal adiabatic volume compression and ignition with 100 MJ HF-laser driving
 P 9 D 9

...III-869

Davila J., Barrero A.
Hydrodynamics of layer-structured targets impinged by intense ion beams
 P 9 D 10

...III-873

E. PLASMA EDGE PHYSICS

Pitcher C.S., McCracken G.M., Stangeby P.C., Summers D.D.R.
Impurity production and transport at the JET belt limiter
 O 9 E 1

...III-879

Herrmann A., Laux M., Pech P., Reiner H.D.
Sol-plasma temperatures of T-10 observed with Langmuir probes
 O 9 E 2

...III-883

Nakazawa I., Shoji T., Alkawa H., Hoshino K., Kasai S., Kawakami T., Kawashima H., Kondoh T., Maeda H., Matsuda T., Matsumoto H., Miura Y., Mori M., Neufeld C.R., Odajima K., Ogawa H., Ogawa T., Ohtsuka H., Sengoku S., Suzuki N., Tamai H., Uesugi Y., Yamamoto T., Yamauchi T., Hanawa O., Hasegawa K., Honda A., Ishibori I., Kashiwa Y., Kazawa M., Kikuchi K., Okano H., Sato E., Seki N., Shibata T., Sihina T., Suzuki K., Tani T., Tokutake T., Uno S.
Divertor plasma characteristics during H-mode in JFT-2M tokamak
 O 9 E 3

...III-887

Bessenrodt-Weberpals M., Carlson A., Haas G., McCormick K., Neuhauser J., Tsois N., Verbeek H., ASDEX Team
Edge physics and its impact on the improved ohmic confinement in ASDEX
 P 2 E 1

...III-891