

**B. STELLARATORS**

Electron cyclotron radiation (ECR) asymmetry measurements at $2\omega_{He}$ in the L-2 stellarator. <b>First author:</b> D.K. Akulina	Th 55	B 1	II-431
Confinement studies of ECRH plasmas in a toroidal heliac. <b>First author:</b> G.D. Conway et al.	Th 56	B 2	II-435
Measurements of the fast ion distribution during neutral beam injection and ion cyclotron heating in ATF. <b>First author:</b> M.R. Wade et al.	Th 57	B 3	II-439
Bootstrap current studies in the Advanced Toroidal Facility. <b>First author:</b> M. Murakami et al.	Th 58	<b>B 4*</b>	II-443
Impurity transport in ATF and the effect of controlled impurity injection. <b>First author:</b> L.D. Horton et al.	Th 59	B 5	II-447
Transport study on ECH- and NBI- heated plasmas in the low-aspect-ratio helical system CHS. <b>First author:</b> H. Iguchi et al.	Th 60	B 6	II-451
Cleanup and improvement of operational performance of ATF by chromium and titanium gettering. <b>First author:</b> R.C. Isler et al.	Th 61	B 7	II-455
Confinement and stability on Heliotron E plasma. <b>First author:</b> K. Kondo et al.	Th 62	B 8	II-459
Efficiency of electron-cyclotron plasma heating in the L-2 stellarator. <b>First author:</b> Eh.D. Andryukhina et al.	Fr 49	B 9	II-463
Ray tracing during ECRH by X-wave on the second harmonic of $\omega_{ce}$ in L-2 stellarator. <b>First author:</b> K.M. Likin et al.	Fr 50	B 10	II-467
Particle transport and recycling studies on the W VII-AS stellarator. <b>First author:</b> F. Sardei et al.	Fr 51	B 11	II-471

\* This paper will also be presented orally on Tuesday 26 June at 14.50 hrs.

<b>H<math>\alpha</math>-spectroscopy on WVII-AS. First author: A. Dodhy et al.</b>	Fr 52	B 12	II-475
<b>Results from X-ray measurements on the Wendelstein W7-AS stellarator. First author: A. Weller et al.</b>	Fr 53	B 13	II-479
<b>First results with neutral injection into W VII-AS stellarator. First author: W. Ott et al.</b>	Fr 54	B 14	II-483
<b>Statistical analysis of electron heat conduction on W7-AS. First author: G. Kühner et al.</b>	Fr 48	B 15	II-484
<b>Two-ion ICRH heating in the flexible heliac TJ-II. First author: J.F. Miramar Blázquez</b>	Th 63	B 16	II-488
<b>Influence of TJ-II flexibility upon ECRH. First author: F. Castejón et al.</b>	Th 64	B 17	II-489
<b>Ideal interchange stability boundaries for stellarator configurations. First author: L. García</b>	Th 65	B 18	II-493
<b>Self-stabilization of ideal modes in a heliac. First author: C. Alejaldre et al.</b>	Th 66	<b>B 19*</b>	II-497
<b>Determination of Boozer magnetic coordinates. First author: A. López Fraguas et al.</b>	Th 67	B 20	II-501
<b>Bootstrap currents in heliac TJ-II configurations. First author: A. Rodríguez Yunta et al.</b>	Th 68	B 21	II-505
<b>Equilibrium and stability of high <math>\iota</math> TJ-II configurations. First author: A. López Fraguas et al.</b>	Fr 55	B 22	II-509
<b>A general theory of LMFP neoclassical transport in stellarators. First author: C.D. Beidler</b>	Fr 56	B 23	II-513

\* This paper will also be presented orally on Tuesday 26 June at 15.10 hrs.

<b>On the edge structure of the W VII-AS stellarator. First author: F. Rau et al.</b>	Fr 57	B 24	II-517
<b>Physics studies for the H-1 heliac. First author: B.D. Blackwell et al.</b>	Fr 58	B 25	II-521
<b>Study of plasma equilibrium currents in an 1=3 torsatron. First author: V.N. Kalyuzhnyj et al.</b>	Fr 59	B 26	II-525
<b>Impurity flux reversal in 1=2 torsatrons using RF heating. First author: D.L. Grekov et al.</b>	Fr 60	B 27	II-529

## C. ALTERNATIVE MAGNETIC CONFINEMENT SCHEMES

Ion temperature measurements on the ETA-BETA II RFP. <b>First author:</b> L. Carraro et al.	Tu 53	C 1*	II-533
Carbon emission measurements on the RFP ETA-BETA II. <b>First author:</b> M.E. Puiatti et al.	Tu 54	C 2	II-537
Shell gap modification and limiter insertion in the REPUTE-1 RFP. <b>First author:</b> S. Shinohara et al.	Tu 55	C 3	II-541
Observations of high energy electrons in TPE-1RM15 reversed field pinch. <b>First author:</b> Y. Yagi et al.	Tu 56	C 4	II-545
Coherent soft X-ray oscillations and magnetic flux regeneration in the REPUTE-1 RFP. <b>First author:</b> Y. Shimazu et al.	Tu 57	C 5	II-549
Impurity ion temperature and rotational velocity observations in the HBTX1C RFP. <b>First author:</b> R.A. Bamford et al.	Tu 58	C 6	II-553
Ion heating and confinement in the HBTX1C Reversed Field Pinch. <b>First author:</b> P.G. Carolan et al.	Tu 59	C 7**	II-557
Ion power loss in the HBTX1C Reversed Field Pinch. <b>First author:</b> K.J. Gibson et al.	Th 69	C 8	II-561
RFP plasma resistance following laser ablation of carbon. <b>First author:</b> B. Alper et al.	Th 70	C 9	II-565
Particle confinement in the HBTX1C Reversed Field Pinch. <b>First author:</b> M.J. Walsh et al.	Th 71	C 10	II-569
High current density toroidal pinch discharges with weak toroidal fields. <b>First author:</b> J.R. Drake et al.	Th 72	C 11	II-573

\* This paper will also be presented orally on Thursday 28 June at 13.30 hrs.

\*\* This paper will also be presented orally on Thursday 28 June at 13.50 hrs.

Relaxation, reconnection and the MHD dynamo. <b>First author:</b> D.A. Kitson et al.	Th 73	C 12	II-577
Magnetic and electrostatic fluctuation measurements on the ZT-40M reversed field pinch. <b>First author:</b> K.F. Schoenberg et al.	Th 74	C 13	II-581
Finite element analysis of helically symmetric equilibria. <b>First author:</b> T. Honma et al.	Th 75	C 14	II-585
MHD stability of a plasma with anisotropic component in the rippled magnetic field. <b>First author:</b> V.V. Arsenin	Tu 60	C 15	II-589
Hot electron plasmas instabilities in open traps OGRA-4 and OGRA-4K. <b>First author:</b> M.I. Belavin et al.	Tu 61	C 16	II-593
Self organization of wave coupling at SK/CG-1 machine and conceptual design of SK/CG-2. <b>First author:</b> S. Sinman et al.	Tu 62	C 17	II-597
FRC: TC-I machine results. <b>First author:</b> M. Machida et al.	Tu 63	C 18	II-601
Study of an FRC with n=1 external perturbations. <b>First author:</b> B.A. Nelson et al.	Tu 64	C 19	II-605
Optimization of pulse plasma production in Z-pinch systems. <b>First author:</b> L.I. Rudakov et al.	Tu 65	C 20	II 609
Extrap L-1 experimental stability. <b>First author:</b> J. Scheffel et al.	Tu 66	C 21	II-610
Dense plasma heating in a mirror trap during injection of 100 kJ microsecond electron beam. <b>First author:</b> A.V. Burdakov et al.	Th 76	C 22	II-614
On possibility of creating MHD-stable plasma distribution in axisymmetric paraxial mirror. <b>First author:</b> S.V. Kuz'min et al.	Th 77	C 23	II-618

Magnetic and Langmuir probe measurements in the SPHEX spheromak. <b>First author:</b> D.A. Kitson et al.	Th 78	C 24	II-622
Magnetic field configuration of FBX-II spherical torus. <b>First author:</b> M. Irie et al.	Th 79	C 25	II-626
Correlation between magnetic tearing and X-ray emission in coaxial discharges. <b>First author:</b> H.M. Soliman et al.	Th 80	C 26	II-630
Specific operational modes of high-current pinch discharges. <b>First author:</b> M. Sadowski et al.	Th 81	C 27	II-634
Field-reversed configurations: a search for a viable reactor option. <b>First author:</b> M. Heindler et al.	Th 82	C 28	II-638
Self-similar dynamics of fiber initiated high-density Z-pinch. <b>First author:</b> M.A. Liberman et al.	Fr 61	C 29	II-639
Improved understanding of current drive and confinement in spheromaks. <b>First author:</b> R.M. Mayo et al.	Fr 62	C 30	II-643
Diffusion-driven currents in a Z-pinch. <b>First author:</b> B. Lehnert	Fr 63	C 31	II-647
Passage of powerful current pulses through plasma layer. <b>First author:</b> L.E. Aranchuk et al.	Fr 64	C 32	II-651
New spectroscopic results from EXTRAP-T1 plasma. <b>First author:</b> J.H. Brzozowski et al.	Fr 65	C 33	II-655
Compression, heating and fusion in dynamic pinches stabilized by an axial magnetic field. <b>First author:</b> M.A. Liberman et al.	Fr 66	C 34	II-659
The dense Z-pinch project at Imperial College. <b>First author:</b> M.G. Haines et al.	Fr 67	C 35	II-663

#### D. MAGNETIC CONFINEMENT THEORY AND MODELLING

Turbulent drift of electrons across a magnetic field: the effect of an average electric field. <b>First author:</b> M.B. Isichenko et al.	Tu 98	D 1	II-667
Anomalous diffusion in plasmas across the magnetic field in approaching of strong turbulence. <b>First author:</b> A.B. Arutiunov et al.	Tu 99	D 2	II-671
Average magnetic surfaces in TBR-1 tokamak. <b>First author:</b> S.J. de Camargo et al.	Tu 100	D 3	II-675
Suppressing effect of electrostatic waves on drift wave instability. <b>First author:</b> Yongxiang YIN	Tu 101	D 4	II-679
Drift dissipative instabilities in a two electron temperature plasma. <b>First author:</b> M. Bose et al.	Tu 102	D 5	II-684
Effects of ripple losses on fusion alpha particle distributions. <b>First author:</b> G. Kamelander	Tu 103	D 6	II-685
Stationary spectra of short-wave low-frequency fluctuations in a finite-beta plasma. <b>First author:</b> P.P. Sosenko et al.	Tu 104	D 7	II-686
The effect of magnetic field perturbations on the numerically derived diffusion coefficient for the fast alpha particles. <b>First author:</b> E. Bittoni et al.	Tu 105	D 8	II-687
On diffusion of magnetic field lines. <b>First author:</b> D.F. Duchs et al.	Tu 106	D 9	II-691
Toroidal ion temperature gradient driven weak turbulence. <b>First author:</b> N. Mattor et al.	Tu 107	D 10*	II-695
On self-consistent distribution function of high-energy alpha particles in axisymmetric tokamak. <b>First author:</b> V.A. Yavorskij et al.	Tu 108	D 11	II-699

\* This paper will also be presented orally on Thursday 28 June at 14.10 hrs.

Magnetic island self-sustainment by finite Larmor radius effect. <b>First author:</b> M. Hugon et al.	Tu 109	D 12	II-703
The long wavelength limit of the ion-temperature gradient mode in tokamak plasmas. <b>First author:</b> F. Romanelli et al.	Tu 110	D 13	II-707
Solitary vortex solution of nonlinear $\eta_i$ -mode equations. <b>First author:</b> F. Romanelli et al.	Tu 111	D 14	II-711
Neoclassical transport calculations for "linear" MHD equilibria. <b>First author:</b> H. Werthmann et al.	Tu 112	D 15	II-715
Diffusion of ions in presence of nearly overlapping magnetic islands. <b>First author:</b> J.T. Mendonça et al.	Th 93	D 16	II-719
Toroidal $\eta_i$ -mode turbulence with collisional trapped electron effects. <b>First author:</b> A. Jarmén et al.	Th 94	D 17	II-723
The anomalous resistivity in the neutral sheet of the magnetotail. Guiding center theory in the reversed magnetic geometry. <b>First author:</b> Jian-lin MU et al.	Th 95	D 18	II-727
Specific edge effects on turbulence behaviour. <b>First author:</b> L. Laurent et al.	Th 96	D 19	II-728
Ripple induced stochastic diffusion of trapped particles in tokamak reactors. <b>First author:</b> J-P. Roubin et al.	Th 97	D 20	II-732
Microtearing modes. <b>First author:</b> X. Garbet et al.	Th 98	D 21	II-736
Modelling of improved confinements in tokamaks. <b>First author:</b> S.I. Itoh et al.	Th 99	D 22	II-740
The effect of the radial electric field on the L-H mode transition. <b>First author:</b> M. Tendler et al.	Th 100	D 23	II-744
A fast method for simulating $\alpha$ -particle orbits in tokamaks. <b>First author:</b> W.D. D'haeseleer	Th 101	D 24	II-748

The neoclassical effects on resistive MHD modes in general toroidal geometry. <b>First author:</b> Duk-in Choi et al.	Th 102	D 25	II-752
Low frequency electrostatic instabilities in a toroidal plasma with a hot ion beam. <b>First author:</b> M. Liljeström	Th 103	D 26	II-756
Radiation-induced $\eta_e$ -modes. <b>First author:</b> P.K. Shukla et al.	Th 104	D 27	II-760
Ionization and charge exchange effects on dissipative drift modes in an edge tokamak plasma. <b>First author:</b> D.K. Morozov et al.	Th 105	D 28	II-764
Equilibrium beta limit and alpha-particle containment in stellarators as a function of their aspect ratio. <b>First author:</b> F. Alladio et al.	Th 106	D 29	II-765
Collisionless two-fluid theory of toroidal $\eta_i$ stability. <b>First author:</b> J.P. Mondt et al.	Th 107	D 30	II-769
Modelling of transport in stochastic magnetic field regions. <b>First author:</b> M.A. Hellberg et al.	Th 108	D 31	II-773
Simplified models for radiational losses calculation in a tokamak plasma. <b>First author:</b> A.B. Arutiunov et al.	Tu 113	D 32	II-777
Physical accuracy estimate of global energy confinement scaling laws for tokamaks. <b>First author:</b> A.N. Chudnovskij et al.	Tu 114	D 33	II-781
Transport model of canonic profiles for ion and electron temperatures in tokamaks. <b>First author:</b> Yu.N. Dnestrovskij et al.	Tu 115	D 34	II-785
Plasma periphery influence on plasma core confinement under auxiliary heating. <b>First author:</b> S.I. Krasheninnikov et al.	Tu 116	D 35	II-789
Current density and energy transport in high temperature plasmas. <b>First author:</b> B. Coppi et al.	Tu 117	D 36	II-793
Unified physical scaling laws for tokamak confinement. <b>First author:</b> J.P. Christiansen et al.	Tu 118	D 37	II-797

Assessment of transport models on the basis of JET ohmic and L-mode discharges. <b>First author:</b> Ch. Sack et al.	Tu 119	D 38	II-801
A quantitative assessment of $\nabla T_i$ -driven turbulence theory based on JET experimental data. <b>First author:</b> F. Tibone et al.	Tu 120	D 39	II-805
Transport of scrape-off layer plasma in toroidal helical system. <b>First author:</b> K. Itoh et al.	Tu 121	D 40	II-809
Sensitivity of ignition conditions to plasma parameters for a compact tokamak. <b>First author:</b> G. Cenacchi et al.	Tu 122	D 41	II-813
Studies of burn control for ITER/NET. <b>First author:</b> H. Persson et al.	Tu 123	D 42	II-817
On tearing mode stabilization by local current density perturbations. <b>First author:</b> E. Westerhof	Fr 97	D 43*	II-821
Implementation of scaling laws in 1-1/2-d transport codes and applications to the ignition spherical torus. <b>First author:</b> A. Nicolai et al.	Fr 98	D 44	II-825
Simulation of density profile peaking and energy and particle transport in the IOC regime. <b>First author:</b> G. Becker	Fr 99	D 45	II-829
Unified $\chi_e$ scaling for the ohmic, L and intermediate regimes of ASDEX. <b>First author:</b> G. Becker	Fr 100	D 46	II-833
Changes in the density profile due to the m=2 tearing mode in ASDEX. <b>First author:</b> M.E. Manso et al.	Fr 101	D 47	II-837
Determination of off-diagonal transport coefficients from particle and power balance analysis. <b>First author:</b> O. Gruber et al.	Fr 102	D 48**	II-841

\* This paper will also be presented orally on Thursday 28 June at 14.50 hrs.

\*\* This paper will also be presented orally on Thursday 28 June at 15.10 hrs.

Thermal bifurcation and stability of an edge diverted plasma. <b>First author:</b> H. Capes et al.	Fr 103	D 49	II-845
On bootstrap current enhancement by anomalous electron-electron collisions. <b>First author:</b> A. Nocentini	Fr 104	D 50	II-849
Direct derivation of neoclassical viscosity coefficients in tokamaks. <b>First author:</b> J.D. Callen et al.	Fr 105	D 51	II-853
Tokamak density profiles associated with vanishing entropy production. <b>First author:</b> E. Minardi	Fr 106	D 52	II-857
Discrete Alfvén waves in cylindrical plasma: arbitrary beta and magnetic twist. <b>First author:</b> H. Shigueoka et al.	Th 109	D 53	II-861
Three wave interactions in dissipative systems. <b>First author:</b> J. Teichmann et al.	Th 110	D 54	II-864
Stationary states with incompressible mass flow in ideal MHD. <b>First author:</b> U. Gebhardt et al.	Th 111	D 55	II-868
Determination of the plasma current density profile in a tokamak from magnetic and polarimetric measurements. <b>First author:</b> J. Blum et al.	Th 112	D 56*	II-872
New evaluation of the fusion cross-sections. <b>First author:</b> H.-S. Bosch et al.	Th 113	D 57	II-873
The relaxation in two temperature plasma. <b>First author:</b> I.F. Potapenko et al.	Th 114	D 58	II-877
A multiple timescale derivative expansion method applied to the Fokker-Planck equation for the description of plasma relaxation and turbulent transport. <b>First author:</b> J.W. Edenstrasser	Th 115	D 59	II-881
Equilibria and dynamics of a fusion reactor plasma. <b>First author:</b> H. Wilhelmsson	Th 116	D 60	II-885

\* This paper will also be presented orally on Thursday 28 June at 14.30 hrs.

Numerical simulation of the internal kink $m = 1$ in tokamak. <b>First author:</b> H. Baty et al.	Th 117	D 61	II-889
Thermal plasma core instability. <b>First author:</b> A.B. Arutiunov et al.	Th 118	D 62	II-893
Numerical simulation of the tearing-mode in tokamak with non-circular cross section. New approach to study nonlinear evolution of resistive helical modes. <b>First author:</b> Yu.N. Dnestrovskij et al.	Th 119	D 63	II-894
Stabilisation of drift-tearing modes at the breakdown of the constant- $\psi$ approximation. <b>First author:</b> F. Porcelli et al.	Th 120	D 64	II-898
On the existence of a Benard-like convective instability in the sawtooth evolution. <b>First author:</b> F. Spineanu et al.	Th 121	D 65	II-902
Global, resistive stability analysis in axisymmetric systems. <b>First author:</b> A. Bondeson et al.	Th 122	D 66	II-906
Alpha-particle driven MHD instabilities in ignited tokamaks. <b>First author:</b> C.Z. Cheng	Th 123	D 67	II-910
To the question of adiabatic R-compression in tokamak. <b>First author:</b> N.N. Gorelenkov et al.	Th 124	D 68	II-914
Magnetic field structure at the onset of sawtooth relaxations. <b>First author:</b> J.T. Mendonça et al.	Fr 107	D 69	II-918
The $m = 1$ internal kink mode in a rotating tokamak plasma with anisotropic pressure. <b>First author:</b> H.J. de Blank	Fr 108	D 70	II-919
Interaction of resonant magnetic perturbations with rotating plasmas. <b>First author:</b> T.C. Hender et al.	Fr 109	D 71	II-923
The effect of the plasma shape on the accessibility of the second stability regime. <b>First author:</b> Oh Jin KWON et al.	Fr 110	D 72	II-927
Global ideal MHD stability of 3D plasmas with pseudo-vacuum treatment for free-boundary modes. <b>First author:</b> U. Schwenn et al.	Fr 111	D 73	II-931

Transition between resistive kink and Kadomtsev reconnection. <b>First author:</b> K. Lerbinger et al.	Fr 112	D 74	II-935
Tearing mode stabilization by energetic trapped ions. <b>First author:</b> D. Edery et al.	Fr 113	D 75	II-938
Asymptotic theory of the non-linearly saturated $m = 1$ mode in tokamaks with $q(0) < 1$ . <b>First author:</b> A. Thyagaraja et al.	Fr 114	D 76	II-942
Large gyroradius $m = 1$ Alfvén modes and energetic particles. <b>First author:</b> T.J. Schep et al.	Fr 115	D 77	II-946
Tearing modes in high-S plasmas. <b>First author:</b> A. Voge	Fr 116	D 78	II-950
Influence of triangularity and profiles on ideal-MHD beta limits for NET. <b>First author:</b> C.G. Schultz et al.	Fr 117	D 79	II-954
Influence of an X-point and its poloidal location on the ideal MHD stability of a quasi-circular tokamak. <b>First author:</b> A. Roy et al.	Fr 118	D 80	II-958
Simulation of MHD activity during density limit disruptions in JET. <b>First author:</b> R. Parker et al.	Fr 119	D 81	II-962
Effect of sheared toroidal plasma flows on equilibrium and stability of tokamaks. <b>First author:</b> A. Sen et al.	Fr 120	D 82	II-966
Alpha containment, heating, and stability in the IGNITEX experiment. <b>First author:</b> R. Carrera et al.	Fr 121	D 83	II-970