VI

<u>Part III</u>

| | during lower hybrid current drive experiments lic divertor in Tore Supra Goniche, M. | Page: 1042 | • Lower hybrid cur |
|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Propagation a | nd absorption of the lower hybrid wave in a non-axisymetric tokamak | Page: 1046 | Reconstruction of in the Princeton |
| | Peysson, Y. | | |
| | of suprathermal electron relaxation processes during lower-hybrid in Tore Supra Dudok de Wit, T. | Page: 105≬ | • Slowing down of |
| • Current profile | e control experiments in Tore Supra | Page: 1054 | • Radial diffusion of |
| | Hoang, G.T. | | |
| | tion, current ramp-up and current diffusion in Tore Supra lower hybrid scenarios Litaudon, X. | Page: 105≬ | Long time behavior measurement in 2 |
| Modeling of ad | vanced and steady-state scenarios in ITER with the ASTRA code | Page: 1062 | • Predicted current |
| | Wegrowe, JG. | | (|
| • Current drive | and magnetic field perturbations | Page: 106 | • Alfvén resonance |
| | Popel, S.I. | | ŀ |
| Quasi-optical | diffraction grill for excitation of lower-hybrid waves in tokamaks | Page: 107(| Recent results from the second sec |
| | Suvorov, E.V. | | F |
| | e effects in a plasma in front of waveguide structure radiating r hybrid waves Preinhaelter, J. | Page: 107 | Analysis of JET L current drive the S |
| Design of the on the CASTOR | | Page: 107 | • A stable route to |
| | Zacek, F. | | S |
| | imulations of wave-particle interactions id current drive | Page: 108 | Heating and curre |
| | Pāttikangas, T.J.H. | | c |
| First results of | LHCD experiments on the TdeV tokamak | Page: 108 | Current drive by the second |
| | Demers, Y. | | |

VII

| Page: 1042 | Lower hybrid current drive simulation with the TSC/LSC code for TdeV | Page: 1090 |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| | Shoucri, M. | |
| Page: 1046 | Reconstruction of equilibria modified during lower hybrid current drive in the Princeton beta experiment-modification Kaita, R. | Page: 1094 |
| Page:105≬ | • Slowing down of lower hybrid waves in discharge with runaway electrons | Page: 1098 |
| | Voitsekhovitch, I.A. | |
| Page: 1054 | • Radial diffusion of fast electrons in lower hybrid current drive | Page: 1102 |
| | Hatayama, A. | |
| Page:105≬ | Long time behaviour of LH wave-plasma coupling via high energy X-ray measurement in TRIAM-1M tokamak Yamagajo, T. | Page: 1106 |
| Page: 1062 | • Predicted current drive profiles from the new JET ICRF antenna | Page: 1110 |
| | Cox, M. | |
| Page: 1066 | Alfvén resonance effects on fast wave current drive | Page: 1114 |
| | Heikkinen, J.A. | |
| Page: 107(| Recent results from fast wave current drive experiments on DIII-D | Page: 1118 |
| | Pinsker, R.I. | |
| Page: 107 | Analysis of JET LHCD/ICRH synergy experiments in terms of relativistic current drive theory Start, D.F.H. | Page: 1122 |
| Page: 107 | • A stable route to high-ßp plasmas with non-monotonic Q-profiles | Page: 1126 |
| | Söldner, F.X. | |
| Page: 108 | • Heating and current drive in tight aspect ratio tokamaks | Page: 1130 |
| | Сох, М. | |
| Page: 108 | Current drive by the combination of lower hybrid and ICRF waves | Page: 1134 |
| | Ram, A.K. | |
| | | |

<u>Part III</u>

| Part III | | <u>Part III</u> | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Current profile control by lower hybrid waves and neutral beam injection in JT-60U Kondoh, T. | Page: 1138 | • Density profile measurements from ultra fast broadband reflectometry on ASDEX-Upgrade Silva, A. | Page: 1188 |
| Bootstrap current induced by high energy particles | Page: 1142 | • T-10 plasma investigations with new three waves heterodyne O-mode reflectometer | Page: 1192 |
| Taguchi, M. | | Dreval, V.V. | |
| • A method for measuring the inductive electric field profile and non-inductive current profiles on DIII-D Forest, C.B. | Page: 1146 | Observation of the low-frequency plasma turbulence by the microwave enhanced scattering and reflectometry techniques in the LH-heating experiments on FT-2 Stepanov, A.Yu. | Page: 1196 |
| Langevin formalism for current drive in plasmas Belo, J. | Page: 1 1 5≬ | Investigation of small-scale plasma fluctuations by the radar backscattering in the vicinity of the upper hybrid resonance <i>Gusakov, E.Z.</i> | Page: 1200 |
| Numerical simulation of current drive in tokamak T-10 S by simulated Raman scattering Kamelander, G. | Page: 1154 | • Applications and possibilities of pulsed radar reflectometry Heijnen, S. H. | Page: 1204 |
| Simulation of fusion alpha particle interaction with intense waves in a toroidal configuration Sipilä, S. | Page: 1 1 5 | • Electron temperature measurements by microwave transmission in Tore Supra Michelot, Y. | Page: 1208 |
| Radial flux of electrons carrying driven current during ECCD Liu, C. | Page: 1 1 6/ | Radar backscattering : the feasible diagnostics of low frequency turbulence in a tokamak Grésillon, D. | Page: 1212 |
| Pulse compression radar reflectometry for density measurements on fusion plasmas | Page: 116 | Ion cyclotron emission by spontaneous emission | Page: 1216 |
| Laviron, C. | | Da Costa, O. | |
| Electron density profile measurements by microwave reflectometry on Tore Supra | Page: 117 | • Electron temperature fluctuations in the core of the W7-AS stellarator | Page: 1220 |
| Clairet, F. | | Sattler, S. | |
| • Dual heterodyne-AM reflectometer measurements in the TJ-1 tokamak Branas, B. | Page: 1 1 7 | Studies of the density limit of elongated plasmas in TCV using a FIR interferometer Nieswand, C. | Page: 1224 |
| Edge density profile measurements on PBX-M using an amplitude modulation reflectometer | Page: 118 | • Asymptotic theory of electron cyclotron emission at upshifted frequencies | Page: 1228 |
| de la Luna, E. | | Tribaldos, V. | |
| New reflectometer diagnostics for JET: a comb reflectometer for the divertor re- gion and a broadband swept extraordinary mode reflectometer for the edge plasma <i>Cupido</i>, L. | Page: 118 | First combined emission-absorption measurements with the heterodyne radiometer at RTP Van Gelder, J.F.M. | Page: 1232 |

IX

<u>Part III</u>

| Plasma diagnostic through ion Bernstein waves Riccardi, C. | Page: 1236 | Comparison between different methods of magnetic field diagnostics in beam emission spectroscopy Voslamber, D. | Page: 1284 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Frequency-tuned microwave diagnostics based on enhanced scattering Heikkinen, J.A. | Page: 1240 | Two-photon induced Ly-alpha-fluorescence as a means for isotope- selective hydrogen density determination in tokamak plasmas Grützmacher, K. | Page: 1288 |
| Electromagnetic wave scattering spectra expected from an unsteady plasma Maafa, N. | Page: 1244 | Relaxation effects of X-ray line emission from highly ionized ions : extreme transient and non-Maxwellian conditions Rosmej, F.B. | Page: 1292 |
| High spatial resolution multiposition Thomson scattering system on RTP Chu, C.C. | Page: 1248 | • A spectroscopic method to directly measure nonthermal velocity fluctuations Zurro, B. | Page: 1296 |
| TheThomson scattering diagnostic on the TCV tokamak Behn, R. | Page: 1252 | • Determination of Ion temperatures from Zeeman broadened spectral lines in the edge of Tore Supra <i>Klepper, C.</i> | Page: 1300 |
| • Spatial correlation techniques using scattering of CO2 laser beam | Page: 1256 | • The JET multi-camera soft X-ray diagnostic | Page: 1304 |
| Guerra, R. | Page: 1260 | Alper, B. Two dimensional reconstruction of the radiation power density in ASDEX-Upgrade | Page: 1308 |
| Giannella, R. M. Prospects of real-time ion temperature and rotation profiles based on neutral- | Page: 1264 | Fuchs, J. C. Sawtooth filtering by singular value decomposition | Page: 1312 |
| network charge exchange analysis <i>König, R.W.T.</i> • High energy lithium-beam-sprectroscopy diagnostics on the | Page: 1268 | Bessenrodt-Weberpals, M. Observation of MHD phenomena with the visible light tomography system on RTP | Page: 1316 |
| Wendelstein 7-AS stellarator : first results McCormick, K. | 1 490. 1 2 0 0 | Ingesson, L.C. | Tage. 1010 |
| Lithium beam spectroscopy on ASDEX-Upgrade for determination of density profiles in the plasma edge Schweinzer, J. | Page: 1272 | Diagnostics of X-ray emission from PF-type facilities and its time correlation with particles pulses Sadowski, M. | Page: 1320 |
| First results from the new Zeff diagnostic at W7-AS based on the measurement of bremsstrahlung in the NIR spectral region Mandl, W. | Page: 1276 | Imaging of the electron distribution by measuring the angular distribution of bremsstrahlung Krivenski, V. | Page: 1324 |
| Routine average effective charge calculation using visible bremsstrahlung emis- sion and comparison with the impurity transport code in Tore Supra Guirlet, R. | Page: 1280 | Development and test of edge plasma diagnostics at the PSI1 - plasma generator Bohmeyer, W. | Page: 1328 |

XII

<u>Part III</u>

| Stanojevic, M. in w • Measurement of the spatial distribution of non-intrinsic impurities Page: 1336 on tokamak deposition probes by LIMS • Phys Bakos, J. S. • elect | primental stu pave-particl sics and eff prostatic-ine ative-energ ework of l |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| on tokamak deposition probes by LIMS Phys Bakos, J. S. elect | rostatic-ine ative-energ |
| | |
| | |
| Monte Carlo simulation of neutron diagnosticsby indium activation and Page: 1344 nuclear emulsions at TEXTOR Robouch, B.V. | energy prine |
| Diagnostics of ions within high intensity plasma streams Page: 1348 Nega Baranowski, J. | ative-energ |
| Hydrogen flux measurements with Pd-MOS capacitors in RFX and T1 Page: 1352 Phys Möller, A. | ical aspect |
| On the use of toroidal harmonics in the design of magnetic diagnostics Page: 1356 Stron van Milligen, B.Ph. | ngly nonline |
| Slow-surface-wave discharge tube as a plasma diagnostic probe (surfaprobe). Page: 1360 Analy | ytical metho parison with |
| Plasma diagnostics on ASDEX-Upgrade by means of carbon pellet injection Page: 1364 Analy | ysis of elect |
| Observation of Heliotron-E whisker magnetic flux surfaces Page: 136 and of divertor field lines structure by the diode method Sano, F. | excitation c |
| | tron-cyclotre |
| • Launching and propagation of drift waves in "GOLUX" Page: 137 | gy principle |

XIII

| in wave-particle | y of ion phase space in the approach to large scale chaos interaction Fasoli, A.F. | Page: 1382 |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------|------------|
| electrostatic-inerti | ts of grid-electric field perturbation on spherical ial confinement fusion Gu, Y.B. | Page: 1386 |
| framework of Ma | perturbations in circular cicylindrical equilibria within the axwell-drift kinetic theory Thrournoulopoulos, G.N. | Page: 1390 |
| • An energy princip | le for guiding centre equilibria with flow | Page: 1394 |
| Ľ | De Blank, H. J. | |
| Negative-energy ; | perturbations in symmetric Maxwell-Vlasov ßp≃1 equilibria | Page: 1398 |
| C | Correa-Restrepo, D. | |
| Physical aspects of | of nonlinear interactions in plasmas | Page: 1402 |
| F | Popel, S.I. | |
| Strongly nonlinear | waves in ion-beam plasma systems | Page: 1406 |
| F | Popel, S.I. | |
| comparison with | of solving explicitly nonlinear Vlasov equation and numerical simulations <i>Skarka, V.</i> | Page: 1410 |
| • Analysis of electro | static wave coupling in a magnetized plasma | Page: 1414 |
| F | Riccardi, C. | |
| • Self-excitation of | magnetic islands | Page: 1418 |
| ٨ | Ainardi, E. | |
| slowing-down equ | radiation in terms of the Fokker-Planck equation : uations, highly relativistic equilibria Bornatici, M. | Page: 1422 |
| • Energy principle in | ncluding boundary conditions as constraints | Page: 1426 |
| | | |

XIV

<u>Part III</u>

<u>Part III</u>

| Numerical solution of the Vlasov equation in the presence of a large amplitude wave Shoucri, M. | Page: 1 43≬ | Wave propagation in relativistic electron-positron plasmas Rooney, C.E. | Page: 1482 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Numerical simulation of the collisionless diffusion of particles and current across a magnetic field Shoucri, M. | Page: 143(| • Sources of outer space gamma bursts (radiation/particle spectra) Trubnikov, B.A. | Page: 1486 |
| Arbitrary amplitude electrostatic self-similar structures in a plasma Strasser, V.O. | Page: 143 | • Evolution of expanding plasma in magnetized background | Page: 1490 |
| Electrons correlations within the average atom model for swift heavy ions in dense plasmas Maynard, G. | Page: 144 | Dudnikova, G. I. Propagation of waves in dusty plasmas with variable charges on the dust particles Vladimirov, S.V. | Page: 1494 |
| High pressure shock generation and propagation in optically smoothed laser-plasmas Bossi, S. | Page: 144 | Helicon wave coupling to a finite plasma column Krämer, M. | Page: 1500 |
| • Superthermal electrons near the cut-off layer of intense electron plasma waves | Page: 145) | Coupled Langmuir and ion acoustic waves in collisional plasmas | Page: 1504 |
| Pättikangas, T.J.H. | | Vladimirov, S.V. | |
| • Acceleration of charged particles and photons in the wake of a short laser pulse in a thin channel Bulanov, S.V. | Page: 145(| Ion-atom collisions study of interest to magnetic fusion Katsonis, K. | Page: 1510 |
| Saturation of SRS by spatiotemporal chaos in coupled Langmuir decay Bers, A. | Page: 146 | n-resolved partial charge transfer cross sections for A[q+] + (He[+], Li[++]) collisions using CTMC method. Maynard, G. | Page: 1514 |
| Fast efficient plasma pushing by nonlinear laser forces and volume ignition for D-T fusion energy Hora, H. | Page: 146 | The scaling of required preionization rate for homogeneous formation of avalanche dischgarges in high pressure discharges Axnās, I. | Page: 1520 |
| Nonlinear propagation of intense electromagnetic waves in two-electron temperature collisional plasmas Shukla, P.K. | Page: 147 | • Elementary reactions at carbon surfaces under impact of H Küppers, J. | Page: 1524 |
| Exact analytical computation of relativistic solitary electron-positron structures in plasma with arbitrary strong magnetic field Skarka, V. | Page: 1 47 | Vacuum ultraviolet spectroscopy on electron cyclotron resonance multicharged ion source Kato, Y. | Page: 1528 |
| Field aligned flow evolution in magnetofluids Ireland, J. | Page: 1 47 | Characteristics of a DC glow discharge plasma with YBaCuO cathode : theory and simulation Cramer, N.F. | Page: 1532 |

XV

XVI

| Ablative discharge capillaries with a non-constant cross-section | Page: 1536 |
|--------------------------------------------------------------------------------------|------------|
| Ashkenazy, J. | |
| ICRF and Ohmic H-modes in Alcator C-Mod | Page: 1542 |
| Snipes, J. A. | |
| Pellet ablation study on currentless heliotron-E NBI and ECH plasmas | Page: 1546 |
| Sudo, Shigeru | |
| First measurements of tritium recycling in TFTR | Page: 1550 |
| Skinner, C.H. | |
| ullet MHD-activity in ohmic, diverted and limited H-mode plasmas in TCV | Page: 1554 |
| Pochelon, Antoine | |
| • The dynamics of shaping control in TCV | Page: 1551 |
| Moret, J.M. | |