

Contents

Part I: Poster Session P

| Title | Presenting Author | Page No: |
|---|-------------------|----------|
| • Confinement Studies in TEXT | Wootton A J | I-001 |
| • Nonlocal Transport Effects in Tokamak Electron Temperature Responses | Gentle K | I-005 |
| • p^* Scaling Experiments for ELMy H-Modes in JET | Balet B | I-009 |
| • Transport Analysis of the Giant ELM's in JET | Parail V | I-013 |
| • Improved Confinement and Transport Barrier in JT-60U | Koide Y | I-017 |
| • Determination of Central Particle Transport in ASDEX Upgrade | Gehre O | I-021 |
| • Transport Analysis of Completely Detached H-Mode Plasmas in ASDEX Upgrade | Becker G | I-025 |
| • Influence of Edge Instabilities on JET High Performance | Hender TC | I-029 |
| • TUMAN-3M Operation with Improved Confinement | Lebedev S | I-033 |
| • Magnetic Shear Dependence in Transport on TORE SUPRA Comparison with Local RLW Model | Guiziou L | I-037 |
| • New Dimensionless Scaling Law of Global Energy Confinement in TORE SUPRA for Ohmic Plasmas | Zou XL | I-041 |
| • Investigation of the Radial Electron Heat Pulse Propagation as Krämer-Function of the Toroidal Magnetic Field at TEXTOR | Flecken A | I-045 |
| • The Results of Injected Impurity Diffusion Studies in OH and ECR T-10 Plasma | Vershkov V | I-049 |
| • Analysis of Cold Pulses Produced by Impurity Injection in JET | De Angelis R | I-053 |

| Title | Presenting Author | Page No: | Title | Presenting Author | Page No: |
|--|-------------------|----------|--|-------------------|----------|
| • Neon Exhaust on TEXTOR-94 with Radiative Edge Cooling | Mank G | I-057 | • Hydrogen Pellet Ablation in Neutral Beam Heated Plasmas | Kuteev B | I-121 |
| • Helium Exhaust Studies in the TEXTOR-94 Tokamak | Post Zwicker | AI-061 | • Flow Structures of an Ablation Cloud with the On- and Off-Axis Pellet Injection in the JIPP T-IIU Tokamak | Sato KN | I-125 |
| • Behaviour of Laser Ablated Impurities in ASDEX Upgrade Discharges | Neu R | I-065 | • Non-adiabatic Pellet Ablation on the RTP Tokamak | Oomens A | I-129 |
| • Measurement and Modelling of Neon Line Emission Profiles of Radiating Boundary Discharges in ASDEX Upgrade | Dux R | I-069 | • Pellet Ablation Studies at TEXTOR94 | Sander M | I-133 |
| • Impurity Transport during H-mode with Edge Ergodization | Ogawa H | I-073 | • Measurements of Connection-Length Distribution in Heliotron-E Edge Region and its Limiter Effects | Sano F | I-137 |
| • Molybdenum Impurity Transport on FTU | Gabellieri L | I-077 | • Peaked Density Profiles and Wave Propagation in ECH Plasma on Heliotron-E | Nagasaki K | I-141 |
| • Bulk Plasma Impurity Behaviour with the New JET Configuration | Barnsley R | I-081 | • Measurements in the Edge Plasmas of Heliotron-E during ECH and NBI Heating | Peterson B | I-145 |
| • A Scaling Law for the Confinement Time of Non-Recycling Injected Impurities in JET and TORE SUPRA | Giannella R | I-085 | • Dipole Pfirsch-Schluter Toroidal Plasma Current in a Finite-Beta Stellarator/Heliotron Plasma on Heliotron-E | Besshou S | I-149 |
| • Possible Semi-Empirical Drift-Wave Models for the Simulation of Impurity Transport and their Comparison with JET Experiments | Lauro Taroni L | I-089 | • Electrostatic Fluctuation Measurements of the H-mode Plasma in CHS Heliotron/Torsatron | Ohdachi S | I-153 |
| • Sawteeth-induced Impurity Transport in Tokamak Plasmas | Odblom A | I-093 | • ECRH Effects on the Fast Ion Slowing-Down Process in Heliotron-E | Kurimoto Y | I-157 |
| • Ion Transport and Impurity Accumulation during Ohmic H-modes in the COMPASS-D Tokamak | Peacock N | I-097 | • Plasma Confinement Study with NBI and ECR Combination Heating in Helitron-E | Okada H | I-161 |
| • Identification and Measurement of Core Plasma Turbulence by Observation of Fast Electrons in Text-U | Giruzzi G | I-101 | • Steady State RFP Configuration with Toroidal Loop Voltage and Alpha Dynamo | Saito K | I-165 |
| • Evolution of Density Microturbulence during L-, H-, and VH-modes in DIII-D | Rettig C | I-105 | • Effect of Aspect Ratio on m=1 Spectrum Dynamics in the Reversed-Field Pinch | Mazur S | I-169 |
| • Fast Wave Electric Field Profiles using Reflectometry on DIII-D | Rhodes T | I-109 | • Characteristics of Edge Electrostatic Fluctuations in the Extrap T1 Reversed-Field Pinch | Li GX | I-173 |
| • Pellet Injection into H-mode Plasmas on DIII-D | Maingi R | I-113 | • Scaling of Global Power Balance and Magnetic Fluctuations with I/N in the Extrap T1 Reversed-Field Pinch | Hedin G | I-177 |
| • Improved Confinement Regime Induced by Injection of a Slow Deuterium Pellet into ECRH T-10 Tokamak Plasmas | Rozhansky V | I-117 | • First Results from the International RFP Confinement Database | Martin P | I-181 |

| Title | Presenting Author | Page No: | Title | Presenting Author | Page No: |
|---|-------------------|----------|--|-------------------|----------|
| • Stabilization of the Ideal $m=1$ Internal Kink by Ion Cyclotron Resonance Heating | McClements K | I-185 | • Fluid Modelling of Island Rotation in Tokamaks | Talvard M | I-249 |
| • Numerical Simulation of Moderate- n Ballooning Modes in Tokamaks | Lütjens H | I-189 | • Collisionless Ballooning Modes in a Toroidal Two-Ion-Component Plasma | Jarmen A | I-253 |
| • Ballooning Representation for Perturbations in the Presence of Shear Flows | Tessarotto M | I-193 | • The Effect of Sheared Axial Flow on the Linear Stability of the Z-pinch | Arber T | I-257 |
| • Disruption Control by the $m/n=9/5$ Static Helical Magnetic Field | Yu Q | I-197 | • Isolated Magnetic Islands in a Hot Tokamaks | Connor JW | I-261 |
| • Influence of Edge Currents and Pressure Gradients on the MHD Stability of Low- n External Kink Modes | Huysmans G | I-201 | • Stochastic Diffusion in Presence of Mode Locking in Reversed Field Pinch | Paccagnella R | I-265 |
| • The Change in the H-mode Dynamics due to Ripple Loss of Fast Ions | Itoh SI | I-205 | • The Transport Coefficients of a Fusion Plasma on an Intermediate MHD Timescale | Edenstrasser J | I-269 |
| • External Kink Modes in a Large Aspect Ratio Bootstrapped Tokamak | Eriksson G | I-209 | • Role of Radial Electric Field on Edge Turbulence and Transport in HL-I | Ran Li Bo | I-273 |
| • Stability Analysis of the $m=n=1$ Kink Mode in Toroidal Geometry by Direct Expansion of the Hydromagnetic Equations | Wahlberg C | I-213 | • Stochastic Structure of Edge Turbulence in Tokamaks | Budaev VP | I-277 |
| • Influence of Plasma Near Separatrix on Ideal MHD Stability in Tokamaks | Medvedev S | I-217 | • Study of Plasma Edge Turbulence via Conditional Probability Density Functions | Bengtson D | I-281 |
| • MARFE's: A Magnetohydrodynamic Stability Study of General Tokamak Equilibria | De Ploey A | I-221 | • The Effects of Connection Length on the Radial Profile of Fluctuation Induced Flux in Heliotron-E | Zushi H | I-285 |
| • Mechanism of Vertical Displacement Event in JT-60U Disruptive Discharge | Nakamura Y | I-225 | • Edge Fluctuations and Transport in The TBR-I Tokamak | Da Silva R | I-289 |
| • Computation of Fluid Dynamics in Tokamak Geometry: Turbulence and Transport | Scott B | I-229 | • Measurements of Turbulent Transport and T_e Fluctuations in TEXTOR | Boedo J | I-293 |
| • Local Stability Criteria and Type I Edge Localized Modes | de Blank H | I-233 | • Edge Turbulence Measurements During the L to H-mode Transition by Phase Contrast Imaging on DIII-D | Porkolab M | I-297 |
| • Magnetic Coordinates and Geodesic Curvature Minimisation for Tokamak Configuration | Micozzi P | I-237 | • Scrape-Off Layer Turbulence in the ASDEX Tokamak and the Wendelstein 7-AS Stellarator: T_e Fluctuations and Structures | Theimer G | I-301 |
| • Stabilization of Global MHD Instabilities by Toroidal Plasma Rotation | Chu MS | I-241 | • Comparative Studies of the Plasma Edge Turbulence in the TJ-IU Torsatron and in the TJ-I Tokamak | Pedrosa MA | I-305 |
| • Bifurcations and Magnetic Reconnection | Tebaldi C | I-245 | • Neutral Gas Pressure Measurements in the JET MK I Pumped Divertor | Ehrenberg J | I-309 |
| | | | • Recycling, Divertor Parameters and SOL Transport for High Performance Discharges in the New JET | McCormick K | I-313 |

| Title | Presenting Author | Page No: | Title | Presenting Author | Page No: |
|---|-------------------|----------|--|-------------------|----------|
| • Particle Exhaust of Helium Plasmas with Actively Cooled Outboard Pump Limiter on TORE SUPRA | Loarer T | I-317 | • Current Drive and Profile Control in Low Aspect Ratio Tokamaks | Chan V | I-377 |
| • Particle Exhaust and Wall Pumping Studies in ASDEX Upgrade | Haas G | I-321 | • First Results on Fast Wave Current Drive in Advanced Tokamak Discharges in DIII-D | Prater R | I-381 |
| • Divertor Particle Exhaust and Wall Inventory on DIII-D | Maingi R | I-325 | • First Results on ECCD in RTP | Polman RW | I-385 |
| • Simulation of ExB Diffusion of Ions in the Potential Fluctuations | Krlin L | I-329 | • Response of the Plasma Confinement on Shear Modification by Electron Cyclotron Current Drive at W7-AS | Erckmann V | I-389 |
| • A New Diagnostic for the Study of L/H Transition: Electric Fields from Ripple-Trapped Particle Measurements | Herrmann W | I-333 | • Simultaneous Measurement of Electric Field and Electron Density Fluctuations in Magnetized Plasma by means of Atomic/Molecular Beam of Hydrogen Isotopes | Kabantsev A | I-393 |
| • Electric Field near an Emitting Surface and Unipolar Arc Formation | Rozhansky V | I-337 | • Toothbrush Probe for Measurement of Radial Profile and Estimation of Transport Coefficients in Tokamak Boundary Plasma | Uehara K | I-397 |
| • Investigation of Momentum Detachment in a Static Gas Target | Borrass K | I-341 | • Optimization of Discharge Parameters for the JET Collective Thomson Scattering Experiments | Orsitto F | I-401 |
| • High Power ECRH in COMPASS-D | Whitehurst A | I-345 | • Experimental Evidence of Dynamic Effects on I-V Characteristic of Fast Swept Langmuir Probe | Anabitarte E | I-405 |
| • Enhanced Loss of Ions from Neutral Injection due to Stochastic Ripple Diffusion on ASDEX Upgrade | Noterdaeme JM | I-349 | • Measurements of Energetic Confined Alphas and Tritons on TFTR | Medley S | I-409 |
| • Kinetic Description of ECRH Produced Suprathermal Electrons in the Wendelstein 7-AS Stellarator | Rome M | I-353 | • Quantative Analysis of Deuterium and Helium after Plasma Shots by means of Resolved Mass Spectrometry | Gauthier E | I-413 |
| • ECRH Absorption of Second Harmonic X- and O-mode at the W7-AS Stellarator | Laqua H | I-357 | • Consistency and Precision of TCV Magnetic Measurements | Moret JM | I-417 |
| • Heating Power Density Profiles and Power Balance during ECRH at 140 GHz, 0.5 MVV, Fundamental Resonance, of the FTU Tokamak | Granucci G | I-361 | • Tokamak Investigations by Visualisation of Magnetic Field Perturbation | Mirnov S | I-421 |
| • The Power Dependence of EC Current Drive Efficiency in Tokamak T-10 | Kujanov A | I-365 | • Can Radiofrequency Langmuir Probes Measure SOL Ion Temperature? | Verplancke P | I-425 |
| • ECCD and ECH Effect on Sawtooth Oscillations on T-10 | Kislov D | I-369 | • Collective Scattering of powerful 140 GHz Radiation at W7-AS | Suvorov E | I-429 |
| • Radial Distribution of Suprathermal Electrons Measured with ECE | Preisiche S | I-373 | • A New Approach to Evaluation of I-V-Characteristics and application to Highly Collisional Divertor Plasmas | Gunther K | I-433 |

| Title | Presenting Author | Page No: |
|---|------------------------------|---------------------|
| • Drift Wave Trapping by Drift Vortices | Davydova TA | I-437 |
| • Sheared Flow Driven Drift-Dispersive Alfvén Waves | Birk GT | I-441 |
| • Observation of Short-Wavelength Ion-Acoustic Waves Accompanying Strong Langmuir Turbulence in a Magnetized Plasma | Burmasov V | I-445 |
| • Electrostatic Waves in Plasmas with Suprathermal Particles | Hellberg M | I-449 |
| • Ion Resonance Cones in a Magnetized Plasma | Riccardi C | I-453 |
| • Plasma Dielectric Tensor in a Tokamak | Puri S | I-457 |
| • Magnetic Reconnection in Collisionless Regimes | Coppi B | I-461 |