

CONTENTS

FOREWORD	xi
PREFACE	xiii
1 Introduction	1
Nomenclature	1
1.1. General Principles of MHD Power Generation	1
1.2. Possible MHD Cycles	3
1.2.1. Open-cycle System	4
1.2.2. Closed-cycle System	7
1.2.3. Liquid-metal Cycles	9
1.3. Factors Leading to the Proposed Cycle	10
References	17
2 Directly Fired Air Heaters	18
Nomenclature	18
Types of Air Heater	19
2.1. Checker Brick Regenerator	28
2.1.1. Design of Regenerator	29
2.1.2. Switchover Valves	37
2.1.3. High-temperature Ducts	41
2.1.4. Cost Estimates of the Checker Brick Regenerator	44
2.2. Liquid Slag Regenerator	44
2.2.1. Flow and Physical Properties of Potassium Sulphate and Coal Ash	46
2.2.2. Atomization of Slag	54
2.2.3. Transportation of Liquid Slag	73
2.2.4. Heat and Mass Transfer in the Heat Exchange Chambers	89
2.2.5. Aerodynamics of Heat Exchangers	100
2.2.6. Transfer of Granular Particles from Air-heating to Slag-heating Chamber	109
2.2.7. Layout and Cost of Liquid-slag Regenerator	111
2.3. Miscellaneous Air Heaters	120
2.3.1. Chemical Regeneration of Enthalpy	120
2.3.2. Moving Fluidized Bed Regenerator	129
2.4. Materials for Directly Fired Air Heaters	131
2.4.1. Corrosion	132
2.4.2. Mechanical Properties	141
2.4.3. Seed Penetration	154
2.4.4. Valves for Directly Fired Air Heaters	156
2.4.5. Metals for Air-heater Construction	157
References	158
3 Separately Fired Air Heaters	162
Nomenclature	162
Introduction	163
3.1. Ceramic Recuperator	164
3.1.1. Tube Matrix Design	164
3.1.2. Ceramic Tube Joints	176

3.1.3.	Vibration of Tubes in a Tubular Counterflow Ceramic Recuperator	172
3.1.4.	Recuperative Air-heater System Layout and Operation	183
3.1.5.	Cost Estimates	184
3.2.	Rotary Regenerator	184
3.2.1.	Matrix Design	185
3.2.2.	Matrix Dimensions	189
3.2.3.	Design of Rotary Regenerator	190
3.2.4.	Air-heating Scheme and Cost Estimates of the Rotary Regenerator	193
3.3.	Falling Cloud Regenerator	194
3.3.1.	Heat Transfer Material	194
3.3.2.	Heat-exchanger Configuration	196
3.3.3.	Chamber Dimensions	200
3.3.4.	Method of Conveying Particles between Heat-exchanger Vessels	206
3.3.5.	Construction Details and Cost Estimate	209
3.4.	Stationary Matrix Regenerator	212
3.4.1.	General Description of Plant	214
3.4.2.	Aerodynamic Modelling of Heat-exchanger Assembly	221
3.4.3.	Matrix Optimization—Test Facility	227
3.4.4.	Switchover Valves	231
3.4.5.	High-temperature Ducting	236
3.4.6.	Cost Estimates of the Stationary Matrix Pebble Bed Regenerator	240
3.5.	Separately Fired Air-heater Construction Materials	241
3.5.1.	Corrosion	241
3.5.2.	Mechanical Properties	249
3.5.3.	Valves for Separately Fired Air Heaters	255
3.5.4.	Materials for Combustion Chambers for Separately Fired Air Heaters	255
3.5.5.	Heat Transfer Properties of Refractory Materials	256
3.6.	Conclusion	258
	References	258
4	Combustion	261
	Nomenclature	261
4.1.	Coal Combustion	262
4.1.1.	Introduction	262
4.1.2.	Pilot-scale Combustors	268
4.1.3.	Test Equipment	272
4.1.4.	Slag-flow Behaviour	276
4.1.5.	Volatilization of Mineral Matter	280
4.1.6.	Heat Transfer to the Walls of the Pilot-scale Combustors	284
4.1.7.	Electrical Conductivity of the Gases in the Pilot-scale Combustors	290
4.1.8.	The Space Needed to Burn the Coal	293
4.1.9.	Layout and Estimated Performance of a "60 MW" Combustor	304
4.2.	Oil Combustion—Fundamental Studies	308
4.2.1.	Introduction	308
4.2.2.	Experimental Plant	310
4.2.3.	Development of Air-Fuel Mixer	324
4.2.4.	Measurement of Flame Temperature	333
4.2.5.	Measurement of Gas Electrical Conductivity	344
4.2.6.	Heat Fluxes and Combustion Intensity Using a Plug Flow Combustion Chamber	350

4.2.7.	Heat Fluxes and Combustion Intensity Using a Well-stirred Combustion Chamber	355
4.3.	Large-scale Combustors	374
4.3.1.	Reduction of Heat Transferred to the Chamber Walls	374
4.3.2.	Design of the 2000 MW (T) Combustion Chamber	389
	References	391
5	Duct Physics	393
	Nomenclature	393
5.1.	Physical Principles and One-dimensional Equations	395
5.2.	Gas Properties	397
5.2.1.	Thermodynamic Properties of Combustion Gases	397
5.2.2.	Electrical Properties of Combustion Gases	403
5.3.	Types of Generator and Loading Parameters	405
5.4.	Heat Transfer and Friction Effects	407
5.5.	Performance of Power Station MHD Ducts	416
5.5.1.	Assumptions and Boundary Conditions	416
5.5.2.	Methods of Analysis	419
5.5.3.	Parameter Values for Duct Calculations	421
5.5.4.	Design of a Segmented Electrode Faraday Generator	422
5.5.5.	Optimum Design of a Single-load, Cross-connected Generator	425
5.5.6.	Practical Single-load Generator Designs	429
5.6.	Effects due to Finite Segmentation and Non-uniformities	433
5.6.1.	Finite Segmentation: Basic Equations	434
5.6.2.	Evaluation of the Coefficients	436
5.6.3.	Numerical Methods	437
5.6.4.	Conformal Mapping	437
5.6.5.	Leakage Currents	442
5.6.6.	Current and Voltage Distributions on the Wall	443
5.6.7.	End Effects and Non-uniformities	444
5.6.8.	The Effect of Swirl	449
5.6.9.	Application of Results	449
5.7.	Instabilities	450
5.7.1.	Introduction	450
5.7.2.	Outline of the Theory	451
5.7.3.	Two-dimensional Instabilities	453
5.7.4.	Absolute Instabilities in Two Dimensions	454
5.7.5.	Conclusions	456
5.8.	Some Supersonic Flow Problems	456
5.8.1.	Characteristics of a Supersonic MHD Duct	456
5.8.2.	Shock Electrodynamics	458
5.8.3.	Boundary-layer Behaviour	460
	References	462
6	MHD Test Facilities and Diagnostics	463
	Nomenclature	463
6.1.	Survey of Rigs Used for Multi-purpose Tests	467
6.1.1.	The English Electric and International Research and Development Companies' Low-power Rigs	467
6.1.2.	The Associated Electrical Industries' and Central Electricity Research Laboratories' Medium-power Rigs	469
6.1.3.	Central Electricity Research Laboratories' Long-duration Rig	471

viii	<i>Contents</i>	
6.2.	Large Oxygen-fired MHD Rigs	473
6.2.1.	Factors Influencing the Design	473
6.2.2.	Design of the 200 MW Subsonic Cross-connected Generator	476
6.2.3.	Design for a 100 MW Supersonic Hall Generator	482
6.3.	Diagnostics	486
6.3.1.	Sodium D-line Temperature Measurement	487
6.3.2.	Conductivity Measurement	491
6.3.3.	c^* Measurement	494
	References	497
7	Electrodes and Insulators	499
	Nomenclature	499
7.1.	Introduction	499
7.2.	Metal Electrodes	506
7.2.1.	Introduction	506
7.2.2.	Erosion of Transverse Tubular Electrodes	507
7.2.3.	Erosion of Planar Copper	510
7.2.4.	Erosion of Other Electrode Materials	514
7.2.5.	Supporting Theoretical Work	520
7.2.6.	Electrode Capability under Generation Operating Conditions	524
7.2.7.	Assessment of Metal Electrodes	531
7.3.	Ceramic Electrodes	532
7.3.1.	General Survey	532
7.3.2.	Conduction Mechanisms in Zirconia Electrodes	539
7.3.3.	Electrode Design Problems	548
7.3.4.	Electrode Tests Using Ceramic Blocks	550
7.3.5.	Brush and Mesh Electrodes	554
7.3.6.	Ceramic Insert Electrodes	558
7.3.7.	Electrode Replenishment	566
7.3.8.	Lanthanum Chromite as an Electrode Material	568
7.3.9.	Assessment of Ceramic Electrodes	570
7.4.	Some Fundamental Erosion Experiments	571
7.4.1.	Erosion in Pure Gases	571
7.4.2.	Electrolytic Attack on Metals	575
7.4.3.	Electrolytic Erosion of Some Ceramics	583
7.5.	Protected Electrodes	586
7.5.1.	Arc Electrodes	586
7.5.2.	Quenched Arc Electrodes	590
7.6.	Insulators	597
7.6.1.	Requirements	597
7.6.2.	Materials Properties	598
7.6.3.	Designs	600
7.6.4.	Tests on Individual Insulators	601
	References	603
8	Magnets	606
	Nomenclature	606
8.1.	Magnetic Field Configuration Required	607
8.2.	Electromagnetic Calculations	610
8.2.1.	Fields, Forces and Stored Energy in Iron-free Coils	610
8.2.2.	Effects with Iron	613
8.3.	Choice of Materials	614
8.3.1.	Possible Conductors	614

	<i>Contents</i>	ix
8.3.2.	Cost Comparison	616
8.3.3.	Iron	617
8.4.	The Use of Superconductors	618
8.4.1.	General Considerations	618
8.4.2.	Stabilization by Parallel Normal Conductor	619
8.4.3.	Protection	623
8.5.	Superconducting MHD Generator Magnets	627
8.6.	Assessment of Superconducting Magnets	634
	References	637
9	Seed Recovery and Chemistry	638
	Nomenclature	638
9.1.	Introduction	639
9.2.	Impurities in Recycled Seed	640
9.2.1.	Build-up of Condensable Impurities	640
9.2.2.	Impurities from the Fuel	641
9.2.3.	Impurities from Plant Surfaces	642
9.2.4.	The Composition of Recovered Seed	642
9.2.5.	The Effect of Partial Purification of Recovered Seed	643
9.2.6.	Phase Separation in Molten Steady-state Seed	643
9.2.7.	"Steady-state Seed" Composition for Use in Experiments with Seed	645
9.3.	The Evaporation of Seed Particles	645
9.3.1.	Enthalpy Required for Seeding	645
9.3.2.	Theoretical Calculation of the Evaporation Rate of Potassium Sulphate	647
9.3.3.	Shock Wave Heating of Seed Particles	650
9.3.4.	Measurement of the Diffusion Coefficient of Potassium Sulphate through Nitrogen	652
9.3.5.	Spectroscopic Observation of the Evaporation and Decomposition of Potassium Sulphate in Flames	654
9.3.6.	Evaporation of Captive Drops of Potassium Sulphate	656
9.4.	The Chemical Behaviour of Potassium Seed in a MHD System	658
9.4.1.	Theoretical Basis of the Calculations	659
9.4.2.	Sources of Data	660
9.4.3.	Fuel Composition and Seeding Levels	662
9.4.4.	The Behaviour of Potassium	663
9.4.5.	Behaviour of Nitrogen	667
9.5.	Seed Condensation Temperatures	668
9.5.1.	Vapour Pressure Measurements by the Effusion Technique	669
9.5.2.	The Mass Spectroscopic Examination of K_2SO_4 Vapour	672
9.5.3.	The Vapour Pressure of K_2SO_4 by the Transpiration or Flow Technique	672
9.5.4.	The Effect of CO_2 and H_2O on the Evaporation of K_2SO_4	674
9.5.5.	Practical Condensation Temperatures	674
9.6.	The Chemistry of Seed Deposits on Heat Exchange Surfaces	676
9.6.1.	The Nature of the Deposit	676
9.6.2.	Experimental Procedure	677
9.6.3.	The K_2SO_4 - SO_3 System	678
9.6.4.	Effect of Adding V_2O_5 to the K_2SO_4 - SO_3 System	679
9.7.	The Handling of Potassium in a Coal-fired System	680
9.7.1.	Outline of the Problems	680
9.7.2.	The Absorption of Potassium by Coal-ash Slag	680
9.7.3.	Miscibility of Potassium Sulphate-Silicate System	683

9.8.	The Rate of Deposition of Potassium Sulphate	685
9.8.1.	The Rate of Condensation of Potassium Sulphate Vapour from Unsaturated Flue Gas	686
9.8.2.	The Transport of Fume across the Boundary Layer and the Effect of Deposits on Heat Transfer	690
9.8.3.	Combined Thermal Precipitation and Vapour Diffusion	696
9.8.4.	Deposition of Seed in a Large Boiler	701
9.9.	The Collection of Seed Fume from Exhaust Gases	701
9.9.1.	Electrostatic Precipitation	702
9.9.2.	The Nature of the Seed Collected in the Precipitator	703
9.9.3.	Electrical Conditions	704
9.9.4.	Dust Deposits on Electrodes	704
9.9.5.	Collection Efficiency in Electrostatic Precipitators	705
9.9.6.	The Effect of Rapping on Collection Efficiency	707
9.9.7.	Comparison of Pilot and Full-scale Precipitators	707
9.9.8.	Costs of Electrostatic Precipitators	710
9.9.9.	Bag filters	711
9.10	The Purification of MHD Seed	712
	References	714
10	Steam Plant Equipment	716
10.1.	Boiler Metals	716
10.1.1.	Modified Seed Composition	720
10.1.2.	Interpretation of Corrosion Results above 700°K	720
10.1.3.	Metals for Use below 700°K	721
10.1.4.	Present Conclusions on Metals in Seed-contaminated Boiler Plant	721
10.2.	Design of Steam Cycle Equipment for a 2000 MW (T) Plant	722
10.2.1.	Comparison with Conventional Oil-fired Conditions	722
10.2.2.	Proposed Steam Cycle	723
10.2.3.	General Design Features	725
10.2.4.	Relationships between the Steam Plant and Other Components	727
10.2.5.	Steam Plant Components	728
	References	751
11	Cycle Analysis and Appraisal	752
	Nomenclature	752
11.1.	Cycle Efficiency Calculations	753
11.1.1.	Summary of Boundary Conditions	753
11.1.2.	Analysis of a Directly Fired Air-heater Cycle	759
11.1.3.	Analysis of Separately Fired Air-heater Cycles	761
11.1.4.	Effect of Parameter Variation: All Low-grade Heat Absorbed	763
11.1.5.	Effect of Parameter Variation: Excess Low-grade Heat Rejected	770
11.1.6.	Integration of MHD with Existing Power Stations: a Method that Increases the Effective MHD Efficiency	773
11.1.7.	Oxygen Enrichment	778
11.2.	Economic Assessment	780
	References	784
	AUTHOR INDEX	785
	SUBJECT INDEX	787