

TABLE OF CONTENTS

I. Combustion Gas MHD Generators

- I.1.1 EXPERIMENT ON MHD GENERATOR WITH A LARGE SCALE SUPERCONDUCTING MAGNET (ETL MARK V), Y. Kusaka, T. Masuda, S. Ikeda, and T. Honda, Electrotechnical Laboratory, Tokyo, Japan.
- I.2.11 MARK VI MHD GENERATOR STUDIES, A. Solbes, S. Petty, I. Sadovnik, and R. Kessler, Avco Everett Research Laboratory, Inc., Everett, Massachusetts.
- I.3.19 EXPERIMENTAL INVESTIGATION OF MULTIPLELOADED DIAGONAL CONDUCTING WALL GENERATORS, J. W. Muehlhauser, Tran My, M. H. Scott, Y. C. L. Wu, and J. B. Dicks, The University of Tennessee Space Institute, Tullahoma, Tennessee.
- I.4.25 GASEOUS ELECTRODE DEVELOPMENT AT RMC, E. P. Scannell, M. T. Dooley, R. S. Hiers, G. E. Staats, and N. A. Bradley, Reynolds Metals Company, Energy Conversion Division, Sheffield, Alabama.
- I.5.31 THE DISK GEOMETRY APPLIED TO OPEN CYCLE MHD POWER GENERATION: EXPERIMENTS & THEORETICAL CONSIDERATIONS, J. Klepeis and V. Hruby, Avco Everett Research Laboratory, Inc., Everett, Massachusetts.
- I.6.38 DESIGN, CONSTRUCTION AND TESTING OF A COMPACT, LIGHTWEIGHT COMBUSTION DRIVEN MHD GENERATOR CHANNEL AND DIFFUSER, O. K. Sonju, D. E. Meader, D. W. Swallom, G. T. Heskey, Maxwell Laboratories, Inc., Woburn, Massachusetts; R. F. Cooper, J. F. Holt, and D. C. Rabe, Air Force Aero Propulsion Laboratory, Wright-Patterson AFB, Ohio.

II. Inert Gas MHD Generators

- II.1.1 RESULTS OF CLOSED CYCLE MHD POWER GENERATION TESTS WITH A HELIUM-CESIUM WORKING FLUID, R. J. Sovie, NASA Lewis Research Center, Cleveland, Ohio.
- II.2.7 MOLECULAR GAS PERFORMANCE OF A DISK GENERATOR WITH SWIRL, W. J. Loubsky, J. K. Lytle, J. D. Teare, and J. F. Louis, Massachusetts Institute of Technology, Cambridge, Massachusetts.
- II.3.14 EXPERIMENTAL FLUCTUATION ANALYSIS IN A NOBLE GAS MHD GENERATOR, W. M. Hellebrekers, A. Veefkind, and L. H. Th. Rietjens, Eindhoven University of Technology, The Netherlands.
- II.4.22 ARGON CONTAMINATION ASSOCIATED WITH CERAMIC REGENERATIVE HEAT EXCHANGERS FOR CLOSED CYCLE MHD, C. S. Cook and K. M. Dickinson, General Electric Company, Space Sciences Laboratory, King of Prussia, Pennsylvania.
- II.5.31 DETERMINATION OF THE NON-EQUILIBRIUM MHD GENERATOR OPTIMAL PARAMETERS IN A THERMONUCLEAR POWER STATION WITH "TOKAMAK" TYPE REACTOR, M. M. Malikov, V. E. Lukash, R. M. Nurgaliev, M. V. Polikovskiy, V. R. Satanovskiy, and A. L. Shevchenko, Institute of High Temperatures, Moscow, U.S.S.R.

III. Liquid Metal MHD Generators

- III.1.1 INITIAL GENERATOR TESTS WITH REVISED AMBIENT-TEMPERATURE LIQUID-METAL MHD FACILITY, G. Fabris, E. S. Pierson, A. K. Fischer, and C. E. Johnson, Argonne National Laboratory, Argonne, Illinois.
- III.2.8 SODIUM-NITROGEN LIQUID-METAL MHD FACILITY INITIAL TEST RESULTS, E. S. Pierson, P. V. Dauzvardis, and P. F. Dunn, Argonne National Laboratory, Argonne, Illinois.

IV. Materials

- IV.1.1 THE SECOND JOINT TEST OF AN U.S. ELECTRODE SYSTEM IN THE USSR U-02 FACILITY, G. Rudins, U.S. Energy Research & Development Administration, Washington, D.C.; S. J. Schneider, and T. Negas, National Bureau of Standards, Washington, D.C.; B. R. Rossing, Westinghouse Electric Corporation, Pittsburgh, Pennsylvania; J. L. Bates, Battelle Pacific Northwest Laboratories, Richland, Washington; and G. P. Telegin, T. I. Borodina, Yu. L. Dolinsky, and V. I. Zalkind, Institute of High Temperatures, Moscow, U.S.S.R.
- IV.2.13 CORROSION OF POTENTIAL MHD PREHEATER MATERIALS IN LIQUID SLAG AND SLAG-SEED, W. D. Callister, Jr., W. C. Seymour, and V. Griffiths, Montana College of Mineral Science and Technology, Butte, Montana.
- IV.3.18 DETERIORATION OF INSULATING WALL MATERIALS NEAR THE ELECTRODES, S. Korenaga, S. Kose, T. Masuda, and M. Iwasa, Electrotechnical Laboratory, Tokyo and Government Industrial Research Institute, Osaka, Japan.

- IV.4.12 ELECTRODES AND INSULATORS: DESIGN AND MATERIALS CONSIDERATIONS, H. P. R. Frederikse and W. R. Hosler, National Bureau of Standards, Washington, D.C.
- IV.5.29 GENERATOR WALL SLAG COATING AND MATERIALS CORROSION EXPERIMENTS, L. W. Crawford, C. K. Petersen, J. B. Dicks, and M. S. Beaton, The University of Tennessee Space Institute, Tullahoma, Tennessee.
- IV.6.34 DESIGN AND PERFORMANCE OF HIGH TEMPERATURE CERAMIC ELECTRODE MODULES, H. K. Bowen, R. L. Pober, J. Cordero, M. Yoshimura, J. L. Nash-Webber, J. F. Louis, and W. R. Cannon, Massachusetts Institute of Technology, Cambridge, Massachusetts.
- IV.7.40 PROGRESS IN TESTING OF REFRACTORIES FOR DIRECTLY FIRED MHD AIR HEATER SERVICE, II, J. E. Fenstermacher, L. R. White, and R. R. Smyth, Fluidyne Engineering Corporation, Minneapolis, Minnesota.
- IV.8.46 THE EVALUATION OF ELECTRODE MATERIALS FOR SLAG COATED MHD CHANNELS, L. H. Cadoff, H. D. Smith, and B. R. Rossing, Westinghouse Electric Corporation, Pittsburgh, Pennsylvania.

V. Diagnostics

- V.1.1 SPECTROSCOPIC DETERMINATION OF ELECTRICAL CONDUCTIVITY IN AN MHD DUCT FROM ABSOLUTE INTENSITY MEASUREMENTS, S. Y. Wang and J. Marlin Smith, NASA Lewis Research Center, Cleveland, Ohio.
- V.2.6 PLASMA LUMINOSITY FLUCTUATIONS AS A DIAGNOSTIC TOOL, M. H. Scott and J. B. Dicks, University of Tennessee Space Institute, Tullahoma, Tennessee.
- V.3.12 ELECTRON CONCENTRATION MEASUREMENTS IN COMBUSTION MHD FLOWS, S. A. Self, F. O. Reigel, and R. K. James, Stanford University, Stanford, California.
- V.4.18 SOME RESULTS OF MHD-LASER INVESTIGATION, L. M. Biberman, V. S. Vorobjev, R. S. Ivanov, V. T. Karpukhin, N. M. Koroley, A. A. Likalter, M. M. Malikov, A. V. Nedospasov, V. G. Petrov, G. I. Stotsky, A. E. Sheindlin, and E. M. Shelkov, Institute of High Temperatures, Moscow, U.S.S.R.

VI. Electrode and Wall Phenomena

- VI.1.1 CURRENT AND THERMAL INSTABILITIES IN THE ELECTRODE SURFACE REGION IN A COMBUSTION MHD GENERATOR CHANNEL, T. Kon, N. Kayukawa, Y. Ozawa, and Y. Aoki, Hokkaido University, Sapporo, Japan.
- VI.2.5 ELECTRICAL BEHAVIOR OF SLAG COATINGS IN COAL-FIRED MHD GENERATORS, J. K. Koester and R. M. Nelson, Stanford University, Stanford, California.
- VI.3.13 A STUDY OF THE MHD INSULATOR WALL BOUNDARY LAYER, R. R. Rankin, S. A. Self, and R. H. Eustis, Stanford University, Stanford, California.
- VI.4.14 AXIAL FIELD LIMITATIONS IN MHD GENERATORS, W. Unkel and C. H. Kruger, Stanford University, Stanford, California.
- VI.5.21 THE INFLUENCE OF THE TRANSVERSE CURRENT NONUNIFORMITY, CAUSED BY CURRENT LEAKAGES ONTO THE INSULATING WALLS OF THE CHANNEL, ON THE LOCAL CHARACTERISTICS OF A NONIDEAL MHD GENERATOR, V. V. Kirillov, Institute of High Temperatures, Moscow, U.S.S.R.
- VI.6.29 STUDY OF THE MAXIMUM HALL VOLTAGES AND INTERELECTRODE BREAKDOWN IN THE CHANNEL OF AN OPEN-CYCLE MHD GENERATOR: A JOINT U.S.-U.S.S.R. EXPERIMENT ON THE UO2 FACILITY MHD GENERATOR, D. K. Burenkov, Yu. L. Dolinsky, V. I. Zalkind, V. V. Kirillov, N. V. Strekalov, G. L. Uspenskaja, Institute of High Temperatures, Moscow, U.S.S.R.; and J. F. Louis, D. E. Hastings, M. Martinez-Sanchez, and D. A. Oliver, Massachusetts Institute of Technology, Cambridge, Massachusetts.

VII. Plasma and Flow Phenomena

- VII.1.1 OHM'S LAW FOR PLASMAS WITH NON-ISOTROPIC INHOMOGENEITIES AND ITS EFFECT ON THE PERFORMANCE OF MHD GENERATORS, S. E. Shamma, M. Martinez-Sanchez, and J. F. Louis, Massachusetts Institute of Technology, Cambridge, Massachusetts.
- VII.2.8 THREE DIMENSIONAL CURRENT DISTRIBUTION IN DIAGONAL CONDUCTING WALL CHANNELS, Y. C. L. Wu and G. Rajagopal, University of Tennessee Space Institute, Tullahoma, Tennessee.
- VII.3.13 COUPLED ELECTRICAL AND FLUID CALCULATIONS IN THE CROSS PLANE IN LINEAR MHD GENERATORS, C. D. Maxwell, D. M. Markham, S. T. Demetriades, and D. A. Oliver, STD Research Corporation, Arcadia, California.
- VII.4.21 CALCULATION OF END EFFECTS IN OPEN CYCLE MHD POWER GENERATORS, J. C. Cutting, C. D. Maxwell, and R. T. Ling, STD Research Corporation, Arcadia, California.

- VII.5.27 AN EXPERIMENTAL INVESTIGATION OF FLUCTUATING PROPERTIES WITHIN A COMBUSTION MHD GENERATOR, J. P. Barton, J. K. Koester, and M. Mitchner, Stanford University, Stanford, California.
- VII.6.34 A CONSIDERATION OF SOME THREE-DEMENTIONAL EFFECTS IN MHD CHANNEL, V. A. Biturin, V. N. Zatelepin, Institute of High Temperatures; and G. A. Lyubimov, Moscow State University, Mechanics Institute, Moscow, U.S.S.R.

VIII. Slag and Effects of Slag

- VIII.1.1 ELECTRODE PHENOMENA IN SLAGGING MHD CHANNELS, S. Petty, A. Demirjian, and A. Solbes, Avco Everett Research Laboratory, Inc., Everett, Massachusetts.
- VIII.2.13 SLAG FLOW AND CURRENT TRANSPORT IN A SIMULATED GENERATOR ENVIRONMENT, D. B. Stickler and R. DeSaro, Avco Everett Research Laboratory, Inc., Everett, Massachusetts.
- VIII.3.21 SOME PROPERTIES OF COAL SLAGS OF IMPORTANCE TO MHD, W. Capps, National Bureau of Standards, Washington, D.C.
- VIII.4.26 COMPARISON OF MEASUREMENTS AND PREDICTIONS OF THE FLUID MECHANICS AND THERMAL BEHAVIOR OF MHD CHANNEL SLAG LAYERS, M. E. Rodgers, P. C. Ariessohn, and C. H. Kruger, Stanford University, Stanford, California.
- VIII.5.32 ELECTRICAL CONDUCTIVITY OF MOLTEN COAL SLAGS CONTAINING POTASSIUM SEED, J. Lambert Bates, Battelle Pacific Northwest Laboratories, Richland, Washington.

IX. Auxiliary Components

- IX.1.1 HIGH TEMPERATURE COAL AND SLURRY COMBUSTOR ACCORDING TO A ONE-DIMENSIONAL FLOW MODEL, P. M. Chung and R. Scott Smith, Argonne National Laboratory, Argonne, Illinois.
- IX.2.8 DEVOLATILIZATION OF PULVERIZED COAL DURING RAPID HEATING, S. K. Ubhayakar, D. B. Stickler, R. E. Gannon, and C. W. vonRosenberg, Jr., Avco Everett Research Laboratory, Inc. Everett, Massachusetts.
- IX.3.13 SUBSONIC MHD-DIFFUSER PERFORMANCE WITH HIGH BLOCKAGE, E. D. Doss, Argonne National Laboratory, Argonne, Illinois.
- IX.4.20 IGNITION AND COMBUSTION BEHAVIOR OF PULVERIZED COAL JETS IN HOT OXIDIZING ATMOSPHERES, D. Stickler, S. K. Ubhayakar, and F. E. Becker, Avco Everett Research Laboratory, Inc., Everett, Massachusetts.
- IX.5.28 SUPERCONDUCTING MAGNET DEVELOPMENT FOR MHD PROGRAM, J. E. C. Williams, D. B. Montgomery, B. A. Apgar, B. M. Bailey, E. S. Bobrov, Y. Iwasa, P. G. Marston, and M. N. Wilson, Francis Bitter National Magnet Laboratory, Cambridge, Massachusetts; and G. Rudins, U. S. Energy Research & Development Administration.
- IX.6.34 INVESTIGATIONS OF FACTORS INFLUENCING POTASSIUM SEED RECOVERY IN A DIRECT COAL-FIRED GENERATOR SYSTEM, K. Tempelmeyer, L. Shen, L. Becker, M. Beaton, and J. Martin, The University of Tennessee Space Institute, Tullahoma, Tennessee.
- IX.7.41 A HEAT CAPACITOR FOR MHD ELECTRIC POWER GENERATION SYSTEM, T. C. Robles and R. M. Johnson, Montana State University, Bozeman, Montana.

X. MHD Systems

- X.1.1 DYNAMIC MODELING AND CONTROL OF MAGNETOHYDRODYNAMICS/STEAM ELECTRICAL POWER GENERATING PLANTS, J. D. Aspnes, University of New Hampshire, Durham, New Hampshire; and D. A. Pierre, Montana State University, Bozeman, Montana.
- X.2.8 PART-LOAD PERFORMANCE AND VOLTAGE-CURRENT CHARACTERISTICS OF A BASE LOAD MHD GENERATOR, R. J. Rosa, Montana State University, Bozemen, Montana.
- X.3.11 ECONOMIC AND ENERGY CONSIDERATIONS IN MHD SEED REGENERATION, P. D. Bergman, D. Gyorke, and D. Bienstock, U. S. Energy Research & Development Administration, Pittsburgh, Pennsylvania; W. Sawko, University of Pittsburgh School of Medicine, Pittsburgh, Pennsylvania; and T. George, U. S. Bureau of Mines, Morgantown, West Virginia.
- X.4.24 MHD SYSTEMS WITH LOW COOLING REQUIREMENTS, K. D. Annen and R. H. Eustis, Stanford University, Stanford, California.

- X.5.29 COAL FIRED - NON-EQUILIBRIUM CLOSED CYCLE MHD POWER PLANT SYSTEM SINCE ECAS, C. H. Marston, L. K. Davis, D. A. Rogers, and B. Zauderer, General Electric Company, Philadelphia, Pennsylvania; J. Bazan, Foster-Wheeler Energy Company, Livingston, New Jersey; and J. Parsons, General Electric Company, Schenectady, New York.
- X.6.37 STATUS OF THE REFERENCE DUAL CYCLE MHD - STEAM POWER PLANT, W. D. Jackson, U. S. Energy Research & Development Administration, Washington, D.C.; R. L. Lawit, R. A. Stoudt, and M. G. Klett, Gilbert Associates, Inc., Reading, Pennsylvania; and J. C. Cutting and C. D. Maxwell, STD Research Corporation, Arcadia, California.
- X.7.45 OPEN CYCLE COAL BURNING MHD POWER PLANTS FOR COMMERCIAL SERVICE, J. C. Cutting and R. F. Schnorr, STD Research Corporation, Arcadia, California; R. L. Lawit and B. Headman, Gilbert Associates, Inc., Reading, Pennsylvania; and P. S. Zygielbaum, Electric Power Research Institute, Palo Alto, California.