

TABLE OF CONTENTS

A. Open Cycle I

- A.1.1. DESIGN DESCRIPTION AND PERFORMANCE PREDICTIONS FOR THE FIRST CDIF POWER TRAIN, G. Enos, J. Morenski, S. Petty and A. Solbes, Avco Everett Research Laboratory, Inc., Everett, Massachusetts.
- A.2.1. PRELIMINARY RESULTS IN THE NASA LEWIS H₂-O₂ COMBUSTION MHD EXPERIMENT, J. M. Smith, NASA Lewis Research Center, Cleveland, Ohio.
- A.3.1. LONG DURATION CHANNEL DEVELOPMENT AND TESTING, A. Demirjian, V. Hruby, S. Petty and A. Solbes, Avco Everett Research Laboratory, Inc., Everett, Massachusetts.
- A.4.1. ELECTRICAL CHARACTERISTICS OF AN ARC-MODE SLAGGING ELECTRODE GENERATOR, J. K. Koester and R. M. Nelson, Stanford University, Stanford, California.
- A.5.1. STUDY OF THE U-25B MHD GENERATOR SYSTEM IN STRONG ELECTRIC AND MAGNETIC FIELDS, A. D. Iserov, V. I. Maksimenko, G. I. Maslennikov, A. P. Nefedov, M. Ya. Panovko, D. S. Pinkhasik, V. D. Semenov, Yu. N. Sokolov, and I. A. Vasilyeva, Institute of High Temperatures, U.S.S.R. Academy of Sciences, Moscow, U.S.S.R.; K. Tempelmeyer, T. Zinneman, M. Kraimer, E. Doss, C. Lenzo, Argonne National Laboratory, Argonne, Illinois; W. Unkel and J. Louis, Massachusetts Institute of Technology, Cambridge, Massachusetts; R. Rosa, Montana State University, Bozeman, Montana; and Y. Wu, University of Tennessee, Tullahoma, Tennessee.
- A.6.1. LOCAL ANALYSIS OF ELECTRICAL PERFORMANCE OF THE U-25B GENERATOR, J. Teare, W. Unkel, J. Louis, Massachusetts Institute of Technology, Cambridge, Massachusetts, and J. Koester, Stanford University, Stanford, California.

B. Open Cycle II

- B.1.1. APPROXIMATE THREE-DIMENSIONAL SOLUTION FOR FINITELY SEGMENTED FRAME-TYPE MHD CHANNELS, W. Unkel, Massachusetts Institute of Technology, Cambridge, Massachusetts.
- B.2.1. SUBSONIC MHD CHANNEL OPERATION WITH HIGH INTERACTION, R. Kessler, A. W. McClaine, and A. Solbes, Avco Everett Research Laboratory, Inc., Everett, Massachusetts.
- B.3.1. PERFORMANCE OF DISK GENERATORS FOR OPEN-CYCLE MHD POWER GENERATION, Takashi Nakamura and Marion K. Jenkins, Stanford University, Stanford, California.
- B.4.1. MODELING OF MHD CHANNEL BOUNDARY LAYERS USING AN INTEGRAL APPROACH, J. Gertz, T. Opar, A. Solbes and G. Weyl, Avco Everett Research Laboratory, Inc., Everett, Massachusetts.
- B.5.1. RADIATIVE AND CONVECTIVE HEAT TRANSFER IN THE MHD GENERATOR DUCT, L. M. Biberman, S. A. Medin, A. Kh. Mnatsakanian, V. N. Zatelepin, and M. B. Zheleznyak, Institute of High Temperatures of the U.S.S.R. Academy of Sciences, Moscow, U.S.S.R., and G. A. Lyubimov, Institute of Mechanics, Moscow State University, Moscow, U.S.S.R.
- B.6.1. INVESTIGATIONS OF HEAT TRANSFER FROM PLASMA FLUX TO ELECTRODE AND INSULATING WALLS OF THE MHD GENERATOR CHANNEL, B. Zaporowski and J. Roszkiewicz, Technical University of Poznan, Poland.

C. Slag Seed & Air Heaters

- C.1.1. APPLICATION OF BLACK-LIQUOR BOILER TECHNOLOGY TO MHD HEAT AND SEED RECOVERY EQUIPMENT DESIGN, P. R. Sheth, R. L. Lawit, M. G. Klett, Gilbert Associates, Inc., Reading, Pennsylvania.
- C.2.1. CONDENSATION AND DEPOSITION OF SEED IN THE MHD BOTTOMING PLANT, Kwan H. Im, John Patten, Terry R. Johnson, and Kenneth Tempelmeyer, Argonne National Laboratory, Argonne, Illinois.
- C.3.1. AN EVALUATION OF CANDIDATE SEED PROCESSING SYSTEMS FOR OPEN CYCLE MHD, E. J. Lahoda and T. E. Lippert, Westinghouse Electric Corporation, Pittsburgh, Pennsylvania.
- C.4.1. A FOUR-COMPONENT MODEL FOR THE VAPORIZATION OF SEEDED SLAGS--THE SYSTEM $KO_{0.5}-CaO-AlO_{1.5}-SiO_2$, I. Eliezer, N. Eliezer, R. Howald and P. Viswanadham, Montana State University, Bozeman, Montana.
- C.5.1. WETTABILITY AND CORROSION OF MHD CERAMICS BY ROSEBUD COAL SLAG, R. Guidotti, L. Bentsen, and J. Rasmussen, Montana Energy and MHD Research and Development Institute, Inc., Butte, Montana.

- C.6.1. OPERABILITY AND MATERIALS TESTING FOR MHD AIR HEATERS, D. P. Saari, R. R. Smyth, C. J. Kniebel, L. R. White, Fluidyne Engineering Corporation, Minneapolis, Minnesota.
- C.7.1. SLAG DEPOSITION IN A REGENERATIVE HEAT EXCHANGER OVER 750 HOURS OF OPERATION, H. W. Townes, T. C. Reihman, C. J. Mozer, and T. A. Ameel, Montana State University, Bozeman, Montana.
- C.8.1. PARTICULATE SIZE AND RATES OF PRESSURE DROP INCREASE IN AN MHD AIR PREHEATER, H. W. Townes, T. C. Reihman, C. J. Mozer, and T. A. Ameel, Montana State University, Bozeman, Montana.

D-1. Magnet and Materials

- D-1.1.1. SUPERCONDUCTING MHD MAGNETS: TECHNOLOGY DEVELOPMENT, PROCUREMENT AND THE PATH TO COMMERCIAL SCALE, P. Marston, D. Montgomery, J. Williams, and A. Dawson, Massachusetts Institute of Technology, Cambridge, Massachusetts.
- D-1.2.1. A MODULAR DESIGN FOR A SUPERCONDUCTING MAGNET FOR THE ETF AND LARGER MHD GENERATORS, Jacob L. Zar, Avco Everett Research Laboratory, Inc., Everett, Massachusetts.
- D-1.3.1. A SUPERCONDUCTING DIPOLE MAGNET FOR THE CFFF MHD FACILITY AT THE UNIVERSITY OF TENNESSEE SPACE INSTITUTE, S-T. Wang, L. R. Turner, R. C. Niemann, L. Genens, W. Pelczarski, J. Gonczy, J. Hoffman, K. Mataya, H. Ludwig, S-H. Kim, R. Smith, J. Dawson, and E. Kraft, Argonne National Laboratory, Argonne, Illinois, W. Young, University of Wisconsin, Madison, Wisconsin, S. Stoy and P. C. VanderArend, Cryogenic Consultants, Inc., Allentown, Pennsylvania.
- D-1.4.1. THE EFFECT OF ELECTROCHEMICAL AND ARCING PHENOMENA ON ELECTRODE DURABILITY, L. Cadoff, S. Lau, and B. Rossing, Westinghouse Research and Development Center, Pittsburgh, Pennsylvania.
- D-1.5.1. DEVELOPMENT OF ELECTRODES BASED ON YTTRIUM CHROMITES AND RARE EARTH DOPED HAFNIA FOR MHD GENERATOR APPLICATIONS, D. Marchant and J. L. Bates, Pacific Northwest Laboratory, Richland, Washington.
- D-1.6.1. PERFORMANCE OF U.S. ELECTRODES-INSULATORS TESTED IN THE U.S.S.R. U-02: PHASE III, J. L. Bates and J. L. Daniel, Pacific Northwest Laboratory, Richland, Washington; B. Rossing and J. W. Sadler, Westinghouse Electric Company, Pittsburgh, Pennsylvania; W. Hosler and T. Negas, National Bureau of Standards, Washington, D.C.

D-2. Liquid Metal & Closed Cycle

- D-2.1.1. CONTROL OF LIQUID METAL-GAS TWO PHASE FLOW BY APPLICATION OF AXIAL MAGNETIC FIELD, Y. Fujii-e, M. Saito, H. Nagae and S. Inoue, Osaka University, Suita-shi, Osaka, Japan.
- D-2.2.1. HIGH-POWER-DENSITY LIQUID-METAL MHD GENERATOR RESULTS, HIGH-TEMPERATURE LIQUID-METAL MHD GENERATOR EXPERIMENTS, G. Fabris, E. S. Pierson, I. Pollack, P. Dauzvardis, W. Ellis, P. F. Dunn, and J. D. Staffon, Argonne National Laboratory, Argonne, Illinois.
- D-2.3.1. OPEN-CYCLE COAL-FIRED LIQUID-METAL MHD, E. S. Pierson, M. Petrick, F. Schreiner, and D. Cohen, Argonne National Laboratory, Argonne, Illinois.
- D-2.4.1. EXPERIMENTS ON THE NONUNIFORM DISCHARGE STRUCTURE IN NOBLE GAS MHD GENERATORS, W. M. Hellebrekers, A. Veefkind and C. A. Borghi, Eindhoven University of Technology, Eindhoven, The Netherlands.
- D-2.5.1. NONEQUILIBRIUM DISK GENERATOR STUDIES, J. Lytle, W. Loubsky, M. Rosenbaum, and J. Louis, Massachusetts Institute of Technology, Cambridge, Massachusetts.
- D-2.6.1. EXPERIMENTAL STUDIES OF AN INERT GAS DISK MHD GENERATOR WITH A SMALL SEED FRACTION, S. Shioda, H. Yamasaki, K. Matsutani and H. Sato, Tokyo Institute of Technology, Tokyo, Japan.

E. Discharge & Plasma Effects

- E.1.1. IMPURITY EFFECTS ON NON-EQUILIBRIUM MHD GAS HEATED BY A FOSSIL FUEL-FIRED HEAT EXCHANGER, K. Yoshikawa, K. Okada and M. Ishikawa, Kyoto University, Uji, Kyoto, Japan.
- E.2.1. TURBULENCE DAMPING IN MHD GENERATORS, R. R. Rankin, University of Sydney, Sydney, Australia.
- E.3.1. ON A MODEL OF ARC DISCHARGES IN AN MHD GENERATOR CHANNEL, V. A. Bitiurin, G. A. Lyubimov, Institute of High Temperatures and Moscow State University, Moscow, U.S.S.R.

- E.4.1. PLASMA MEASUREMENTS OF JOULE HEATING EFFECTS IN THE NEAR ELECTRODE REGION OF AN OPEN CYCLE MHD GENERATOR, R. K. James and C. H. Kruger, Stanford University, Stanford, California.
- E.5.1. ELECTRICAL NONUNIFORMITIES IN U-25 MHD CHANNELS, A. E. Buznikov, V. I. Kovbasiuk, S. I. Pishikov, B. Ya. Shumiatski, Institute of High Temperatures, U.S.S.R. Academy of Sciences, Moscow, U.S.S.R.

F. Control - Inverters

- F.1.1. DESIGN, CONSTRUCTION AND INITIAL OPERATION OF AN MHD INVERTER SYSTEM FOR THE MARK VI GENERATOR. A. Chaffee, I. Quijano, A. Solbes, A. Humphrey and J. Mandalakas, Avco Everett Research Laboratory, Inc., Everett, Massachusetts.
- F.2.1. A ROTARY INVERTER SYSTEM FOR A MULTIPLE-ELECTRODE MHD GENERATOR, C. St. J. Lamb, S. Ramakrishnan and H. K. Messerle, University of Sydney, Sydney, Australia.
- F.3.1. CHARACTERIZATION OF DYNAMIC INFLUENCES IN A COAL-FIRED MHD SYSTEM, M. H. Scott, W. E. Baucum, and G. A. Suneson, The University of Tennessee Space Institute, Tullahoma, Tennessee.
- F.4.1. FIRST-PRINCIPLE COMPONENT MODELS FOR CONTROL SYSTEM SIMULATION OF MHD-STEAM PLANTS, D. A. Pierre and D. A. Rudberg, Montana State University, Bozeman, Montana.

G. Systems - I

- G.1.1. OXYGEN-ENRICHED AIR PRODUCTION FOR MHD APPLICATIONS - A POWER AND COST ANALYSIS, R. W. Ebeling, Jr., and J. C. Cutting, Gilbert Associates, Inc., Reading, Pennsylvania.
- G.2.1. MHD PERFORMANCE CALCULATIONS WITH OXYGEN ENRICHMENT, C. Pian, P. Staiger and G. Seikel, NASA Lewis Research Center, Cleveland, Ohio.
- G.3.1. CONCEPTUAL DESIGN OF AN MHD/STEAM POWER PLANT OF PILOT SCALE (ETF) AND PRELIMINARY ANALYSES OF EARLY COMMERCIAL MHD POWER PLANTS, F. Becker, F. Hals, R. Kessler and L. Westra, Avco Everett Research Laboratory, Inc., Everett, Massachusetts; W. Morgan, Chas. T. Main, Inc., Boston, Massachusetts; and C. Bozzuto, Combustion Engineering, Inc., Windsor, Connecticut.
- G.4.1. A 250 Mwt MHD ENGINEERING TEST FACILITY (ETF) SYSTEM DESIGN, Charles H. Marston, Charles S. Cook, Lewin Terrey and Bert Zauderer, General Electric Company, Philadelphia, Pennsylvania.
- G.5.1. COUPLED GENERATOR AND COMBUSTOR PERFORMANCE CALCULATIONS FOR POTENTIAL EARLY COMMERCIAL MHD POWER PLANTS, T. C. Dellinger, J. G. Hnat and C. H. Marston, General Electric Company, King of Prussia, Pennsylvania.

H. Systems - II

- H.1.1. NATIONAL R&D PROGRAM ON MHD IN JAPAN, S. Korenaga, T. Homma, I. Todoriki, Agency of Industrial Science and Technology, Tokyo, Japan.
- H.2.1. PRELIMINARY ASSESSMENT OF THE REQUIREMENTS AND POTENTIAL OF OPEN CYCLE MHD AS AN ELECTRIC UTILITY POWER PLANT, F. D. Retallick, D. A. McCutchan, T. E. Lippert, and K. D. Le, Westinghouse Electric Corporation, Pittsburgh, Pennsylvania.
- H.3.1. THE RETROFIT APPROACH TO MHD DEMONSTRATION AND COMMERCIALIZATION, J. Griswold, J. Moyer and M. Wehrey, Southern California Edison Company, Rosemead, California.
- H.4.1. A MODULAR APPROACH TO AN ENGINEERING TEST FACILITY AND BEYOND, R. Johnson and D. Rudberg, Montana State University, Bozeman, Montana.
- H.5.1. RETROFIT APPLICATIONS OF MHD TOPPING CYCLES TO STEAM POWER PLANTS, J. Cutting, M. Cambria, R. Lawit, R. Weinstein, R. Murthy, Gilbert Associates, Inc., Reading, Pennsylvania; A. Richey, Massachusetts Institute of Technology, Cambridge, Massachusetts.
- H.6.1. THE TRANSITION MHD POWER PLANT CONCEPT, Stewart Way, Columbia, Maryland.

J. Inhomogeneities and Combustion - I

- J.1.1. FLUCTUATIONS IN COMBUSTION MHD GENERATOR SYSTEMS, J. P. Barton, J. K. Koester, and M. Mitchner, Stanford University, Stanford, California.
- J.2.1. FLUCTUATIONS IN MHD GENERATORS, John S. Walker, University of Illinois at Urbana-Champaign, Urbana-Champaign, Illinois.
- J.3.1. EXPERIMENTS CONCERNING INHOMOGENEITIES IN COMBUSTION MHD GENERATORS, R. M. Kowalik and C. H. Kruger, Stanford University, Stanford, California.
- J.4.1. INVESTIGATION OF THE INTERACTION OF A COAL-FIRED MHD GENERATOR AND COMBUSTOR, W Holt, R. Attig, J. Lanier, M. Scott and J. Dicks, University of Tennessee Space Institute, Tullahoma, Tennessee.
- J.5.1. LOSS OF ORGANIC VOLATILES DURING THE DRYING OF ROSEBUD COAL, D. R. Beuerman, Montana College of Mineral Science and Technology, Butte, Montana.

K. Inhomogeneities and Combustion - II

- K.1.1. KINETICS OF CHAR BURNOUT AND ASH VAPORIZATION IN COAL-FIRED MHD COMBUSTORS, R. Shuck, T. Hastings, C. Mims, and A. Sarofim, Massachusetts Institute of Technology, Cambridge, Massachusetts.
- K.2.1. PROGRESS IN COAL COMBUSTION RESEARCH AT AVCO EVERETT RESEARCH LABORATORY, INC., F. E. Becker, D. B. Stickler, M. M. Delichatsois, and A. Ballantyne, Avco Everett Research Laboratory, Inc., Everett, Massachusetts.
- K.3.1. WALL COMBUSTION IN HIGH-SWIRL COMBUSTORS, Paul M. Chung and R. Scott Smith, Argonne National Laboratory, Argonne, Illinois.
- K.4.1. ONE-STAGE CYCLONE COMBUSTOR FOR COAL FIRED TEST STAND OF 4MW THERMAL POWER, T. Kozłowski, Z. Rybacki, W. S. Brzozowski, Institute of Nuclear Research, 05-400 SWIERK k/OTWOCKA, Poland.
- K.5.1. HIGH SLAG REJECTION, HIGH CARBON CONVERSION RATE, AIR COOLED CYCLONE COAL COMBUSTOR FOR MHD REGENERATIVE HEAT EXCHANGERS, S. Omori, C. S. Cook, E. Tate, D. Rogers, and K. Dickinson, General Electric Company, King of Prussia, Pennsylvania.
- K.6.1. DEVELOPMENT OF A SLAGGING CYCLONE GASIFIER FOR MHD APPLICATIONS/SCALING MHD CYCLONE COAL COMBUSTORS, R. J. Demski, J. T. Yeh, J. I. Joubert, D. Bienstock and Robert J. Wright, Pittsburgh Energy Technology Center, Pittsburgh, Pennsylvania.