

Contents

1. Introduction	1
2. Theory (J. Raeder)	5
2.1. Basic flow equations of an electrically conducting gas	5
2.1.1. The general equations of magnetogasdynamics	5
2.1.2. Ohm's law	7
2.1.3. One-dimensional flow equations	8
2.1.3.1. Definition of the fluxes of mass, momentum, and enthalpy	9
2.1.3.2. Axial variations of the fluxes	11
2.1.3.3. Explicit formulae for the mean values	13
2.1.3.4. The one-dimensional flow equations	14
2.1.3.5. Simple relations between mean and axial values	15
2.1.4. A "mean" Ohm's law	16
2.2. Calculation of the material functions	22
2.2.1. Determination of the plasma composition	22
2.2.1.1. General remarks	22
2.2.1.2. Equilibrium constant method for a mixture of ideal gases	23
2.2.1.3. Definitions concerning the composition of the fuel-oxidizer mixture before combustion	26
2.2.2. Calculation of the thermodynamic functions	27
2.2.3. Calculation of the combustion temperature	29
2.2.4. Calculation of the electrical conductivity	31
2.2.4.1. Electrical conductivity of a very weakly ionized plasma	31
2.2.4.2. Electrical conductivity in terms of mean collision cross-sections	33
2.2.4.3. Electrical conductivity in the Frost approximation	36
2.2.5. Calculation of viscosity and thermal conductivity	38
2.3. Data and material function pertaining to typical potassium-seeded combustion plasmas	40
2.3.1. Reaction equations and energies	41
2.3.2. Zero temperature enthalpies H_{0i}	41

2.3.3.	Collision cross-sections for momentum transfer between electrons and heavy particles	42
2.3.4.	Special numerical results	44
2.3.4.1.	Mole fractions, thermodynamic functions, Mollier charts, combustion temperatures	44
2.3.4.2.	Viscosities, thermal conductivities, and Prandtl numbers	56
2.3.4.3.	Electrical conductivities and collision frequencies	58
2.4.	Treatment of the boundary layers	61
2.4.1.	Transition from laminar to turbulent flow	62
2.4.2.	Boundary layer profiles of v_x and T for turbulent gasdynamic plate flow	63
2.4.3.	The “fine structure” of the turbulent gasdynamic boundary layer close to the wall	67
2.4.4.	Calculation of the wall shear stress τ_w	69
2.4.5.	Calculation of the wall heat losses	73
2.4.6.	Calculation of various “deficiency thicknesses”	78
2.4.7.	Influence of variable free-stream velocity on the boundary layers	79
2.4.8.	Influence of the wall roughness	79
2.4.9.	The effective electrode voltage drop U_e	81
2.4.10.	Influence of MHD effects on the boundary layers	84
3.	Design of MHD generator systems (R. Bünde, J. Raeder)	86
3.1.	Estimate of the influence of the combustion efficiency on the electric output power	86
3.2.	Numerical calculation of the MHD generator	90
3.2.1.	Combustion calculation	90
3.2.2.	Calculation of the expansion in the combustion chamber and Laval nozzle	90
3.2.3.	Calculation of the flow in the MHD duct	91
3.2.3.1.	Numerical solution of the system of equations	93
3.2.3.2.	Integral error check and accuracy	95
3.2.3.3.	Representation of the results	96
3.3.	Design criteria and boundary conditions	104
3.4.	Calculation of power production costs	106
3.4.1.	Installation costs	106
3.4.1.1.	Combustion system	107
3.4.1.2.	MHD generator duct	108
3.4.1.3.	Superconducting magnet	109
3.4.1.4.	Inverter system	110
3.4.1.5.	Exhaust gas system	111
3.4.1.6.	Power plant buildings and equipment	113
3.4.2.	Total power production costs	114

3.5.	Influence of the design parameters on operational safety and power production costs	115
3.5.1.	Influence of duct divergence	117
3.5.2.	Influence of the angle of inclination of the equipotential surfaces in the duct	117
3.5.3.	Influence of Mach number at duct entrance	119
3.5.4.	Influence of magnetic induction	121
3.5.5.	Influence of the lengths of the duct and magnetic field	121
3.6.	Design for minimum power costs	123
4.	Technical problems (H. Muntenbruch)	128
4.1.	Combustion systems	128
4.1.1.	Basic remarks	128
4.1.2.	Propellants	128
4.1.2.1.	Solid fuel – solid oxidizer	129
4.1.2.2.	Hybrid systems	130
4.1.2.3.	Liquid fuel – liquid oxidizer	131
4.1.2.4.	Liquid-gaseous and gaseous-gaseous systems	132
4.1.2.5.	Seed material feed	133
4.1.3.	Combustor design	133
4.1.4.	Nozzle design	134
4.1.5.	Supply system	135
4.1.6.	Testing of combustion system	136
4.2.	MHD ducts	136
4.2.1.	Operating principle: Faraday, Hall or slant-wall duct	137
4.2.2.	Design principle: Cold, warm or hot duct	137
4.2.3.	Design features of the duct	139
4.2.3.1.	Breakdown strength of duct walls	139
4.2.3.2.	Expansion of duct due to heating	141
4.2.3.3.	Wall thickness of MHD ducts	146
4.2.3.4.	Problem of current collectors	148
4.2.3.5.	Vibration testing of MHD ducts	151
4.3.	MHD Magnets	154
4.3.1.	Conditions	154
4.3.2.	Choice of conductors	155
4.3.3.	Winding geometry and concept	156
4.3.4.	Iron shielding	158
4.3.5.	Magnetic field and force distributions	160
4.3.6.	Design	164
4.3.7.	Quench behaviour	165
4.3.8.	Heat losses and refrigeration system	166
4.3.9.	Electrical system	168
4.3.10.	Conclusions	169
4.4.	Other components	169

4.4.1.	Diffusor and exhaust system	169
4.4.2.	Inverter system	170
5.	Experimental investigations (G. Zankl, R. Volk, H. Muntenbruch)	173
5.1.	Test rig	173
5.1.1.	Combustion system	173
5.1.2.	MHD ducts	175
5.1.3.	Saddle coil magnet	177
5.1.4.	Extraction of exhaust gas	178
5.1.5.	Data acquisition	178
5.2.	Measuring methods and problems	179
5.2.1.	General remarks	179
5.2.2.	Pressure	179
5.2.3.	Gas temperature	181
5.2.4.	Heat flux into the duct wall	188
5.2.5.	Velocity of flow	189
5.2.6.	Electrical conductivity	190
5.3.	Experimental results	192
5.3.1.	Parameters governing the values of the flow variables at the duct entrance	193
5.3.1.1.	Seed ratio	193
5.3.1.2.	Oxygen-fuel ratio	193
5.3.1.3.	Combustion chamber pressure	195
5.3.1.4.	Combustion efficiency	196
5.3.2.	Boundary layer effects in the duct	199
5.3.3.	Flow parameters and electrical conductivity along the duct without MHD interaction	203
5.3.4.	Flow parameters in the duct with MHD interaction	205
5.3.5.	Electrical properties of the MHD generator	212
5.3.6.	Short-circuit effects	219
5.3.7.	Discussion of electrode voltage drop	223
5.3.8.	The influence of the combustion efficiency on the generator performance	229
5.3.9.	Fluctuations	234
6.	Application of fuel-oxygen fired MHD generators (R. Bünde, H. Muntenbruch)	239
6.1.	Characteristic properties of the MHD generator	239
6.2.	Power generation costs	240
6.2.1.	Assumptions	240
6.2.2.	Costs of installation	240
6.2.3.	Total power production costs	241
6.3.	The MHD generator as a reserve unit	242

6.3.1.	Some remarks on reserve power supply	242
6.3.2.	Existing possibilities of providing short-period reserve power	244
6.3.3.	Provision of reserve power with the MHD generator	245
6.4.	The MHD generator as emergency power supply for nuclear power stations	247
6.5.	The MHD generator for powering plasma experiments	247
6.5.1.	The power requirements of large plasma experiments	247
6.5.2.	The applicability of the MHD generator	249
7.	Concluding Remarks	250
8.	References	253