Contents

| PART A. | FUNDAMENTALS AND MATHEMATICAL |
|---------|--------------------------------------|
| | TECHNIQUES |

| 1. | S. W. Lee | 1-3 |
|-----|---|------|
| 2. | Theorems and Formulas S. W. Lee | 2-1 |
| 3. | Techniques for Low-Frequency Problems A. J. Poggio and E. K. Miller | 3-1 |
| 4. | Techniques for High-Frequency Problems P. H. Pathak | 4-1 |
| P/ | ART B. ANTENNA THEORY | |
| 5. | Radiation From Apertures E. V. Jull | 5-3 |
| 6. | Receiving Antennas P. K. Park and C. T. Tai | 6-1 |
| 7. | Wire and Loop Antennas L. W. Rispin and D. C. Chang | 7-1 |
| 8. | Horn Antennas Constantine A. Balanis | 8-1 |
| 9. | Frequency-Independent Antennas Paul E. Mayes | 9-1 |
| 10. | Microstrip Antennas William F. Richards | 10-1 |
| 11. | Array Theory Y. T. Lo | 11-1 |
| 12. | The Design of Waveguide-Fed Slot Arrays Robert S. Elliott | 12-1 |
| | Periodic Arrays R. J. Mailloux | 13-1 |
| | Aperiodic Arrays Y. T. Lo | 14-1 |

| 15. | Reflector Antennas Y. Rahmat-Samii | 15-1 |
|-----|--|------|
| 16. | Lens Antennas J. J. Lee | 16-1 |
| PA | ART C. APPLICATIONS | |
| 17. | Millimeter-Wave Antennas F. Schwering and A. A. Oliner | 17-3 |
| 18. | Practical Aspects of Phased Array Design Raymond Tang | 18-1 |
| 19. | Beam-Forming Feeds J. S. Ajioka and J. L. McFarland | 19-1 |
| 20. | Antennas on Aircraft, Ships, or Any Large, Complex Environment W. D. Burnside and R. J. Marhefka | 20-1 |
| 21. | Satellite Antennas C. C. Han and Y. Hwang | 21-1 |
| 22. | Remote Sensing and Microwave Radiometry J. C. Shiue and L. R. Dod | 22-1 |
| 23. | Antennas for Geophysical Applications D. A. Hill | 23-1 |
| 24. | Antennas for Medical Applications C. H. Durney and M. F. Iskander | 24-1 |
| 25. | Direction-Finding Antennas R. E. Franks | 25-1 |
| 26. | Standard AM Antennas C. E. Smith | 26-1 |
| 27. | TV and FM Broadcast Antennas G. W. Collins | 27-1 |
| P/ | ART D. RELATED TOPICS | |
| 28. | Transmission Lines and Waveguides Y. C. Shih and T. Itoh | 28-3 |
| 29. | Propagation C. H. Liu and D. J. Fang | 29-1 |
| 30. | Antenna Response to Electromagnetic Pulses K. S. H. Lee | 30-1 |
| 31. | Radome Electromagnetic Design G. P. Tricoles | 31-1 |
| 32. | Measurement of Antenna Radiation Characteristics on Far-Field Ranges E. S. Gillespie | 32-1 |
| 33. | Near-Field Far-Field Antenna Measurements Jørgen Appel-Hansen | 33-1 |

Appendixes

| A. | Physical Constants, International Units, Conversion of Units, and Metric Prefixes | A-3 |
|-----|---|-----|
| В. | The Frequency Spectrum | B-1 |
| C. | Electromagnetic Properties of Materials | C-1 |
| D. | Vector Analysis | D-1 |
| E. | VSWR Versus Reflection Coefficient and Mismatch Loss | E-1 |
| F. | Decibels Versus Voltage and Power Ratios | F-1 |
| Ind | lex | I-1 |

Basics

S. W. Lee

University of Illinois

| 1. The Maxwell Equations and Time-Harmonic Fields | 1-5 |
|---|------|
| 2. The Poynting Theorem | 1-7 |
| 3. Boundary, Radiation, and Edge Conditions | 1-8 |
| 4. Radiation from Sources | 1-11 |
| 5. Plane Waves and Polarization | 1-13 |
| 6. Antenna Near and Far Fields | 1-16 |
| 7. Far-Field Representation | 1-18 |
| 8. Calculation of the Far Field | 1-21 |
| From Given Currents 1-21 | |
| From Given Fields over a Closed Surface 1-22 | |
| 9. Reference and Cross Polarizations | 1-23 |
| 10. Antenna Gains | 1-24 |
| Incident Powers on an Antenna 1-24 | |
| Three Gains in State (k, U) 1-25 | |
| Three Gains in State (k, u) 1-25 | |
| Peak Gains 1-26 | |
| Gain-Related Terms 1-27 | |
| 11. Pattern Approximation by $(\cos \theta)^q$ | 1-28 |
| 12. TE and TM Field Representations | 1-30 |
| 13. Plane-Wave Spectrum Representation | 1-31 |
| 14. Periodic Structure | 1-33 |
| 15. Rectangular Waveguide | 1-37 |
| 16. Circular Waveguide | 1-44 |
| 17. References | 1-50 |



Theorems and Formulas


S. W. Lee

University of Illinois

| 1. | Duality | | 2-5 |
|-----|---|------|------|
| 2. | Green's Function in an Unbounded Space | | 2-6 |
| | Scalar Wave Equation 2-6 | | |
| | Vector Wave Equation 2-7 | | |
| | The Electric Field 2-8 | | |
| | Integration Involving the R^{-3} Singularity 2-9 | | |
| | Explicit Expressions for C _{mn} 2-11 | | |
| 3. | Image Theory | | 2-11 |
| 4. | The Babinet Principle | | 2-13 |
| | Scattering Problems 2-13 | | |
| | An Impedance Problem 2-15 | | |
| 5. | Reciprocity | | 2-16 |
| | Bra-Ket Notation 2-16 | | |
| | The Lorentz Relation 2-16 | | |
| | The Reciprocity Theorem 2-18 | | |
| 6. | Huygens' Principle | | 2-18 |
| 7. | The Kirchhoff Approximation | | 2-19 |
| 8. | Scattering by an Obstacle | | 2-21 |
| | Bistatic Cross Section 2-22 | | |
| | Radar Cross Section 2-23 | | |
| | Reciprocity 2-24 | | |
| | Scattering Cross Section 2-24 | | |
| | Physical Optics Approximation for Scattering by a Conductor | 2-25 | |
| | Two Other Versions of the Physical Optics Approximation | 2-26 | |
| 9. | The Antenna as a One-Port Device | | 2-27 |
| 0. | Three Ideal Sources for Transmitting Antennas | | 2-29 |
| 11. | Three Ideal Meters for Receiving Antennas | | 2-30 |
| | | | |



| 12. | Reciprocity between Antenna Transmitting and Receiving | 2-32 |
|-----|--|------|
| | Reciprocity Involving General Incident Fields 2-32 | |
| | Reciprocity Involving Plane Waves 2-33 | |
| | Antenna Effective Length 2-34 | |
| | Transmitting Field in Terms of Effective Length 2-34 | |
| | Receiving Cross Section 2-35 | |
| 13. | The Radar Equation and Friis Transmission Formula | 2-36 |
| 14. | Noise Temperature of an Antenna | 2-39 |
| | Antenna Noise Temperature 2-39 | |
| | Brightness Temperature of an Emitter 2-40 | |
| | Calculation of Antenna Noise Temperature 2-41 | |
| | Noise Power at the Receiver's Terminal 2-42 | |
| 15. | References | 2-43 |



Techniques for Low-Frequency Problems


A. J. Poggio

Lawrence Livermore National Laboratory

E. K. Miller

Rockwell International Science Center

| Introduction to Low-Frequency Techniques | 3-5 |
|--|------|
| Part 1. Selected Analytical Issues for Antenna Engineering | |
| 1. Theory | 3-5 |
| • | 3-6 |
| The Electromagnetic Field Equations for Antenna Analysis 3-6 | |
| Integral Representations for Far Fields 3-8 | |
| Duality 3-9 | |
| Radiated Power 3-11 | |
| Directive Gain, Directivity, Efficiency, and Gain 3-12 | |
| 2. Characteristics of Some Classical Antennas | 3-13 |
| The Electric Dipole Antenna 3-13 | 3-13 |
| The Sinusoidal Current Distribution 3-14 | |
| The Traveling-Wave Antenna 3-16 | |
| The Small Loop Antenna 3-16 | |
| The Perfect Ground Plane 3-18 | |
| The Rectangular-Aperture Antenna 3-21 | |
| The Biconical Antenna 3-24 | |
| An Antenna Reference Chart 3-26 | |
| Imperfect Grounds 3-27 | |
| Arrays 3-33 | |
| 3. Integral Equations in Antenna Analysis | 3-36 |
| Perfectly Conducting Wires and Bodies 3-36 | 3 30 |



| Thin-Wire Integral Equations 3-44 | |
|---|------|
| Integral Equations for Solid Bodies 3-46 | |
| The Imperfectly Conducting Ground 3-47 | |
| Integral Equations in the Time Domain 3-50 | |
| Part 2. Numerical Issues Involved in Integral Equations for | |
| Antenna Analysis | 3-52 |
| 1. Introduction | 3-52 |
| 2. Preliminary Discussion | 3-52 |
| 3. Numerical Implementation | 3-55 |
| The General Idea 3-55 | |
| Frequency-Domain Method of Moments 3-57 | |
| Time-Domain Method of Moments 3-62 | |
| The N-Port Analogy 3-64 | |
| Comparison of Frequency- and Time-Domain Approaches 3-65 | |
| Benefits of Symmetry 3-65 | |
| 4. Computation | 3-68 |
| Modeling Errors 3-69 | |
| Limitations 3-69 | |
| 5. Validation | 3-72 |
| Experimental Validation 3-72 | |
| Analytical Validation 3-76 | |
| Numerical Validation 3-76 | |
| 6. A Guided Tour of Some Codes and Their Features | 3-80 |
| The General Versus the Specific 3-81 | |
| Generic Characteristics 3-81 | |
| The Importance of the Details 3-86 | |
| A Code Catalog 3-87 | |
| A Closer Examination of Two Specific Codes 3-87 | |
| Application Guidelines 3-87 | |
| 7. References | 3-96 |



Techniques for High-Frequency Problems

P. H. Pathak

Ohio State University ElectroScience Laboratory

| 1. | Introduction | | 4-3 |
|----|---|------|-------|
| 2. | Wavefronts, Rays, and the Geometrical Optics Field | | 4-6 |
| | The Ray Concept 4-6 | | |
| | The Geometrical Optics Field 4-8 | | |
| 3. | The Physical Optics Field | | 4-18 |
| | Three-Dimensional Case 4-19 | | |
| | Two-Dimensional Case 4-20 | | |
| 4. | The Geometrical Theory of Diffraction and Its Uniform | | |
| | Versions | | 4-23 |
| | General Form of the GTD Diffracted-Ray Fields E_k^d and H_k^d | 4-23 | |
| | Uniform Version of the GTD 4-31 | | |
| 5. | The Equivalent Current Method | | 4-96 |
| | ECM for Edge-Diffracted Ray Caustic Field Analysis | 4-97 | |
| 6. | The Physical Theory of Diffraction and Its Modifications | | 4-102 |
| | PTD for Edged Bodies 4-104 | | |
| 7. | References | | 4-115 |

Radiation from Apertures

E. V. Juli

University of British Columbia

| 1. | Alternative Formulations for Radiation Fields | 5-5 |
|----|---|------|
| | Plane-Wave Spectra 5-5 | |
| | Equivalent Currents 5-8 | |
| 2. | Radiation Patterns of Planar Aperture Distributions | 5-10 |
| | Approximations 5-10 | |
| | Rectangular Apertures 5-11 | |
| | Circular Apertures 5-20 | |
| | Near-Field Patterns 5-24 | |
| 3. | Aperture Gain | 5-26 |
| 4. | Effective Area and Aperture Efficiency | 5-27 |
| 5. | Near-Field Axial Gain and Power Density | 5-29 |
| 6. | References | 5-34 |



Receiving Antennas


P. K. Park

Hughes Aircraft Company

C. T. Tai

University of Michigan

| 1. | Equivalent Circuit of a Receiving Antenna | 6-3 |
|-----|---|------|
| 2. | Vector Effective Height of an Antenna | 6-3 |
| 3. | Receiving Cross Section, Impedance-Matching Factor, | |
| | and Polarization-Matching Factor | 6-6 |
| 4. | Generalized Friis Transmission Formula | 6-8 |
| 5. | Mutual Impedance between Distant Antennas | 6-9 |
| 6. | Small Antennas | 6-9 |
| | The Short Dipole 6-10 | |
| | The Small Loop 6-13 | |
| 7. | Ferrite Loop Antennas | 6-18 |
| 8. | Bandwidth and Efficiency | 6-22 |
| 9. | Noise | 6-24 |
| 10. | Satellite TV Earth Station Receiving Antenna | 6-25 |
| 11. | References | 6-32 |



Wire and Loop Antennas

L. W. Rispin

MIT Lincoln Laboratory

D. C. Chang

University of Colorado

| 1. Introduction | | 7-5 |
|---|-----|------|
| The Thin-Wire Antenna 7-5 | | |
| Input Admittance or Impedance 7-7 | | |
| Far-Field Radiation from a Thin-Wire Transmitting Antenna | 7-8 | |
| The Receiving Antenna 7-8 | | |
| Loaded Thin-Wire Antennas 7-9 | | |
| Transient Response 7-10 | | |
| Equivalent Radius for Noncircular Cylindrical Thin-Wire | | |
| Conductors 7-10 | | |
| Solid Thin-Wire Antenna Conductors 7-10 | | |
| Antenna Parameters 7-11 | | |
| 2. The Linear Dipole Antenna | | 7-11 |
| Unloaded Transmitting Antennas 7-12 | | , |
| Input Admittance or Impedance 7-14 | | |
| Far-Field Radiation from a Linear Thin-Wire Transmitting | | |
| Antenna 7-15 | | |
| Unloaded Receiving Antennas 7-18 | | |
| Impedance-Loaded Antennas 7-19 | | |
| An Impedance-Loaded Monopole Antenna 7-20 | | |
| Transient Behavior of a Dipole Antenna 7-21 | | |
| 3. The Sleeve Antenna | | 7-23 |
| The Junction Effect 7-23 | | 1-23 |
| The Sleeve Dipole Antenna 7-26 | | |
| The Sleeve Monopole Antenna 7-29 | | |
| The Sieere Monopole America 1-23 | | |



| | The Coaxial Sleeve Antenna with a Decoupling Choke 7-31 | |
|----|---|------|
| 4. | The Folded Dipole Antenna | 7-37 |
| 5. | The Thin-Wire Loop Antenna | 7-42 |
| | Far-Field Radiation from a Circular Loop Antenna 7-44 | |
| | The Electrically Small Receiving Loop Antenna 7-46 | |
| | Loaded Loop Antennas 7-47 | |
| 6. | Concluding Remarks | 7-48 |
| 7. | References | 7-49 |

Horn Antennas

Constantine A. Balanis

Arizona State University

| 8-3 |
|-------|
| 8-5 |
| 0.5 |
| |
| |
| |
| |
| |
| 8-20 |
| 0-20 |
| |
| |
| |
| |
| 8-34 |
| 0.51 |
| |
| 8-43 |
| 8-46 |
| 0.10 |
| 8-50 |
| 0.00 |
| |
| |
| |
| 8-73 |
| 5 , 6 |
| 8-85 |
| |

Frequency-Independent Antennas

Paul E. Mayes

University of Illinois

| 1. | Basic Types | | 9-3 |
|----|---|------|-------|
| 2. | Log-Periodic Dipole Arrays | | 9-12 |
| | Design of Log-Periodic Dipole Arrays 9-20 | | |
| 3. | Periodic Structure Theory | | 9-32 |
| | Design of Log-Periodic Zigzag Antennas 9-37 | | |
| | Periodically Loaded Lines 9-46 | | |
| | Log-Periodic Designs Based on Periodic Structure Theory | 9-62 | |
| 4. | Log-Spiral Antennas | | 9-72 |
| | Conical Log-Spirals 9-79 | | |
| | Construction Techniques 9-111 | | |
| 5. | References | | 9-112 |
| 6. | Bibliography | | 9-114 |



Microstrip Antennas

William F. Richards

University of Houston

| | Introduction Physical Models | 10-5 10-7 |
|----|---|--------------|
| ۷. | Physical Models Transmission-Line Model 10-7 | 10 / |
| | 2,000 | |
| 2 | Cavity Model 10-10 | 10-21 |
| 3. | Pattern Control Proposition 10.22 | 10-21 |
| | General Properties 10-23 | |
| | The (0, 1) Mode 10-24 | |
| | The (0, 2) Mode 10-25 | |
| | The DC Mode 10-25 | |
| | The (1, 1) Mode of a Circular-Disk Element 10-25 | |
| | The (0, n) Circular-Disk Modes 10-25 | |
| | Other Modes 10-25 | |
| 4. | Impedance and Circuit Models | 10-26 |
| | General Circuit Model 10-26 | |
| | Simplified Circuit Model 10-28 | |
| | Circuit Model for Near-Degenerate Modes 10-28 | |
| | Simple Feed Models 10-28 | |
| | Resonant Impedance 10-28 | |
| | Feed Reactance 10-31 | |
| | Multiport Impedance Parameters 10-34 | |
| | Efficient Computation of Impedance Parameters 10-34 | |
| 5. | Resonant Frequency | 10-44 |
| | Rectangular Patch 10-46 | |
| | Circular-Disk Patch 10-47 | |
| | Circular-Sector Patch 10-47 | |
| | Annular Patch 10-47 | |
| | Annular-Sector Patch 10-47 | |
| 6 | Efficiency | 10-49 |
| | Matching | 10-50 |
| ٠. | 171400 | 10- |
| | | |

| 8. | Loaded Microstrip Elements | 10-52 |
|-----|-----------------------------------|-------|
| 9. | Applications | 10-56 |
| | Circular Polarization 10-57 | |
| | Dual-Band Elements 10-63 | |
| | Frequency-Agile Elements 10-66 | |
| | Polarization-Agile Elements 10-69 | |
| 10. | References | 10-70 |
| | | |



Array Theory

Y. T. Lo

University of Illinois

| 1. | Introduction | 11-5 |
|----|---|-------|
| 2. | General Formulation | 11-5 |
| 3. | Linear Arrays | 11-8 |
| | Arrays with Prescribed Nulls 11-9 | |
| | Binomial Arrays 11-10 | |
| | Uniform Arrays 11-11 | |
| | Dolph-Chebyshev Arrays 11-13 | |
| 4. | Linear Transformations in Antenna Arrays | 11-23 |
| | Linear Transformations in Array Geometry 11-23 | |
| | Application to Planar Periodic Arrays 11-26 | |
| | Nonuniform Excitation and Relation between Aperture Antenna | |
| | and Discrete Array 11-29 | |
| | Hexagonal Arrays 11-30 | |
| | Periodic Arrays with Minimum Number of Elements 11-31 | |
| | Transformation between Circular and Elliptical Arrays 11-33 | |
| | Beam and Pattern Distortion Due to Scanning 11-36 | |
| | Linear Transformations on Excitations 11-39 | |
| | Circular Arrays 11-41 | |
| | Cophasal Uniform Circular Arrays 11-46 | |
| | Nonuniformly Excited Circular Arrays 11-47 | |
| | Elliptical Arrays with Nonuniform Excitations 11-48 | |
| 5. | Planar Arrays | 11-48 |
| | Two-Dimensional Dolph-Chebyshev Arrays 11-49 | |
| | A Few Major Results 11-52 | |
| | General Discussion of the Transformation 11-57 | |
| 6. | Optimization of Directivity (D) and Signal-to-Noise Ratio (SNR) | 11-58 |
| | Formulation and Solution 11-58 | |
| | Planar Array with Isotropic Elements or Vertical Dipoles in the | |
| | (x, y) <i>Plane</i> 11-63 | |

| | A Typical Example for Maximum Directivity | 11-65 | |
|----|--|-------|-------|
| | An Example for Maximum SNR 11-70 | | |
| | Extensions 11-74 | | |
| 7. | Pattern Synthesis in the Probabilistic Sense | | 11-76 |
| 8. | References | | 11-86 |



The Design of Waveguide-Fed Slot Arrays

Robert S. Elliott

University of California at Los Angeles

| 1. | Introduction | 12-3 |
|-----|--|-------|
| 2. | The E-Field Distribution in a Longitudinal Slot | 12-6 |
| 3. | The Three Design Equations for Arrays of Longitudinal Slots | 12-10 |
| 4. | The Design of a Linear Array of Resonantly Spaced Longitudinal | |
| | Slots (Standing-Wave Feed) | 12-13 |
| 5. | The Design of a Linear Array of Nonreasonantly Spaced | |
| | Longitudinal Slots (Traveling-Wave Feed) | 12-16 |
| | Case 1. All Slots on the Same Side of the Center Line 12-17 | 12 10 |
| | Case 2. Slots Alternately Displaced, $\beta_{10}d < \pi$ 12-18 | |
| | Case 3. Slots Alternately Displaced, $\beta_{10}d > \pi$ 12-18 | |
| 6. | The Design of a Planar Array of Longitudinal Slots | 12-20 |
| | The Achieved Aperture Distribution of Arrays of Longitudinal Slots | 12-24 |
| | The Design of Arrays of Centered-Inclined Broad Wall Slots | 12-24 |
| | The Design of Arrays of Inclined Narrow Wall Slots | 12-25 |
| | Difficulties in the Design of Large Arrays | 12-28 |
| | Second-Order Effects | 12-26 |
| | Infinite Ground Plane 12-34 | 12-34 |
| | Wall Thickness 12-35 | |
| | E-Field Distribution in the Slot Aperture 12-35 | |
| | Internal Higher-Order-Mode Mutual Coupling between | |
| | | |
| | Radiating Slots 12-35 History Order Mode Counting in Juneticus 12-36 | |
| 12 | Higher-Order-Mode Coupling in Junctions 12-36 | 10.00 |
| | Far-Field and Near-Field Diagnostics as Design Tools | 12-36 |
| 13. | References | 12-37 |



Periodic Arrays

R. J. Mailloux

Rome Air Development Center, Electromagnetic Sciences Division

| 1. | Introduction | 13-5 |
|----|--|-------|
| | Pattern and Excitation 13-5 | |
| | Time Delay and Phase Steering 13-7 | |
| | Examples of Array Collimation 13-8 | |
| | Quality of the Array Beam 13-10 | |
| 2. | Patterns of Periodic Arrays | 13-12 |
| | Characteristics of an Array Scanned in One Plane 13-12 | |
| | Scanning in Two Planes 13-15 | |
| | Pattern Shape and Beam Broadening 13-17 | |
| | Phased Array Bandwidth 13-19 | |
| | Antenna Pattern Synthesis 13-20 | |
| | General Procedures 13-21 | |
| | Synthesis With Orthogonal Beams 13-22 | |
| | Low Side Lobe Solutions: Basic Formulas and Engineering Data | 13-23 |
| | Dolph-Chebyshev Synthesis 13-24 | |
| | Taylor Line Source Synthesis 13-25 | |
| | Bayliss Line Source Synthesis 13-27 | |
| 3. | Array Organization: Subarrays and Broadband Feeds | 13-30 |
| | Aperture Illumination Control at Subarray Input Ports 13-30 | |
| | Wideband Characteristics of Time-Delayed Subarrays 13-32 | |
| | Contiguous Subarrays of Discrete Time-Delay Devices 13-32 | |
| | Overlapped Subarrays 13-35 | |
| | Broadband Array Feeds with Time-Delayed Offset Beams 13-39 | |
| 4. | Practical Arrays | 13-41 |
| | Mutual Coupling and Element Patterns 13-41 | |
| | Array Blindness 13-45 | |
| | Conformal Arrays 13-49 | |
| | Array Errors and Phase Quantization 13-52 | |
| | | |

| Array Elements | 13-57 | |
|----------------------|---|-------|
| Passive Components j | for Arrays: Polarizers and Power Dividers | 13-60 |
| Array Phase Control | 13-62 | |
| 5. References | | 13-64 |



Aperiodic Arrays

Y. T. Lo

University of Illinois

| 1 | Introduction | 14-3 |
|----|---|-------|
| | | |
| 2. | A Brief Review | 14-4 |
| 3. | Spaced-Tapered Arrays | 14-6 |
| | Design Procedure for a Symmetrical Space-Tapered Array 14-6 | |
| 4. | Probabilistic Approach | 14-8 |
| | Theoretical Results 14-9 | |
| | Illustrative Examples 14-18 | |
| | The Mutual Coupling Effect and Blind Angles 14-20 | |
| | The Holey Plate Experiment 14-27 | |
| | Other Remarks 14-32 | |
| 5. | References | 14-35 |

| | | , | |
|--|--|---|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Reflector Antennas

Y. Rahmat-Samii

Jet Propulsion Laboratory

| 1. | Introduction | 15-5 |
|----|--|-------|
| 2. | Basic Formulations for Reflector Antenna Analysis | 15-6 |
| | Physical Optics Analysis 15-8 | |
| | Geometrical Theory of Diffraction Analysis 15-11 | |
| | Aperture Field Method 15-13 | |
| 3. | Simple Formulas for Far Fields of Tapered-Aperture Distributions | 15-15 |
| | Two-Parameter Model 15-15 | |
| | One-Parameter Model 15-18 | |
| | Near, Fresnel, and Far Fields 15-21 | |
| 4. | Some Important Geometrical Features of Conic-Section–Generated | |
| | Reflector Antennas | 15-23 |
| | Conic Sections 15-23 | |
| | Reflector Surfaces 15-26 | |
| | Intersection with a Circular Cone 15-26 | |
| | Special Cases 15-29 | |
| | Intersection with a Circular Cylinder 15-30 | |
| 5. | Offset (Symmetric) Parabolic Reflectors | 15-31 |
| | Geometrical Parameters 15-31 | |
| | Idealized Feed Patterns 15-34 | |
| | Edge and Feed Tapers 15-36 | |
| | Reflector Pattern Characteristics for On-Focus Feeds 15-37 | |
| | Reflector Pattern Characteristics for Off-Focus Feeds 15-49 | |
| 6. | Dual-Reflector Antennas | 15-61 |
| | General Parameters 15-67 | |
| | Performance Evaluation 15-69 | |
| | Cross-Polarization Reduction 15-69 | |
| | Scan Performance 15-71 | |
| | Shaped Reflectors 15-73 | |



| 7. | Contour Beam Reflectors | 15-80 |
|-----|---|--------|
| 8. | Feeds for Reflectors | 15-84 |
| | Radiation Patterns of Simple Feeds 15-89 | |
| | Complex Feeds 15-94 | |
| | $\cos^{q}(\theta)$ Type Patterns 15-99 | |
| 9. | Effects of Random Surface Errors | 15-105 |
| 10. | Appendix: Coordinate Transformations for Antenna Applications | 15-115 |
| | Cartesian and Spherical Components 15-115 | |
| | Eulerian Angles 15-116 | |
| | Feed and Reflector Coordinates 15-117 | |
| | Determination of Eulerian Angles 15-120 | |
| 11. | References | 15-120 |
| | | |



Lens Antennas

J. J. Lee

Hughes Aircraft Company

| 1. | Introduction | 16-5 |
|----|---|-------|
| 2. | Design Principles of the Dielectric Lens | 16-7 |
| | Rectangular Coordinates 16-7 | |
| | Polar Coordinates 16-8 | |
| 3. | Simple Lenses with Analytic Surfaces | 16-9 |
| | Lens with a Flat Surface on S ₂ 16-9 | |
| | Lens with a Flat Surface on S ₁ 16-10 | |
| | Lens with a Spherical Surface on S ₁ 16-11 | |
| | Lens with a Spherical Surface on S ₂ 16-12 | |
| 4. | Lens Aberrations and Tolerance Criteria | 16-12 |
| | Wide-Angle Dielectric Lenses | 16-19 |
| | Abbe Sine Condition 16-19 | |
| | Schmidt Corrector 16-23 | |
| | Spherical Thin Lens 16-28 | |
| | Bifocal Lenses 16-30 | |
| 6. | Taper-Control Lenses | 16-33 |
| | Dielectric Lens Zoning | 16-38 |
| | Constrained Lenses | 16-41 |
| | Waveguide Lens and Zoning 16-42 | 10 .1 |
| | Equal Group Delay Lens 16-45 | |
| | Multifocal Bootlace Lens 16-46 | |
| | R-2R Lens 16-48 | |
| | Constrained Analog of Dielectric Lens 16-49 | |
| 9. | Inhomogeneous Lenses | 16-51 |
| | Luneburg Lens 16-52 | 1001 |
| | Maxwell Fish-Eye Lens 16-52 | |
| | Hyperbolic Cosine Lens 16-53 | |



| 10. | Bandwidth Limitation and Surface Mismatch | 16-54 |
|-----|---|-------|
| 11. | Summary | 16-57 |
| 12. | References | 16-57 |



Millimeter-Wave Antennas

F. Schwering

US Army CECOM

A. A. Oliner

Polytechnic University

| 1. | Introduction | 17-5 |
|----|--|--------|
| 2. | Antennas of Conventional Configuration | 17-7 |
| | High- and Medium-Gain Antennas 17-9 | |
| | Spiral Antennas and Fan-Shaped Beam Antennas 17-27 | |
| | Omnidirectional Antennas 17-32 | |
| 3. | Surface-Wave and Leaky-Wave Antennas Based on Open Millimeter | |
| | Waveguides | 17-34 |
| | Tapered Dielectric-Rod Antennas 17-36 | |
| | Periodic Dielectric Antennas 17-48 | |
| | Uniform-Waveguide Leaky-Wave Antennas 17-82 | |
| 4. | Microstrip Resonator Antennas and Other Printed-Circuit Antennas | 17-103 |
| | Microstrip Antennas with Electrically Thin Substrates 17-107 | |
| | Microstrip Antennas with Electrically Thick Substrates 17-122 | |
| | Holographic Antennas 17-129 | |
| 5. | Integrated Antennas | 17-131 |
| | Tapered Dielectric-Rod Antenna with Integrated | |
| | Mixer Diode 17-133 | |
| | Monolithic Microstrip Antenna Phased Array 17-134 | |
| | Integrated Near-Millimeter-Wave Imaging Array 17-137 | |
| ó. | References | 17-141 |
| | | |

Practical Aspects of Phased Array Design

Raymond Tang

Hughes Aircraft Company

| 1. | Introduction | 18-3 |
|----|---|-------|
| 2. | Design Specification and Procedure of Phased Array Antennas | 18-4 |
| | Selection Criteria of Array Components | 18-5 |
| | Radiator Selection 18-6 | |
| | Phase Shifter Selection 18-12 | |
| | Beam-Forming Feed Network Selection 18-17 | |
| 4. | Effect of Component Errors on Array Performance | 18-26 |
| | References | 18-29 |



Beam-Forming Feeds

J. S. Ajioka

Hughes Aircraft Company

J. L. McFarland

(Late) Hughes Aircraft Company

| 1. | Introduction | 19-3 |
|----|--|--------|
| 2. | Constrained Feeds (Transmission-Line Networks) | 19-3 |
| | Series Feed Networks 19-3 | |
| | Parallel Feed Networks 19-5 | |
| | True Time-Delay Feeds 19-7 | |
| | Multiple-Beam Matrix Feeds 19-8 | |
| | Multimode Element Array Technique 19-12 | |
| 3. | Semiconstrained Feeds (Parallel-Plate Optics) | 19-14 |
| | Pillbox 19-19 | |
| | Radial Transmission Line 19-23 | |
| | Meyer Lens 19-32 | |
| | Rotman and Turner Line Source Microwave Lens 19-37 | |
| | Rinehart-Luneburg Lens 19-41 | |
| | DuFort-Uyeda Lens 19-49 | |
| 4. | Unconstrained (Optical) Feeds | 19-49 |
| | Wide Field of View (Nontrue Time Delay) 19-54 | |
| | Limited Scan 19-56 | |
| | Wide Field of View True-Time-Delay Antenna Systems 19-76 | |
| 5. | Optical Transform Feeds | 19-91 |
| | Butler Matrix as a Fourier Transformer 19-95 | |
| | Optical Devices as Fourier Transformers 19-95 | |
| 6. | Cylindrical Array Feeds | 19-98 |
| | Matrix-Fed Cylindrical Arrays 19-101 | |
| 7. | References | 19-119 |



Antennas on Aircraft, Ships, or Any Large, Complex Environment

W. D. Burnside

The Ohio State University ElectroScience Laboratory

R. J. Marhefka

The Ohio State University ElectroScience Laboratory

| 1. | Introduction | 20-3 |
|----|--|-------|
| 2. | Numerical Simulation of the Antenna | 20-5 |
| 3. | Numerical Simulation of the Environment | 20-7 |
| | Basic Model Simulations—Antennas Mounted on a Curved | |
| | Surface 20-19 | |
| | Basic Model Simulations—Antennas Not Mounted on a | |
| | Curved Surface 20-37 | |
| 4. | Far Field of Antenna Versus Far Field of Structure | 20-53 |
| 5. | Numerical Solutions for Airborne Antenna Patterns | 20-70 |
| 6. | Numerical Solutions for Shipboard Antenna Patterns | 20-90 |
| 7. | Summary | 20-97 |
| 8. | References | 20-98 |



Satellite Antennas

C. C. Han

Equatorial Communications Company

Y. Hwang

Ford Aerospace & Communications Corporation

| 1. | Introduction | 21-3 |
|----|--|--------|
| 2. | Communication Antennas | 21-4 |
| | Antenna System Design 21-6 | |
| | Types of Antennas 21-8 | |
| | The Feed Array 21-27 | |
| | Beam-Forming Networks 21-29 | |
| | Multibeam Antenna System 21-57 | |
| | Design Examples 21-68 | |
| 3. | Earth Coverage Antennas | 21-74 |
| | The Stepped Horn 21-82 | |
| | The Dielectric-Loaded Horn 21-84 | |
| | The Multistepped Dual-Mode Horn 21-84 | |
| | The Shaped Beam 21-89 | |
| 4. | Tracking, Telemetry, and Command Antenna | 21-86 |
| | Types of Antennas 21-88 | |
| 5. | References | 21-110 |
| | | |

Remote Sensing and Microwave Radiometry

J. C. Shiue

Goddard Space Flight Center

L. R. Dod

Goddard Space Flight Center

| 1. | Basic Principles of Microwave Radiometry | 22-3 |
|----|--|-------|
| | Blackbody Radiation at Microwave Frequencies 22-3 | |
| | Microwave Radiative Transfer 22-4 | |
| | Surface Emissivity and Reflectivity 22-7 | |
| 2. | Applications of Microwave Radiometry to Remote Sensing | 22-9 |
| | The Atmosphere 22-13 | |
| | The Ocean Surface 22-14 | |
| | Land Applications 22-15 | |
| 3. | A Survey of Existing Spaceborne Microwave Radiometer Antennas | 22-16 |
| 4. | Antenna Requirements for Remote-Sensing Microwave Radiometry | 22-16 |
| | Fundamentals of a Microwave Radiometer 22-21 | |
| | Special Requirements for Antennas for Remote-Sensing Microwave | |
| | Radiometers 22-27 | |
| 5. | Spacecraft Constraints | 22-45 |
| | Dynamical Interactions 22-45 | |
| | Thermal Considerations 22-46 | |
| 6. | Future Needs and Trends | 22-46 |
| | Future Spaceborne Systems 22-46 | |
| 7. | References | 22-50 |

Antennas for Geophysical Applications

D. A. Hill

National Bureau of Standards

| 1 | Introduction | 23-3 |
|----|---|-------|
| | Electrode Arrays for Resistivity Measurements | 23-4 |
| ۷. | Theory of Four-Electrode Arrays 23-4 | 23 1 |
| | Instrumentation of Four-Electrode Arrays 23-7 | |
| 3. | Grounded Wire Antennas | 23-8 |
| | Time-Harmonic Excitation 23-8 | |
| | Transient Excitation 23-12 | |
| | Receiving Application 23-16 | |
| 4. | Loop Antennas | 23-17 |
| | Time-Harmonic Excitation 23-17 | |
| | Transient Excitation 23-20 | |
| | Receiving Application 23-22 | |
| 5. | Miscellaneous Antennas | 23-23 |
| 6. | References | 23-25 |



Antennas for Medical Applications

C. H. Durney

University of Utah

M. F. Iskander

University of Utah

| 1. | Introduction | 24-5 |
|----|---|-------|
| 2. | Waveguide- and Radiation-Type Antennas | 24-9 |
| | Direct-Contact Waveguide Applicators 24-9 | |
| | TEM Waveguide Antenna 24-9 | |
| | Ridged-Waveguide Antennas 24-12 | |
| | Annular Phased Array Applicator 24-16 | |
| 3. | Microstrip Antennas and Applicators | 24-18 |
| • | Microstrip Patch Antennas 24-18 | |
| | Microstrip Loop Radiators 24-20 | |
| | Microstrip Slot Antennas 24-22 | |
| | Coplanar Transmission-Line Applicator 24-24 | |
| | Arrays of Microstrip Antennas 24-25 | |
| 4 | Implantable Antennas (Radiators) for Localized Cancer Treatment | 24-25 |
| | Antennas for In-Vivo Measurement of the Complex Permittivity of | 27-23 |
| J. | Tissue | 24-30 |
| | | 24-30 |
| | Theoretical Basis for the In-Vivo Probes 24-30 | |
| | Detailed Construction of the In-Vivo Probe 24-34 | |
| | Optimizing the Length of the Center Conductor in the Coaxial | |
| | Sample Holder 24-35 | |
| | | |



| 6. Antennas for Monitoring RF Radiation | 24-36 |
|---|-------|
| Basic Requirements for Field Probes 24-36 | |
| Detection Methods 24-37 | |
| E- and H-Field Probes 24-37 | |
| Electric-Field Probe 24-38 | |
| Magnetic-Field Probe 24-40 | |
| Design of an RF Personnel Dosimeter 24-43 | |
| 7. Other Applicators Used to Produce Hyperthermia | 24-43 |
| Coaxial Current Loops 24-45 | |
| Capacitor-Plate Applicators 24-46 | |
| Pancake Coils 24-47 | |
| Helical-Coil Applicators 24-48 | |
| 8. Experimental Procedures for Characterizing Antennas Used | |
| in Medical Applications | 24-49 |
| Evaluation of Heating Patterns of Antennas Used in Hyperthermia | 24-50 |
| Field Mapping Using Implantable E-Field Probes 24-51 | |
| Use of Phantoms to Measure Power Deposition Patterns | |
| (Heating Patterns) of Antennas 24-54 | |
| Calibration of E - and H -Field Probes 24-54 | |
| 9. References | 24-57 |
| | |




Direction-Finding Antennas

R. E. Franks

ESL, a Subsidiary of TRW

| 1. Introduction | 25-3 |
|---|-------|
| 2. Rotating Antenna Patterns | 25-4 |
| Physically Rotating Antenna Systems | 25-4 |
| Electrically Rotating Null Patterns | 25-11 |
| Instantaneous df Patterns 25-12 | |
| Electrically Rotating High-Gain Pattern | 25-14 |
| Doppler Direction Finder 25-16 | |
| 3. Multimode Circular Arrays | 25-17 |
| 4. Interferometers | 25-21 |
| Antenna Elements 25-21 | |
| Vehicular-Mounted Interferometers | 25-23 |
| 5. Multiple-Signal Direction Finding | 25-24 |
| 6. References | 25-25 |



Standard AM Antennas

C. E. Smith

Smith Electronics, Inc.

| 1. | Introduction | 26-3 |
|-----|---|-------|
| 2. | Standard Reference Antennas | 26-3 |
| | Vertical Radiation Characteristics 26-3 | |
| | Theoretical Self-Resistance and Field Strength 26-8 | |
| | Self Base Impedance Characteristics 26-8 | |
| | Mutual Base Impedance 26-12 | |
| | Control of Pattern Shape and Size 26-17 | |
| | Space Configuration of the Array 26-17 | |
| | Voltage Diagram 26-19 | |
| | Generalized Equation 26-20 | |
| 3. | Two-Tower Antenna Patterns | 26-22 |
| 4. | Power Flow Integration Method to Determine Pattern Size | 26-22 |
| | RMS Electric-Field Strength in the Horizontal Plane | 26-33 |
| | The Theoretical Pattern | 26-34 |
| 7. | The Standard Pattern | 26-35 |
| 8. | The Augmented Pattern | 26-36 |
| | Power to Provide System Losses | 26-36 |
| 10. | Ground Systems | 26-37 |
| 11. | Directional Antenna Feeder Systems | 26-37 |
| | Power Dividing Networks 26-39 | |
| | Impedance-Matching and Phase-Shifting Networks 26-40 | |
| | Antenna Sampling System 26-41 | |
| | Driving-Point Impedance 26-43 | |
| | Directional Antenna Feeder System Design Example 26-45 | |
| 12. | References | 26-47 |

TV and FM Broadcast Antennas

G. W. Collins

Harris Corporation

| 1. | General | 27-3 |
|-----|--|-------|
| 2. | Circularly Polarized TV Antennas | 27-8 |
| 3. | Vee Dipole Array | 27-9 |
| 4. | Skewed-Dipole Antenna | 27-11 |
| 5. | Helical Circularly Polarized Antennas | 27-15 |
| 6. | Side-Mount Circularly Polarized Antennas | 27-20 |
| 7. | Horizontally Polarized Antennas | 27-23 |
| 8. | Batwing Antennas | 27-23 |
| 9. | Sidefire Helical Antenna | 27-24 |
| 10. | Traveling-Wave Slot Antennas | 27-26 |
| 11. | UHF Antennas | 27-27 |
| 12. | Coaxial Slot Antennas | 27-28 |
| 13. | Waveguide Slot Antennas | 27-29 |
| 14. | Zigzag Antennas | 27-31 |
| 15. | FM Antennas | 27-32 |
| 16. | Panel FM Antennas | 27-35 |
| ١7. | Multiple-Antenna Installations | 27-37 |
| | References | 27-40 |



Transmission Lines and Waveguides

Y. C. Shih

U.S. Naval Postgraduate School

T. Itoh

The University of Texas

CONTENTS

| 1. | Introduction | 28-5 |
|----|--|-------|
| 2. | Transmission Line Equations | 28-5 |
| 3. | TEM Transmission Lines | 28-10 |
| | Two-Wire Line 28-11 | |
| | Circular Coaxial Line 28-20 | |
| | Triplate Stripline 28-22 | |
| 4. | Planar Quasi-TEM Transmission Lines | 28-30 |
| | Microstrip Lines 28-30 | |
| | Coplanar Waveguides 28-33 | |
| | Coplanar Strips 28-35 | |
| 5. | TE/TM Waveguides | 28-35 |
| | Rectangular Waveguides 28-38 | |
| | Circular Waveguides 28-42 | |
| | Ridged Waveguides 28-45 | |
| 6. | Hybrid-Mode Waveguides | 28-47 |
| | Circular Dielectric Waveguides and Image Guides 28-50 | |
| | Rectangular Dielectric Waveguides and Image Guides 28-51 | |
| | Slot Lines 28-53 | |
| | Fin Lines 28-57 | |
| 7. | References | 28-58 |
| | | |

28-3



Propagation

C. H. Liu

University of Illinois


D. J. Fang

Telectronics International, Inc.

| 1. | Introduction | 29-5 |
|----|--|-------|
| 2. | Satellite-Earth Propagation | 29-7 |
| | Free-Space Loss Along a Satellite-Earth Path 29-8 | |
| | Gaseous Attenuation 29-8 | |
| | Rain Attenuation 29-10 | |
| | Rain Depolarization 29-14 | |
| | | |
| | 2.4 | |
| | Group Delay 29-15 | |
| | Scintillation 29-16 | 20.21 |
| 3. | Propagation beyond the Horizon via the Ionosphere | 29-21 |
| | Ionospheric Propagation at High Frequency 29-21 | |
| | Sky-Wave Propagation at Medium Frequency 29-25 | |
| | Ionospheric Waveguide-Mode Propagation at Very Low and | |
| | Extremely Low Frequencies 29-27 | |
| | Scatter Propagation at Very High and Ultrahigh | |
| | Frequencies 29-28 | |
| 1 | Tropospheric and Surface Propagation | 29-30 |
| 4. | | 2, 00 |
| | Refractive Thack of the Timespress | |
| | Line-of-Sight Propagation 29-32 | |
| | Multipath Propagation over an Earth Surface 29-37 | |
| | Diffraction 29-41 | |
| | Surface-Wave Propagation 29-44 | |
| | Tropospheric Scatter Propagation 29-46 | |



| 5. | Noise | | | 29-47 |
|----|-------------------------|---------------------------|-------|-------|
| | Atmospheric Noise 2 | 29-50 | | |
| | Emission by Atmospheric | c Gases and Precipitation | 29-50 | |
| | Extraterrestrial Noise | 29-50 | | |
| | Human-Made Noise | 29-51 | | |
| 6. | References | | | 29-53 |




Antenna Response to Electromagnetic Pulses

K. S. H. Lee

Dikewood, Division of Kaman Sciences Corporation

| 30-3 |
|-------|
| 30-4 |
| 30-7 |
| |
| 30-8 |
| |
| |
| 30-17 |
| |
| |
| |
| |
| |
| |
| |
| 30-31 |
| |



Radome Electromagnetic Design

G. P. Tricoles

General Dynamics

| 1. | Introduction | 31-3 |
|----|--|-------|
| | Radome Performance Parameters 31-3 | |
| | Variables in the Radome Performance Parameters 31-4 | |
| 2. | Physical Description of Radome Effects | 31-5 |
| | Fields in Radome-Bounded Regions; Constituent Waves 31-5 | |
| | Field Distribution Measurement 31-6 | |
| | Wavefront Aberrations and Boresight Error 31-7 | |
| | Diffraction Methods for Radome Design 31-8 | |
| 3 | Plane Wave Propagation through Flat Dielectric Sheets | 31-10 |
| ٠. | Incidence on a Plane Boundary between Two Homogeneous | |
| | Dielectrics 31-10 | |
| | Incidence on Flat, Homogeneous, Dielectric Sheets 31-13 | |
| | Incidence on Multilayer Dielectric Sheets 31-14 | |
| 4 | General Aspects of Theoretical Design | 31-18 |
| 5 | Plane Wave Propagation through Dielectric Sheets | 31-20 |
| ٥. | Direct-Ray Method 31-20 | |
| | Surface Integration 31-24 | |
| 6 | Antenna Patterns | 31-25 |
| | Examples of Boresight Error | 31-27 |
| 8 | The Moment Method | 31-27 |
| | Comments on Materials | 31-29 |
| | References | 31-30 |



Measurement of Antenna Radiation Characteristics on Far-Field Ranges

E. S. Gillespie

California State University, Northridge

| 1 | Introduction | 32-3 |
|----|---|---------------|
| | Radiation Patterns and Pattern Cuts | 32-6 |
| | Antenna Ranges | 32-8 |
| ٥. | Positioners and Coordinate Systems 32-8 | |
| | | |
| | 11.00.000 1.000 0.000 | |
| | Outdoor Ranges 32-19 | |
| | Indoor Ranges 32-25 | |
| | Instrumentation 32-30 | |
| | Range Evaluation 32-33 | |
| 4. | Measurement of Radiation Characteristics | 32-39 |
| • | Amplitude Patterns and Directivity Measurements 32-39 | |
| | Antenna Gain Measurements 32-42 | |
| | Polarization Measurements 32-51 | |
| _ | 1 Old 12 ditor Medsure recess ===== | 32-63 |
| 5. | Modeling and Model Measurements | 2 2 00 |
| | Theory of Electromagnetic Models 32-65 | |
| | Materials for Electromagnetic Models 32-69 | |
| | Scale-Model Construction, Instrumentation, and | |
| | Measurement 32-74 | |
| 6. | References | 32-87 |



Near-Field Far-Field Antenna Measurements

Jørgen Appel-Hansen

Electromagnetics Institute, Technical University of Denmark

| 1 | Introduction | 33-3 |
|-----|-----------------------------------|-------|
| | | 33-3 |
| | General Concepts | 33-5 |
| 3. | Current Distribution Measurements | |
| 4. | Planar Scanning | 33-7 |
| | Cylindrical Scanning | 33-10 |
| | Spherical Scanning | 33-12 |
| 0. | Splicifical Scalling Pages | 33-15 |
| 7. | Error Budgets for Scanning Ranges | 33-18 |
| 8 | Scanning Ranges | |
| | Plane-Wave Synthesis Techniques | 33-21 |
| | | 33-22 |
| 10. | Compact Range | 33-24 |
| 11 | Defocusing Techniques | |
| 12 | Extrapolation Techniques | 33-26 |
| | | 33-28 |
| 13. | References | 55 _5 |