

## Table of contents

	page	
	Part 1	Part 2
<b>Part 1: Magnetic susceptibility of coordination and organometallic transition metal compounds . . . . .</b>	1	-
<b>Part 2: Electron paramagnetic resonance of coordination and organometallic transition metal compounds . . . . .</b>	-	974
<b>Introduction . . . . .</b>	1	974
List of symbols . . . . .	1	974
General remarks . . . . .	3	975
Theoretical basis . . . . .	3	975
Definitions and fundamental relations . . . . .	3	-
Diamagnetism and diamagnetic corrections . . . . .	4	-
Paramagnetic susceptibility of polycrystalline specimens . . . . .	5	-
Paramagnetic anisotropy . . . . .	7	-
Ligand field effects, orbital contribution, and stereochemistry . . . . .	10	-
More detailed theory of magnetic susceptibilities . . . . .	13	-
Collective phenomena: ferromagnetism, antiferromagnetism, ferrimagnetism . . . . .	15	-
Intramolecular exchange interaction . . . . .	16	-
Definitions and fundamental concepts . . . . .	-	975
The spin Hamiltonian . . . . .	-	976
Description of individual ions . . . . .	-	976
Molecular orbital theory of EPR parameters . . . . .	-	980
Arrangement of tables . . . . .	19	981
Compounds listed, their designation and order . . . . .	19	981
Presentation of experimental results . . . . .	22	981
Selection and accuracy of data . . . . .	23	-
Experimental methods . . . . .	23	-
References . . . . .	23	982
Literature coverage . . . . .	23	982
Abbreviations . . . . .	24	-
Selected diamagnetic ionic susceptibilities, Pascal constants, and one-electron spin-orbit coupling constants . . . . .	27	-
Theoretical nomograms: calculated average magnetic moments as function of temperature, spin-orbit coupling, axial field splitting and orbital reduction . . . . .	30	-
References to the introduction . . . . .	40	982
Standard reference texts on magnetochemistry . . . . .	40	-
Standard reference texts on electron paramagnetic resonance . . . . .	-	982
Tables of magnetic data on transition metal compounds . . . . .	40	-
Tables of electron paramagnetic resonance data on transition metal compounds . . . . .	-	983
Reviews on magnetochemistry of coordination compounds published in 1964 to 1968 . . . . .	40	-
Reviews on electron paramagnetic resonance of coordination compounds published in 1964 to 1968 . . . . .	-	983
Selected references on theory and experimental methods in the magnetism of transition metal compounds (1964 to 1968) . . . . .	41	-
General theory . . . . .	41	-
Ligand field theory of magnetism . . . . .	41	-
Molecular orbital theory of magnetism . . . . .	41	-
Theory of intramolecular exchange interaction . . . . .	42	-
Theory of magnetism at high-spin $\rightleftharpoons$ low spin transitions . . . . .	42	-
Experimental methods in magnetism . . . . .	42	-

## Table of contents

IX

	page	
	Part 1	Part 2
Selected references on the theory of electron paramagnetic resonance in transition metal compounds (1964 to 1968) . . . . .	-	983
General theory . . . . .	-	983
Theory with respect to a particular ion . . . . .	-	984
Additional references to introduction . . . . .	43	985
References to crystal structure . . . . .	45	985
References on magnetic susceptibilities not included in this volume . . . . .	45	-
References on electron paramagnetic resonance not included in this volume . . . . .	-	986
 <b>Magnetic susceptibility data</b> . . . . .	 46	-
<b>Electron paramagnetic resonance data</b> . . . . .	-	987
 <b>Titanium Ti</b> . . . . .	 46	987
Ti(-III) . . . . .	46	-
Ti(-II) . . . . .	46	-
Ti(II) . . . . .	46	987
<i>Simple compounds</i> . . . . .	46	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	46	-
With heterocyclic ligands . . . . .	46	-
With cyclic ethers and ketones . . . . .	46	-
With cyanides . . . . .	47	-
<i>Organometallic compounds</i> . . . . .	47	-
Ti(III) . . . . .	48	987
<i>Simple compounds</i> . . . . .	48	987
With fluoride . . . . .	48	-
With chloride . . . . .	48	-
With bromide . . . . .	49	-
With sulfate . . . . .	49	-
With carboxylates . . . . .	49	-
With other anions . . . . .	51	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	51	988
With water and ammonia . . . . .	51	-
With amines . . . . .	52	-
With aliphatic monamines . . . . .	52	-
With aliphatic diamines . . . . .	52	-
With aliphatic tetramines . . . . .	53	-
With heterocyclic ligands . . . . .	53	-
With pyridine and derivatives . . . . .	53	-
With bipyridyl . . . . .	54	-
With phenanthroline . . . . .	54	-
With other heterocyclic ligands . . . . .	54	-
With alcohols . . . . .	55	-
With ethers . . . . .	56	-
With ketones . . . . .	56	-
With 1,3-diketones . . . . .	56	-
With amine-N-polycarboxylic acids . . . . .	57	-
With diamine-N,N,N',N'-tetracarboxylic acids . . . . .	57	-
With acid amides and acid hydrazides . . . . .	58	-
With urea . . . . .	58	-
With acid amides . . . . .	59	-
With cyanides . . . . .	59	-
With ligands containing sulfur . . . . .	60	-
<i>Organometallic compounds</i> . . . . .	62	988
Ti(IV) . . . . .	64	-
 <b>Zirkonium Zr</b> . . . . .	 65	-
Zr(-II) . . . . .	65	-
Zr(-I) . . . . .	65	-
Zr(0) . . . . .	65	-

	page	
	Part 1	Part 2
<b>Zr(III)</b>	65	-
<i>Simple compounds</i>	65	-
<i>Coordination compounds with neutral and chelating ligands</i>	65	-
With heterocyclic ligands	65	-
With cyanides	66	-
<b>Zr(IV)</b>	66	-
<b>Hafnium Hf</b>	66	-
Hf(III)	66	-
Hf(IV)	66	-
<b>Vanadium V</b>	67	989
V(-III)	67	-
V(-I)	67	-
V(0)	67	989
V(I)	67	-
V(II)	68	989
<i>Simple compounds</i>	68	-
With fluoride	68	-
With chloride	68	-
With bromide	69	-
With iodide	69	-
<i>Coordination compounds with neutral and chelating ligands</i>	69	-
With water	69	-
With amines	70	-
With aliphatic diamines	70	-
With aliphatic tetramines	70	-
With heterocyclic ligands	70	-
With alcohols	71	-
With ethers	72	-
With ketones	72	-
With cyanides	72	-
With ligands containing phosphorus	72	-
V(III)	72	-
<i>Simple compounds</i>	72	-
With oxygen	72	-
With fluoride	73	-
With chloride	74	-
With bromide	76	-
With carboxylates	76	-
With thiocyanate	78	-
With other anions	79	-
<i>Coordination compounds with neutral and chelating ligands</i>	79	-
With water	79	-
With amines	80	-
With aliphatic monamines	80	-
With aliphatic diamines	80	-
With heterocyclic ligands	81	-
With ethers	81	-
With aliphatic ethers	81	-
With heterocyclic ethers	82	-
With ketones	82	-
With 1,3-diketones	82	-
With amino ketones	83	-
With amine-N-polycarboxylic acids	84	-
With N,N,N',N'-tetracarboxylic acids	84	-
With Schiff bases and related compounds	85	-
With acid amides	85	-
With urea	85	-
With cyanides and isocyanides	86	-

## Table of contents

XI

### V(III) continued

	page	
	Part 1	Part 2
With ligands containing sulfur . . . . .	88	-
With ligands containing arsenic . . . . .	88	-
<i>Organometallic compounds</i> . . . . .	88	-
<b>V(IV)</b> . . . . .	<b>89</b>	<b>991</b>
<i>Simple compounds</i> . . . . .	89	991
With oxygen . . . . .	89	991
With fluoride . . . . .	-	991
With chlorides . . . . .	89	991
With sulfate . . . . .	-	991
With carboxylates . . . . .	91	992
With dicarboxylates . . . . .	93	-
With hydroxy carboxylates . . . . .	93	-
With phosphates . . . . .	94	-
With other anions . . . . .	94	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	95	992
With water . . . . .	95	-
With amides . . . . .	-	992
With amines . . . . .	95	-
With monamines . . . . .	95	-
With heterocyclic ligands . . . . .	95	-
With porphyrines . . . . .	95	-
With pyridine and derivatives . . . . .	96	-
With quinoline and derivatives . . . . .	98	-
With bipyridyl . . . . .	99	-
With phenanthroline . . . . .	99	-
With heterocyclic N-oxides . . . . .	99	-
With benzimidazol and derivatives . . . . .	99	-
With pyrazine and derivatives . . . . .	99	-
With pyrazolone and derivatives . . . . .	99	-
With ethers . . . . .	100	-
With ketones . . . . .	100	-
With 1,3-diketones . . . . .	-	993
With amino phenols . . . . .	100	-
With amine-N-polycarboxylic acids . . . . .	101	-
With Schiff bases . . . . .	101	-
With Schiff bases and related ligands . . . . .	-	994
From hydroxy arylaldehydes and aromatic monamines . . . . .	101	994
From hydroxy arylaldehydes and aliphatic hydroxyamines . . . . .	102	995
From hydroxy arylaldehydes and aromatic hydroxyamines . . . . .	103	-
From diketones and arylamines . . . . .	112	-
From diketones and diamines . . . . .	113	-
From 1,3-diketones and diamines . . . . .	-	995
From hydroxy arylaldehydes and hydrazines . . . . .	113	-
With oximes and nitroso compounds . . . . .	114	-
With acid amides . . . . .	114	998
With ligands containing sulfur . . . . .	114	998
With sulfoxides . . . . .	114	-
With thiols . . . . .	114	-
With sulfides . . . . .	114	-
With thioethers . . . . .	115	-
With monothio 1,3-diketones . . . . .	115	-
With thio carboxylic acids . . . . .	115	-
With dithiocarbamates . . . . .	115	-
With dithiocarbamates and dithiophosphonates . . . . .	-	998
With dithiolates . . . . .	115	998
With ligands containing phosphorus . . . . .	116	-
With ligands containing arsenic . . . . .	116	-
<i>Organometallic compounds</i> . . . . .	116	998
<b>V(V)</b> . . . . .	<b>116</b>	<b>-</b>
<i>Simple compounds</i> . . . . .	116	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	117	-
<b>V(VI)</b> . . . . .	<b>117</b>	<b>999</b>

	page	
	Part 1	Part 2
V(II, III) . . . . .	117	-
V(IV, V) . . . . .	117	999
V . . . . .	118	-
<b>Niobium Nb</b> . . . . .	118	999
Nb(-I) . . . . .	118	-
Nb(III) . . . . .	118	-
Nb(IV) . . . . .	118	999
<i>Simple compounds</i> . . . . .	118	999
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	119	1000
Nb(V) . . . . .	120	-
Nb . . . . .	120	1000
<i>Simple compounds</i> . . . . .	120	-
Clusters with chloride . . . . .	120	-
Clusters with bromide . . . . .	121	-
Clusters with iodide . . . . .	121	-
Clusters with selenide . . . . .	122	-
Clusters with telluride . . . . .	122	-
<b>Tantalum Ta</b> . . . . .	123	-
Ta(III) . . . . .	123	-
Ta(IV) . . . . .	123	-
Ta(V) . . . . .	123	-
Ta . . . . .	124	-
<i>Simple compounds</i> . . . . .	124	-
Clusters with chloride . . . . .	124	-
Clusters with bromide and iodide . . . . .	124	-
<b>Chromium Cr</b> . . . . .	125	1001
Cr(-VI) . . . . .	125	-
Cr(-III) . . . . .	125	-
Cr(-II) . . . . .	125	-
Cr(-I) . . . . .	125	-
Cr(0) . . . . .	125	-
Cr(I) . . . . .	125	1001
<i>Simple compounds</i> . . . . .	125	1001
With cyanide . . . . .	-	1001
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	126	1003
With water . . . . .	-	1003
With ammonia . . . . .	-	1004
<i>Organometallic compounds</i> . . . . .	126	1004
Cr(II) . . . . .	126	-
<i>Simple compounds</i> . . . . .	126	-
With fluoride . . . . .	126	-
With chloride and perchlorate . . . . .	127	-
With bromide . . . . .	127	-
With iodide . . . . .	127	-
With sulfate . . . . .	127	-
With selenide . . . . .	128	-
With carbonate . . . . .	128	-
With carboxylates . . . . .	128	-
With formiate . . . . .	128	-
With acetate and derivatives . . . . .	129	-
With dicarboxylates . . . . .	130	-
With borates . . . . .	130	-
With other anions . . . . .	130	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	130	-
With hydrazine . . . . .	130	-
With amines . . . . .	131	-
With triamines . . . . .	131	-
With tetramines . . . . .	131	-

## Table of contents

XIII

### Cr(II) continued

	page	
	Part 1	Part 2
With heterocyclic ligands . . . . .	131	-
With porphyrins and related ligands. . . . .	131	-
With pyridine . . . . .	132	-
With bipyridyl . . . . .	132	-
With terpyridine . . . . .	132	-
With phenanthroline . . . . .	133	-
With other heterocyclic ligands . . . . .	133	-
With alcohols . . . . .	133	-
With ethers . . . . .	133	-
With amino acids . . . . .	134	-
With cyanides . . . . .	134	-
With ligands containing sulfur . . . . .	134	-
With sulfoxides . . . . .	134	-
With thiols . . . . .	134	-
With ligands containing phosphorus . . . . .	134	-
With ligands containing arsenic . . . . .	135	-
With arsines . . . . .	135	-
With arsine oxides . . . . .	135	-
<i>Organometallic compounds</i> . . . . .	135	-
Cr(III). . . . .	135	1005
<i>Simple compounds</i> . . . . .	135	1005
With oxygen . . . . .	135	-
With nitrate . . . . .	-	1005
With fluoride . . . . .	136	-
With chloride . . . . .	136	1005
With bromide and iodide . . . . .	136	-
With sulfate . . . . .	-	1006
With sulfide and sulfate . . . . .	136	-
With selenide and telluride . . . . .	137	-
With acetate . . . . .	-	1006
With carboxylates . . . . .	138	-
With cyanide . . . . .	-	1006
With cyanide and thiocyanate . . . . .	141	-
With thiocyanate . . . . .	-	1007
With phosphide and phosphates . . . . .	141	-
With other simple anions . . . . .	141	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	142	1007
With water . . . . .	142	-
With ammonia . . . . .	142	1007
With hydrazine . . . . .	143	-
With trimethyl nitrogen oxide . . . . .	143	-
With amines . . . . .	143	-
With aliphatic monamines . . . . .	143	-
With ethylene diamine . . . . .	143	-
With 1,2-propylene diamine . . . . .	145	-
With alicyclic heteroring compounds . . . . .	145	-
With lactams . . . . .	145	-
With heterocyclic ligands . . . . .	145	-
With porphyrins and related ligands . . . . .	145	-
With quinoline and derivatives . . . . .	145	-
With bipyridyl . . . . .	145	-
With phenanthroline . . . . .	146	-
With pyridine N-oxide and derivatives . . . . .	146	-
With other heterocyclic ligands . . . . .	146	-
With alcohols . . . . .	147	-
With ethers . . . . .	149	-
With aldehydes . . . . .	149	-
With 1,3-diketones . . . . .	-	1008
With amino acids . . . . .	149	-
With amine-N-polycarboxylic acids . . . . .	150	1008
With ammonia triacetic acid . . . . .	150	-

## Cr(III) continued

	page	
	Part 1	Part 2
With ammonia propionic diacetic acid . . . . .	150	-
With ammonia isopropionic diacetic acid . . . . .	151	-
With Schiff bases and related compounds . . . . .	151	-
From hydroxy arylaldehydes and monamines . . . . .	151	-
From salicylaldehydes and diamine . . . . .	152	-
From hydroxy arylaldehydes and thiosemicarbazide . . . . .	152	-
With acid amides . . . . .	153	-
With cyanides . . . . .	153	-
With ligands containing sulfur . . . . .	153	1009
With thiocarboxylates and xanthogenates . . . . .	-	1009
With dithiocarbamates . . . . .	-	1009
With dithiophosphates and dithiophosphonates . . . . .	-	1009
With ligands containing selenium . . . . .	154	-
With ligands containing phosphorus . . . . .	154	-
With ligands containing arsenic . . . . .	154	-
<i>Organometallic compounds</i> . . . . .	155	-
Cr(IV) . . . . .	155	-
Cr(V) . . . . .	155	1010
<i>Simple compounds</i> . . . . .	-	1010
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	-	1010
Cr(VI) . . . . .	155	-
Cr(II, III) . . . . .	156	-
Cr . . . . .	156	-
<b>Molybdenum Mo</b> . . . . .	157	1011
Mo(0) . . . . .	157	-
Mo(I) . . . . .	157	1011
Mo(II) . . . . .	157	1011
<i>Simple compounds</i> . . . . .	157	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	158	-
With monamines . . . . .	158	-
With heterocyclic ligands . . . . .	158	-
With cyanides . . . . .	158	-
With ligands containing arsenic . . . . .	158	-
Mo(III) . . . . .	159	1011
<i>Simple compounds</i> . . . . .	159	-
With chloride . . . . .	159	-
With cyanide and thiocyanate . . . . .	160	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	160	-
With hydrazine . . . . .	160	-
With diamines . . . . .	160	-
With heterocyclic ligands . . . . .	160	-
With bipyridyl . . . . .	160	-
With phenanthroline . . . . .	161	-
With 8-hydroxyquinoline . . . . .	161	-
With Schiff bases and related compounds . . . . .	161	-
With cyanides . . . . .	162	-
With ligands containing sulfur . . . . .	162	-
With thiols . . . . .	162	-
With mercapto pyridine, mercapto quinoline and derivatives . . . . .	163	-
With mercapto ketones . . . . .	164	-
<i>Organometallic compounds</i> . . . . .	164	-
Mo(IV) . . . . .	164	-
<i>Simple compounds</i> . . . . .	164	-
With oxygen . . . . .	164	-
With chloride . . . . .	164	-
With cyanide . . . . .	165	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	165	-
With heterocyclic ligands . . . . .	165	-
With ethers . . . . .	166	-
With cyanides . . . . .	166	-

# Table of contents

XV

## Mo(IV) continued

	page	
	Part 1	Part 2
With ligands containing phosphorus . . . . .	166	—
With ligands containing arsenic . . . . .	166	—
<b>Mo(V). . . . .</b>	<b>167</b>	<b>1012</b>
<i>Simple compounds</i> . . . . .	167	1012
With fluoride . . . . .	167	1012
With chloride . . . . .	167	1012
With bromide . . . . .	168	1014
With iodide . . . . .	—	1014
With sulfates . . . . .	—	1015
With thiocyanate . . . . .	169	—
With cyanide and thiocyanate . . . . .	—	1015
With phosphates . . . . .	—	1016
With arsenates . . . . .	—	1016
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	169	1017
With heterocyclic ligands . . . . .	169	1017
With pyridine and derivatives . . . . .	169	—
With bipyridyl and phenanthroline . . . . .	170	—
With quinoline and derivatives . . . . .	170	—
With pyrazine . . . . .	171	—
With heterocyclic N-oxides . . . . .	171	—
With aliphatic alcohols . . . . .	—	1017
With alcohols . . . . .	171	—
With ethers . . . . .	171	—
With ketones . . . . .	171	—
With Schiff bases and related compounds . . . . .	171	—
With oximes . . . . .	172	—
With acid amides and acid hydrazides . . . . .	172	—
With cyanides . . . . .	172	—
With ligands containing sulfur . . . . .	172	1018
With dithiolates . . . . .	—	1018
With thiourea . . . . .	—	1018
With ligands containing phosphorus . . . . .	172	1019
With dithiophosphates . . . . .	—	1019
<i>Organometallic compounds</i> . . . . .	173	1019
<b>Mo(VI) . . . . .</b>	<b>173</b>	<b>—</b>
<i>Simple compounds</i> . . . . .	173	—
With oxygen . . . . .	173	—
With chloride . . . . .	174	—
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	174	—
With aliphatic amines . . . . .	174	—
With heterocyclic ligands . . . . .	174	—
With pyridine . . . . .	174	—
With bipyridyl and phenanthroline . . . . .	174	—
With other heterocyclic ligands . . . . .	174	—
With ethers . . . . .	175	—
With amine N-polycarboxylic acids . . . . .	175	—
With cyanides . . . . .	175	—
With ligands containing arsenic . . . . .	176	—
<b>Mo(III, V) . . . . .</b>	<b>176</b>	<b>—</b>
<b>Mo(IV, V) . . . . .</b>	<b>176</b>	<b>—</b>
<b>Mo . . . . .</b>	<b>176</b>	<b>—</b>
<b>Wolfram W (Tungsten) . . . . .</b>	<b>176</b>	<b>1020</b>
<i>W(0)</i> . . . . .	176	—
<i>W(I)</i> . . . . .	177	—
<i>W(II)</i> . . . . .	177	—
<i>W(III)</i> . . . . .	177	—
<i>W(IV)</i> . . . . .	178	—
<i>W(V)</i> . . . . .	179	1020
<i>Simple compounds</i> . . . . .	179	1020
With chloride . . . . .	179	—
With bromide . . . . .	180	—

## W(V) continued

	page	
	Part 1	Part 2
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	180	1020
With aliphatic amines . . . . .	180	-
With heterocyclic ligands . . . . .	181	-
With pyridine and derivatives . . . . .	181	-
With bipyridyl . . . . .	181	-
With alcohols. . . . .	181	-
With ethers. . . . .	181	-
With aromatic hydroxy compounds . . . . .	182	-
With acid amides . . . . .	182	-
With cyanides . . . . .	182	-
With ligands containing sulfur . . . . .	182	-
With ligands containing phosphorus . . . . .	182	-
Organometallic compounds . . . . .	183	1020
W(VI) . . . . .	183	-
<i>Simple compounds</i> . . . . .	183	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	183	-
With heterocyclic ligands . . . . .	183	-
With ethers. . . . .	184	-
With acid amides . . . . .	184	-
With cyanides . . . . .	184	-
With ligands containing phosphorus . . . . .	184	-
W. . . . .	184	-
<b>Manganese Mn</b> . . . . .	184	1021
Mn(-IV) . . . . .	184	-
Mn(I) . . . . .	185	1021
Mn(II). . . . .	185	{1021 1029
<i>Simple compounds</i> . . . . .	185	1021
With nitrite. . . . .	185	-
With nitrate . . . . .	- . . . . .	1021
With fluoride. . . . .	- . . . . .	1022
With chloride. . . . .	185	-
With chloride and perchlorate. . . . .	- . . . . .	1023
With bromide. . . . .	187	1024
With iodide . . . . .	- . . . . .	1024
With sulfide and sulfates . . . . .	187	-
With sulfate and carbonate . . . . .	- . . . . .	1024
With selenide and selenate . . . . .	188	-
With telluride. . . . .	189	-
With borate . . . . .	189	-
With carboxylates . . . . .	189	1025
With silicates and fluorosilicate . . . . .	190	-
With phosphates . . . . .	- . . . . .	1025
With phosphates and thiophosphates. . . . .	192	-
With cyanide, thiocyanate and selenocyanate . . . . .	192	-
With other simple anions . . . . .	192	1026
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	193	1028
With ammonia . . . . .	193	-
With hydrazines. . . . .	193	-
With trimethyl nitrogen oxide. . . . .	193	-
With aliphatic monamines . . . . .	193	-
With aliphatic diamines . . . . .	194	-
With ethylene diamine . . . . .	194	-
With aliphatic triamines . . . . .	194	-
With aliphatic tetramines. . . . .	194	-
With aromatic amines . . . . .	194	-
With monamines . . . . .	194	-
With diamines . . . . .	194	-
With heterocyclic monamines . . . . .	195	-
With heterocyclic ligands . . . . .	195	-
With piperidine . . . . .	195	-

# Table of contents

XVII

## Mn(II) continued

	page	
	Part 1	Part 2
With lactams . . . . .	195	-
With phthalocyanine and derivatives . . . . .	195	-
With pyridine . . . . .	196	-
With pyridine derivatives . . . . .	196	-
With quinoline and derivatives . . . . .	197	-
With bipyridyl and derivatives . . . . .	197	-
With terpyridyl . . . . .	197	-
With phenanthroline and derivatives . . . . .	198	-
With tetrazole and tetrazole derivatives . . . . .	-	1028
With heterocyclic N-oxides . . . . .	198	-
With other heterocyclic ligands . . . . .	198	-
With alcohols . . . . .	199	1028
With ethers . . . . .	199	-
With esters . . . . .	199	-
With ketones . . . . .	199	-
With monoketones . . . . .	199	-
With diketones . . . . .	200	-
With amino phenols . . . . .	200	-
With aminoacids and aminoacids containing sulfur . . . . .	201	-
With Schiff bases and related compounds . . . . .	201	-
From hydroxy arylaldehydes and aliphatic monamines . . . . .	201	-
From hydroxy arylaldehydes and aromatic monamines . . . . .	201	-
From hydroxy arylaldehydes and diamines . . . . .	202	-
Binuclear Schiff bases from hydroxy arylaldehydes and diamines . . . . .	203	-
From hydroxy arylaldehydes and polyamines . . . . .	204	-
From arylaldehydes and aromatic hydroxyamines . . . . .	204	-
From arylaldehydes and diamines . . . . .	206	-
From heteraromatic aldehydes and hydrazines . . . . .	206	-
From aminoaldehydes and arylamines . . . . .	207	-
From hydroxy arylaldehydes and guanidine . . . . .	207	-
With acid amides and acid hydrazides . . . . .	207	-
With urea and related compounds . . . . .	207	-
With aliphatic acid amides . . . . .	207	-
With malon dihydrazide . . . . .	208	-
With cyanides . . . . .	208	1028
With ligands containing sulfur . . . . .	208	-
With sulfoxides . . . . .	208	-
With thiols . . . . .	209	-
With monothio 1,3-diketone . . . . .	209	-
With thiourea and derivatives . . . . .	209	-
With sulfinites . . . . .	210	-
With thioacid amides . . . . .	210	-
With sulfonamides . . . . .	210	-
With ligands containing phosphorus . . . . .	210	1028
With ligands containing arsenic . . . . .	210	-
With ligands containing boron . . . . .	210	-
<i>Organometallic compounds</i> . . . . .	211	-
Mn(III) . . . . .	211	-
<i>Simple compounds</i> . . . . .	211	-
With chloride . . . . .	211	-
With sulfide . . . . .	211	-
With carboxylates . . . . .	212	-
With phosphide, phosphates and arsenates . . . . .	212	-
With other simple anions . . . . .	212	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	213	-
With heterocyclic ligands . . . . .	213	-
With porphyrines and related ligands . . . . .	213	-
With pyridine and derivatives . . . . .	213	-
With bipyridyl . . . . .	213	-
With terpyridine . . . . .	214	-
With phenanthroline . . . . .	214	-
With quinoline and derivatives . . . . .	214	-

**Mn(III) continued**

	page	
	Part 1	Part 2
With ketones . . . . .	214	-
With Schiff bases . . . . .	215	-
With acid amides . . . . .	215	-
With ligands containing sulfur . . . . .	215	-
With sulfoxides . . . . .	215	-
With thiols . . . . .	215	-
With other ligands. . . . .	215	-
<b>Mn(IV)</b> . . . . .	216	-
<i>Simple compounds</i> . . . . .	216	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	216	-
With heterocyclic ligands . . . . .	216	-
With porphines and related ligands . . . . .	216	-
With bipyridyl . . . . .	216	-
With phenanthroline. . . . .	216	-
With acid amides . . . . .	217	-
With ligands containing sulfur. . . . .	217	-
<b>Mn(V)</b> . . . . .	217	-
<b>Mn(VII)</b> . . . . .	217	-
<b>Mn</b> . . . . .	217	-
<b>Technetium Tc</b> . . . . .	218	1029
Tc(III). . . . .	218	-
Tc(IV) . . . . .	218	1029
<i>Simple compounds</i> . . . . .	218	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	219	-
Tc(V) . . . . .	219	-
Tc(VI) . . . . .	219	-
Tc(VII) . . . . .	219	-
<b>Rhenium Re</b> . . . . .	220	1030
Re(0) . . . . .	220	-
Re(I) . . . . .	220	-
Re(II) . . . . .	221	-
Re(III). . . . .	221	-
<i>Simple compounds</i> . . . . .	221	-
With chloride. . . . .	221	-
With bromide. . . . .	221	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	221	-
With heterocyclic ligands. . . . .	221	-
With ketones . . . . .	222	-
With acid amides . . . . .	222	-
With cyanides . . . . .	222	-
With ligands containing sulfur. . . . .	223	-
With ligands containing phosphorus . . . . .	223	-
With ligands containing arsenic . . . . .	224	-
Re(IV). . . . .	224	-
<i>Simple compounds</i> . . . . .	224	-
With oxygen . . . . .	224	-
With fluoride . . . . .	224	-
With chloride. . . . .	224	-
With bromide. . . . .	225	-
With iodide . . . . .	226	-
With sulfide . . . . .	227	-
With thiocyanate . . . . .	227	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	228	-
With heterocyclic ligands. . . . .	228	-
With porphine derivatives and related ligands . . . . .	228	-
With bipyridyl . . . . .	229	-
With ketones . . . . .	229	-
With acid amides . . . . .	229	-
With cyanides . . . . .	229	-
With ligands containing phosphorus . . . . .	229	-

## Table of contents

XIX

	page	
	Part 1	Part 2
<b>Re(V)</b> . . . . .	230	1030
<i>Simple compounds</i> . . . . .	230	—
With fluoride . . . . .	230	—
With chloride . . . . .	230	—
With bromide . . . . .	231	—
With iodide . . . . .	232	—
With cyanide and thiocyanate . . . . .	232	—
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	232	—
With amines . . . . .	232	—
With monamines . . . . .	232	—
With diamines . . . . .	233	—
With heterocyclic ligands . . . . .	233	—
With pyridine . . . . .	233	—
With pyridine derivatives . . . . .	233	—
With bipyridyl . . . . .	233	—
With phenanthroline . . . . .	234	—
With acid amides . . . . .	234	—
<b>Re(VI)</b> . . . . .	234	1030
<i>Simple compounds</i> . . . . .	234	—
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	235	—
<b>Re(VII)</b> . . . . .	235	—
<b>Re(II, III)</b> . . . . .	235	—
<b>Re(III, IV)</b> . . . . .	236	—
<b>Re</b> . . . . .	236	—
 <b>Iron Fe</b> . . . . .	 236	 1030
<b>Fe(-II)</b> . . . . .	236	—
<b>Fe(-I)</b> . . . . .	236	1030
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	236	—
With amines . . . . .	236	—
With heterocyclic ligands . . . . .	236	—
With porphine derivatives and related compounds . . . . .	236	—
With piperidine and derivatives . . . . .	237	—
With bipyridyl and derivatives . . . . .	237	—
With Schiff bases and related compounds . . . . .	237	—
With acid amides . . . . .	237	—
With ligands containing sulfur . . . . .	237	—
With thiols . . . . .	237	—
With thioethers . . . . .	237	—
With thiourea and derivatives . . . . .	238	—
With thioacid amides . . . . .	238	—
With ligands containing phosphorus . . . . .	238	—
<b>Fe(0)</b> . . . . .	238	—
<i>Simple compounds</i> . . . . .	238	—
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	238	—
With heterocyclic ligands . . . . .	238	—
With ligands containing phosphorus . . . . .	239	—
<b>Fe(I)</b> . . . . .	239	1031
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	239	—
With Schiff bases . . . . .	239	—
With ligands containing sulfur . . . . .	239	—
<b>Fe(II)</b> . . . . .	240	—
<i>Simple compounds</i> . . . . .	240	—
With nitrite . . . . .	240	—
With fluoride . . . . .	240	—
With chloride . . . . .	240	—
With bromide . . . . .	241	—
With iodide . . . . .	241	—
With sulfide and sulfate . . . . .	241	—
With borates . . . . .	243	—

## Fe(II) continued

	page	
	Part 1	Part 2
With carbonate . . . . .	244	-
With carboxylates . . . . .	244	-
With silicates . . . . .	245	-
With silicofluoride . . . . .	245	-
With phosphate and thiophosphate . . . . .	246	-
With cyanide, cyanate and thiocyanate . . . . .	247	-
With other simple anions . . . . .	247	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	248	-
With ammonia . . . . .	248	-
With hydrazines . . . . .	248	-
With aliphatic monamines . . . . .	248	-
With aliphatic diamines . . . . .	248	-
With aliphatic polyamines . . . . .	249	-
With heterocyclic ligands . . . . .	249	-
With porphyrins . . . . .	249	-
With lactams . . . . .	250	-
With pyridine . . . . .	250	-
With pyridine derivatives . . . . .	251	-
With quinoline and derivatives . . . . .	253	-
With isoquinoline . . . . .	254	-
With quinoxaline and derivatives . . . . .	254	-
With bipyridyl and derivatives . . . . .	254	-
With terpyridine . . . . .	257	-
With phenanthroline and derivatives . . . . .	257	-
With heterocyclic N-oxides . . . . .	266	-
With other heterocyclic ligands . . . . .	266	-
With alcohols . . . . .	273	-
With ethers . . . . .	273	-
With ketones . . . . .	273	-
With amino phenols . . . . .	274	-
With amino ketones . . . . .	274	-
With Schiff bases and related compounds . . . . .	274	-
With hydroxy arylaldehydes and hydroxy arylamines . . . . .	274	-
From hydroxy arylaldehydes and aliphatic diamines . . . . .	274	-
Binuclear Schiff bases from hydroxy arylaldehydes and aliphatic diamines . . . . .	275	-
From heteroaromatic aldehydes and amines . . . . .	277	-
From aliphatic aldehydes and monamines . . . . .	278	-
From aliphatic dialdehydes and hydrazine . . . . .	278	-
From heterocyclic monoketones and monamines . . . . .	278	-
From heterocyclic diketones and monamines . . . . .	279	-
From heterocyclic ketones and hydrazines . . . . .	279	-
With aminotropionimines . . . . .	280	-
With oximes . . . . .	280	-
With salicylaldoximes . . . . .	280	-
With furyldioxime . . . . .	280	-
With acid amides and acid hydrazides . . . . .	281	-
With urea and related compounds . . . . .	281	-
With aliphatic acid amides . . . . .	281	-
With aromatic acid amides . . . . .	281	-
With malon dihydrazide . . . . .	281	-
With ligands containing sulfur . . . . .	281	-
With sulfoxides . . . . .	281	-
With thiols . . . . .	281	-
With monothio 1,3-diketones . . . . .	282	-
With thiourea and derivatives . . . . .	282	-
With thiocarbo hydrazide . . . . .	282	-
With sulfinites . . . . .	282	-
With thioacid amides . . . . .	282	-
With ligands containing boron . . . . .	283	-
With ligands containing phosphorus . . . . .	284	-
With monophosphines . . . . .	284	-
With tetraphosphines . . . . .	285	-

## Fe(II) continued

	page	
	Part 1	Part 2
With ligands containing arsenic . . . . .	285	-
With triphenyl arsine . . . . .	285	-
With arsine oxides . . . . .	285	-
With ligands containing antimon . . . . .	286	-
<i>Organometallic compounds</i> . . . . .	286	-
<i>Biological compounds</i> . . . . .	286	-
Fe(III) (Part 2: S = $\frac{5}{2}$ , S = $\frac{3}{2}$ , S = $\frac{1}{2}$ ) . . . . .	287	$\begin{cases} 1032 \\ 1035 \\ 1036 \end{cases}$
<i>Simple compounds</i> . . . . .	287	1032
With oxygen . . . . .	287	-
With nitrate . . . . .	287	1032
With fluoride . . . . .	287	1033
With chloride . . . . .	288	1033
With sulfide and sulfate . . . . .	288	-
With sulfate . . . . .	288	1033
With carboxylates . . . . .	288	-
With phosphide and phosphates . . . . .	291	-
With cyanide and thiocyanate . . . . .	291	-
With other simple anions . . . . .	291	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	292	1034
With water . . . . .	292	-
With aliphatic diamines . . . . .	292	-
With heterocyclic ligands . . . . .	293	1034
With porphine derivatives and related ligands . . . . .	293	-
With lactams . . . . .	294	-
With bipyridyl . . . . .	295	-
With terpyridine . . . . .	296	-
With phenanthroline and derivatives . . . . .	297	-
With heterocyclic N-oxides . . . . .	300	-
With other heterocyclic ligands . . . . .	301	-
With alcohols . . . . .	301	-
With ethers . . . . .	302	-
With aromatic hydroxy compounds . . . . .	302	-
With aldehydes . . . . .	302	-
With ketones . . . . .	302	-
With aromatic and heterocyclic ketones . . . . .	302	-
With tetracyclines . . . . .	303	-
With amino phenols . . . . .	303	-
With amino acids . . . . .	303	-
With amine-N-polycarboxylic acids . . . . .	303	1034
With ethylenediamine tetraacetic acid . . . . .	303	-
With diethylenetriamine pentaacetate . . . . .	304	-
With Schiff bases and related compounds . . . . .	304	-
From hydroxy arylaldehydes and aliphatic monamines . . . . .	304	-
Binuclear Schiff bases from hydroxy arylaldehydes and aliphatic monamines . . . . .	305	-
From hydroxy arylaldehydes and aromatic monamines . . . . .	305	-
Binuclear Schiff bases from hydroxy arylaldehydes and aromatic monamines . . . . .	306	-
From hydroxy arylaldehydes and aromatic hydroxymonamines . . . . .	308	-
Binuclear Schiff bases from hydroxy arylaldehydes and aromatic hydroxymonamines . . . . .	308	-
From hydroxy arylaldehydes and heterocyclic amines . . . . .	308	-
From hydroxy arylaldehydes and ethylenediamine . . . . .	309	-
From hydroxy arylaldehydes and other aliphatic diamines . . . . .	312	-
From hydroxy arylaldehydes and aromatic diamines . . . . .	313	-
Binuclear Schiff bases from hydroxy arylaldehydes and diamines . . . . .	314	-
From hydroxy arylaldehydes and polyamines . . . . .	318	-
With other Schiff bases . . . . .	318	-
With oximes . . . . .	319	-
With aldoximes . . . . .	319	-
With hydroxylamines . . . . .	319	-
With acid amides . . . . .	320	-
With aliphatic acid amides . . . . .	320	-

## Fe(III) continued

	page	
	Part 1	Part 2
With acetoacetic acid aromatic amides . . . . .	320	—
With phthalimide . . . . .	320	—
With ligands containing sulfur . . . . .	321	$\begin{cases} 1035 \\ 1036 \end{cases}$
With thiols . . . . .	321	—
With dithiolates . . . . .	—	1036
With aromatic monothio diketones . . . . .	323	—
With heterocyclic monothio diketones . . . . .	325	—
With thioesters . . . . .	326	—
With xanthates and thioxanthates . . . . .	326	—
With dithiocarbamates . . . . .	327	1035
With ligands containing phosphorus . . . . .	329	1034
With ligands containing arsenic . . . . .	329	—
With ligands containing antimony . . . . .	329	—
<i>Organometallic compounds</i> . . . . .	330	1036
<i>Biological compounds</i> . . . . .	330	$\begin{cases} 1035 \\ 1036 \end{cases}$
Fe(II, III) . . . . .	—	1037
Fe(IV) . . . . .	331	—
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	331	—
With ligands containing sulfur . . . . .	331	—
With ligands containing arsenic . . . . .	331	—
Fe(VI) . . . . .	332	—
Fe(III, IV) . . . . .	332	—
Fe . . . . .	333	—
<b>Ruthenium Ru</b> . . . . .	333	—
Ru(I) . . . . .	333	—
Ru(II) . . . . .	333	—
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	333	—
With heterocyclic ligands . . . . .	333	—
With ligands containing phosphorus . . . . .	334	—
With ligands containing arsenic . . . . .	334	—
With ligands containing antimony . . . . .	334	—
Ru(III) . . . . .	334	—
<i>Simple compounds</i> . . . . .	334	—
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	335	—
With ammonia . . . . .	335	—
With amines . . . . .	336	—
With heterocyclic ligands . . . . .	336	—
With pyridine and derivatives . . . . .	336	—
With bipyridyl . . . . .	337	—
With ketones . . . . .	338	—
With amine-N-polycarboxylic acid . . . . .	339	—
With acid amides . . . . .	340	—
With ligands containing sulfur . . . . .	340	—
With ligands containing phosphorus . . . . .	340	—
With ligands containing arsenic . . . . .	341	—
<i>Organometallic compounds</i> . . . . .	341	—
Ru(IV) . . . . .	341	—
Ru(VI) . . . . .	342	—
Ru . . . . .	342	—
<b>Osmium Os</b> . . . . .	342	—
Os(II) . . . . .	342	—
Os(III) . . . . .	343	—
<i>Simple compounds</i> . . . . .	343	—
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	343	—
With amines . . . . .	343	—
With heterocyclic ligands . . . . .	343	—
With acid amides . . . . .	344	—

## Os(III) continued

	page	
	Part 1	Part 2
With ligands containing sulfur . . . . .	344	-
With ligands containing phosphorus . . . . .	345	-
With ligands containing arsenic . . . . .	345	-
With ligands containing antimony . . . . .	346	-
<b>Os(IV)</b> . . . . .	346	-
<i>Simple compounds</i> . . . . .	346	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	346	-
With ligands containing sulfur . . . . .	346	-
With ligands containing phosphorus . . . . .	346	-
With ligands containing arsenic . . . . .	347	-
<b>Os(V)</b> . . . . .	347	-
<b>Os(VI)</b> . . . . .	347	-
<b>Os(VII)</b> . . . . .	348	-
 <b>Cobalt Co</b> . . . . .	 348	 1037
<b>Co(-II)</b> . . . . .	-	1037
<b>Co(0)</b> . . . . .	348	1037
<b>Co(I)</b> . . . . .	348	-
<i>Simple compounds</i> . . . . .	348	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	348	-
With heterocyclic ligands . . . . .	348	-
With Schiff bases and related compounds . . . . .	348	-
With ligands containing sulfur . . . . .	350	-
With ligands containing phosphorus . . . . .	350	-
<b>Co(II) (Part 2: S = <math>\frac{3}{2}</math>, S = <math>\frac{1}{2}</math>)</b> . . . . .	350	{ 1038 1040
<i>Simple compounds</i> . . . . .	350	{ 1038 1040
With nitrite . . . . .	-	1038
With hydroxide and nitrite . . . . .	350	-
With fluoride . . . . .	351	1038
With chloride . . . . .	351	1038
With bromide . . . . .	355	1038
With cyanide . . . . .	-	1040
With sulfide and sulfate . . . . .	356	-
With sulfate and selenate . . . . .	-	1039
With selenide, selenate and telluride . . . . .	358	-
With borates . . . . .	359	-
With carboxylates . . . . .	360	1039
With cyanide and thiocyanate . . . . .	361	-
With silicates and phosphates . . . . .	363	-
With niobate and thoniobate . . . . .	364	-
With molybdates and thiomolybdate . . . . .	364	-
With other simple anions . . . . .	365	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	366	{ 1039 1040
With water . . . . .	366	-
With ammonia . . . . .	366	-
With ammonia and other simple ligands . . . . .	-	1040
With hydrazines . . . . .	366	-
With trimethyl nitrogen oxide . . . . .	367	-
With aliphatic diamines . . . . .	367	-
With ethylene diamine derivatives . . . . .	367	-
With 1,3-propylene diamine derivatives . . . . .	368	-
With 1,2-propylene diamine derivatives . . . . .	368	-
With triamines . . . . .	368	-
With tetramines . . . . .	370	-
With alicyclic amines . . . . .	370	-
With 1,3,5-triamino cyclohexane . . . . .	370	-
With aromatic amines . . . . .	371	-
With diamines . . . . .	371	-

## Co(II) continued

	page	
	Part 1	Part 2
With alicyclic heteroring compounds . . . . .	373	-
With lactams and derivatives . . . . .	373	-
With heterocyclic ligands . . . . .	374	{1039 1041}
With dipyrromethene derivatives . . . . .	374	-
With phthalocyanine . . . . .	375	-
With porphine derivatives and related ligands . . . . .	-	1041
With porphyrins . . . . .	375	-
With pyridine . . . . .	376	-
With pyridine derivatives . . . . .	379	-
With pyrazole and derivatives . . . . .	-	1042
With quinoline and derivatives . . . . .	390	-
With iso-quinoline . . . . .	391	-
With 2,2'-biquinoline . . . . .	392	-
With quinoxaline and derivatives . . . . .	392	-
With bipyridyl and derivatives . . . . .	393	-
With pyridylic acid . . . . .	393	-
With 1,2-di(pyridyl)ethylenes and related ligands . . . . .	394	-
With terpyridine . . . . .	395	-
With phenanthroline and derivatives . . . . .	399	-
With heterocyclic N-oxides . . . . .	401	-
With other heterocyclic ligands . . . . .	403	-
With alcohols and amino alcohols . . . . .	409	-
With aromatic hydroxy compounds . . . . .	409	-
With esters . . . . .	409	-
With ethers . . . . .	410	-
With aldehydes and derivatives . . . . .	411	-
With aldehydes . . . . .	411	-
With derivatives . . . . .	411	-
With ketones . . . . .	412	-
With monoketones . . . . .	412	-
With diketones . . . . .	414	-
With tetracyclines . . . . .	418	-
With camphor derivatives . . . . .	418	-
With amino ketones . . . . .	418	-
With alkylamino aliphatic ketones and derivatives . . . . .	418	-
With alicyclic aminoketones . . . . .	420	-
With arylamino aliphatic ketones . . . . .	422	-
With alkylamino aromatic ketones . . . . .	422	-
With arylamino aromatic ketones . . . . .	424	-
With heterocyclic aminoketones . . . . .	426	-
With amino acids . . . . .	426	-
With simple amino acids . . . . .	426	-
With amino acids containing sulfur . . . . .	426	-
With amine-N-polycarboxylic acids . . . . .	426	-
With Schiff bases and related compounds . . . . .	427	1043
From hydroxy arylaldehydes and aliphatic monamines . . . . .	427	-
From hydroxy arylaldehydes and aromatic monamines . . . . .	427	-
From hydroxy arylaldehydes and heterocyclic amines . . . . .	428	-
From hydroxy arylaldehydes and aliphatic diamines . . . . .	428	-
From hydroxy arylaldehydes and aromatic diamines . . . . .	432	-
Binuclear Schiff bases from hydroxy arylaldehydes and diamines . . . . .	433	-
From hydroxy arylaldehydes and hydroxy arylamines . . . . .	434	-
From hydroxy arylaldehydes and polyamines . . . . .	435	-
From hydroxy arylaldehyde and guanidine . . . . .	435	-
From arylaldehydes and aromatic hydroxyamines . . . . .	435	-
With arylaldehydes and diamines . . . . .	438	-
From thioarylaldehydes and diamines . . . . .	438	-
From aldehydes and sulfenamido pyridine and derivatives . . . . .	439	-
From heteroaromatic aldehydes and amines . . . . .	440	-
From heteroaromatic aldehydes and di- or polyamines . . . . .	441	-
From heteroaromatic aldehydes and hydrazines . . . . .	444	-

## Table of contents

XXV

Co(II) continued

	page	
	Part 1	Part 2
From aminoaldehydes or aminoketones and amines . . . . .	444	-
From diketones and alkylamines . . . . .	444	-
From diketones and arylamines . . . . .	445	-
From diketones and diamines . . . . .	445	-
From heteroaromatic diketones and amines . . . . .	445	-
From aliphatic, aromatic and heteroaromatic diketones and hydrazines . . . . .	446	-
With azo compounds . . . . .	448	-
With aminoaromatic azo compounds. . . . .	448	-
With azo pyridines . . . . .	451	-
With formazanes . . . . .	451	-
With oximes . . . . .	-	1043
With oximes and nitroso compounds. . . . .	451	-
With aldoximes . . . . .	451	-
With ketoximes . . . . .	452	-
With nitroso compounds . . . . .	452	-
With acid amides and acid hydrazides . . . . .	452	-
With urea and related compounds . . . . .	452	-
With aliphatic acid amides . . . . .	453	-
With acetoacetic acid aromatic amides . . . . .	454	-
With aromatic and heteroaromatic acid amides . . . . .	455	-
With amidines . . . . .	455	-
With malon dihydrazide . . . . .	457	-
With cyanides and isocyanides . . . . .	-	1043
With ligands containing sulfur . . . . .	457	1049
With sulfoxides . . . . .	457	-
With thiols . . . . .	457	-
With dithiolates. . . . .	-	1049
With thiolo carboxylates . . . . .	-	1049
With thioamines . . . . .	459	-
With sulfides . . . . .	460	-
With monothio 1,3-diketones . . . . .	460	-
With dithio 1,3-diketones. . . . .	460	-
With heterocyclic thiones. . . . .	460	-
With thioethers . . . . .	461	-
With dithiocarbamates. . . . .	462	-
With thiourea and derivatives . . . . .	462	-
With thiosemicarbazide and thiocarbohydrazide . . . . .	464	-
With sulfinates . . . . .	464	-
With thioacid amides . . . . .	465	-
With dithiocyanato ethane . . . . .	465	-
With ligands containing selenium . . . . .	465	-
With ligands containing boron . . . . .	466	1049
With ligands containing phosphorus . . . . .	466	1050
With alkyl phosphines . . . . .	466	-
With tertiary alicyclic phosphines . . . . .	467	-
With phenyl phosphines . . . . .	467	-
With alkyl phenyl phosphines . . . . .	468	-
With mixed tertiary aryl phosphines . . . . .	468	-
With alkyl methyl pyridine phosphines . . . . .	469	-
With dissecondary phosphines . . . . .	470	-
With ditertiary phosphines . . . . .	470	-
With tetratertiary phosphines . . . . .	472	-
With phosphine oxides. . . . .	473	-
With phosphine sulfides . . . . .	473	-
With diphosphino ethylene sulfide . . . . .	474	-
With bis(diphenylphosphinoethyl)oxide. . . . .	474	-
With thiophosphoric acids . . . . .	474	-
With dithiophosphinic acids . . . . .	474	-
With phosphoric acid amides . . . . .	475	-
With tris(phosphinoethyl)amine . . . . .	475	-
With ligands containing arsenic . . . . .	475	-
With monoarsines . . . . .	475	-

## Co(II) continued

	page	
	Part 1	Part 2
With ditertiary arsines . . . . .	476	-
With tritertiary arsines . . . . .	476	-
With hexatertiary arsines . . . . .	477	-
With arsine oxides . . . . .	477	-
With arsine sulfides . . . . .	477	-
With arsinophenyl phosphine . . . . .	478	-
<i>Organometallic compounds</i> . . . . .	478	-
Co(III) . . . . .	478	-
<i>Simple compounds</i> . . . . .	478	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	479	-
With ammonia . . . . .	479	-
With amines . . . . .	479	-
With heterocyclic ligands . . . . .	480	-
With porphyrins and related ligands . . . . .	480	-
With pyridine, bipyridyl and derivatives . . . . .	480	-
With tetraazacyclotetradecane and derivatives . . . . .	480	-
With ketones . . . . .	481	-
With monoketones . . . . .	481	-
With 1,2-diketones . . . . .	481	-
With alicyclic diketones . . . . .	481	-
With Schiff bases . . . . .	482	-
With acid amides . . . . .	482	-
With biguanide . . . . .	482	-
With amidines . . . . .	483	-
With ligands containing sulfur . . . . .	483	-
With thiols . . . . .	483	-
With ligands containing phosphorus . . . . .	485	-
With organometallic compound . . . . .	485	-
Co(IV) . . . . .	485	1050
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	485	1050
With nitrogen oxides . . . . .	-	1050
With di(tris-butyl)nitrogen oxide . . . . .	485	-
With amines . . . . .	485	-
With diamines . . . . .	-	1050
With hydroxy aromatic carboxylic acids . . . . .	485	-
With ligands containing sulfur . . . . .	486	1051
With dithiolates . . . . .	-	1051
Co . . . . .	486	-
<i>Simple compounds</i> . . . . .	486	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	487	-
With ammonia . . . . .	487	-
With amines . . . . .	487	-
With Schiff bases and related compounds . . . . .	487	-
With ligands containing sulfur . . . . .	488	-
<i>Organometallic compounds</i> . . . . .	488	-
Co(III, IV) . . . . .	-	1052
Bridged complexes with cyanide . . . . .	-	1052
Bridged complexes with ammonia . . . . .	-	1053
With ligands containing sulfur . . . . .	-	1053
With dithiolates . . . . .	-	1053
<b>Rhodium Rh</b> . . . . .	488	1054
Rh(0) . . . . .	488	-
Rh(I) . . . . .	488	-
Rh(II) . . . . .	489	1054
Rh(III) . . . . .	489	-
Rh(IV) . . . . .	489	1054
Rh(V) . . . . .	490	-
Rh . . . . .	-	1054
<b>Iridium Ir</b> . . . . .	491	1055
Ir(II) . . . . .	-	1055

## Table of contents

XXVII

	page	
	Part 1	Part 2
<b>Ir(III) . . . . .</b>	491	-
<b>Ir(IV) . . . . .</b>	491	1055
<i>Simple compounds</i> . . . . .	-	1055
With fluoride . . . . .	-	1055
With chloride . . . . .	-	1055
<b>Ir(V) . . . . .</b>	492	-
<b>Ir . . . . .</b>	492	-
 <b>Nickel Ni . . . . .</b>	 492	 1056
<b>Ni(-I) . . . . .</b>	-	1056
<b>Ni(0) . . . . .</b>	492	-
<b>Ni(I) . . . . .</b>	493	1056
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	-	1056
With heterocyclic ligands . . . . .	-	1056
With Schiff bases and related compounds . . . . .	-	1056
With hydrazones . . . . .	-	1056
With ligands containing sulfur. . . . .	-	1057
<b>Ni(II) . . . . .</b>	494	1059
<i>Simple compounds</i> . . . . .	494	1059
With nitrite. . . . .	-	1059
With hydroxide, nitrite and azide . . . . .	494	-
With fluoride . . . . .	495	-
With chloride . . . . .	495	-
With bromide. . . . .	497	-
With iodide . . . . .	498	-
With sulfide and sulfate . . . . .	498	-
With selenide and selenate . . . . .	499	-
With borates . . . . .	500	-
With carbonate and thiocarbonate . . . . .	500	-
With carboxylates . . . . .	501	-
With silico fluoride . . . . .	502	-
With phosphates . . . . .	506	-
With cyanide and thiocyanate. . . . .	506	-
With other simple anions . . . . .	507	1059
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	509	1060
With water . . . . .	509	-
With ammonia . . . . .	511	-
With hydrazines. . . . .	511	-
With trimethyl nitrogen oxide. . . . .	511	-
With aliphatic monamines . . . . .	512	-
With aliphatic diamines . . . . .	513	-
With ethylene diamine . . . . .	513	-
With ethylene diamine derivatives . . . . .	515	-
With 1,3-propylene diamine. . . . .	515	-
With 1,3-propylene diamine derivatives . . . . .	516	-
With 1,2-propylene diamine. . . . .	516	-
With 1,2-propylene diamine derivatives . . . . .	516	-
With 2-methyl propylene diamine . . . . .	517	-
With D,L-2-phenyl-1,2-diamino butane . . . . .	517	-
With D,L-2-methyl-1,2-diamino pentane. . . . .	518	-
With other diamines . . . . .	520	-
With aliphatic triamines . . . . .	520	-
With aliphatic tetramines. . . . .	521	-
With aliphatic polyamines . . . . .	522	-
With alicyclic amines . . . . .	522	-
With 1,3,5-triamino cyclohexane. . . . .	522	-
With N,N-dicyclohexyl ethylene diamine . . . . .	523	-
With other alicyclic amines . . . . .	524	-
With aromatic amines . . . . .	524	-
With monamines . . . . .	524	-
With diamines . . . . .	524	-

## Ni(II) continued

	page	
	Part 1	Part 2
With alicyclic heteroring compounds . . . . .	531	-
With lactams . . . . .	531	-
With other heteroring compounds . . . . .	532	-
With heterocyclic ligands . . . . .	533	-
With dipyrromethene derivatives . . . . .	533	-
With phthalocyanine . . . . .	534	-
With piperidine . . . . .	534	-
With pyridine . . . . .	534	-
With pyridine derivatives . . . . .	536	-
With quinoline and derivatives . . . . .	545	-
With isoquinoline . . . . .	546	-
With 2,2'-biquinoline . . . . .	547	-
With quinoxaline and derivatives . . . . .	547	-
With bipyridyl and derivatives . . . . .	548	-
With pyridylic acid . . . . .	549	-
With 1,2-di(pyridyl)ethylenes and related ligands . . . . .	549	-
With terpyridine . . . . .	550	-
With phenanthroline and derivatives . . . . .	551	-
With heterocyclic N-oxides . . . . .	553	-
With other heterocyclic ligands . . . . .	554	-
With alcohols and amino alcohols . . . . .	568	-
With aromatic hydroxy compounds . . . . .	569	-
With esters . . . . .	570	-
With aliphatic esters . . . . .	570	-
With aromatic esters . . . . .	570	-
With esters containing amino groups . . . . .	571	-
With ethers . . . . .	571	-
With aldehydes . . . . .	572	-
With ketones . . . . .	573	-
With monoketones . . . . .	573	-
With diketones . . . . .	575	-
With tetracyclines . . . . .	580	-
With pyridoin and derivatives . . . . .	580	-
With camphor derivatives . . . . .	581	-
With amino ketones . . . . .	581	-
With alkylamino aliphatic ketones . . . . .	581	-
With arylamino aliphatic ketones . . . . .	582	-
With alkylamino aromatic ketones . . . . .	583	-
With arylamino aromatic ketones . . . . .	586	-
With amino aliphatic 1,3-diketones . . . . .	587	-
With amino aromatic 1,3-diketones . . . . .	588	-
With amino acids . . . . .	589	-
With simple amino acids . . . . .	589	-
With amino acids containing sulfur . . . . .	589	-
With amine-N-polycarboxylic acids . . . . .	590	-
With Schiff bases and related compounds . . . . .	590	-
From hydroxy arylaldehydes and aliphatic monamines . . . . .	590	-
Binuclear Schiff bases from hydroxy arylaldehydes and aliphatic monamines . . . . .	595	-
From hydroxy arylaldehydes and alicyclic monamines . . . . .	595	-
From hydroxy arylaldehydes and aromatic monamines . . . . .	596	-
From hydroxy arylaldehydes and heterocyclic amines . . . . .	598	-
From salicylaldehyde and alkylamino or dialkylamino ethylenediamine . . . . .	602	-
From salicylaldehyde and arylamino- or diarylamino ethylenediamine . . . . .	606	-
From salicylaldehyde and alkylamino or dialkylamino propylenediamine . . . . .	608	-
From salicylaldehyde and arylamino or diarylamino propylenediamine . . . . .	610	-
From 1-hydroxy-2-naphtaldehyde and alkyl or aryl diamines . . . . .	611	-
From 2-hydroxy-1-naphtaldehyde and alkyl or aryl diamines . . . . .	614	-
Binuclear Schiff bases from hydroxy arylaldehydes and diamines . . . . .	616	-
From hydroxy arylaldehydes and aliphatic hydroxy amines . . . . .	618	-
From hydroxy arylaldehydes and hydroxy arylamines . . . . .	619	-
From hydroxy arylaldehydes and carboxy arylamines . . . . .	620	-
From hydroxy arylaldehydes and polyamines . . . . .	621	-

## Table of contents

XXIX

Ni(II) continued

	page	
	Part 1	Part 2
From hydroxy arylaldehydes and hydrazines . . . . .	622	-
From hydroxy arylaldehydes and thiosemicarbazide . . . . .	622	-
From arylaldehydes and aromatic hydroxyamines . . . . .	622	-
From arylaldehydes and phosphino trimethylenamine . . . . .	624	-
From arylaldehydes and diamines . . . . .	624	-
From thio arylaldehydes and diamines . . . . .	626	-
From heteroaromatic aldehydes and amines . . . . .	627	-
From heteroaromatic aldehydes and di- or polyamines . . . . .	629	-
From heteroaromatic aldehydes and hydrazines . . . . .	630	-
From aminoaldehydes and arylamines . . . . .	630	-
From aliphatic aldehydes and arylamines . . . . .	631	-
From aliphatic aldehydes and aliphatic diamines . . . . .	631	-
From aliphatic aldehydes and aromatic diamines . . . . .	631	-
From aldehydes and sulfenamido pyridine and derivatives . . . . .	632	-
From aliphatic dialdehydes and hydrazine . . . . .	633	-
From selfcondensation of amino benzaldehydes . . . . .	634	-
With ketimines . . . . .	634	-
With 2-aminotroponimines . . . . .	644	-
With azo compounds . . . . .	645	-
With triazenes . . . . .	645	-
With formazanes . . . . .	645	-
With oximes and nitroso compounds . . . . .	647	-
With aldoximes . . . . .	647	-
With ketoximes . . . . .	649	-
With hydroxylamines . . . . .	650	-
With nitroso compounds . . . . .	650	-
With acid amides and acid hydrazides . . . . .	650	-
With urea and related compounds . . . . .	650	-
With aliphatic acid amides . . . . .	651	-
With acetoacetic acid aromatic amides . . . . .	652	-
With aromatic and heteroaromatic acid amides . . . . .	652	-
With biguanide and derivatives . . . . .	653	-
With malon dihydrazide . . . . .	653	-
With cyanides and isocyanides . . . . .	654	-
With methyl cyanide . . . . .	654	-
With ligands containing sulfur . . . . .	654	-
With sulfoxides . . . . .	654	-
With thiols . . . . .	654	-
With thioamines . . . . .	656	-
With sulfides . . . . .	658	-
With monothio 1,3-diketones . . . . .	659	-
With thio carboxylic acids . . . . .	661	-
With thioloesters . . . . .	661	-
With xanthates and thioxanthates . . . . .	662	-
With dithiocarbamates . . . . .	663	-
With thiourea and derivatives . . . . .	663	-
With thiosemicarbazide and thiocarbohydrazide . . . . .	665	-
With thiocarbamoyl carbamoyl hydrazine and derivatives . . . . .	666	-
With sulfimates . . . . .	666	-
With thioacid amides . . . . .	667	-
With ligands containing selenium . . . . .	667	-
With ligands containing boron . . . . .	667	-
With ligands containing phosphorus . . . . .	668	-
With alkyl phosphines . . . . .	668	-
With alkyl oxyphosphines . . . . .	668	-
With phenyl phosphines . . . . .	669	-
With mixed tertiary aryl phosphines . . . . .	671	-
With alkyl phenyl phosphines . . . . .	672	-
With disecondary phosphines . . . . .	673	-
With ditertiary phosphines . . . . .	673	-
With phosphino ethylene sulfide . . . . .	675	-
With phosphine oxides . . . . .	675	-

## Ni(II) continued

	page	
	Part 1	Part 2
With thiophosphoric acids . . . . .	676	-
With phosphinic acids . . . . .	677	-
With ligands containing arsenic . . . . .	677	-
With monoarsines . . . . .	677	-
With ditertiary arsines . . . . .	678	-
With arsine oxides . . . . .	679	-
With arsinophenyl phosphine . . . . .	680	-
<i>Organometallic compounds</i> . . . . .	681	-
Ni(III) . . . . .	682	1060
<i>Simple compounds</i> . . . . .	682	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	682	1060
With ethylenediamine . . . . .	682	-
With propylenediamine . . . . .	684	-
With heterocyclic ligands . . . . .	685	-
With hydrazines and imines . . . . .	-	1060
With aromatic hydroxo compounds . . . . .	685	-
With oximes . . . . .	685	1060
With acid amides . . . . .	685	-
With ligands containing sulfur . . . . .	685	1061
With ligands containing phosphorus . . . . .	686	-
With ligands containing selenium, phosphorus, arsenic . . . . .	-	1062
<i>Organometallic compounds</i> . . . . .	686	-
Ni(IV) . . . . .	687	-
Ni(V) . . . . .	687	1062
Ni(VI) . . . . .	687	-
Ni . . . . .	-	1062
 <b>Palladium Pd</b> . . . . .	 687	 1063
Pd(-I) . . . . .	-	1063
Pd(I) . . . . .	-	1063
Pd(II) . . . . .	687	-
<i>Simple compounds</i> . . . . .	687	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	688	-
With di(tris-butyl)nitrogen oxide . . . . .	688	-
With ligands containing sulfur . . . . .	688	-
With ligands containing phosphorus . . . . .	689	-
With ligands containing arsenic . . . . .	689	-
Pd(III) . . . . .	689	1063
Pd(V) . . . . .	-	1064
Pd . . . . .	689	-
 <b>Platinum Pt</b> . . . . .	 690	 1064
Pt(II) . . . . .	690	-
<i>Simple compounds</i> . . . . .	690	-
With chloride and bromide . . . . .	690	-
With cyanide and carboxylate . . . . .	690	-
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .	691	-
With ammonia . . . . .	691	-
With amines . . . . .	691	-
With heterocyclic ligands . . . . .	691	-
With ligands containing sulfur . . . . .	692	-
With ligands containing phosphorus . . . . .	692	-
With ligands containing arsenic . . . . .	692	-
<i>Organometallic compounds</i> . . . . .	692	-
Pt(III) . . . . .	692	1064
Pt(IV) . . . . .	693	-
<i>Simple compounds</i> . . . . .	693	-
With hydroxyde, nitrite and nitrate . . . . .	693	-
With halogenides . . . . .	693	-
With thiocyanate . . . . .	693	-

# Table of contents

XXXI

## Pt(IV) continued

	page	
	Part 1	Part 2
<i>Coordination compounds with neutral and chelating ligands . . . . .</i>	693	-
With ammonia . . . . .	693	-
With aliphatic mono- and diamines . . . . .	694	-
With heterocyclic compounds . . . . .	695	-
Organometallic compounds . . . . .	695	-
Pt(V) . . . . .	695	1065
Pt(VI) . . . . .	695	-
<b>Copper Cu . . . . .</b>	<b>696</b>	<b>1065</b>
Cu(0) . . . . .	-	1065
Cu(I) . . . . .	696	-
<i>Simple compounds . . . . .</i>	696	-
<i>Coordination compounds with neutral and chelating ligands . . . . .</i>	696	-
With ligands containing sulfur . . . . .	696	-
With ligands containing boron . . . . .	697	-
Cu(II) . . . . .	697	{1066 1146
<i>Simple compounds . . . . .</i>	697	1066
With nitrite and nitrate . . . . .	697	1066
With fluoride . . . . .	698	1066
With chloride . . . . .	-	1066
With chloride and perchlorate . . . . .	698	-
With bromide . . . . .	700	1068
With sulfide and sulfate . . . . .	702	-
With sulfate and selenate . . . . .	-	1069
With selenide, selenate and telluride . . . . .	703	-
With tetrafluoro borate . . . . .	704	-
With carboxylates . . . . .	-	1070
With aliphatic monocarboxylates . . . . .	704	-
With aliphatic dicarboxylates . . . . .	708	-
With aromatic acid anions . . . . .	713	1073
With benzoate and derivatives . . . . .	713	-
With 1- and 2-naphthoate . . . . .	730	-
With hydroxy aryl acid anions . . . . .	730	-
With phenoxyacetate and derivatives . . . . .	731	-
With heterocyclic acid anions . . . . .	731	-
With aromatic di- and tricarboxylates . . . . .	732	-
With cyanide and thiocyanide . . . . .	732	-
With cyanide and thiocyanate . . . . .	-	1073
With borates . . . . .	733	-
With other simple anions . . . . .	733	1074
<i>Coordination compounds with neutral and chelating ligands . . . . .</i>	734	1075
With water . . . . .	-	1075
With ammonia . . . . .	734	1076
Hexammines . . . . .	-	1076
Pentammines . . . . .	-	1076
Tetrammines . . . . .	-	1077
Triammines . . . . .	-	1077
Diammines . . . . .	-	1077
With hydrazines . . . . .	735	-
With trimethyl nitrogen oxide . . . . .	735	-
With aliphatic monamines . . . . .	735	1080
With aliphatic diamines . . . . .	735	1082
With ethylenediamine . . . . .	-	1082
With other aliphatic diamines . . . . .	-	1085
With aliphatic triamines . . . . .	737	1085
With tetraamines . . . . .	738	-
With aromatic monamines . . . . .	738	1081
With aromatic diamines . . . . .	739	1086
With nitrogen heterocyclic ligands . . . . .	739	1087
With porphyrins and related ligands . . . . .	739	1087
With lactams . . . . .	740	-

## Cu(II) continued

	page	
	Part 1	Part 2
With pyridine . . . . .	741	1089
With pyridine derivatives . . . . .	742	1089
With quinoline and derivatives . . . . .	749	1094
With isoquinoline . . . . .	750	-
With 2,2'-biquinoline . . . . .	750	-
With quinoxaline and derivatives . . . . .	751	-
With bipyridyl and derivatives . . . . .	752	-
With bipyridyl and phenanthroline . . . . .	-	1095
With 1,2-di(4-pyridyl)ethane . . . . .	753	-
With 1,2-di(pyridyl)ethylenes . . . . .	753	-
With phenanthroline . . . . .	755	-
With heterocyclic N-oxides . . . . .	755	-
With pyridine N-oxide . . . . .	-	1096
With other heterocyclic ligands . . . . .	768	1097
With alcohols . . . . .	777	1097
With aromatic hydroxy compounds . . . . .	778	1097
With esters . . . . .	779	-
With aliphatic esters . . . . .	779	-
With aromatic and heteroaromatic acid esters . . . . .	779	-
With ethers . . . . .	780	-
With aldehydes . . . . .	780	1099
With ketones . . . . .	781	1099
With monoketones . . . . .	781	1099
With diketones . . . . .	783	-
With 1,3-diketones . . . . .	-	1099
With dimedones . . . . .	-	1102
With ketimines . . . . .	-	1103
With aminoalcohols . . . . .	785	-
With aliphatic aminoalcohols . . . . .	785	-
With aromatic aminoalcohols . . . . .	787	-
With aminoketones . . . . .	788	1104
With aliphatic amino aliphatic ketones . . . . .	-	1104
With aromatic amino aliphatic ketones . . . . .	-	1104
With aliphatic amino aromatic ketones . . . . .	-	1104
With aromatic amino aromatic ketones . . . . .	-	1105
With amino acids . . . . .	793	1108
With simple amino acids . . . . .	793	-
With aliphatic aminodicarboxylic acids . . . . .	795	-
With amino acids containing sulfur . . . . .	795	-
With peptides . . . . .	795	-
With amine-N-polycarboxylic acids . . . . .	796	-
With Schiff bases and related compounds . . . . .	796	1111
From hydroxy arylaldehydes and aliphatic monamines . . . . .	796	1111
From hydroxy arylaldehydes and alicyclic monamines . . . . .	800	-
From hydroxy arylaldehydes and aromatic monamines . . . . .	801	1114
From hydroxy arylaldehydes and heterocyclic amines . . . . .	802	-
Binuclear Schiff bases from hydroxy arylaldehydes with monamines . . . . .	802	-
From hydroxy arylaldehydes and diamines . . . . .	-	1118
From hydroxy arylaldehydes and aliphatic diamines . . . . .	805	-
Binuclear Schiff bases from hydroxy arylaldehydes and ethylenediamine . . . . .	806	-
Binuclear Schiff bases from hydroxy arylaldehydes and other aliphatic diamines . . . . .	808	-
From hydroxy arylaldehydes and aromatic diamines . . . . .	811	-
Binuclear Schiff bases from hydroxy arylaldehydes and aromatic diamines . . . . .	811	-
From hydroxy arylaldehydes and hydroxy aliphatic amines . . . . .	812	-
From hydroxy arylaldehydes and hydroxy arylamines . . . . .	814	-
From hydroxy arylaldehydes and carboxyarylamines . . . . .	822	-
From hydroxy arylaldehydes and polyamines . . . . .	823	-
From hydroxy arylaldehydes and thiosemicarbazide or guanidine . . . . .	824	-
From arylaldehydes and hydroxy arylamines . . . . .	-	1120
From arylaldehydes and aromatic hydroxyamines . . . . .	824	-
From amino arylaldehydes and aromatic hydroxyamines . . . . .	826	-
From heteroaromatic aldehydes and amines . . . . .	826	-

## Table of contents

XXXIII

Cu(II) continued

	page	
	Part 1	Part 2
From heteroaromatic aldehydes and diamines . . . . .	828	-
From heteroaromatic aldehydes and hydrazines . . . . .	829	-
From aryl or heteroaromatic aldehydes and mercaptoarylamines . . . . .	830	-
From aliphatic aldehydes and arylamines . . . . .	831	-
From aminoaldehydes and arylamines . . . . .	831	-
From N-heterocyclic thioaldehydes and arylamines. . . . .	-	1121
From N-heterocyclic thioaldehydes and diamines . . . . .	-	1126
From ketones and ammonia or monamines . . . . .	832	-
From ketones and amines . . . . .	-	1127
From ketones and diamines. . . . .	-	1127
From aromatic ketones and diamines including binuclear Schiff bases. . . . .	832	-
From aliphatic ketones and polyamines. . . . .	834	-
From ketones and aminoalcohols . . . . .	834	-
From diketones and arylamines . . . . .	834	-
From diketones and diamines . . . . .	835	-
From 1,3-diketones and diamines . . . . .	-	1128
From diketones and amino alcohols . . . . .	837	-
From ketones and semicarbazide . . . . .	837	-
From ketones and acid hydrazides . . . . .	-	1130
From ketones and hydrazine . . . . .	837	-
With azo compounds . . . . .	837	1130
With aromatic azo compounds . . . . .	837	1130
With azo compounds of pyrazoles . . . . .	-	1131
With heterocyclic azo compounds . . . . .	839	-
With formazans. . . . .	-	1133
With tetrazoles . . . . .	-	1133
With oximes and nitroso compounds. . . . .	840	-
With oximes . . . . .	840	1134
With aromatic nitroso compounds. . . . .	840	-
With hydroxamic acids. . . . .	840	-
With acid amides and acid hydrazides . . . . .	841	1134
With urea and derivatives . . . . .	841	-
With biuret. . . . .	841	-
With biguanide and derivatives . . . . .	842	-
With simple amides of aliphatic acids. . . . .	843	-
With aromatic amides of acetoacetic acid . . . . .	843	-
With ligands containing sulfur. . . . .	844	1135
With sulfoxides . . . . .	844	1135
With sulfamides. . . . .	-	1135
With thioamines . . . . .	844	-
With thioketones . . . . .	846	-
With dithiocarbamates. . . . .	847	-
With dithiolates. . . . .	849	1136
With xanthogenic acids . . . . .	-	1136
With thiourea derivatives. . . . .	849	-
With thiocarbamic acids . . . . .	-	1139
With thiosemicarbazide and thiocarbohydrazide . . . . .	850	-
With thiosemicarbazones. . . . .	-	1142
With thiocarbamoyl carbamoyl hydrazine and derivatives . . . . .	850	-
With thiocarboxylic acid amides. . . . .	851	-
With sulfinites . . . . .	851	-
With sulfonamides and sulfinamides . . . . .	851	-
With ligands containing selenium . . . . .	852	-
With ligands containing boron . . . . .	853	-
With ligands containing phosphorus . . . . .	853	1143
With phosphines . . . . .	853	-
With phosphine oxides and phosphine imides . . . . .	-	1143
With phosphine oxides . . . . .	853	-
With dithiophosphinic and dithiophosphinic acids . . . . .	-	1144
With ligands containing arsenic . . . . .	854	1144
With arsines . . . . .	854	-
With arsine oxides. . . . .	854	-

	page		
	Part 1	Part 2	
<b>Cu(II) continued</b>			
<i>Biological compounds</i> . . . . .		1145	
<i>Binuclear complexes</i> . . . . .		1146	
Binuclear complexes with aliphatic carboxylate anions . . . . .		1146	
Binuclear complexes with aromatic acid anions . . . . .		1149	
Binuclear complexes with heterocyclic N-oxides . . . . .		1150	
Cu(III) . . . . .	854	—	
<b>Silver Ag</b> . . . . .	855	1151	
Ag(I) . . . . .	855	—	
Ag(II) . . . . .	855	1151	
<i>Simple compounds</i> . . . . .		855	1151
<i>Coordination compounds with neutral and chelating ligands</i> . . . . .		856	1151
With heterocyclic ligands . . . . .		856	1151
With porphyrins and related ligands . . . . .		856	—
With pyridine and picolines . . . . .		856	—
With pyridine mono and dicarboxylic acids . . . . .		856	—
With ligands containing sulfur . . . . .		—	1152
Ag(III) . . . . .	857	—	
<b>Gold Au</b> . . . . .	857	1153	
Au(I) . . . . .	857	—	
Au(II) . . . . .	858	1153	
Au(III) . . . . .	858	—	
Au . . . . .	858	—	
<b>Diagrams</b> . . . . .	859	1154	
<b>References</b> . . . . .	950	1156	

