

Table of contents

	page	
	Part 1	Part 2
Part 1: Magnetic susceptibility of coordination and organometallic transition metal compounds	1	-
Part 2: Electron paramagnetic resonance of coordination and organometallic transition metal compounds	-	746
Introduction	1	746
List of symbols	1	746
General remarks	3	747
Theoretical basis	3	-
Definitions and fundamental relations	3	-
Diamagnetism and diamagnetic corrections	5	-
Paramagnetic susceptibility of polycrystalline specimens	5	-
Paramagnetic anisotropy	7	-
Ligand field effects, high-spin and low-spin compounds and orbital contribution	10	-
More detailed theory of magnetic susceptibilities and magnetism diagrams	11	-
Dimers and clusters, linear chain and planar magnetic systems	14	-
Long-range order: ferromagnetism, antiferromagnetism and ferrimagnetism	17	-
Basic theory	-	747
Definitions and fundamental concepts	-	747
The spin Hamiltonian	-	748
Description of individual ions	-	748
Molecular orbital theory of EPR parameters	-	756
Influence of the host lattice on EPR spin Hamiltonian parameters and bonding	-	757
Arrangement of tables	18	758
Compounds listed, their designation and order	18	758
Presentation of experimental results	21	758
Selection and accuracy of data	22	-
Experimental methods	22	-
References	22	759
Literature coverage	23	759
Abbreviations	24	-
Selected diamagnetic ionic susceptibilities, Pascal constants, and one-electron spin-orbit coupling constants	27	-
Theoretical nomograms: calculated average magnetic moments as function of temperature, spin-orbit coupling, axial field splitting and orbital reduction	30	-
References for the introduction	40	759
Standart references texts on magnetochemistry	40	-
Standart references texts on electron paramagnetic resonance	-	759
General references to ligand field theory of magnetism	40	-
Tables of magnetic data on transition metal compounds	40	-
Tables of electron paramagnetic resonance data on transition metal compounds	-	760
Reviews on magnetochemistry of coordination compounds published in 1971 and 1972	41	-
Reviews on electron paramagnetic resonance of coordination compounds published in 1971 and 1972	-	760
Selected references on theory and experimental methods in the magnetism of transition metal compounds (1971 and 1972)	41	-
Ligand field and MO theory of magnetism	41	-
Theory of intermolecular exchange interaction	42	-

	page	
	Part 1	Part 2
Theory of magnetism at high-spin=low-spin transitions	42	-
Experimental methods in magnetism	43	-
Selected references on theory of electron paramagnetic resonance in transition metal compounds (1971 and 1972)	-	760
General theory	-	760
Theory with respect to a particular ion	-	761
Experimental methods of EPR	-	762
Important references on the theory of magnetism from previous volumes of this series	43	-
Important references on the theory of EPR from previous volumes of this series	-	762
Additional references to the introduction	43	762
References to crystal structure	45	762
 Magnetic susceptibility data	 46	-
Electron paramagnetic resonance data	-	764
 Titanium Ti	 46	764
Ti(III)	46	764
<i>Simple compounds</i>	46	764
<i>Coordination compounds with neutral and chelating ligands</i>	47	764
With heterocyclic compounds	-	764
With alcohols	47	764
With ethers	47	765
With ketones	-	766
With cyanides and isocyanides	49	766
With ligands containing phosphorus	49	767
With ligands containing silicon	-	767
<i>Organometallic compounds</i>	49	767
With cyclopentadienyl	-	767
With cyclopentadienyl hydrides	-	768
With cyclooctatetraenyl	-	770
Ti(IV)	50	-
 Zirkonium Zr	 50	-
Zr(IV)	50	-
 Vanadium V	 51	770
V(0)	51	770
V(I)	51	-
V(II)	51	770
<i>Simple compounds</i>	51	-
<i>Coordination compounds with neutral and chelating ligands</i>	52	-
With water	52	-
With heterocyclic ligands	52	-
V(III)	52	771
<i>Simple compounds</i>	52	771
With oxygen	52	-
With chloride	53	-
With bromide	54	-
With sulfate	54	-
With cyanide and selenocyanate	55	-
With carboxylates	55	-
<i>Coordination compounds with neutral and chelating ligands</i>	55	-
With water	55	-
With acid amides and acid hydrazides	56	-
With ligands containing sulfur	57	-
With sulfonates	57	-

Table of contents

XI

V(III) continued

	page	
	Part 1	Part 2
With monothio 1,3-diketones	58	—
With thiosemicarbazide and thiosemicarbazones	58	—
With ligands containing phosphorus	58	—
With phosphines	58	—
With phosphoric and phosphonic acids	58	—
With thiophosphoric acids	59	—
With thiophosphinic acids	59	—
With ligands containing arsenic	59	—
V(IV)	60	771
<i>Simple compounds</i>	60	771
With oxygen	—	771
With fluoride	60	—
With chloride	60	772
With aliphatic carboxylates	—	772
With aliphatic carboxylates and dicarboxylates	60	—
With aliphatic hydroxy carboxylates	62	772
With aromatic acid anions	62	772
With phosphates	63	772
With cyanide	63	—
With other simple anions	—	773
<i>Coordination compounds with neutral and chelating ligands</i>	63	773
With water	—	773
With ammonia	—	773
With amines	63	—
With heterocyclic ligands	63	774
With phorphyrins	63	774
With pyridine and derivatives	64	—
With pyridine carboxylic acids	64	—
With quinoline and derivatives	64	774
With quinoline carboxylic acids	64	—
With bipyridyl and phenanthroline	64	—
With S heterocyclics	65	—
With thiazole and derivatives	65	—
With aldehydes and derivatives	—	774
With ethers	65	—
With ketones	65	775
With monoketones	—	775
With aromatic hydroxy ketones	—	775
With tropolone and derivatives	—	776
With diketones	65	—
With 1,3 diketones	—	777
With acetylacetone and derivatives	—	777
With other 1,3 diketones	—	778
With amino acids	65	—
With Schiff bases and related ligands	66	779
From hydroxy arylaldehydes and aromatic monamines	66	—
From salicylaldehydes and aromatic monamines	66	—
From 2-hydroxy-1-naphthaldehyde and aromatic monamines	67	—
From hydroxy arylaldehydes and aliphatic monamines	—	779
From hydroxy arylaldehydes and diamines	69	—
From hydroxy arylaldehydes and aliphatic diamines	—	779
From hydroxy arylaldehydes and aromatic diamines	—	780
From hydroxy arylaldehydes and amino acids	71	—
From S heteroaromatic aldehydes and diamines	—	781
From hydroxy arylaldehydes and aromatic aminothiols	72	—
From ketones and aliphatic diamines	—	781
From aliphatic diketones and diamines	72	—
From diketones and aliphatic diamines	—	781
With oximes and nitroso compounds	—	782
With hydroxylamines	—	782
With ligands containing sulfur	73	782
With sulfoxides	73	—

V(IV) continued

	page	Part 1	Part 2
With thiols	73	782	
With aromatic and heteroaromatic thiole compounds	-	782	
With monothio 1,3-diketones	73	782	
With thio carboxylic acids	-	782	
With carbo dithioic acids	73	783	
With xanthates and thioxanthates	-	783	
With thiosemicarbazones	74	-	
With dithio carbamates	-	783	
With ligands containing selenium	75	783	
With selenocarbamic acids	-	783	
With selenosemicarbazones	75	-	
With ligands containing phosphorus	76	784	
With alkyl phosphines	-	784	
With phenyl phosphines	-	784	
With phosphine oxides	-	784	
With phosphonic acids	76	784	
With phosphinic acids	-	785	
With thiophosphoric acids	76	786	
With thiophosphinic acids	76	-	
With dithiophosphinic acids	-	787	
With ligands containing antimony	-	788	
With ligands containing silicon	77	788	
<i>Organometallic compounds</i>	77	789	
V(IV) (Exchange coupled bimolecular units)	-	790	
V(V)	78	-	
V (mixed oxidation state)	78	-	
 Niobium Nb	 78	 790	
Nb(0)	78	790	
Nb(IV)	78	790	
<i>Simple compounds</i>	-	790	
<i>Coordination compounds with neutral and chelating ligands</i>	78	791	
With amines	78	791	
With heterocyclic ligands	79	791	
With alcohols	-	791	
With ethers	-	791	
With acid amides and acid hydrazides	-	792	
With ligands containing sulfur	79	-	
With ligands containing phosphorus	-	792	
With thiophosphoric acids	-	792	
With phosphoric acid amides	-	792	
<i>Organometallic compounds</i>	79	793	
 Tantalum Ta	 80	 -	
Ta(III)	80	-	
 Chromium Cr	 80	 793	
Cr(0)	80	-	
Cr(I)	-	793	
<i>Simple compounds</i>	-	793	
<i>Coordination compounds with neutral and chelating ligands</i>	-	793	
With ligands containing sulfur	-	793	
With sulfoxides	-	793	
With ligands containing phosphorus	-	794	
With phosphine oxides	-	794	
With phosphine sulfides	-	795	
With phosphonic acids	-	797	
With phosphinic acids	-	802	
With dithiophosphoric acids	-	803	
With dithiophosphinic acids	-	805	

Table of contents

XIII

Co(I) continued

	page	
	Part 1	Part 2
With trithiophonic acids	-	805
With dithiophosphinic acids	-	806
<i>Organometallic compounds</i>	-	807
Cr(II)	80	-
<i>Coordination compounds with neutral and chelating ligands</i>	80	-
With aliphatic amines	80	-
With ligands containing sulfur	82	-
With thio carboxylic acids	82	-
With dithiocarbamates	82	-
<i>Organometallic compounds</i>	82	-
Cr(III)	83	808
<i>Simple compounds</i>	83	808
With chloride	83	-
With bromide	83	-
With sulfate	-	808
With sulfide and selenide	84	-
With other simple anions	84	-
<i>Coordination compounds with neutral and chelating ligands</i>	85	809
With ammonia	85	809
With heterocyclic ligands	86	809
With porphyrins	86	-
With bipyridyl and derivatives	86	-
With heterocyclic N-oxides	86	-
With dipyrromethene derivatives	-	809
With imidazole and derivatives	86	-
With tetrazole and derivatives	87	810
With ethers	87	-
With aldehydes	87	-
With ketones	88	-
With monoketones	88	-
With aromatic and heterocyclic ketones	88	-
With diketones	88	-
With carboxylic acids	-	810
With amine-N-polycarboxylic acids	88	-
With Schiff bases and related compounds	89	-
With oximes and nitroso compounds	90	-
With hydroxamic acids	90	-
With hydroxylamines	90	-
With amino acids	-	811
With acid amides and acid hydrazides	90	811
With aliphatic acid amides	90	-
With acetoacetic acid aromatic amides	91	-
With aromatic acid amides	91	-
With acid hydrazides	91	-
With ligands containing sulfur	91	811
With thioethers	91	-
With thio 1,3-diketones	92	811
With thio carboxylic acids	92	-
With dithiocarbamates	92	-
With trithiocarbonic acids	93	-
With dithiocarbazic acids	93	-
With sulfonates	93	-
With ligands containing selenium	94	-
With ligands containing phosphorus	94	-
With phosphines	94	-
With thiophosphoric acids	94	-
With thiophosphinic acids	94	-
With selenophosphoric acids	95	-
With selenophosphinic acids	95	-
With ligands containing arsenic	95	-
With ligands containing silicon	96	811
<i>Organometallic compounds</i>	96	-

	page	
	Part 1	Part 2
Cr(IV)	96	812
<i>Simple compounds</i>	96	-
<i>Coordination compounds with neutral and chelating ligands</i>	96	-
With amines	96	-
With heterocyclic ligands	96	-
With alcohols	97	812
With ligands containing silicon	97	812
Cr(V)	97	812
<i>Simple compounds</i>	97	812
<i>Coordination compounds with neutral and chelating ligands</i>	97	813
With aromatic hydroxy compounds	-	813
With aldehydes	-	814
With ketones	97	814
With monoketones	-	814
With 1,2-diketones	97	-
With 1,3-diketones	-	814
With ligands containing sulfur	-	816
With ligands containing phosphorus	-	816
Molybdenum Mo	98	817
Mo(I)	98	-
Mo(III)	98	-
<i>Simple compounds</i>	98	-
<i>Coordination compounds with neutral and chelating ligands</i>	99	-
With water	99	-
With ketones	99	-
With amine-N-polycarboxylic acids	99	-
With ligands containing phosphorus	100	-
Mo(IV)	100	-
<i>Simple compounds</i>	100	-
<i>Coordination compounds with neutral and chelating ligands</i>	100	-
With heterocyclic ligands	100	-
With ketones	101	-
With Schiff bases and related compounds	101	-
With acid amides and acid hydrazides	102	-
With ligands containing sulfur	102	-
With ligands containing arsenic	102	-
Mo(V)	102	817
<i>Simple compounds</i>	102	817
With chloride	102	-
With bromide	103	-
<i>Coordination compounds with neutral and chelating ligands</i>	103	818
With amines	103	-
With heterocyclic ligands	103	818
With porphyrins	-	818
With porphyrines and related ligands	103	-
With bipyridyl	104	-
With phenanthroline	104	-
With quinoline and derivatives	105	-
With amino acids	-	818
With ligands containing sulfur	-	818
With ligands containing selenium	-	819
With ligands containing phosphorus	105	819
With dithiophosphoric acids	-	819
With ligands containing arsenic	105	-
Tungsten W	106	821
W(III)	106	-
W(IV)	106	-
<i>Simple compounds</i>	106	-

Table of contents

XV

W(IV) continued

	page	
	Part 1	Part 2
<i>Coordination compounds with neutral and chelating ligands</i>	106	-
With amines	106	-
With heterocyclic ligands	106	-
With ligands containing sulfur	107	-
With ligands containing phosphorus	107	-
With alkyl phosphines	107	-
With phenyl phosphines	107	-
With alkyl phenyl phosphines	107	-
With diphosphines	108	-
With ligands containing arsenic	108	-
W(V)	109	821
W(VI)	109	-
 Manganese Mn	 110	 822
Mn(-III)	110	-
Mn(-II)	110	-
Mn(-I)	110	-
Mn(0)	110	822
Mn(I)	110	-
Mn(II) (Part 2: S = $\frac{5}{2}$, S = $\frac{3}{2}$)	110	{ 822 828
<i>Simple compounds</i>	110	822
With fluoride	110	-
With chloride	111	-
With bromide	111	-
With nitrate	111	-
With sulfide and selenide	111	-
With other simple anions	112	-
<i>Coordination compounds with neutral and chelating ligands</i>	112	823
With water	112	-
With hydroxylamine	112	-
With aliphatic amines	112	-
With aliphatic monamines	112	-
With aliphatic polyamines	113	-
With aromatic amines	113	-
With aromatic diamines	113	-
With alicyclic heteroring compounds	114	-
With diazabicyclo [2.2.2] octanium and derivatives	114	-
With heterocyclic ligands	114	823
With phthalocyanine	114	-
With porphyrins	114	-
With pyridine	114	-
With pyridine derivatives	115	823
With monoalkyl pyridines	115	823
With dialkyl pyridines	115	-
With pyridine carboxylic acids	115	824
With bipyridyl and phenanthroline	116	824
With heterocyclic N-oxides	116	-
With other N-heterocyclic ligands	116	-
With other heterocyclic ligands	-	824
With pyrazole and derivatives	-	824
With imidazole and derivatives	116	826
With pyridazine	117	-
With phthalazine	117	-
With S-heterocyclic ligands	117	-
With thiazole and derivatives	117	-
With esters	117	-
With ethers	117	-
With ketones	118	-
With aliphatic 1,3-diketones	118	-
With Schiff bases and related compounds	118	-

Mn(II) continued

	page	
	Part 1	Part 2
From hydroxy arylaldehydes and aliphatic monamines	118	-
From hydroxy arylaldehydes and aromatic monamines	118	-
From hydroxy arylaldehydes and aliphatic diamines	121	-
Binuclear Schiff bases from hydroxy aryl aldehydes and aliphatic diamines	122	-
From heteroaromatic aldehydes and amines	122	-
From diketones and diamines	122	-
From heteroaromatic aldehydes and hydrazines	123	-
With oximes and nitroso compounds	123	-
With ketoximes	123	-
With amino acids	-	826
With acid amides and acid hydrazides	123	827
With ligands containing sulfur	123	-
With thio carboxylic acids	123	-
With thiourea and related compounds	124	-
With other ligands containing sulfur	124	-
With ligands containing phosphorus	125	827
With phosphonic acids	125	-
With thiophosphinic acids	125	-
With other ligands containing phosphorus	126	-
With ligands containing arsenic	126	-
With Schiff bases containing arsenic	126	-
From pyridine aldehydes and dimethylarsinophenyl amines	126	-
From pyridine aldehydes and diethylarsinophenyl amines	127	-
Mn(III)	128	828
Simple compounds	128	-
With fluoride	128	-
With chloride	129	-
With nitrate	129	-
Coordination compounds with neutral and chelating ligands	129	828
With heterocyclic ligands	129	-
With Schiff bases and related compounds	130	-
With cyanides and isocyanides	130	-
With ligands containing sulfur	130	828
With dithiocarbamates	-	828
With ligands containing selenium	131	-
With ligands containing phosphorus	131	-
Mn(IV)	131	-
Simple compounds	131	-
Coordination compounds	131	-
Mn(V)	131	-
Simple compounds	131	-
Coordination compounds	131	-
Mn (mixed oxydation state)	132	-
 Technetium Tc	-	829
Tc(IV)	-	829
 Rhenium Re	132	-
Re(II)	132	-
Re(III)	132	-
Simple compounds	132	-
Coordination compounds with neutral and chelating ligands	132	-
With heterocyclic ligands	132	-
With ligands containing sulfur	132	-
With ligands containing phosphorus	132	-
With alkyl diphenyl phosphines	132	-
With dialkyl phenyl phosphines	133	-
With diphosphines	134	-
With tri-, tetra- and hexaphosphines	134	-
With ligands containing arsenic	135	-
Organometallic compounds	135	-

Table of contents

XVII

	page	
	Part 1	Part 2
Re(IV)	136	-
<i>Simple compounds</i>	136	-
With chloride	136	-
With bromide	137	-
<i>Coordination compounds with neutral and chelating ligands</i>	138	-
With ketones	138	-
With diketones	138	-
With cyanides and isocyanides	139	-
With ligands containing phosphorus	139	-
Re(V)	140	-
<i>Simple compounds</i>	140	-
With chloride	140	-
With bromide	142	-
With cyanide	142	-
<i>Coordination compounds with neutral and chelating ligands</i>	143	-
With ligands containing phosphorus	143	-
Re(VI)	143	-
 Iron Fe	 143	 830
Fe(I)	143	830
<i>Simple compounds</i>	-	830
<i>Coordination compounds with neutral and chelating ligands</i>	-	830
With heterocyclic ligands	-	830
With amino acids	-	831
With ligands containing phosphorus	-	831
With alkyl phosphines	-	831
With phenyl phosphines	-	832
With alkyl phenyl phosphines	-	835
With phosphine oxides	-	836
With dialkyl amino phosphines	-	836
With phosphonic acids	-	837
With phosphinic acids	-	837
With phosphine chlorides and phosphine bromides	-	838
With ligands containing arsenic	-	838
With ligands containing antimony	-	840
Fe(II)	144	841
<i>Simple compounds</i>	144	-
With fluoride	144	-
With chloride	145	-
With bromide	145	-
With sulfate	145	-
With other simple anions	146	-
<i>Coordination compounds with neutral and chelating ligands</i>	147	-
With water	147	-
With aliphatic amines	147	-
With alicyclic heteroring compounds	147	-
With piperazine and derivatives	147	-
With diazabicyclo [2.2.2] octanium and derivatives	147	-
With heterocyclic ligands	148	-
With pyrrole and derivatives	148	-
With porphyrins	148	-
With pyridine	148	-
With pyridine derivatives	149	-
With pyridine carboxylic acids	149	-
With quinoline and derivatives	149	-
With isoquinoline	150	-
With 2,2' biquinoline	151	-
With bipyridyl and derivatives	151	-
With phenanthroline and derivatives	152	-
With phenanthroline	152	-
With phenanthroline derivatives	154	-

Fe(II) continued

	page	
	Part 1	Part 2
With heterocyclic N-oxides	157	-
With pyridine N-oxide and derivatives	157	-
With other N-heterocyclic ligands	157	-
With pyrazole and derivatives	157	-
With imidazole and derivatives	158	-
With pyridazine	158	-
With naphthyridine and derivatives	158	-
With phthalazine	159	-
With benzocinnoline and derivatives	159	-
With tetraazacyclotetradecane and derivatives	159	-
With S-heterocyclic ligands	160	-
With thiazole and derivatives	160	-
With benzothiazole and derivatives	164	-
With aromatic hydroxy compounds	164	-
With ethers	165	-
With Schiff bases and related compounds	165	-
From N heteroaromatic aldehydes and aliphatic monamines	165	-
From N heteroaromatic aldehydes and aromatic monamines	165	-
From diketones and amines	168	-
Cyclic Schiff bases derived from aminoaldehydes or aminoketones	169	-
With oximes and nitroso compounds	171	-
With acid amides and acid hydrazides	171	-
With urea and related compounds	171	-
With aliphatic acid amides	172	-
With aromatic and heteroaromatic acid amides	172	-
With amidines	172	-
With acid hydrazides	174	-
With cyanides and iso-cyanides	174	-
With ligands containing sulfur	175	-
With thioethers	175	-
With thio carboxylic acids	175	-
With thiourea and derivatives	175	-
With thiosemicarbazide and thiosemicarbazones	177	-
With dithiocarbazic acid and derivatives	177	-
With sulfinites	178	-
With thioacid amides	178	-
With ligands containing selenium	179	-
With ligands containing phosphorus	179	-
With diphosphines	179	-
With tetra and hexaphosphines	180	-
With phosphine sulfides	180	-
With diphenylphosphino amines	180	-
With diphenylphosphino alkyl aliphatic amines	180	-
With diphenylphosphino alkyl heterocyclic amines	180	-
With imido diphosphine disulfides	182	-
With phosphonic acids	182	-
With dithiophosphinic acids	183	-
With Schiff bases containing phosphorus	183	-
Fe(III) (Part 2: $S=\frac{5}{2}$, $S=\frac{1}{2}$)	183	842 847
<i>Simple compounds</i>	183	842 847
With fluoride	183	-
With chloride	184	-
With bromide	184	-
With sulfate	185	-
With carboxylates	186	-
With cyanide	186	-
With other simple anions	190	-
<i>Coordination compounds with neutral and chelating ligands</i>	190	843 848
With amines	190	-

Table of contents

XIX

Fe(III) continued

	page	
	Part 1	Part 2
With heterocyclic ligands	191	{843 848}
With porphyrins	191	{843 848}
With pyridine	—	843
With pyridine and derivatives	191	—
With quinoline and derivatives	192	844
With pyrazine and derivatives	—	844
With N heterocyclic oxides	193	—
With other N heterocyclic ligands	194	—
With imidazole and derivatives	194	—
With tetraazacyclotetradecane and derivatives	194	—
With heterocycles containing Se	194	—
With aromatic hydroxy compounds	194	—
With carboxylic acids	195	—
With ethers	197	—
With ketones	197	844
With aromatic and heteroaromatic ketones	197	—
With 1,2 diketones	197	—
With 1,3 diketones	198	—
With amino acids	199	—
With amino acids containing sulfur	199	—
With amine-N-polycarboxylic acids	199	845
With Schiff bases and related compounds	200	—
From hydroxy arylaldehydes and diamines	200	—
Binuclear Schiff bases from hydroxy arylaldehydes and aliphatic diamines	202	—
Cyclic Schiff bases from aminoaldehydes and aminoketones	203	—
With azo compounds	203	—
With triazenes	203	—
With oximes and nitroso compounds	204	—
With ketoximes	204	—
With nitroso compounds	205	—
With acid amides and acid hydrazides	205	845
With ligands containing sulfur	205	{845 848}
With sulfoxides	—	845
With thiols	205	848
With dithiolates	205	{846 848}
With monothio 1,3-diketones	207	849
With thiocarboxylic acids	208	—
With thio carbonic and thio carboxylic acids	—	849
With thioethers	208	—
With dithiocarbamates	208	850
With thiosemicarbazones	212	—
With dithiocarbazic acids and derivatives	215	850
With sulfonates	216	—
With ligands containing selenium	216	—
With ligands containing phosphorus	217	846
With alkyl phenyl phosphines	217	—
With diphosphines	217	—
With phosphine oxides	217	846
With thiophosphoric acids	217	846
With dithiophosphinic acids	218	—
With ligands containing arsenic	218	847
With ditertiary arsines	218	—
With arsine oxides	219	—
Organometallic compounds	219	850
Fe(IV)	219	—
Simple compounds	219	—
Coordination compounds with neutral and chelating ligands	220	—
With ligands containing sulfur	220	—

	page	
	Part 1	Part 2
Fe(IV) continued		
With thiols	220	-
With dithiolates	220	-
With dithiocarbamates	221	-
Fe(VI)	222	-
Fe (mixed oxydation state)	222	851
Ruthenium Ru	223	851
Ru(II)	223	-
<i>Coordination compounds with neutral and chelating ligands</i>	223	-
With amines	223	-
With carboxylic acids	223	-
With ketones	223	-
Ru(III)	223	851
<i>Simple compounds</i>	223	851
<i>Coordination compounds with neutral and chelating ligands</i>	224	852
With ammonia	224	-
With amines	224	852
With aromatic monamines	224	-
With heterocyclic ligands	224	852
With pyridine and derivatives	224	-
With carboxylic acids	224	-
With ketones	225	-
With cyanides and isocyanides	225	852
With ligands containing sulfur	226	852
With thiols	226	-
With dithiolates	226	-
With thioethers	226	852
With thioketones	227	-
With ligands containing phosphorus	228	-
Ru (mixed oxydation state)	228	853
Osmium Os	229	853
Os(III)	229	853
Os(IV)	230	-
<i>Simple compounds</i>	230	-
<i>Coordination compounds with neutral and chelating ligands</i>	230	-
With amines	230	-
With ketones	230	-
With ligands containing phosphorus	230	-
With mono and diphosphines	230	-
With ligands containing arsenic	231	-
Os(V)	231	-
Os(VIII)	231	-
Cobalt Co	232	854
Co(0)	232	854
Co(I)	232	-
Co(II) (Part 2: S = $\frac{3}{2}$, S = $\frac{1}{2}$)	232	$\begin{cases} 855 \\ 856 \end{cases}$
<i>Simple compounds</i>	232	$\begin{cases} 855 \\ 856 \end{cases}$
With fluoride	232	-
With chloride	234	-
With bromide	237	-
With nitrate	240	-
With sulfite and sulfates	241	-
With carboxylates	244	-
With cyanides	-	856
With cyanide, cyanate and related anions	244	-
With other simple anions	245	856

Table of contents

XXI

Co(II) continued

	page	
	Part 1	Part 2
<i>Coordination compounds with neutral and chelating ligands</i>	246	857
With water	246	-
With ammonia	247	-
With hydrazine and hydroxylamine	247	-
With aliphatic amines	247	857
With aliphatic hydroxy monamines	247	-
With aliphatic diamines	248	-
With aliphatic hydroxy diamines	248	-
With aliphatic tetramines	248	-
With aliphatic amine N-oxides	249	-
With aromatic amines	249	-
With aromatic monamines	249	-
With aromatic diamines	250	-
With alicyclic amines	250	-
With piperidine	250	-
With piperazine and derivatives	250	-
With heterocyclic ligands	251	857
With dipyrromethene derivatives	251	-
With porphyrins and related ligands	251	857
With corrins	-	858
With phthalocyanine and derivatives	-	858
With pyridine	251	-
With pyridine and derivatives	-	859
With pyridine derivatives	254	-
With monoalkyl pyridines	254	-
With 4-ethyl pyridine	254	-
With dialkyl pyridines	255	-
With dimethyl pyridines	255	-
With di(2-pyridyl)ethane	256	-
With thioamidopyridine and derivatives	256	-
With pyridine carboxylic acids	256	-
With quinoline and derivatives	257	-
With 8-hydroxy quinoline and derivatives	257	-
With amino quinolines	258	-
With quinaldinic acid	259	-
With diquinoline and derivatives	259	-
With quinoxaline and derivatives	259	-
With 2,2'-bipyridyl	261	-
With phenanthroline and derivatives	261	-
With heterocyclic N-oxides	262	-
With pyridine N-oxide and derivatives	262	-
With other N heterocyclic ligands	263	-
With pyrazole and derivatives	263	-
With imidazole and derivatives	264	-
With imidazole	264	-
With imidazole derivatives	267	-
With benzimidazole and derivatives	268	-
With alkyl and aryl benzimidazoles	268	-
With amino benzimidazoles	269	-
With thiazolyl benzimidazole	271	-
With imidazoline and derivatives	271	-
With pyrazine and derivatives	272	-
With pyrazine	272	-
With pyrazine derivatives	273	-
With pyridazine	274	-
With phthalazine and derivatives	274	-
With benzocinnoline	276	-
With tetrazole and derivatives	277	-
With S-heterocyclic ligands	277	-
With thiazole and derivatives	277	-
With benzothiazole and derivatives	278	-
With benzo thiazoline and derivatives	279	-

Co(II) continued

	page	
	Part 1	Part 2
With iso-thiazole	279	-
With thiadiazole, selenadiazole and derivatives	279	-
With aromatic hydroxy compounds	280	-
With esters	280	-
With ethers	280	-
With aldehydes and derivatives	281	-
With ketones	281	-
With monoketones	281	-
With aliphatic monoketones	281	-
With alicyclic monoketones	282	-
With aromatic and heterocyclic monoketones	282	-
With diketones	284	-
With acetylacetone and derivatives	284	-
With other diketones	285	-
With amine-N-polycarboxylic acids	285	-
With Schiff bases and related compounds	286	860
From hydroxy arylaldehydes and aliphatic monamines	286	-
From hydroxy arylaldehydes and aliphatic diamines	286	860
With ethylenediamine	286	-
With other aliphatic diamines	288	-
From hydroxy arylaldehydes and aromatic diamines	290	-
From arylaldehydes and aromatic hydroxy monamines	292	-
From arylaldehydes and diamines	292	860
From arylaldehydes and triamines	293	-
From heteroaromatic aldehydes and monamines	294	-
From heteroaromatic aldehydes and di- or polyamines	296	-
From ketones and diamines	296	-
From diketones and monamines	296	-
From diketones and diamines	297	861
Cyclic Schiff bases derived from dialdehydes and diamines	-	862
Cyclic Schiff bases derived from dialdehydes and di- or polyamines	297	-
From heteroaromatic aldehydes and hydrazines	298	-
With azo compounds	299	-
With aliphatic and alicyclic azo compounds	299	-
With aromatic azo compounds	299	-
With amino aromatic azo compounds	302	-
With heterocyclic azo compounds	303	-
With triazenes	303	-
With formazanes	306	-
With oximes and nitroso compounds	306	-
With aldoximes	306	-
With ketoximes	307	-
With nitroso compounds	307	-
With acid amides and acid hydrazides	308	-
With urea and related compounds	308	-
With aliphatic acid amides	308	-
With heteroaromatic acid amides	308	-
With acid hydrazides	309	-
With cyclic acid amides and acid hydrazides	310	-
With aromatic hydrazines	311	-
With carbodiimide derivatives	311	-
With cyanides and isocyanides	311	-
With ligands containing sulfur	311	862
With thiols	311	-
With sulfides	312	-
With dithio 1,3-diketones	312	-
With heterocyclic thiones	313	-
With dithio carbonic acids	314	-
With thio carbamic acids	314	-
With thio carboxylic acids	314	-
With mono thiocarboxylic acids	314	-
With dithio dicarboxylic acids	315	-

Table of contents

XXIII

Co(II) continued

	page	
	Part 1	Part 2
With trithio dicarboxylic acids	315	-
With tetrathio tetracarboxylic acids	315	-
With carbo thioic acids	315	-
With carbo dithioic acids	315	-
With thioethers	316	-
With aliphatic and alicyclic thioethers	316	-
With aromatic thioethers	317	-
With heteroaromatic thioethers	317	-
With macrocyclic thioethers	318	-
With thiourea and derivatives	319	-
With thiosemicarbazides and thiosemicarbazones	320	-
With thiocarbohydrazides	321	-
With thioacid amides	322	-
With sulfonates and sulfonates	323	-
With dithiocarbazates	323	-
With ligands containing selenium	324	-
With ligands containing boron	325	-
With ligands containing phosphorus	325	863
With phosphorus trichloride	-	863
With monophosphines	325	863
With diphosphines	326	-
With tri- and tetraphosphines	327	-
With bis(diphenylphosphino)acetylene	327	-
With mono and difluoro phosphines	327	-
With phosphine oxides	328	863
With bis(diphenyl)phosphine oxides	328	-
With imido diphosphine dioxides	329	-
With phosphine sulfides	330	-
With mercapto phenylphosphines	330	-
With imido diphosphine disulfides	330	-
With amino phosphines	331	864
With diphenylphosphino aliphatic monamines	331	-
With bis(phosphinothioyl)amines	332	-
With diphenylphosphino aliphatic diamines	333	-
With tris(heterocyclic amine) phosphines	335	-
With diphenylphosphino heterocyclic amines	335	-
With diphenylphosphino pyridines	335	-
With diphenylphosphino quinolines	337	-
With imido diphosphine diimides	338	-
With phosphoric acids	338	-
With phosphonic acids	338	865
With phosphinic acids	339	865
With thiophosphoric acids	340	-
With dithiophosphinic acids	340	-
With seleno thiophosphinic acid	341	-
With phosphor amides	341	-
With Schiff bases containing phosphores	341	-
With ligands containing arsenic	342	-
With diarsines	342	-
With arsine oxides	343	-
With bis(diphenyl)arsine oxides	343	-
With alkyl or aryl arsino amines	343	-
With aryl arsonic acids	344	-
With dithioarsinic acids	344	-
With dialkyl or diaryl arsino carboxylic acids	345	-
With Schiff bases containing arsenic	345	-
With ligands containing silicon	346	-
<i>Organometallic compounds</i>	346	866
Co (III)	346	867
<i>Simple compounds</i>	346	867
<i>Coordination compounds with neutral and chelating ligands</i>	347	867
With ammonia	347	867

	page	
	Part 1	Part 2
Co(III) continued		
With aliphatic amines	—	867
With heterocyclic ligands	347	868
With porphyrins and related ligands	—	868
With imidazole	—	869
With aldehydes	347	—
With ketones	347	—
With Schiff bases and related compounds	348	869
From hydroxy arylaldehydes and aromatic amines	—	869
From hydroxy arylaldehydes and diamines	—	869
From arylaldehydes and diamines	348	870
From diketones and diamines	—	871
From diketones and di- or polyamines	349	—
Cyclic Schiff bases derived from aminobenzaldehyde	349	—
Cyclic Schiff bases from aminoaldehydes and aminoketones	350	—
From 1,2-diketones and amines	350	—
With acid amides and acid hydrazides	351	—
With ligands containing sulfur	351	—
With ligands containing selenium	351	—
With ligand containing phosphorus	351	—
Co(IV)	352	871
<i>Simple compounds</i>	352	—
<i>Coordination compounds with neutral and chelating ligands</i>	352	871
With ligands containing sulfur	352	871
With dithiolates	352	871
Co (mixed oxidation state)	353	873
 Rhodium Rh	353	874
Rh(0)	353	—
Rh(I)	353	—
Rh(II)	353	874
<i>Coordination compounds with neutral and chelating ligands</i>	353	—
With carboxylic acids	353	—
With ligands containing phosphorus	354	—
With mono phosphines	354	—
Rh(III)	355	—
<i>Coordination compounds with neutral and chelating ligands</i>	355	—
With heterocyclic compounds	355	—
With ketones	355	—
With ligands containing sulfur	355	—
With sulfonates	355	—
With ligands containing arsenic	356	—
 Iridium Ir	356	—
Ir(III)	356	—
<i>Coordination compounds with neutral and chelating ligands</i>	356	—
With heterocyclic ligands	356	—
With ketones	357	—
With ligands containing phosphorus	357	—
With ligands containing arsenic	357	—
Ir(IV)	357	—
 Nickel Ni	357	874
Ni(-I)	—	874
Ni(0)	357	—
<i>Coordination compounds with neutral and chelating ligands</i>	357	—
With ligands containing phosphorus	357	—
<i>Organometallic compounds</i>	358	—
Ni(I)	359	875

Table of contents

XXV

	page	
	Part 1	Part 2
Ni(II)	359	875
<i>Simple compounds</i>	359	875
With fluoride	359	-
With chloride and bromide	360	-
With nitrate	361	875
With sulfide, selenide and telluride	361	-
With carboxylates	362	-
With cyanate and selenocyanate	362	-
With wolframates	362	-
With other simple anions	363	876
<i>Coordination compounds with neutral and chelating ligands</i>	363	876
With water	363	-
With ammonia	363	876
With aliphatic amines	364	-
With simple aliphatic monamines	364	-
With aliphatic hydroxy monamines	364	-
With aliphatic diamines	365	-
With ethylene diamine	365	-
With alkyl ethylene diamines	368	-
With aryl ethylene diamines	368	-
With hydroxymethyl ethylene diamines	369	-
With hydroxymethyl ethylene diamine N-oxides	369	-
With bis(aminopropyl)ether	370	-
With aliphatic triamines	370	-
With triazanone	370	-
With aliphatic tetramines	371	-
With hexamethylene tetramine	371	-
With other aliphatic tetramines	371	-
With aromatic amines	372	-
With monamines	372	-
With diamines	375	-
With alicyclic heterocyclic compounds	375	-
With pyrrolidine and derivatives	375	-
With piperidine and derivatives	375	-
With piperazine and derivatives	376	-
With amino alkyl piperazines	376	-
With piperazinium cations	376	-
With diazabicyclo [2.2.2] octonium and derivatives	377	-
With heterocyclic ligands	377	877
With pyrrole and derivatives	377	-
With dipyrromethene derivatives	377	-
With phthalocyanine	377	-
With pyridine	378	-
With pyridine derivatives	378	-
With 3-methyl pyridine (β -picoline)	378	-
With 4-methyl pyridine (γ -picoline)	379	-
With dimethyl pyridines (lutidines)	379	-
With amino pyridines	380	-
With aminomethyl pyridine and derivatives	380	-
With 2-aminoethyl pyridine and derivatives	380	-
With di(pyridyl)ethane	381	-
With pyridine carboxylic acids	381	-
With pyridine sulfonic acids	383	-
With quinoline and derivatives	383	-
With quinoline	383	-
With quinoline derivatives	383	-
With methyl quinolines	383	-
With amino quinolines	384	-
With 8-hydroxy quinoline and derivatives	384	-
With iso-quinoline	385	-
With diquinoline and derivatives	385	-
With quinoxaline and derivatives	386	-

Ni(II) continued

	page	
	Part 1	Part 2
With 2,2'-bipyridyl	388	-
With phenanthroline	388	-
With heterocyclic N-oxides	388	-
With pyridine N-oxide and derivatives	388	-
With other N heterocyclic ligands	389	-
With pyrazole and derivatives	389	877
With pyrazole	389	-
With pyrazolone and derivatives	389	-
With imidazoline and derivatives	394	-
With imidazole and derivatives	395	878
With imidazole	395	-
With methyl imidazoles	395	-
With pyridyl imidazoles	395	-
With benzimidazole and derivatives	396	-
With benzimidazole and methyl benzimidazoles	396	-
With benzyl benzimidazoles	396	-
With pyridyl benzimidazoles	398	-
With amino benzimidazoles	399	-
With thiazolyl benzimidazoles	400	-
With benzoxazole and derivatives	400	-
With pyridazine and derivatives	400	-
With pyrazine and derivatives	400	-
With pyrazine	400	-
With phthalazine	401	-
With benzocinnoline	401	-
With tetrazole and derivatives	401	-
With tetraazacyclododecane and derivatives	402	-
With tetraazacyclotetradecane and derivatives	403	-
With S heterocyclic ligands	403	-
With thiazole and derivatives	403	-
With thiazole and alkyl thiazoles	403	-
With amino thiazoles	404	-
With benzothiazole and derivatives	405	-
With thiazoline and derivatives	407	-
With isothiazole	407	-
With thiadiazole and derivatives	407	-
With Se heterocyclic ligands	408	-
With selenazole and derivatives	408	-
With selenadiazole and derivatives	408	-
With aromatic hydroxy compounds	408	-
With hydroxy benzenes and derivatives	408	-
With hydroxy naphthalenes	409	-
With ethers	410	-
With aldehydes	410	-
With ketones	411	-
With monoketones	411	-
With aliphatic monoketones	411	-
With alicyclic monoketones	411	-
With aromatic and heterocyclic monoketones	412	-
With diketones	412	-
With acetylacetone and derivatives	412	-
With benzoylacetone	415	-
With dibenzoyl methanide	416	-
With tetraketones	416	-
With hydroxy ketones	417	-
With amino acids	417	-
With amine-N-polycarboxylic acids	418	-
With Schiff bases and related compounds	418	-
From hydroxy arylaldehydes and monamines	418	-
Binuclear Schiff bases from hydroxy arylaldehydes and monamines	420	-
From hydroxy arylaldehydes and di- or triamines	420	-
From hydroxy arylaldehydes and thia diamines	422	-

Table of contents

XXVII

Ni(II) continued

	page	
	Part 1	Part 2
From hydroxy arylaldehydes and heteroaromatic amines	424	-
From arylaldehydes and monamines	424	-
From arylaldehydes and diamines	424	-
From alicyclic aldehydes or ketones and diamines	425	-
From heteroaromatic aldehydes and monoamines	426	-
From heteroaromatic aldehydes and di- or polyamines	429	-
From ketones and diamines, or polyamines	430	-
From diketones and monamines	435	-
From diketones and di- or polyamines	436	-
Cyclic Schiff bases derived from aminobenzaldehyde	437	-
Cyclic Schiff bases from dialdehydes and di- or polyamines	438	-
Cyclic Schiff bases from diketones and di- or polyamines	441	-
Cyclic Schiff bases from aminoketones and di- or polyamines	442	-
From heteroaromatic aldehydes and hydrazines	444	-
From aromatic ketones and hydrazines	445	-
With azo compounds	445	-
With aromatic azo compounds	445	-
With aminoaromatic azo compounds	448	-
With heterocyclic azo compounds	450	-
With triazenes	450	-
With oximes and nitroso compounds	452	-
With aldoximes	452	-
With ketoximes	454	-
With nitroso compounds	457	-
With acid amides and acid hydrazides	457	-
With urea and related compounds	457	-
With aliphatic acid amides	457	-
With heteroaromatic acid amides	457	-
With acid hydrazides	459	-
With cyclic acid amides and acid hydrazides	460	-
With carbodiimide derivatives	460	-
With amidines	461	-
With cyanides and isocyanides	462	878
With alkyl cyanides	462	-
With cyanamide derivatives	462	-
With ligands containing sulfur	462	-
With sulfoxides	462	-
With thiols	463	-
With sulfides	463	-
With heterocyclic thiones	464	-
With dithio carbonic acids	465	-
With trithio carbonic acids	465	-
With monothio carbamic acids	465	-
With dithio carbamic acids	466	-
With thio carboxylic acids	467	-
With monothio carboxylic acids	467	-
With dithio dicarboxylic acids	467	-
With trithio dicarboxylic acids	467	-
With tetrathio tetracarboxylic acids	467	-
With carbo thioic acids	467	-
With carbo dithioic acids	468	-
With thioethers	469	-
With aliphatic and alicyclic thioethers	469	-
With aromatic thioethers	470	-
With heteroaromatic thioethers	471	-
With macrocyclic thioethers	471	-
With thiourea and derivatives	472	-
With thiosemicarbazides and thiosemicarbazones	473	-
With thiocarbohydrazides	475	-
With thioacid amides	475	-
With sulfonates	477	-
With dithio carbazic acids	477	-

Ni(II) continued

	page	Part 1	Part 2
With thiocarbazates	478		-
With ligands containing selenium	479		-
With seleno carbamic acids	479		-
With seleno phosphoric acids	480		-
With selenourea and derivatives	480		-
With selenosemicarbazides and selenosemicarbazones	480		-
With ligands containing phosphorus	482		-
With monophosphines	482		-
With alkyl phosphines	482		-
With phenyl phosphines	483		-
With alkyl phenyl phosphines	484		-
With diphosphines	485		-
With tri- and tetraphosphines	487		-
With phosphine oxides	487		-
With monophosphine oxides	487		-
With bis(diphenylphosphine oxides)	488		-
With imido diphosphine dioxides	489		-
With mercapto phenyl phosphines	489		-
With imido diphosphine disulfides	490		-
With amino phosphines	490		-
With diphenylphosphino aliphatic monamines	490		-
With diphenylphosphino aliphatic diamines	491		-
With tris(heterocyclic amine) phosphines	491		-
With diphenylphosphino heterocyclic amines	491		-
With diphenylphosphino pyridines	491		-
With phosphoric acids	493		-
With phosphonic acids	494		-
With phosphinic acids	495		-
With thiophosphoric acids	495		-
With dithio phosphinic acids	496		-
With phosphor amides	497		-
With Schiff bases containing phosphorus	497		-
With ligands containing arsenic	498		-
With diarsines	498		-
With triarsines	499		-
With arsine oxides	499		-
With alkyl or aryl arsino amines	499		-
With aryl arsonic acids	501		-
With dialkyl or diaryl arsino carboxylic acids	501		-
With Schiff bases containing arsenic	502		-
With ligands containing antimony	503		-
Ni(III)	504		879
Ni(IV)	504		-
Palladium Pd	505		-
Pd(0)	505		-
Pd(II)	505		-
Platinum Pt	505		880
Pt(0)	505		-
Pt(I)	-		880
Pt(III)	-		880
Pt(IV)	506		-
Copper Cu	506		881
Cu(I)	506		-
Cu(II)	506		881
<i>Simple compounds</i>	506		881
With hydroxide	506		-
With fluoride	506		881

Cu(II) continued

	page	
	Part 1	Part 2
With porphyrins and related ligands	-	901
With phthalocyanine and derivatives	-	903
With pyridine and derivatives	-	904
With pyridine	549	904
With pyridine derivatives	551	-
With halogeno pyridines	551	-
With cyano pyridines	551	-
With hydroxy pyridines	552	-
With monoalkyl pyridines	552	-
With methyl pyridines	552	904
With ethyl pyridines	553	-
With dialkyl pyridines	554	-
With dimethyl pyridines	554	-
With diethyl pyridines	555	-
With trialkyl pyridines	555	-
With amino pyridines	555	-
With aminopyridines and derivatives	-	904
With 2-aminoethyl pyridine and derivatives	555	-
With di(pyridyl)amine	-	904
With tri(pyridyl)amines	-	906
With other aminopyridines	-	907
With pyridine carboxylic acids	556	907
With pyridine 2-carboxylic acid	-	907
With pyridine 3-carboxylic acid	-	909
With pyridine 4-carboxylic acid	-	909
With pyridine dicarboxylic acid	-	909
With pyridine sulfonic acid	-	909
With quinoline and derivatives	556	910
With quinoline	556	-
With 8-hydroxyquinoline	-	910
With quinoline derivatives	556	913
With biquinoline	558	913
With quinoxaline and derivatives	558	-
With bipyridyl	-	914
With 2,2'-bipyridyl	560	
With phenanthroline and derivatives	561	915
With heterocyclic N-oxides	562	917
With pyridine N-oxides and derivatives	562	917
With quinoline N-oxide and derivatives	563	-
With other heterocyclic N-oxides	563	-
With other N-heterocyclic ligands	563	-
With other heterocyclic ligands	-	918
With pyrazole and derivatives	563	918
With pyrazole	563	918
With methyl pyrazoles	564	919
With pyridyl pyrazoles	565	-
With other pyrazole derivatives	-	920
With pyrazolone and derivatives	566	-
With imidazole and derivatives	568	920
With methyl imidazoles	568	-
With alkyl imidazoles	-	920
With dialkyl imidazoles	-	921
With benzimidazole and derivatives	569	922
With benzoxazole and derivatives	570	-
With purine and derivatives	570	-
With pyridazine	572	-
With pyrazine	-	922
With pyrazine and derivatives	573	-
With pyrazine and methyl pyrazines	573	-
With pyrazine carboxylic acids	575	-
With phthalazine and derivatives	575	-
With benzocinnoline	576	-

Table of contents

XXIX

Cu(II) continued

	page	
	Part 1	Part 2
With chloride	507	881
With bromide	511	882
With nitrate	-	882
With sulfate	-	883
With selenite and selenate	513	884
With aliphatic monocarboxylates	513	884
With formate	513	-
With acetate and halogeno derivatives	514	-
With propionate and derivatives	517	-
With propionate	517	-
With fluoro propionates	517	-
With chloro propionates	518	-
With bromo propionates	520	-
With iodo propionates	522	-
With aliphatic dicarboxylates	523	887
With aliphatic amino carboxylic acids	-	888
With aromatic carboxylates	524	-
With benzoic acid and derivatives	524	-
With benzoic acid	524	-
With methyl and dimethyl benzoic acids	526	-
With fluoro and chloro benzoic acids	528	-
With bromo benzoic acids	529	-
With nitro benzoic acids	530	-
With hydroxy benzoic acids	531	-
With aromatic monocarboxylic acids	-	889
With aliphatic and aromatic amino carboxylates	531	-
With other aromatic mono carboxylates	533	-
With naphthoxy carboxylic acids	533	-
With aromatic dicarboxylates	533	890
With aromatic amino carboxylic acids	-	890
With phthalic acid monoester	533	-
With aromatic sulfonic acids	-	891
With other simple anions	535	891
<i>Coordination compounds with neutral and chelating ligands</i>	536	892
With water	536	892
With ammonia	536	892
With aliphatic amines	536	-
With aliphatic monamines	536	-
With hydroxy monamines	536	-
With aliphatic diamines	-	893
With aliphatic diamines and derivatives	538	-
With ethylene diamine and derivatives	538	893
With 1,3-propane diamine	-	894
With 1,3-propane diamine and derivatives	540	-
With propylene diamine	541	-
With other aliphatic diamines	542	-
With hydroxy diamines	542	-
With aliphatic triamines	543	895
With aliphatic tetramines	543	897
With aliphatic pentamines	544	-
With aliphatic amine N-oxides	544	-
With aromatic amines	544	898
With aromatic monamines	544	898
With aromatic diamines	546	898
With alicyclic heteroring compounds	547	-
With piperidine and derivatives	547	-
With diazabicyclo [2.2.2] octanium	548	-
With heterocyclic ligands	548	-
With N heterocyclic ligands	-	899
With pyrrole and derivatives	548	-
With dipyrromethene derivatives	549	899
With porphyrins	549	-

Table of contents

XXXI

Cu(II) continued

	page	
	Part 1	Part 2
With triazole and derivatives	576	-
With tetrazole and derivatives	577	922
With cycloheptadecatrienes	577	-
With bicycloheptadecatriene and derivatives	-	924
With S heterocyclic ligands	578	924
With thiazole and derivatives	578	-
With halogeno thiazoles	578	-
With alkyl thiazoles	578	-
With amino thiazoles	578	-
With benzthiazole and derivatives	579	-
With thiazoline and derivatives	579	-
With iso-thiazole	580	-
With thiophene and derivatives	580	924
With thiophene carboxylic acids	580	-
With O heterocyclic ligands	581	-
With furan and derivatives	581	-
With furan carboxylic acids	581	-
With Se heterocyclic ligands	581	-
With selenazole and derivatives	581	-
With alcohols	-	924
With aromatic hydroxy compounds	581	925
With nitro compounds	583	-
With ethers	583	-
With aldehydes	584	-
With ketones	586	925
With monoketones	586	925
With aromatic monoketones	586	-
With aliphatic monoketones	-	925
With heterocyclic monoketones	586	-
With alicyclic and heterocyclic monoketones	-	926
With diketones	587	926
With acetylacetone and derivatives	587	926
With acetylacetone	-	926
With acetylacetone solvates	-	928
With trifluoro acetylacetone	-	930
With hexafluoro acetylacetone	-	931
With 3-ethyl acetylacetone	-	932
With 3-phenyl acetylacetone	-	932
With other diketones	-	933
With tri- and tetraketones	588	-
With amino ketones	588	-
With amino acids	589	933
With amine-N-polycarboxylic acids	591	938
With Schiff bases and related compounds	591	938
From hydroxy arylaldehydes and aliphatic monamines	591	938
From hydroxy arylaldehydes and alicyclic monamines	-	940
From hydroxy arylaldehydes and aromatic monamines	-	941
Binuclear Schiff bases from hydroxy arylaldehydes and monamines	-	944
Binuclear Schiff bases from hydroxy arylaldehydes and aliphatic monamines	595	-
Binuclear Schiff bases from hydroxy arylaldehydes and aliphatic diamines	-	945
From hydroxy arylaldehydes and aromatic diamines	-	946
From hydroxy arylaldehydes and amino acids	597	948
From hydroxy arylaldehydes and aliphatic diamines	599	945
From hydroxy arylaldehydes and ethylene diamine	599	-
From hydroxy arylaldehydes and other diamines	600	-
Binuclear Schiff bases from hydroxy arylaldehydes and diamines	603	-
From hydroxy arylaldehydes and heteroaromatic amines	605	-
From dialdehydes and monamines	608	-
From ketones and monamines	610	-
From ketones and diamines	610	-
From keto acids and aromatic amines	611	-
From ketones and amino acids	612	-

Cu(II) continued

	page	
	Part 1	Part 2
From diketones and monamines	612	-
Binuclear Schiff bases from ketones and diamines	613	-
From arylketones and aliphatic diamines	-	949
Binuclear Schiff bases from arylketones and aliphatic diamines	-	951
From diketones and diamines	614	-
From diketones and aliphatic diamines	-	951
From arylamines and aliphatic ketones	-	951
With nitropropane 1,2-diimines	-	952
Cyclic Schiff bases derived from aminobenzaldehyde	614	-
Cyclic Schiff bases from dialdehydes and di- or polyamines	615	-
Cyclic Schiff bases from heterocyclic diketones and di- or polyamines	-	952
Cyclic Schiff bases derived from aminoketones	617	953
Cyclic Schiff bases from diketones and di- or polyamines	618	-
From aromatic aldehydes and hydrazine	-	954
From heteroaromatic aldehydes and hydrazines	620	-
With azo compounds	621	-
With aromatic azo compounds	621	-
With heteroaromatic azo compounds	622	-
With formazans	622	-
With oximes and nitroso compounds	623	954
With aldoximes	623	-
With ketoximes	625	-
With nitroso compounds	627	954
With acid amides and acid hydrazides	627	955
With biguanide and derivatives	-	955
With biguanidine and derivatives	627	-
With aliphatic acid amides	628	959
With aromatic acid amides	629	-
With heteroaromatic acid amides	629	-
With acid hydrazides	632	-
With cyclic acid amides and hydrazides	633	-
With cyclic acid amides and acid hydrazides	-	959
With semicarbazides	-	959
With carbodiimide derivatives	634	-
With cyanides and isocyanides	634	960
With cyanuric acid	-	960
With ligands containing sulfur	634	960
With sulfoxides	634	-
With thiols	634	960
With dithiolates	634	960
With monothio 1,3-diketones	-	961
With thiothenoyl trifluoroacetone	-	961
With thiadibenzoyl methane	-	961
With other monothio 1,3-diketones	-	963
With heterocyclic thiones	635	-
With dithiocarbamates	635	964
With diethyl dithiocarbamate	-	964
With other dithiocarbamates	-	965
With thio carboxylic acids	636	-
With monothio carboxylic acids	636	-
With dithio dicarboxylic acids	636	-
With trithio dicarboxylic acids	636	-
With tetrathio tetracarboxylic acids	636	-
With carbo thioic acids	637	-
With carbo dithioic acids	637	-
With thioethers	637	-
With aliphatic thioethers	637	-
With aromatic thioethers	637	-
With heteroaromatic thioethers	638	-
With thiourea and derivatives	638	966
With dithio biuret and derivatives	639	-
With thiosemicarbazide and thiosemicarbazones	639	966

Table of contents

XXXIII

Cu(II) continued

	page	Part 1	Part 2
With ketone thiosemicarbazones	639		—
With aromatic aldehyde thiosemicarbazones	640		—
With heteroaromatic aldehyde thiosemicarbazones	645		—
With thiosemicarbazono diacetic acid	646		—
With thio-carbamyl hydroxamic acids	—		968
With thio acid amides	646		—
With thio acid amides and thio acid hydrazides	—		968
With thiocarbazates	648		
With ligands containing selenium	649		968
With thio seleno carbamates	649		968
With selenosemicarbazones	649		—
With diseleno carbamates	—		969
With diseleno phosphates	—		970
With ligands containing phosphorus	650		970
With phosphine oxides	650		—
With diphenyl phosphino amines	652		—
With heterocyclic diphenyl phosphino amines	652		—
With phosphoric acids	652		970
With phosphonic acids	652		970
With dithio phosphoric acids	—		971
With dithio phosphonic acids	—		975
With dithio phosphinic acids	—		975
With phosphoric acid amides	653		—
With phosphor amides	—		976
With Schiff bases containing phosphorus	653		—
With ligands containing arsenic	653		—
With ligands containing silicon	—		977
<i>Organometallic compounds</i>	654		—
<i>Biological compounds</i>	—		978
Cu(II) (Exchange coupled bimolecular units)	978		
<i>Simple compounds</i>	978		
With aliphatic monocarboxylic acids	—		978
With acetic acid and derivatives	—		978
With acetic acid	—		978
With fluoro acetic acids	—		979
With chloro acetic acids	—		979
With bromo acetic acids	—		980
With iodo acetic acids	—		981
With propionic acid	—		981
With halogeno propionic acids	—		981
With butyric acid	—		982
With other aliphatic carboxylic acids	—		982
With aromatic monocarboxylic acids	—		983
With benzoic acid and derivatives	—		983
With benzoic acid	—		983
With fluoro benzoic acids	—		984
With chloro and bromo benzoic acids	—		984
With hydroxy benzoic acids	—		985
With nitro benzoic acid	—		985
With methyl benzoic acids	—		986
With phenyl acetic acid	—		986
With aromatic dicarboxylic acids	—		987
<i>Coordination compounds with neutral and chelating ligands</i>	987		
With heterocyclic ligands	—		987
With pyrazole and derivatives	—		987
With pyrazolones	—		987
With purines	—		988
With thiophene and derivatives	—		988
With thiophene carboxylic acids	—		988
With furan and derivatives	—		988
With furan carboxylic acids	—		988
With Schiff bases and related compounds	—		989

	page	
	Part 1	Part 2
Cu(II) continued		
From hydroxy arylaldehydes and monamines	-	989
From hydroxy arylaldehydes and diamines	-	989
Cyclic Schiff bases derived from aminoketones	-	990
With oximes and nitroso compounds	-	990
With aldoximes	-	990
With acid amides and acid hydrazides	-	990
With biguanide and derivatives	-	990
Cu(III)	654	-
Silver Ag	655	991
Ag(I)	655	-
Ag(II)	655	991
<i>Simple compounds</i>	655	991
With fluoride	655	991
With nitrate	-	991
With other simple anions	-	992
<i>Coordination compounds with neutral and chelating ligands</i>	656	992
With heterocyclic ligands	656	992
With pyridine and derivatives	656	-
With pyridine carboxylic acids	656	-
With bipyridyl	656	-
With pyrazine and derivatives	657	-
With Schiff bases and related compounds	657	952
With ligands containing sulfur	-	993
With ligands containing selenium	-	993
Gold Au	-	994
Au(II)	-	994
Diagrams	658	995
References	730	996

