Table of contents

Radical reaction rates in liquids

Part e: Proton and electron transfer. Biradicals

General introduction

H. Fischer, Physikalisch-Chemisches Institut der Universität Zürich, Switzerland

A Definition and coverage . . . 1
B Arrangement and content of tables . . . 1
C Important monographs, series, compilations . . . 2
D List of symbols and abbreviations . . . 3

9 Proton transfer reactions and equilibria of radicals

J. K. Dohrmann, Institut für Physikalische Chemie, Freie Universität Berlin, FRG

9.0 Introduction . . . 5
9.0.1 General remarks . . . 5
9.0.2 Acid dissociation equilibria . . . 5
9.0.3 Rates of proton transfer . . . 7
9.0.4 Other related reactions . . . 8
9.0.5 Methods of measurement . . . 8
9.0.6 Generation of radicals . . . 9
9.0.7 Classification . . . 9

9.1 Carbon-centered radicals . . . 10
9.1.1 σ-type radicals . . . 10
9.1.2 Radicals from aromatic hydrocarbons and related compounds . . . 11
9.1.2.1 Cation radicals . . . 11
9.1.2.1.1 Deprotonation of CH acids . . . 11
9.1.2.1.2 Formation of pseudo bases . . . 13
9.1.2.2 Anion radicals . . . 15
9.1.2.2.1 C-protonation of condensed polycyclic anions . . . 15
9.1.2.2.2 C-protonation of non-condensed polycyclic anions . . . 19
9.1.3 Ketyl radicals $>\dot{C}—OH$ $(—OH_2^+/OH/O^-)$ . . . 22
9.1.3.1 Ketyls from aliphatic compounds . . . 22
9.1.3.2 Ketyls from cyclic aliphatic compounds . . . 25
9.1.3.3 Ketyls from unsaturated compounds . . . 26
9.1.3.4 Ketyls from aromatic compounds . . . 27
9.1.4 Semidione and related radicals . . . 29
9.1.4.1 1,2-Semidiones $—CO—\dot{C}(OH)—$ $(—OH/O^-)$ . . . 29
9.1.4.2 Semitriones $—CO—\dot{C}(OH)—CO—$ $(—OH/O^-)$ . . . 30
9.1.5 β-hydroxyalkyl radicals $>\dot{C}—\overset{|}{\underset{|}{C}}—OH$ $(—OH_2^+/OH/O^-)$ . . . 31

9.1.6 Hydroxycyclohexadienyl and related radicals . . . 32
9.1.6.1 ·OH adducts to benzene and alkyl benzenes ($—OH_2^+/OH/O^-$) . . . 32
9.1.6.2 Other substituted hydroxycyclohexadienyl radicals ($—COOH/COO^-$ and/or $—OH/O^-$) 34
9.1.6.3 OH^--ion elimination . . . 35
9.1.6.3.1 ·OH adducts to hydroxybenzenes and derivatives . . . 35
9.1.6.3.2 ·OH adducts to aniline and derivatives . . . 37
9.1.6.4 H^+-ion catalyzed H_2O elimination . . . 37
9.1.6.4.1 ·OH adducts to styrene and polycyclic aromatic hydrocarbons . . . 37
9.1.6.4.2 ·OH adducts to methoxylated benzenes and benzoic acids . . . 38
9.1.7 Radicals from carboxylic acids . . . 39
9.1.7.1 Monocarboxylic acids ·COOH and $>\dot{C}\text{-}(\text{-}\overset{|}{\underset{|}{C}}\text{-})_n COOH$ (n = 0, 1) including substituent groups undergoing proton transfer reactions . . . 39
9.1.7.1.1 Unsubstituted carboxylic acids ($—COOH/COO^-$) . . . 39
9.1.7.1.2 Hydroxy and keto carboxylic acids ($—COOH/COO^-$ and/or $—OH/O^-$) . . 40
9.1.7.1.3 Amino acids and N-derivatives ($—COOH/COO^-$ and/or $—NH_x^z/NH_{x-1}^{z-1}$) . 42
9.1.7.1.4 Linear oligopeptides ($—COOH/COO^-$ and/or $—NH_x^z/NH_{x-1}^{z-1}$) . . . 43
9.1.7.2 Dicarboxylic acids $HOOC—\dot{\underset{|}{C}}\text{-}(\text{-}\overset{|}{\underset{|}{C}}\text{-})_n COOH$ (n = 0, 1) including substituent groups undergoing proton transfer reactions . . . 44
9.1.7.2.1 Unsubstituted dicarboxylic acids ($—COOH/COO^-$) . . . 44
9.1.7.2.2 Hydroxy and keto dicarboxylic acids ($—COOH/COO^-$ and/or $—OH/O^-$) 44
9.1.7.3 Radicals (electron adducts) of the type $—\dot{C}(OH)_2$ or $—\dot{C}(O^-)OH$ . . . 45
9.1.7.3.1 Unsaturated monocarboxylic acids . . . 45
9.1.7.3.2 Unsaturated dicarboxylic acids . . . 48
9.1.7.3.3 Aromatic carboxylic acids . . . 49
9.1.8 Radicals from esters . . . 50
9.1.8.1 Radicals from phosphate esters ($—OPO_3H^-/OPO_3^{2-}$) . . . 50
9.1.8.2 Radicals (electron adducts) of the type $—\dot{C}(OH)OR$ ($—OH/O^-$) . . . 50
9.1.8.2.1 Esters of aliphatic carboxylic acids . . . 50
9.1.8.2.2 Esters of unsaturated and aromatic carboxylic acids . . . 51
9.1.8.3 Radicals of the type $—\dot{C}(OH)COOR$ from esters of α-keto carboxylic acids and oxalic acid ($—OH/O^-$) . . . 51
9.1.9 Radicals from amides, imides, and related compounds . . . 52
9.1.9.1 Radicals of the type $—CO—NH—\dot{C}<$ from amides ($—CO—NH—/—CO\text{-}N^-—$) . . 52
9.1.9.2 Radicals of the type $—CO—NH—\dot{C}<$ or $>\dot{C}—CO—NH—$ from cyclic compounds ($—CO—NH—/—CO—N^-—$) . . . 52
9.1.9.2.1 Lactams . . . 52
9.1.9.2.2 Imides . . . 54
9.1.9.3 Radicals of the type $—NH—\dot{C}H—CO—NH—$ from amides of amino acids and linear oligopeptides ($—NH_x^z/NH_{x-1}^{z-1}$) . . . 54
9.1.9.4 Radicals (electron adducts) of the type $—\dot{C}(OH)NH—$ ($—OH/O^-$) . . . 55
9.1.9.4.1 Aliphatic amides . . . 55
9.1.9.4.2 Unsaturated amides . . . 56
9.1.9.4.3 Aromatic amides . . . 57
9.1.9.4.4 Imides . . . 58
9.1.9.5 Radicals of the type $—\dot{C}(OH)—CO—NH—$ from amides of α-hydroxy carboxylic acids ($—OH/O^-$) . . . 58
9.1.10 Aminoalkyl and related radicals ($—NH_x^z/NH_{x-1}^{z-1}$) . . . 59
9.1.11 Radicals from CN^- and nitriles ($—\dot{C}NH/\dot{C}N^-$) . . . 60
9.1.12 Radicals from oximes $>\dot{C}NHOH$ ($—NHOH/NOH^-/NO^{2-}$) . . . 62
9.1.13 β-mercaptoalkyl radicals $>\dot{C}—\overset{|}{\underset{|}{C}}—SH$ ($—SH/S^-$) . . . 63
9.1.14 Miscellaneous radicals . . . 64
9.1.14.1 Radicals of the type $—\dot{C}(OH)_2$ from aldehydes . . . 64

9.1.14.2 Dialkoxyalkene radical cations . . . 64
9.1.14.3 Other radicals . . . 66

9.2 Oxyl and peroxyl radicals . . . 67
9.2.1 Oxyl radicals . . . 67
9.2.2 Peroxyl radicals . . . 67
9.2.2.1 Radicals of the type $>C(O_2\cdot)OH$ (—OH/O^-) . . . 67
9.2.2.2 Radicals of the type —$C(O_2\cdot)(OH)_2$ (—OH/O^-) . . . 68
9.2.2.3 Radicals of the type $>C(O_2\cdot)NH$— ($>$NH/N^-) . . . 68
9.2.2.4 Other peroxyl radicals . . . 69

9.3 Aroxyl and semiquinone radicals . . . 69
9.3.1 Phenol cation/phenoxyl radicals (—$\dot{O}H^+$/$\dot{O}$) . . . 69
9.3.1.1 Phenol and monosubstituted phenol cation radicals . . . 69
9.3.1.2 Disubstituted phenol cation radicals . . . 71
9.3.1.3 Phenoxyl carboxylic acids (—COOH/COO^-) . . . 72
9.3.2 Dihydroxybenzene cation/benzosemiquinone radicals (—$\dot{O}H^+$/$\dot{O}$ and/or —OH/O^-) . . . 72
9.3.2.1 1,2-dihydroxybenzene cation/o-benzosemiquinone radicals (including proton transfer reactions of substituent groups) . . . 72
9.3.2.2 1,3-dihydroxybenzene cation/m-benzosemiquinone radicals . . . 74
9.3.2.3 1,4-dihydroxybenzene cation/p-benzosemiquinone radicals . . . 76
9.3.3 Trihydroxybenzene cation radicals (various states of dissociation) . . . 79
9.3.4 Hydroxy-1,3-benzodioxole cation radicals (—$\dot{O}H^+$/$\dot{O}$) . . . 80
9.3.5 Naphthosemiquinones (—OH/O^-) . . . 81
9.3.6 Anthrasemiquinones (—OH/O^-) . . . 82
9.3.7 Semiquinones from other compounds . . . 83

9.4 Nitroxyl radicals . . . 84
9.4.1 Adducts of 2-methyl-2-nitrosopropane to radicals from amino acids (—COOH/COO^- and/or —NH_3^+/NH_2) . . . 84
9.4.2 Adducts of 2-methyl-2-nitrosopropane to radicals from peptides (—COOH/COO^- and/or —NH_3^+/NH_2) . . . 85
9.4.3 Other nitroxyl radicals . . . 86

9.5 Nitrogen-centered radicals . . . 87
9.5.1 Aminium/aminyl radicals . . . 87
9.5.1.1 Radicals from aliphatic amines and hydroxylamines ($>\dot{N}H^+$/$>\dot{N}$) . . . 87
9.5.1.2 Radicals from aromatic amines (various states of N-protonation) . . . 88
9.5.2 Hydrazyl radicals . . . 90
9.5.2.1 Alkyl and arylhydrazyls (various states of N-protonation) . . . 90
9.5.2.2 Bridged hydrazyls ($>\dot{N}H^+$/$>\dot{N}$) . . . 90
9.5.2.3 Acylhydrazyls ($>$NH/$>N^-$) . . . 91
9.5.2.4 Hydroxyhydrazyls ($>$N—OH/$>$N—O^-) . . . 91
9.5.3 β-hydroxyiminyl radicals (—OH/O^-) . . . 92

9.6 Radicals from nitroso and nitro compounds . . . 92
9.6.1 Nitroso compounds (—$\dot{N}OH$/$\dot{N}O^-$) . . . 92
9.6.2 Nitro compounds (—$\dot{N}O_2H$/$\dot{N}O_2^-$ including other proton transfer reactions of nitro anion radicals . . . 92
9.6.2.1 Aliphatic nitro compounds . . . 92
9.6.2.2 Aromatic nitro compounds . . . 93
9.6.2.2.1 Nitrobenzene and monosubstituted nitrobenzenes . . . 93
9.6.2.2.2 Nitrobenzoic acids and derivatives . . . 94
9.6.2.2.3 Nitrophenols and derivatives . . . 97
9.6.2.3 Heterocyclic nitro compounds . . . 99
9.6.2.3.1 Systems containing one heteroatom . . . 99
9.6.2.3.2 Systems containing two heteroatoms . . . 100

9.7 Sulfur-centered radicals . . . 103
9.7.1 Cation radicals from thioethers (CH-deprotonation) and disulfides (OH^--ion addition) . . . 103
9.7.2 Radicals from disulfides and dithiothreitol (S-protonation) . . . 104

9.7.3 Electron adducts to sulfoxides and ·OH radical adducts to thioethers (—OH/O⁻ or OH⁻-ion elimination) . . . 105

9.8 Radicals from heterocyclic compounds . . . 106
9.8.1 Five-membered heterocycles . . . 106
9.8.1.1 Furan, thiophene, pyrrole, and derivatives . . . 106
9.8.1.2 Thiazole, imidazole, and related compounds . . . 107
9.8.2 Six-membered heterocycles . . . 109
9.8.2.1 4-pyrones . . . 109
9.8.2.2 Pyridines . . . 110
9.8.2.2.1 Pyridine and dipyridyls . . . 110
9.8.2.2.2 Pyridine ketones . . . 111
9.8.2.2.3 Pyridine carboxylic acids . . . 112
9.8.2.2.4 Amides of pyridine carboxylic acids . . . 114
9.8.2.2.5 Other pyridine compounds . . . 117
9.8.2.3 Diazines . . . 119
9.8.2.4 Pyrimidine bases and related compounds . . . 120
9.8.2.4.1 Radicals by one-electron reduction . . . 120
9.8.2.4.2 Radicals by one-electron oxidation and by ·OH addition . . . 122
9.8.3 Condensed heterocycles . . . 124
9.8.3.1 Systems containing one heteroatom . . . 124
9.8.3.2 Systems containing two heteroatoms . . . 127
9.8.3.2.1 Sulfur and nitrogen . . . 127
9.8.3.2.2 Two nitrogen atoms . . . 128
9.8.3.3 Systems containing more than two heteroatoms . . . 131
9.8.3.3.1 Purines . . . 131
9.8.3.3.2 Pteridines . . . 132
9.8.3.3.3 Alloxazines and flavins . . . 135
References for 9 . . . 139

10 Electron transfer equilibria involving radicals and radical ions in aqueous solutions

S. Steenken, Institut für Strahlenchemie im Max-Planck-Institut für Kohlenforschung, Mülheim a.d. Ruhr, FRG

10.0 Introduction . . . 147
10.0.1 General remarks and remarks to 10.1 . . . 147
10.0.2 Remarks to 10.2 and 10.3 . . . 147
10.0.3 General references . . . 148
10.0.4 List of symbols and abbreviations . . . 149
a Symbols . . . 149
b General abbreviations . . . 149
c Abbreviations for frequently used redox standards . . . 149

10.1 Rate and equilibrium constants for electron exchange reactions . . . 150
10.1.1 Nitroaromatic ($ArNO_2$) + nitroaromatic . . . 150
10.1.2 Nitroaromatic + O_2 . . . 150
10.1.3 Nitroaromatic + quinone . . . 152
10.1.4 Quinone + quinone . . . 159
10.1.5 Quinone + O_2 . . . 163
10.1.6 Quinone + bipyridinium dication . . . 165
10.1.7 Bipyridinium dication + bipyridinium dication . . . 166
10.1.8 Phenoxyl radical + phenolate or aminoaromatic ($ArNR_2$) . . . 167
10.1.9 Miscellaneous . . . 173

10.2 E^1_x (O/S), potentials for the one-electron reduction of O . . . 178
10.2.1 Nitro compounds . . . 178
10.2.1.1 Nitroimidazoles . . . 178
10.2.1.1.1 2-Nitroimidazoles . . . 178

10.2.1.1.2 4-Nitroimidazoles . . . 188
10.2.1.1.3 5-Nitroimidazoles . . . 190
10.2.1.2 Nitrofurans . . . 192
10.2.1.3 Nitrobenzenes . . . 194
10.2.1.4 Nitrobenzofurans . . . 198
10.2.1.5 Other nitro compounds . . . 199
10.2.2 Quinones . . . 200
10.2.2.1 Benzoquinones . . . 200
10.2.2.2 Naphthoquinones . . . 205
10.2.2.3 Anthraquinones . . . 207
10.2.3 Quinonimines . . . 209
10.2.4 Flavins . . . 209
10.2.5 Pyridinium cations . . . 211
10.2.6 N-Heterocyclic dications . . . 214
10.2.6.1 1,1′-Di-substituted bipyridinium dications . . . 214
10.2.6.1.1 1,1′-Di-substituted 2,2′-bipyridinium dications . . . 214
10.2.6.1.2 1,1′-Di-substituted 4,4′-bipyridinium dications . . . 225
10.2.6.1.2.1 Symmetrically 1,1′-di-substituted 4,4′-bipyridinium dications 225
10.2.6.1.2.2 Unsymmetrically 1,1′-di-substituted 4,4′-bipyridinium dications . . . 238
10.2.6.1.2.3 1,1′-Di-substituted 4,4′-bipyridinium dications containing a bridge between 4 and 4′ . . . 243
10.2.6.1.3 Other 1,1′-di-substituted bipyridinium dications . . . 243
10.2.6.2 Naphthyridyl-pyridinium dications . . . 245
10.2.6.3 Phenanthrolinium dications . . . 246
10.2.6.4 Diazoniapentaphenium dications . . . 249
10.2.6.5 Other N-heterocyclic dications . . . 250
10.2.7 Miscellaneous heterocyclic compounds . . . 255
10.2.8 Aliphatic compounds . . . 256
10.2.9 Oxygen and ozone . . . 258

10.3 E_x^2(S/R), potentials for the one-electron reduction of S˙ . . . 259
10.3.1 Phenols . . . 259
10.3.1.1 Hydroxyphenols . . . 259
10.3.1.2 Aminophenols . . . 270
10.3.1.3 Other phenols . . . 272
10.3.2 Phenylenediamines . . . 275
10.3.3 Phenothiazines . . . 278
10.3.4 Flavins . . . 281
10.3.5 Azines . . . 283
10.3.6 Miscellaneous . . . 286
References for 10 . . . 291

11 Biradicals

J. C. Scaiano, Division of Chemistry, National Research Council, Ottawa, Canada

11.0 General introduction . . . 294

11.1 Unimolecular biradical processes . . . 297
11.1.1 Reactions of 1,3-biradicals to yield molecular products . . . 297
11.1.2 Reactions of 1,4-biradicals to yield molecular products . . . 298
11.1.3 Reactions of other biradicals to yield molecular products . . . 312
11.1.4 Biradical rearrangements, spin, acid-base and conformational equilibria . . . 315

11.2 Biradical self-reactions . . . 317
11.2.1 1,3-Biradicals . . . 317
11.2.2 1,4-Biradicals . . . 317

11.3 Biradical-molecule reactions (absolute rate measurements) . . . 317
11.3.1 1,3-Biradicals, additions to unsaturated substrates . . . 318
11.3.2 1,4-Biradicals . . . 319
11.3.2.1 Hydrogen abstractions . . . 319
11.3.2.2 Electron transfer reactions . . . 320
11.3.2.3 Scavenging by paramagnetic quenchers . . . 327
11.3.2.4 Miscellaneous or unknown mechanisms . . . 329
11.3.3 Other biradicals . . . 330
11.3.3.1 Hydrogen abstractions . . . 330
11.3.3.2 Scavenging by paramagnetic quenchers . . . 332
11.3.3.3 Miscellaneous or unknown mechanisms . . . 333

11.4 Competitive kinetic measurements (processes involving at least one bimolecular reaction) . . . 333
11.4.1 1,3-Biradicals . . . 334
11.4.2 1,4-Biradicals . . . 338
11.4.2.1 Hydrogen abstractions . . . 338
11.4.2.2 Additions to unsaturated substrates . . . 339
11.4.2.3 Scavenging by paramagnetic species . . . 340
11.4.3 Other biradicals . . . 341
11.4.4 Selected competitions between two or more first order processes . . . 343

11.5 Biradical quenching of excited states . . . 348

11.6 Reactions of excited biradicals . . . 360
References for 11 . . . 360

Index of substances . . . 364

Errata to Landolt-Börnstein subvolumes II/13a and II/13b

II/13a

p. 13, second entry from below:

$((CH_3)_3C)SiCH_2$ should read $((CH_3)_3C)_3SiCH_2$

p. 122, last entry:

$$\begin{array}{l} \ldots CH \ldots \\ \quad | \\ C(O)(CH_2)_3CH_3 \end{array} \quad \text{should read} \quad \begin{array}{l} \ldots CH \ldots \\ \quad | \\ CO_2(CH_2)_3CH_3 \end{array}$$

II/13b

p. 268, first entry:

(80% C_6H_5SD) should read (89% C_6H_5SD)

p. 346, last entry:

$\cdot CH(CHOH)_4CO$ should read $\cdot CH(CHOH)_4CO$