



# Table of contents

## 1 The elastic constants of crystals and other anisotropic materials

R. F. S. HEARMON

<b>1.1 Introduction . . . . .</b>	1
1.1.1 Notation, units and abbreviations . . . . .	1
1.1.2 General remarks, Tables 1, 2 . . . . .	2
1.1.3 Methods . . . . .	4
1.1.4 Secondary effects: thermal, electrical, and magnetic conditions . . . . .	5
1.1.5 Secondary effects: frequency . . . . .	5
1.1.6 Temperature coefficients . . . . .	5
1.1.7 Pressure coefficients . . . . .	6
1.1.8 Accuracy and selection of data . . . . .	6
1.1.9 Arrangement of tables and graphs . . . . .	7
1.1.10 Notes on bibliography . . . . .	7
<b>1.2 Tables . . . . .</b>	9
1.2.1 Elastic constants $s_{\eta\sigma}$ , $c_{\eta\sigma}$ . . . . .	9
Table 3. Cubic system. Elements . . . . .	9
Table 4. Cubic system. Alloys . . . . .	12
Table 5. Cubic system. Intermetallic compounds . . . . .	22
Table 6. Cubic system. Solid solutions . . . . .	23
Table 7. Cubic system. Binary compounds . . . . .	26
Table 8. Cubic system. Alums . . . . .	32
Table 9. Cubic system. Miscellaneous compounds . . . . .	33
Table 10. Cubic system. Incomplete sets of constants . . . . .	38
Table 11. Hexagonal system . . . . .	39
Table 12. Hexagonal system. Incomplete sets of constants . . . . .	46
Table 13. Hexagonal system. Non-crystalline materials . . . . .	47
Table 14. Trigonal system . . . . .	50
Table 15. Trigonal system. Incomplete sets of constants . . . . .	55
Table 16. Trigonal system . . . . .	56
Table 17. Tetragonal system . . . . .	56
Table 18. Tetragonal system . . . . .	61
Table 19. Tetragonal system. Incomplete sets of constants . . . . .	62
Table 20. Tetragonal system. Non-crystalline materials . . . . .	62
Table 21. Orthorhombic system . . . . .	63
Table 22. Orthorhombic system. Incomplete sets of results . . . . .	69
Table 23. Orthorhombic system. Non-crystalline materials . . . . .	70
Table 24. Monoclinic system . . . . .	72
Table 25. Densities and compositions of soda-potash feldspars of Table 24 . . . . .	77
Table 26. Monoclinic system. Incomplete sets of results . . . . .	77
Table 27. Triclinic system . . . . .	78
1.2.2 Temperature coefficients $Tc_{\eta\sigma}$ . . . . .	78
Table 28. Cubic system. Elements . . . . .	78
Table 29. Cubic system. Alloys . . . . .	80
Table 30. Cubic system. Intermetallic compounds . . . . .	84
Table 31. Cubic system. Solid solutions . . . . .	84
Table 32. Cubic system. Binary compounds . . . . .	86
Table 33. Cubic system. Alums . . . . .	90
Table 34. Cubic system. Miscellaneous compounds . . . . .	91
Table 35. Hexagonal system . . . . .	93
Table 36. Trigonal system . . . . .	94
Table 37. Quartz. First-, second-, and third-order temperature coefficients of stiffnesses $c_{\eta\sigma}$ . . . . .	96
Table 38. Quartz. Values of $(c_{\eta\sigma})_0$ for use with temperature coefficients . . . . .	95
Table 39. Quartz. First-, second-, and third-order temperature coefficients of compliances $s_{\eta\sigma}$ . . . . .	96

## Table of contents

Table 40. Tetragonal system . . . . .	97
Table 41. Tetragonal system . . . . .	97
Table 42. Orthorhombic system . . . . .	98
Table 43. Monoclinic system . . . . .	99
1.2.3 Pressure coefficients $Pc_{\text{eq}}$ . . . . .	100
Table 44. Cubic system. Elements . . . . .	100
Table 45. Cubic system. Alloys and solid solutions . . . . .	101
Table 46. Cubic system. Binary compounds . . . . .	103
Table 47. Cubic system. Miscellaneous compounds . . . . .	106
Table 48. Hexagonal system . . . . .	107
Table 49. Trigonal system . . . . .	108
Table 50. Tetragonal system . . . . .	108
Table 51. Orthorhombic system . . . . .	108
1.3 Figures. Dependence on temperature and other influences . . . . .	109
1.4 Bibliography for 1 . . . . .	216
1.4.1 General references . . . . .	216
1.4.2 Special references . . . . .	218

## 2 The third- and higher-order elastic constants

R. F. S. HEARMON

2.1 Introduction . . . . .	245
2.1.1 Notation, units, and abbreviations . . . . .	245
2.1.2 General remarks and historical development . . . . .	246
2.1.3 Theory and notation . . . . .	248
2.1.4 Third-order coefficients of the various crystal classes . . . . .	252
2.1.5 Methods for the determination of the third-order elastic constants . . . . .	254
2.1.6 Theoretical estimates of the third- and higher-order constants . . . . .	255
Comparison of calculated and measured values of third-order stiffnesses for NaCl, Ge, Cu, Mg (Tables 9, 10, 11, 12) . . . . .	258
2.1.7 Macroscopic theory of higher-order constants . . . . .	261
Number of independent $n$ th order constants (Table 13) . . . . .	261
2.1.8 The effect of temperature on the third-order stiffnesses . . . . .	262
Third-order stiffnesses of Al and Ni (Table 14) . . . . .	262
2.1.9 The third-order compliances . . . . .	262
2.1.10 Arrangement of tables and comments . . . . .	263
2.2 Third-order stiffnesses . . . . .	265
Table 15. Isotropic solids. Experimental . . . . .	265
Table 16. Cubic system VIIb. Experimental. Ionic compounds and oxides . . . . .	266
Table 17. Cubic system VIIb. Experimental. Semiconductors . . . . .	266
Table 18. Cubic system VIIb. Experimental. Metals and alloys . . . . .	267
Table 19. Cubic system VIIb. Experimental. Miscellaneous compounds . . . . .	267
Table 20. Cubic system VIIb. Experimental. Combinations and partial sets . . . . .	268
Table 21. Hexagonal system VIb. Experimental . . . . .	268
Table 22. Trigonal system Vb. Experimental . . . . .	269
Table 23. Tetragonal system IVb. Experimental . . . . .	269
Table 24. Cubic system VIIb. Theoretical. Ionic compounds and oxides . . . . .	270
Table 25. Cubic system VIIb. Theoretical. Semiconductors and insulators . . . . .	272
Table 26. Cubic system VIIb. Theoretical. Metals . . . . .	272
Table 27. Cubic system VIIb. Theoretical. Inert gas solids . . . . .	273
Table 28. Hexagonal system VIb. Theoretical . . . . .	274
Table 28a. Trigonal system Vb. Semiempirical estimates. Calcite-type compounds . . . . .	274
2.3 Fourth- and higher-order stiffnesses . . . . .	275
Table 29. Cubic system VIIb. Fourth-order stiffnesses for metals. Complete sets . . . . .	275
Table 30. Fourth-order stiffnesses. Incomplete sets . . . . .	275
Table 31. Cubic system VIIb. Combinations of fourth-order stiffnesses . . . . .	275
Table 32. Calculated second- and higher-order quasi-static elastic stiffnesses of selected alkali-halides . . . . .	276
2.4 Figures. Dependence on temperature . . . . .	277
2.5 Bibliography . . . . .	279
2.5.1 General references . . . . .	280
2.5.2 Special references . . . . .	281

### 3 Piezoelectric, electrostrictive and dielectric constants, and electromechanical coupling factors of piezoelectric crystals

W. R. COOK, H. JAFFE

<b>3.1 Introduction . . . . .</b>	287
3.1.1 Notation, units and abbreviations . . . . .	287
3.1.2 General remarks . . . . .	289
3.1.3 Basic relations. Symbols, definitions and units for piezoelectric coefficients . . . . .	289
3.1.4 Methods of measurement . . . . .	295
3.1.5 Electromechanical coupling factors . . . . .	295
3.1.6 Electrostriction . . . . .	296
3.1.7 Arrangement of tables . . . . .	297
<b>3.2 General data . . . . .</b>	299
3.2.1 Crystals, polymers, and ceramics . . . . .	299
3.2.2 Additional elastic data for poled ceramics, symmetry $\infty m$ ( $C_{\infty v}$ ) . . . . .	326
<b>3.3 Tables of relative dielectric constants . . . . .</b>	328
3.3.1 Cubic, $m3m$ ( $O_h$ ) . . . . .	328
3.3.2 Cubic, $\bar{4}3m$ ( $T_d$ ) . . . . .	328
3.3.3 Cubic, $m3$ ( $T_h$ ) . . . . .	330
3.3.4 Cubic, $23$ ( $T$ ) . . . . .	330
3.3.5 Hexagonal, $622$ ( $D_6$ ) . . . . .	331
3.3.6 Symmetry $\infty 22$ ( $D_{\infty}$ ). Piezoelectric polymers . . . . .	331
3.3.7 Hexagonal, $6mm$ ( $C_{6v}$ ) . . . . .	332
3.3.8 Poled ceramics, $\infty m$ ( $C_{\infty v}$ ) . . . . .	333
3.3.9 Symmetry $\infty m$ ( $C_{\infty v}$ ). Polymer sheet, poled . . . . .	340
3.3.10 Hexagonal, $6$ ( $C_6$ ) . . . . .	340
3.3.11 Symmetry $\infty$ ( $C_{\infty}$ ) . . . . .	340
3.3.12 Trigonal, $32$ ( $D_3$ ) . . . . .	340
3.3.13 Trigonal, $3m$ ( $C_{3v}$ ) . . . . .	341
3.3.14 Trigonal, $3$ ( $C_3$ ) . . . . .	342
3.3.15 Tetragonal, $422$ ( $D_4$ ) . . . . .	342
3.3.16 Tetragonal, $\bar{4}2m$ ( $D_{2d}$ ) . . . . .	343
3.3.17 Tetragonal, $4mm$ ( $C_{4v}$ ) . . . . .	347
3.3.18 Tetragonal, $\bar{4}$ ( $S_4$ ) . . . . .	349
3.3.19 Tetragonal, $4$ ( $C_4$ ) . . . . .	349
3.3.20 Orthorhombic, $mmm$ ( $D_{2h}$ ) . . . . .	349
3.3.21 Orthorhombic, $222$ ( $D_2$ ) . . . . .	350
3.3.22 Orthorhombic, $mm2$ ( $C_{2v}$ ) . . . . .	351
3.3.23 Orthorhombic, $mm2$ ( $C_{2v}$ ). Polymer sheet, uniaxially stretched and poled . . . . .	355
3.3.24 Monoclinic, $2/m$ ( $C_{2h}$ ) . . . . .	355
3.3.25 Monoclinic, $2$ ( $C_2$ ) . . . . .	356
3.3.26 Monoclinic, $m$ ( $C_s$ ) . . . . .	358
3.3.27 Triclinic, $1$ ( $C_1$ ) . . . . .	358
3.3.28 Symmetry unknown . . . . .	358
<b>3.4 Tables of temperature coefficients of dielectric constants . . . . .</b>	359
3.4.1 Cubic, $\bar{4}3m$ ( $T_d$ ) . . . . .	359
3.4.2 Cubic, $23$ ( $T$ ) . . . . .	359
3.4.3 Hexagonal, $6mm$ ( $C_{6v}$ ) . . . . .	359
3.4.4 Poled ceramics, $\infty m$ ( $C_{\infty v}$ ) . . . . .	359
3.4.5 Trigonal (rhombohedral), $32$ ( $D_3$ ) . . . . .	360
3.4.6 Trigonal (rhombohedral), $3m$ ( $C_{3v}$ ) . . . . .	360
3.4.7 Tetragonal, $\bar{4}2m$ ( $D_{2d}$ ) . . . . .	360
3.4.8 Tetragonal, $4mm$ ( $C_{4v}$ ) . . . . .	361
3.4.9 Orthorhombic, $222$ ( $D_2$ ) . . . . .	361
3.4.10 Monoclinic, $2$ ( $C_2$ ) . . . . .	361
<b>3.5 Tables of piezoelectric constants . . . . .</b>	362
3.5.1 Cubic, $\bar{4}3m$ ( $T_d$ ) . . . . .	362
3.5.1.1 Electromechanical coupling factors $k_{l\mu}$ . . . . .	362
3.5.1.2 Piezoelectric strain coefficients $d_{l\mu}$ . . . . .	363
3.5.1.3 Piezoelectric strain coefficients $g_{l\mu}$ . . . . .	364
3.5.1.4 Piezoelectric stress coefficients $e_{l\mu}$ . . . . .	365
3.5.1.5 Piezoelectric stress coefficients $h_{l\mu}$ . . . . .	364
3.5.2 Cubic, $23$ ( $T$ ) . . . . .	366
3.5.2.1 Electromechanical coupling factors $k_{l\mu}$ . . . . .	366

## Table of contents

3.5.2.2	Piezoelectric strain coefficients $d_{l\mu}$	366
3.5.2.3	Piezoelectric strain coefficients $g_{l\mu}$	367
3.5.2.4	Piezoelectric stress coefficients $e_{l\mu}$	367
3.5.2.5	Piezoelectric stress coefficients $h_{l\mu}$	367
3.5.3	Hexagonal, 622 ( $D_6$ )	368
3.5.3.1	Piezoelectric strain coefficients $d_{l\mu}$	368
3.5.4	Symmetry $\infty 2$ ( $D_\infty$ ), piezoelectric polymers	368
3.5.4.1	Piezoelectric strain coefficients $d_{l\mu}$	368
3.5.4.2	Piezoelectric strain coefficients $g_{l\mu}$	368
3.5.4.3	Piezoelectric stress coefficients $e_{l\mu}$	369
3.5.4.4	Piezoelectric stress coefficients $h_{l\mu}$	369
3.5.5	Hexagonal, 6mm ( $C_{6v}$ )	369
3.5.5.1	Electromechanical coupling factors $k_{l\mu}$	369
3.5.5.2	Piezoelectric strain coefficients $d_{l\mu}$	370
3.5.5.3	Piezoelectric stress coefficients $e_{l\mu}$	370
3.5.6	Symmetry $\infty m$ ( $C_{\infty v}$ ), poled ceramics	371
3.5.6.1	Electromechanical coupling factors $k_{l\mu}$	371
3.5.6.2	Piezoelectric strain coefficients $d_{l\mu}$	377
3.5.6.3	Piezoelectric strain coefficients $g_{l\mu}$	380
3.5.6.4	Piezoelectric stress coefficients $e_{l\mu}$	383
3.5.6.5	Piezoelectric stress coefficients $h_{l\mu}$	363
3.5.7	Symmetry $\infty m$ ( $C_{\infty v}$ ), polymer sheet biaxially stretched	384
3.5.7.1	Electromechanical coupling factors $k_{l\mu}$	384
3.5.7.2	Piezoelectric strain coefficients $d_{l\mu}$	384
3.5.7.3	Piezoelectric strain coefficients $g_{l\mu}$	384
3.5.7.4	Piezoelectric stress coefficients $e_{l\mu}$	384
3.5.8	Hexagonal, 6 ( $C_6$ )	385
3.5.8.1	Electromechanical coupling factors $k_{l\mu}$	385
3.5.8.2	Piezoelectric strain coefficients $d_{l\mu}$	385
3.5.8.3	Piezoelectric stress coefficients $e_{l\mu}$	385
3.5.9	Symmetry $\infty$ ( $C_\infty$ ), piezoelectric polymers	385
3.5.9.1	Piezoelectric strain coefficients $d_{l\mu}$	385
3.5.10	Trigonal (rhombohedral), 32 ( $D_3$ )	386
3.5.10.1	Electromechanical coupling factors $k_{l\mu}$	386
3.5.10.2	Piezoelectric strain coefficients $d_{l\mu}$	386
3.5.10.3	Piezoelectric strain coefficients $g_{l\mu}$	388
3.5.10.4	Piezoelectric stress coefficients $e_{l\mu}$	388
3.5.10.5	Piezoelectric stress coefficients $h_{l\mu}$	389
3.5.11	Trigonal (rhombohedral), 3m ( $C_{3v}$ )	389
3.5.11.1	Electromechanical coupling factors $k_{l\mu}$	389
3.5.11.2	Piezoelectric strain coefficients $d_{l\mu}$	390
3.5.11.3	Piezoelectric strain coefficients $g_{l\mu}$	389
3.5.11.4	Piezoelectric stress coefficients $e_{l\mu}$	391
3.5.11.5	Piezoelectric stress coefficients $h_{l\mu}$	391
3.5.12	Trigonal (rhombohedral), 3 ( $C_3$ )	391
3.5.12.1	Electromechanical coupling factors $k_{l\mu}$	391
3.5.12.2	Piezoelectric strain coefficients $d_{l\mu}$	391
3.5.12.3	Piezoelectric stress coefficients $e_{l\mu}$	392
3.5.13	Tetragonal, 422 ( $D_4$ )	392
3.5.13.1	Electromechanical coupling factor $k_{l\mu}$	392
3.5.13.2	Piezoelectric strain coefficients $d_{l\mu}$	392
3.5.13.3	Piezoelectric strain coefficients $g_{l\mu}$	392
3.5.13.4	Piezoelectric stress coefficients $e_{l\mu}$	392
3.5.13.5	Piezoelectric stress coefficients $h_{l\mu}$	392
3.5.14	Tetragonal, $\bar{4}2m$ ( $D_{2d}$ )	393
3.5.14.1	Electromechanical coupling factors $k_{l\mu}$	393
3.5.14.2	Piezoelectric strain coefficients $d_{l\mu}$	394
3.5.14.3	Piezoelectric strain coefficients $g_{l\mu}$	393
3.5.14.4	Piezoelectric stress coefficients $e_{l\mu}$	395
3.5.14.5	Piezoelectric stress coefficients $h_{l\mu}$	396
3.5.15	Tetragonal, 4mm ( $C_{4v}$ )	396
3.5.15.1	Electromechanical coupling factors $k_{l\mu}$	396
3.5.15.2	Piezoelectric strain coefficients $d_{l\mu}$	397
3.5.15.3	Piezoelectric strain coefficients $g_{l\mu}$	397
3.5.15.4	Piezoelectric stress coefficients $e_{l\mu}$	397
3.5.15.5	Piezoelectric stress coefficients $h_{l\mu}$	397
3.5.16	Tetragonal, $\bar{4}$ ( $S_4$ )	398

## Table of contents

XIII

3.5.16.1	Piezoelectric strain coefficients $d_{l\mu}$ . . . . .	398
3.5.17	Tetragonal, 4 ( $C_4$ ) . . . . .	398
3.5.17.1	Piezoelectric strain coefficients $d_{l\mu}$ . . . . .	398
3.5.18	Orthorhombic, 222 ( $D_2$ ) . . . . .	398
3.5.18.1	Electromechanical coupling factors $k_{l\mu}$ . . . . .	398
3.5.18.2	Piezoelectric strain coefficients $d_{l\mu}$ . . . . .	399
3.5.18.3	Piezoelectric strain coefficients $g_{l\mu}$ . . . . .	400
3.5.18.4	Piezoelectric stress coefficients $e_{l\mu}$ . . . . .	400
3.5.18.5	Piezoelectric stress coefficients $h_{l\mu}$ . . . . .	400
3.5.19	Orthorhombic, mm2 ( $C_{2v}$ ) . . . . .	401
3.5.19.1	Electromechanical coupling factors $k_{l\mu}$ . . . . .	401
3.5.19.2	Piezoelectric strain coefficients $d_{l\mu}$ . . . . .	402
3.5.19.3	Piezoelectric strain coefficients $g_{l\mu}$ . . . . .	405
3.5.19.4	Piezoelectric stress coefficients $e_{l\mu}$ . . . . .	405
3.5.19.5	Piezoelectric stress coefficients $h_{l\mu}$ . . . . .	405
3.5.20	Orthorhombic, mm2 ( $C_{2v}$ ), piezoelectric polymers . . . . .	406
3.5.20.1	Electromechanical coupling factors $k_{l\mu}$ . . . . .	406
3.5.20.2	Piezoelectric strain coefficients $d_{l\mu}$ . . . . .	407
3.5.20.3	Piezoelectric strain coefficients $g_{l\mu}$ . . . . .	406
3.5.20.4	Piezoelectric stress coefficients $e_{l\mu}$ . . . . .	408
3.5.21	Monoclinic, 2 ( $C_2$ ) . . . . .	408
3.5.21.1	Electromechanical coupling factors $k_{l\mu}$ . . . . .	408
3.5.21.2	Piezoelectric strain coefficients $d_{l\mu}$ . . . . .	409
3.5.21.3	Piezoelectric strain coefficients $g_{l\mu}$ . . . . .	410
3.5.21.4	Piezoelectric stress coefficients $e_{l\mu}$ . . . . .	411
3.5.22	Monoclinic, m ( $C_s$ ) . . . . .	411
3.5.22.1	Piezoelectric strain coefficients $d_{l\mu}$ . . . . .	411
3.5.22.2	Piezoelectric strain coefficients $g_{l\mu}$ . . . . .	412
3.5.23	Triclinic, 1 ( $C_1$ ) . . . . .	412
3.5.23.1	Piezoelectric strain coefficients $d_{l\mu}$ . . . . .	412
3.5.23.2	Piezoelectric strain coefficients $g_{l\mu}$ . . . . .	413
3.5.24	Crystals of unknown symmetry . . . . .	413
3.5.24.1	Electromechanical coupling factors $k_{l\mu}$ . . . . .	413
3.5.24.2	Piezoelectric strain coefficients $d_{l\mu}$ . . . . .	413
<b>3.6</b>	<b>Tables of temperature coefficients of piezoelectric constants</b> . . . . .	<b>414</b>
3.6.1	Cubic, 23 ( $T$ ) . . . . .	414
3.6.1.1	Temperature coefficients of $d_{14}$ . . . . .	414
3.6.2	Hexagonal, 622 ( $D_6$ ) . . . . .	414
3.6.2.1	Temperature coefficients of $d_{14}$ . . . . .	414
3.6.3	Trigonal (rhombohedral), 32 ( $D_3$ ) . . . . .	414
3.6.3.1	Temperature coefficients of $d_{l\mu}$ . . . . .	414
3.6.3.2	Temperature coefficients of $e_{l\mu}$ . . . . .	415
3.6.4	Trigonal (rhombohedral), 3m ( $C_{3v}$ ) . . . . .	415
3.6.4.1	Temperature coefficients of $d_{l\mu}$ . . . . .	415
3.6.4.2	Temperature coefficients of $e_{l\mu}$ . . . . .	415
3.6.5	Tetragonal, $\bar{4}2m$ ( $D_{2d}$ ) . . . . .	416
3.6.5.1	Temperature coefficients of $d_{l\mu}$ . . . . .	416
3.6.5.2	Temperature coefficients of $e_{l\mu}$ . . . . .	416
3.6.6	Orthorhombic, 222 ( $D_2$ ) . . . . .	416
3.6.6.1	Temperature coefficients of $d_{l\mu}$ . . . . .	416
3.6.7	Monoclinic, 2 ( $C_2$ ) . . . . .	417
3.6.7.1	Temperature coefficients of $d_{l\mu}$ . . . . .	417
<b>3.7</b>	<b>Tables of electrostrictive coefficients</b> . . . . .	<b>418</b>
3.7.1	Cubic, m3m ( $O_h$ ) . . . . .	418
3.7.2	Cubic $\bar{4}3m$ ( $T_d$ ) . . . . .	420
3.7.3	Cubic, m3 ( $T_h$ ) . . . . .	420
3.7.4	Hexagonal, 6 ( $C_{3h}$ ) . . . . .	420
3.7.5	Trigonal (rhombohedral), $\bar{3}2/m$ ( $D_{3d}$ ) . . . . .	420
3.7.6	Tetragonal, 4/mmm ( $D_{4h}$ ) . . . . .	420
3.7.7	Tetragonal, 422 ( $D_4$ ) . . . . .	421
3.7.8	Tetragonal, $\bar{4}2m$ ( $D_{2d}$ ) . . . . .	421
3.7.9	Orthorhombic, mmm ( $D_{2h}$ ) . . . . .	421
3.7.10	Orthorhombic, 222 ( $D_2$ ) . . . . .	422
3.7.11	Orthorhombic, mm2 ( $D_{2h}$ ) . . . . .	422
3.7.12	Monoclinic, 2/m ( $C_2$ ) . . . . .	419
3.7.13	Polymers . . . . .	422

<b>3.8 Figures. Dependence on temperature and other influences . . . . .</b>	<b>423</b>
<b>3.9 Bibliography . . . . .</b>	<b>450</b>
3.9.1 Books and review articles . . . . .	450
3.9.2 References . . . . .	450

## 4 Pyroelectric coefficients

S. T. LIU

<b>4.1 Introduction . . . . .</b>	<b>471</b>
4.1.1 Symbols and units . . . . .	471
4.1.2 General remarks . . . . .	471
4.1.3 Pyroelectric equations of state and definitions of pyroelectric coefficients . . . . .	473
4.1.4 Methods for determination of pyroelectric coefficients . . . . .	475
4.1.5 Arrangement . . . . .	477
<b>4.2 Tables . . . . .</b>	<b>477</b>
4.2.1 Primary and secondary pyroelectric coefficients of various pyroelectric substances . . . . .	477
4.2.2 Pyroelectric coefficients of non-ferroelectric pyroelectrics . . . . .	478
4.2.3 Pyroelectric coefficients of ferroelectric pyroelectrics . . . . .	480
<b>4.3 Figures. Dependence on temperature . . . . .</b>	<b>485</b>
<b>4.4 Bibliography . . . . .</b>	<b>491</b>
4.4.1 Books and review articles . . . . .	491
4.4.2 References . . . . .	491

## 5 Piezooptic and electrooptic constants

(including selected indices of refraction)

W. R. COOK, R. F. S. HEARMON, H. JAFFE, D. F. NELSON

<b>5.1 Introduction . . . . .</b>	<b>495</b>
5.1.1 Definitions . . . . .	495
5.1.2 List of symbols . . . . .	495
5.1.3 Index ellipsoid . . . . .	496
5.1.4 Linear perturbations of index ellipsoid . . . . .	496
5.1.5 Rotooptic effect . . . . .	497
5.1.6 Interchange symmetry . . . . .	497
5.1.7 Matrix notation . . . . .	498
5.1.8 Crystal symmetry . . . . .	498
5.1.9 Constitutive relations . . . . .	499
5.1.10 Piezooptic relations . . . . .	499
5.1.11 Electrooptic relations . . . . .	501
5.1.12 Refractive index change formulas . . . . .	502
5.1.13 Piezooptic measurements . . . . .	502
5.1.14 Electrooptic measurements . . . . .	503
5.1.15 Relation to nonlinear susceptibilities . . . . .	504
5.1.16 Quadratic electrooptic effect . . . . .	504
<b>5.2 Piezooptic and elastooptic coefficients . . . . .</b>	<b>505</b>
5.2.1 Comments on tabulated data . . . . .	505
<b>5.2.2 Tables of piezooptic and elastooptic coefficients . . . . .</b>	<b>507</b>
5.2.2.1 Cubic system: Classes $\bar{4}3m$ ( $T_d$ ), $432$ ( $O$ ), $m3m$ ( $O_h$ ) . . . . .	507
5.2.2.2 Cubic system: Classes $\bar{4}3m$ ( $T_d$ ), $432$ ( $O$ ), $m3m$ ( $O_h$ ) (Ratios of elastooptic coefficients) . . . . .	514
5.2.2.3 Cubic system: Class $m3m$ ( $O_h$ ), Synthetic garnets . . . . .	514
5.2.2.4 Cubic system: Classes $23$ ( $T$ ), $m3$ ( $T_h$ ) . . . . .	515
5.2.2.5 Hexagonal system: Classes $\bar{6}m2$ ( $D_{3h}$ ), $6mm$ ( $C_{6v}$ ), $622$ ( $D_6$ ), $6/m$ ( $D_{6h}$ ) . . . . .	517
5.2.2.6 Hexagonal system: Classes $6$ ( $C_6$ ), $\bar{6}$ ( $C_{3h}$ ), $6/m$ ( $C_{6h}$ ) . . . . .	518
5.2.2.7 Trigonal system: Classes $3m$ ( $C_{3v}$ ), $32$ ( $D_3$ ), $\bar{3}m$ ( $D_{3d}$ ) . . . . .	518
5.2.2.8 Tetragonal system: Classes $4mm$ ( $C_{4v}$ ), $42m$ ( $D_{2d}$ ), $422$ ( $D_4$ ), $4/mmm$ ( $D_{4h}$ ) . . . . .	521
5.2.2.9 Tetragonal system: Classes $4$ ( $C_4$ ), $\bar{4}$ ( $S_4$ ), $4/m$ ( $C_{4h}$ ) . . . . .	525
5.2.2.10 Orthorhombic system: All classes, $222$ ( $D_2$ ), $mm2$ ( $C_{2v}$ ), $mmm$ ( $D_{2h}$ ) . . . . .	526
5.2.2.11 Monoclinic system: All classes, $2$ ( $C_2$ ), $m$ ( $C_s$ ), $2/m$ ( $C_{2h}$ ) . . . . .	529
<b>5.2.3 Rotooptic coefficients <math>o_{\lambda\mu}</math> . . . . .</b>	<b>530</b>
<b>5.2.4 Figures. Dependence on temperature and wavelength . . . . .</b>	<b>531</b>

<b>5.3 Electrooptic coefficients</b>	(including selected indices of refraction) . . . . .	552
<b>5.3.1 Special introduction.</b>	. . . . .	552
5.3.1.1 List of symbols . . . . .	. . . . .	552
5.3.1.2 Comments on tabulated data . . . . .	. . . . .	552
<b>5.3.2 Tables of linear electrooptic coefficients</b>	. . . . .	555
5.3.2.1 Cubic, $\bar{4}3m$ ( $T_d$ ) . . . . .	. . . . .	555
5.3.2.1.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	555
5.3.2.1.2 Linear electrooptic coefficients $\varrho_{\lambda k}$ . . . . .	. . . . .	558
5.3.2.2 Cubic, $m3$ ( $T_h$ ) . . . . .	. . . . .	558
5.3.2.2.1 Electrogryation coefficients $\eta_{123}$ and $\varrho/E$ . . . . .	. . . . .	558
5.3.2.3 Cubic, $23$ ( $T$ ) . . . . .	. . . . .	559
5.3.2.3.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	559
5.3.2.3.2 Linear electrooptic coefficients $\varrho_{\lambda k}$ . . . . .	. . . . .	560
5.3.2.3.3 Electrogryation coefficient $\eta_{123}$ . . . . .	. . . . .	560
5.3.2.4 Hexagonal, $\bar{6}m2$ ( $D_{3h}$ ) . . . . .	. . . . .	560
5.3.2.4.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	560
5.3.2.5 Hexagonal, $6mm$ ( $C_{6v}$ ) . . . . .	. . . . .	561
5.3.2.5.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	561
5.3.2.5.2 Linear electrooptic coefficients $\varrho_{\lambda k}$ . . . . .	. . . . .	561
5.3.2.6 Poled ceramics, $\infty m$ ( $C_{\infty v}$ ) . . . . .	. . . . .	561
5.3.2.6.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	561
5.3.2.7 Hexagonal, $6$ ( $C_6$ ) . . . . .	. . . . .	562
5.3.2.7.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	562
5.3.2.7.2 Linear electrooptic coefficients $\varrho_{\lambda k}$ . . . . .	. . . . .	562
5.3.2.7.3 Electrogryation coefficient $\eta_{333}$ . . . . .	. . . . .	562
5.3.2.8 Trigonal (rhombohedral), $32$ ( $D_3$ ) . . . . .	. . . . .	563
5.3.2.8.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	563
5.3.2.8.2 Linear electrooptic coefficients $\varrho_{\lambda k}$ . . . . .	. . . . .	563
5.3.2.8.3 Electrogryation coefficients $\eta_{111}$ and $\eta_{231}$ . . . . .	. . . . .	563
5.3.2.9 Trigonal (rhombohedral) $3m$ ( $C_{3v}$ ) . . . . .	. . . . .	564
5.3.2.9.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	564
5.3.2.9.2 Linear electrooptic coefficients $\varrho_{\lambda k}$ . . . . .	. . . . .	566
5.3.2.10 Trigonal (rhombohedral), $3$ ( $C_3$ ) . . . . .	. . . . .	566
5.3.2.10.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	566
5.3.2.10.2 Electrogryation coefficient $\gamma_{333}$ . . . . .	. . . . .	566
5.3.2.11 Tetragonal, $\bar{4}2m$ ( $D_{2d}$ ) . . . . .	. . . . .	567
5.3.2.11.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	567
5.3.2.11.2 Linear electrooptic coefficients $\varrho_{\lambda k}$ . . . . .	. . . . .	576
5.3.2.11.3 Linear electrooptic coefficients $f_{\lambda k}$ . . . . .	. . . . .	577
5.3.2.12 Tetragonal, $4mm$ ( $C_{4v}$ ) . . . . .	. . . . .	578
5.3.2.12.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	578
5.3.2.12.2 Linear electrooptic coefficients $\varrho_{\lambda k}$ . . . . .	. . . . .	581
5.3.2.12.3 Linear electrooptic coefficients $f_{\lambda k}$ . . . . .	. . . . .	581
5.3.2.13 Tetragonal, $\bar{4}$ ( $S_4$ ) . . . . .	. . . . .	581
5.3.2.13.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	581
5.3.2.14 Orthorhombic, $222$ ( $D_2$ ) . . . . .	. . . . .	582
5.3.2.14.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	582
5.3.2.14.2 Linear electrooptic coefficients $\varrho_{\lambda k}$ . . . . .	. . . . .	583
5.3.2.14.3 Electrogryation coefficient $\gamma_{231}$ . . . . .	. . . . .	583
5.3.2.15 Orthorhombic, $mm2$ ( $C_{2v}$ ) . . . . .	. . . . .	584
5.3.2.15.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	584
5.3.2.15.2 Linear electrooptic coefficients $\varrho_{\lambda k}$ . . . . .	. . . . .	588
5.3.2.15.3 Linear electrooptic coefficients $f_{\lambda k}$ . . . . .	. . . . .	588
5.3.2.16 Monoclinic, $2$ ( $C_2$ ) . . . . .	. . . . .	589
5.3.2.16.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	589
5.3.2.16.2 Linear electrooptic coefficients $\varrho_{\lambda k}$ . . . . .	. . . . .	591
5.3.2.17 Triclinic, $1$ ( $C_1$ ) . . . . .	. . . . .	592
5.3.2.17.1 Linear electrooptic coefficients $r_{\lambda k}$ . . . . .	. . . . .	592
<b>5.3.3 Tables of quadratic electrooptic coefficients</b>	. . . . .	592
5.3.3.1 Cubic, $m3m$ ( $O_h$ ) . . . . .	. . . . .	592
5.3.3.1.1 Quadratic electrooptic coefficients $R_{\lambda\mu}$ . . . . .	. . . . .	592
5.3.3.1.2 Quadratic electrooptic coefficients $M_{\lambda\mu}$ . . . . .	. . . . .	595
5.3.3.2 Cubic, $m3$ ( $T_h$ ) . . . . .	. . . . .	597
5.3.3.2.1 Quadratic electrooptic coefficients $R_{\lambda\mu}$ . . . . .	. . . . .	597
5.3.3.2.2 Quadratic electrooptic coefficients $M_{\lambda\mu}$ . . . . .	. . . . .	597
5.3.3.3 Ceramics, $\infty m$ ( $C_{\infty v}$ ) . . . . .	. . . . .	597

5.3.3.3.1	Quadratic electrooptic coefficients $R_{\lambda,\mu}$	597
5.3.3.3.2	Quadratic electrooptic coefficients $M_{\lambda,\mu}$	598
5.3.3.4	Trigonal (rhombohedral), 3m ( $C_{3v}$ )	599
5.3.3.4.1	Quadratic electrooptic coefficients $M_{\lambda,\mu}$	599
5.3.3.5	Trigonal (rhombohedral), 3 ( $C_3$ )	599
5.3.3.5.1	Quadratic electrooptic coefficients $M_{\lambda,\mu}$	599
5.3.3.6	Tetragonal, 422 ( $D_4$ )	599
5.3.3.6.1	Quadratic electrooptic coefficients $R_{\lambda,\mu}$	599
5.3.3.6.2	Quadratic electrooptic coefficients $M_{\lambda,\mu}$	599
5.3.3.7	Tetragonal, 42m ( $D_{2d}$ )	600
5.3.3.7.1	Quadratic electrooptic coefficients $R_{\lambda,\mu}$	600
5.3.3.7.2	Quadratic electrooptic coefficients $M_{\lambda,\mu}$	600
5.3.3.8	Tetragonal, 4mm ( $C_{4v}$ )	601
5.3.3.8.1	Quadratic electrooptic coefficients $M_{\lambda,\mu}$	601
5.3.3.9	Orthorhombic, mmm ( $D_{2h}$ )	602
5.3.3.9.1	Quadratic electrooptic coefficients $R_{\lambda,\mu}$	602
5.3.3.10	Orthorhombic, 222 ( $D_2$ )	602
5.3.3.10.1	Quadratic electrooptic coefficients $R_{\lambda,\mu}$	602
5.3.3.10.2	Quadratic electrooptic coefficients $M_{\lambda,\mu}$	603
5.3.3.11	Orthorhombic, mm2 ( $C_{2v}$ )	602
5.3.3.11.1	Quadratic electrooptic coefficients $R_{\lambda,\mu}$	602
5.3.3.11.2	Quadratic electrooptic coefficients $M_{\lambda,\mu}$	603
5.3.3.12	Monoclinic, 2 ( $C_2$ )	604
5.3.3.12.1	Quadratic electrooptic coefficients $R_{\lambda,\mu}$	604
5.3.3.12.2	Quadratic electrooptic coefficients $M_{\lambda,\mu}$	605
<b>5.3.4</b>	<b>Indices of refraction</b>	606
5.3.4.1	Cubic, m3m ( $O_h$ )	606
5.3.4.2	Cubic, $\bar{4}3m$ ( $T_d$ )	607
5.3.4.3	Cubic, m3 ( $T_h$ )	610
5.3.4.4	Cubic, 23 ( $T$ )	610
5.3.4.5	Hexagonal, 622 ( $D_6$ )	610
5.3.4.6	Hexagonal, 6mm ( $C_{6v}$ )	611
5.3.4.7	Poled ceramics, $\infty m$ ( $C_{\infty v}$ )	612
5.3.4.8	Hexagonal, 6 ( $C_6$ )	612
5.3.4.9	Trigonal (rhombohedral), 32 ( $D_3$ )	613
5.3.4.10	Trigonal (rhombohedral), 3m ( $C_{3v}$ )	615
5.3.4.11	Trigonal (rhombohedral), 3 ( $C_3$ )	617
5.3.4.12	Tetragonal, 422 ( $D_4$ )	617
5.3.4.13	Tetragonal, 42m ( $D_{2d}$ )	618
5.3.4.14	Tetragonal, 4mm ( $C_{4v}$ )	624
5.3.4.15	Orthorhombic, 222 ( $D_2$ )	625
5.3.4.16	Orthorhombic, mm2 ( $C_{2v}$ )	626
5.3.4.17	Monoclinic, 2 ( $C_2$ )	629
5.3.4.18	Monoclinic, m ( $C_s$ )	629
5.3.4.19	Triclinic, 1 ( $C_1$ )	629
<b>5.3.5</b>	<b>Temperature coefficients</b>	630
5.3.5.1	Temperature coefficients of the linear electrooptic coefficients $r_{\lambda,\mu}$	630
5.3.5.1.1	Trigonal (rhombohedral), 3m ( $C_{3v}$ )	630
5.3.5.2	Temperature coefficients of indices of refraction	630
5.3.5.2.1	Cubic, $\bar{4}3m$ ( $T_d$ )	630
5.3.5.2.2	Trigonal (rhombohedral), 3m ( $C_{3v}$ )	631
5.3.5.2.3	Tetragonal, 42m ( $D_{2d}$ )	632
5.3.5.2.4	Orthorhombic, 222 ( $D_2$ )	632
<b>5.3.6</b>	<b>Figures. Dependence on temperature, electric field and wavelength</b>	633
<b>5.4</b>	<b>Bibliography</b>	651
5.4.1	Books and review articles	651
5.4.2	References	653

## 6 Nonlinear dielectric susceptibilities

S. K. KURTZ, J. JERPHAGNON, M. M. CHOY

<b>6.1</b>	<b>Introduction</b>	671
6.1.1	List of symbols and abbreviations	671
6.1.2	Philosophy of the new tables	671

## Table of contents

XVII

6.1.3	Absolute scale . . . . .	672
6.1.4	Constitutive relations. Symmetry and rotational invariance considerations. Coherence length and phase matching . . . . .	674
6.1.5	Coherence length and phase matching.	
6.1.5	Arrangement and use of the tables . . . . .	678
<b>6.2</b>	<b>Tables of nonlinear dielectric susceptibilities</b> . . . . .	<b>679</b>
6.2.1	Cubic, $\bar{4}3m$ ( $T_d$ ) . . . . .	679
6.2.2	Cubic, $23$ ( $T$ ) . . . . .	680
6.2.3	Hexagonal, $6mm$ ( $C_{6v}$ ) . . . . .	680
6.2.4	Hexagonal, $\bar{6}m2$ ( $D_{3h}$ ) . . . . .	681
6.2.5	Hexagonal, $6$ ( $C_6$ ) . . . . .	681
6.2.6	Trigonal, $3m$ ( $C_{3v}$ ) . . . . .	682
6.2.7	Trigonal, $32$ ( $D_3$ ) . . . . .	683
6.2.8	Trigonal, $3$ ( $C_3$ ) . . . . .	683
6.2.9	Tetragonal, $\bar{4}2m$ ( $D_{2d}$ ) . . . . .	684
6.2.10	Tetragonal, $4mm$ ( $C_{4v}$ ) . . . . .	685
6.2.11	Tetragonal, $422$ ( $D_4$ ) . . . . .	686
6.2.12	Tetragonal, $\bar{4}$ ( $S_4$ ) . . . . .	686
6.2.13	Tetragonal, $4$ ( $C_4$ ) . . . . .	686
6.2.14	Orthorhombic, $mm2$ ( $C_{2v}$ ) . . . . .	687
6.2.15	Orthorhombic, $222$ ( $D_2$ ) . . . . .	691
6.2.16	Monoclinic, $2$ ( $C_2$ ) . . . . .	692
6.2.17	Triclinic, $1$ ( $C_1$ ) . . . . .	692
<b>6.3</b>	<b>Comments and figures</b> (Nonlinear dielectric susceptibilities, coherence lengths, phase matching angles, and indices of refraction) . . . . .	<b>693</b>
<b>6.4</b>	<b>Bibliography</b> . . . . .	<b>738</b>

## 7 Index of substances

7.1	<b>Alphabetical index of gross formulae</b> . . . . .	744
7.2	<b>Alphabetical index of names</b> . . . . .	834

## 8 Subject index of this volume and of other data compilations and journals

851