

Table of contents

1 Garnets

1.1 Crystallographic and structural data of garnets

W. TOLKSDORF, Philips GmbH, Forschungslaboratorium Hamburg, Germany, U. WOLFMEIER, Institut für Physikalische Chemie, Universität Hamburg, Germany

1.1.0	Introduction	1
1.1.0.1	General remarks	1
1.1.0.2	List of symbols and abbreviations	1
1.1.1	Locations and environments of ions in the unit cell of the garnet lattice	2
1.1.2	Oxygen coordinates, interionic spacings and bond angles of compounds with garnet structure (Refinements).	4
1.1.3	Lattice parameters of garnets	22
1.1.4	Site selectivity	41
1.1.5	Influence of preparation	44
1.1.6	Thermal expansion	45
1.1.7	References for 1.1	48

1.2 Iron garnets

P. HANSEN, K. ENKE, and G. WINKLER, Philips GmbH, Forschungslaboratorium Hamburg, Germany

1.2.1	Introduction	53
1.2.1.1	General remarks	53
1.2.1.2	List of symbols and abbreviations	55
1.2.2	Magnetic properties	58
1.2.2.1	Magnetic moments and molecular field data	58
1.2.2.1.1	Saturation magnetization and Curie temperature.	58
A.	Rare-earth iron garnets and mixed rare-earth iron-gallium/aluminum garnets	59
B.	Garnets of composition $Y_3Fe_{5-x}M_xO_{12}$ and $(Y, Ca)_3(Fe, M)_5O_{12}$	63
C.	Special compositions	66
D.	Ion distribution and thermal history	71
E.	Compositions with a compensation point	72
F.	Antiferromagnetic garnets	74
G.	Pressure dependence of the Curie temperature	74
1.2.2.1.2	Molecular field- and exchange constants	75
1.2.2.1.3	Critical exponents	77
1.2.2.2	Susceptibility and permeability	77
1.2.2.2.1	Susceptibility	78
1.2.2.2.2	Permeability	80
1.2.2.3	Magnetocrystalline anisotropy	81
1.2.2.3.1	Cubic anisotropy	81
A.	Rare-earth iron garnets $R_3Fe_5O_{12}$	82
B.	Garnets of composition $Y_3Fe_{5-x}M_xO_{12}$	86
C.	Garnets doped with small amounts of magnetically anisotropic transition-metal ions	89
D.	Garnets of special composition	94
E.	Pressure dependence of K_1 for $Y_3Fe_5O_{12}$	96
1.2.2.3.2	Uniaxial anisotropy	96
A.	Temperature and concentration dependence of the uniaxial anisotropy constant	97
B.	Dependence of the uniaxial anisotropy constant on various other parameters	101

1.2.2.4	Ferromagnetic resonance (FMR)	104
1.2.2.4.1	Resonance field	104
	A. Rare-earth-substituted garnets	105
	B. Garnets with small substitutions of magnetically anisotropic transition-metal ions and the garnet $\text{Ca}_3\text{Fe}_2\text{Ge}_3\text{O}_{12}$	106
1.2.2.4.2	FMR linewidth	110
	A. Rare-earth-substituted garnets (single crystals)	111
	B. Garnets of composition $\text{Y}_3\text{Fe}_{5-x}\text{M}_x\text{O}_{12}$ (single crystals)	113
	C. Pressure dependence (single crystals)	115
	D. Polycrystalline garnets	116
1.2.2.4.3	g-factor	119
1.2.2.5	Magnetostatic modes, spin waves, and relaxation	120
1.2.2.5.1	Magnetostatic modes and spin waves	120
	A. Magnetostatic modes	121
	B. Spin waves	122
	C. Interaction of spin waves with light	123
1.2.2.5.2	Relaxation	125
	A. Single-crystal garnets	125
	B. Polycrystalline garnets	127
1.2.2.6	Nuclear magnetic resonance (NMR)	130
1.2.2.7	Mössbauer spectroscopy	132
1.2.2.8	Magnetic domains (stripe and bubble domains)	140
1.2.2.8.1	Static properties	140
	A. Collapse field and diameter	142
	B. Wall energy and material length	143
1.2.2.8.2	Dynamic properties	147
	A. Collapse diameter, collapse time and velocity	147
	B. Mobility	152
1.2.3	Magnetoelastic properties	155
1.2.3.1	Magnetostriction	155
	A. Rare-earth garnets of composition $\text{Y}_{3-x}\text{R}_x\text{Fe}_5\text{O}_{12}$	156
	B. Garnets of composition $\text{Y}_3\text{Fe}_{5-x}\text{M}_x\text{O}_{12}$ with $\text{M} = \text{Ga}^{3+}, \text{Sc}^{3+}$	159
	C. Garnets doped with small amounts of magnetically anisotropic ions	161
	D. Garnets of special compositions	164
1.2.3.2	Magneto-elastic waves	164
1.2.4	Elastic properties	165
1.2.4.1	Elastic constants and Young's modules	165
1.2.4.2	Parallel pumping of elastic waves	166
1.2.5	Optical and magneto-optical properties	167
1.2.5.1	Optical properties	168
1.2.5.1.1	Absorption of light	169
	A. Absorption spectra (near IR to UV)	172
	B. Absorption spectra of lattice vibrations	180
	C. Local vibrational modes	181
	D. Dielectric tensor (diagonal elements)	182
	E. Influence of annealing on absorption	183
1.2.5.1.2	Reflection of light	183
1.2.5.1.3	Refractive index	185
1.2.5.1.4	Crystal field splitting of electronic levels	186
1.2.5.2	Magneto-optical properties	188
1.2.5.2.1	Faraday rotation	189
	A. Yttrium and dysprosium iron garnets, and rare-earth and yttrium iron garnets doped with bismuth and with ions replacing iron	195
	B. Gadolinium iron garnets doped with bismuth and with ions replacing iron	198
	C. Calcium-bismuth iron-vanadium garnets	200
	D. Yttrium and gadolinium iron garnets doped with Co^{2+} , Co^{3+} , and Fe^{2+}	201
	E. Other iron garnets	202
	F. Temperature dependence of the Faraday rotation	202
1.2.5.2.2	Magnetic circular dichroism (MCD)	203
	A. Yttrium iron garnet	204
	B. Yttrium iron garnet doped with bismuth and gallium	205
1.2.5.2.3	Kerr effects	206
	A. Polar Kerr rotation	207
	B. Equatorial Kerr effects	209
	C. Kerr ellipticity	211

1.2.5.2.4 Magnetic linear birefringence (MLB) and non-magnetic linear birefringence 211

 A. Orientational dependence 214

 B. Temperature dependence 215

 C. Field dependence 216

 D. Stress dependence 217

 E. Piezooptic effect 218

1.2.5.2.5 Magnetic linear dichroism (MLD) 218

1.2.5.3 Photoinduced effects 219

 1.2.5.3.1 Decrease of permeability 219

 A. Time dependence 219

 B. Concentrational dependence 220

 C. Temperature dependence 220

 D. Spectral dependence 221

 1.2.5.3.2 Change of magnetic anisotropy 221

 1.2.5.3.3 Change of optical properties 223

1.2.6 Thermal properties 224

 1.2.6.1 Thermal conductivity (thermal resistance) and heat capacity 224

 1.2.6.2 Magnetocaloric effect 227

1.2.7 Electrical properties 230

1.2.8 References for 1.2 235

1.3 Non-iron garnets

W. GUNSSER, U. WOLFMEIER and J. FLEISCHHAUER, Institut für Physikalische Chemie, Universität Hamburg, Germany

1.3.1 Introduction 265

 1.3.1.1 General remarks 265

 1.3.1.2 List of symbols and abbreviations 266

1.3.2 Magnetic susceptibility 268

 1.3.2.1 Paramagnetic susceptibility above the ordering temperature 268

 1.3.2.2 Susceptibility data in the vicinity of an ordering temperature 271

 1.3.2.3 Summary of susceptibility parameters and transition temperatures 272

1.3.3 Magnetization and magnetic structure 276

 1.3.3.1 Magnetic moments of gadolinium and neodymium gallium garnets 276

 1.3.3.2 Magnetic moments of terbium aluminum and terbium gallium garnets 280

 1.3.3.3 Magnetization of dysprosium aluminum and dysprosium gallium garnets 282

 1.3.3.4 Magnetic moments of erbium, gallium, holmium gallium and aluminum garnets, and of manganese chromium-germanium garnets 286

 1.3.3.5 Magnetic neutron scattering in dysprosium aluminum garnet 287

 1.3.3.6 Magnetic neutron scattering and magnetic structure of terbium and holmium aluminum garnets and of some silicate and germanium garnets 288

1.3.4 Results of magnetic resonance experiments 289

 1.3.4.1 Electron paramagnetic resonance of transition metal ions in diamagnetic garnets 289

 1.3.4.2 Electron paramagnetic resonance of rare-earth ions in diamagnetic garnets 293

 1.3.4.3 Electron paramagnetic resonance of impurities in paramagnetic garnets 294

 1.3.4.4 Nuclear magnetic resonance and electron double resonance (ENDOR) 295

1.3.5 Optical and magneto-optical properties 298

 1.3.5.1 Crystal field parameters 298

 1.3.5.2 IR, UV and Raman spectra, and index of refraction 302

 1.3.5.3 Information on colour centres and references 313

 1.3.5.4 Further references for results from optical measurements 317

 1.3.5.5 Faraday rotation 323

1.3.6 Mössbauer effect in garnets 325

1.3.7 Electron spin-lattice relaxation of paramagnetic ions in garnets 327

1.3.8 Thermal properties 328

 1.3.8.1 Molar heat capacity 328

 1.3.8.1.1 Molar heat capacity of gadolinium gallium garnet 329

 1.3.8.1.2 Molar heat capacity of dysprosium aluminum garnet and dysprosium gallium garnet 332

 1.3.8.1.3 Specific heat of further rare-earth gallium and aluminum garnets and some germanium and vanadium garnets 337

 1.3.8.2 Thermal conductivity (and resistivity) 340

1.3.8.3 Ultrasonic attenuation	346
1.3.8.4 Debye temperature	350
1.3.8.5 Thermal expansion	351
1.3.8.6 Derived thermodynamic functions	352
1.3.9 Elastic, thermoelastic and photoelastic properties	356
1.3.10 Magnetostriction	357
1.3.11 Electric properties	359
1.3.12 References for 1.3	360

2 Crystallographic and magnetic properties of perovskite and perovskite-related compounds

S. NOMURA, Tokyo Institute of Technology, Department of Physical Electronics, Ookayama, Meguro-Ku,
Tokyo 152, Japan

2.0 Introduction	368
2.0.1 General remarks	368
2.0.2 References to text books, review articles and proceedings	369
2.0.3 List of symbols and abbreviations	370
2.1 Descriptions of stoichiometric ABX_3 and $M^cXM_3^f$ structures	372
2.1.1...2.1.6 See section 3.1.1...3.1.6 of Vol. III/4a.	372
2.1.7 Data: Crystallographic properties of ABX_3 , $A_2BB'X_6$, $A_3BB'_2X_9$, $AA'_3B_4X_{12}$, and $(A_xA'_{1-x})(B_xB'_yB''_z)X_3$ compounds with perovskite or perovskite-related structure (Table 2)	373
2.2 Descriptions of perovskite-related structures	414
2.2.1...2.2.3 See section 3.2.1...3.2.3 of Vol. III/4a.	414
2.2.4 Data: Crystallographic properties of non- ABX_3 compounds of composition A_xBX_3 , $\square BX_3$, $\square BB'X_6$, $(AX)_n(ABX_3)_m$ and $Bi_2O_2(A_{n-1}B_nO_{3n+1})$ with perovskite-related structure (Table 4)	414
2.3 Magnetic order: localized electrons	429
2.3.1...2.3.3 See section 3.3.1...3.3.3 of Vol. III/4a.	429
2.3.4 Data: Magnetic properties of perovskite and perovskite-related compounds (Table 6)	429
2.4 Localized versus collective electrons	475
2.4.1...2.4.4 See section 3.4.1...3.4.4 of Vol. III/4a.	475
2.5 The $M^cXM_3^f$ alloys.	475
2.5.1 See section 3.5.1 of Vol. III/4a	475
2.5.2 Data: Magnetic and crystallographic properties of $M^cXM_3^f$ or $M_3M'X$ compounds (Table 9)	475
2.5.2.1 Crystallographic properties (Table 9a)	475
2.5.2.2 Magnetic properties (Table 9b)	476
2.6 References for 2	480
2.6.1 Textbooks, review articles, and proceedings	480
2.6.2 Research papers	482