

Contents

1 Electrical resistivity of pure metals and dilute alloys

J. BASS, College of Natural Science, Department of Physics, Michigan State University,
East Lansing, Michigan, USA

1.1	Introduction	1
1.1.1	General remarks	1
1.1.2	List of frequently used symbols and abbreviations	3
1.2	Pure metals	5
1.2.1	Pure metal resistivities at $T=273.2$ K	5
1.2.2	Pure metal resistivities from $T=10\cdots 15$ K till melting point	13
1.2.3	References for 1.2.1 and 1.2.2	92
1.2.4	Pure metal resistivities at low temperatures	99
1.2.5	References for 1.2.4	137
1.3	Size effects	139
1.3.1	Size effects in pure metals	140
1.3.2	Size dependent deviations from Matthiessen's rule	156
1.3.3	References for 1.3.1 and 1.3.2	163
1.4	Dilute alloys	166
1.4.1	Resistivity/atomic percent impurity in dilute alloys	166
1.4.2	Application of modified Linde's law	253
1.4.3	Deviation from Matthiessen's rule (DMR)	258
	(For size dependent DMR, see Sect. 1.3.2)	
1.4.4	References for 1.4.1 $\cdots$ 1.4.3	279
1.5	Bloch-Grüneisen resistivity function	287
1.6	Pressure effects: see Vol. III/15, Subvol. b	

2 Kondo and spin fluctuation systems, spin glasses

K. H. FISCHER, Institut für Festkörperforschung, Kernforschungsanlage Jülich GmbH, Jülich, FRG

2.1	Introduction	289
2.1.1	Kondo and spin fluctuation systems	289
2.1.1.1	General remarks	289
2.1.1.2	Definition of Kondo temperature	290
2.1.1.3	Spin fluctuation systems	291
2.1.2	Spin glasses	291
2.1.3	List of frequently used symbols and abbreviations	293
2.2	Data	294
2.2.1	Kondo and spin fluctuation systems	294
2.2.1.1	Survey	294
2.2.1.2	Tables	299
2.2.1.3	Graphs	318
2.2.2	Spin glasses	334
2.2.2.1	Survey	335
2.2.2.2	Tables	336
2.2.2.3	Graphs	354

2.3 References for 2.1 and 2.2 376

 2.3.1 Review articles and text books 376

 2.3.2 Bibliography 377

3 Thermopower of pure metals and dilute alloys

 Sections 3.1...3.5 and 3.8..., see Vol. III/15, Subvol. b

3.6 Size dependence of thermopower (J. BASS) 385

3.7 References for 3.6. 396

