



# Contents

List of symbols . . . . .	XII
Definitions, units and conversion factors . . . . .	XVIII
List of abbreviations . . . . .	XIX
<b>1 Magnetic properties of 3d, 4d and 5d elements, alloys and compounds . . . . .</b>	<b>1</b>
1.1 3d elements . . . . .	
1.1.1 Ti, V, Cr, Mn (J. J. M. FRANSE, R. GERSDORF) . . . . .	1
1.1.1.1 Ti . . . . .	1
1.1.1.2 V . . . . .	6
1.1.1.3 Cr . . . . .	6
1.1.1.4 Mn . . . . .	17
1.1.1.5 References for 1.1.1 . . . . .	22
1.1.2 Fe, Co, Ni (M. B. STEARNS) . . . . .	24
1.1.2.1 Introduction . . . . .	24
1.1.2.2 Phase diagrams, lattice constants and elastic moduli . . . . .	24
1.1.2.3 Paramagnetic properties . . . . .	30
1.1.2.4 Spontaneous magnetization, magnetic moments and high-field susceptibility . . . . .	34
1.1.2.5 Magnetocrystalline anisotropy constants . . . . .	41
1.1.2.6 Magnetostriction coefficients . . . . .	48
1.1.2.7 Form factors, densities and magnetic moments . . . . .	52
1.1.2.8 Hyperfine fields, isomer shifts and relaxation time . . . . .	58
1.1.2.9 Spin wave properties . . . . .	72
1.1.2.10 $g$ factors and ferromagnetic resonance properties . . . . .	85
1.1.2.11 Fermi surfaces, band structures, exchange energies and electron spin polarizations . . . . .	91
1.1.2.12 Optical constants, magneto-optic Kerr or Faraday effect . . . . .	113
1.1.2.13 Specific heat, resistivity, magnetoresistance, Hall coefficients, Seebeck coefficients and thermal conductivity . . . . .	118
1.1.2.14 References for 1.1.2 . . . . .	118
1.2 Alloys between 3d elements . . . . .	142
1.2.1 Alloys between Fe, Co or Ni (D. BONNENBERG, K. A. HEMPEL, H. P. J. WIJN) . . . . .	142
1.2.1.1 Phase diagrams, lattice parameters . . . . .	144
1.2.1.2 Magnetic properties . . . . .	152
1.2.1.2.1 Paramagnetic properties . . . . .	152
1.2.1.2.2 Hyperfine magnetic fields, isomer shifts . . . . .	157
1.2.1.2.3 Spin waves . . . . .	168
1.2.1.2.4 Atomic magnetic moment, magnetic moment density, $g$ and $g'$ factor . . . . .	174
1.2.1.2.5 Spontaneous magnetization, Curie temperature . . . . .	189
1.2.1.2.6 High-field susceptibility . . . . .	207
1.2.1.2.7 Magnetocrystalline anisotropy . . . . .	210
1.2.1.2.8 Magnetostriction . . . . .	222
1.2.1.2.9 Magnetomechanical properties, elastic moduli, sound velocity . . . . .	233
1.2.1.2.10 Thermomagnetic properties, thermal expansion coefficient, specific heat, Debye temperature, thermal conductivity . . . . .	245
1.2.1.2.11 Galvanomagnetic properties . . . . .	257
1.2.1.2.12 Magneto-optical properties . . . . .	267
1.2.1.2.13 Ferromagnetic resonance properties . . . . .	273
1.2.1.3 References for 1.2.1 . . . . .	274
1.2.2 Alloys between Ti, V, Cr or Mn (K. ADACHI) . . . . .	282
1.2.2.0 General remarks . . . . .	282
1.2.2.1 V-Ti . . . . .	284

1.2.2.2	Cr-Ti . . . . .	287
1.2.2.3	Cr-V . . . . .	289
1.2.2.4	Mn-Ti . . . . .	295
1.2.2.5	Mn-V . . . . .	295
1.2.2.6	Mn-Cr . . . . .	300
1.2.3	Alloys of Fe, Co or Ni and Ti, V, Cr or Mn (K. ADACHI)	311
1.2.3.0	General remarks . . . . .	311
1.2.3.1	Fe-Ti . . . . .	316
1.2.3.2	Fe-V . . . . .	323
1.2.3.3	Fe-Cr . . . . .	338
1.2.3.4	Fe-Mn . . . . .	362
1.2.3.5	Co-Ti . . . . .	374
1.2.3.6	Co-V . . . . .	380
1.2.3.7	Co-Cr . . . . .	384
1.2.3.8	Co-Mn . . . . .	391
1.2.3.9	Ni-Ti . . . . .	401
1.2.3.10	Ni-V . . . . .	405
1.2.3.11	Ni-Cr . . . . .	408
1.2.3.12	Ni-Mn . . . . .	414
1.2.3.13	V-Cr-Mn . . . . .	431
1.2.3.14	Fe-V-Cr . . . . .	435
1.2.3.15	Fe-Cr-Mn . . . . .	436
1.2.3.16	Co-V-Cr . . . . .	437
1.2.3.17	Co-Cr-Mn . . . . .	438
1.2.3.18	Fe-Co-Ti . . . . .	439
1.2.3.19	Fe-Co-V . . . . .	446
1.2.3.20	Fe-Co-Cr . . . . .	447
1.2.3.21	Fe-Co-Mn . . . . .	451
1.2.3.22	Fe-Ni-V . . . . .	458
1.2.3.23	Fe-Ni-Cr . . . . .	459
1.2.3.24	Fe-Ni-Mn . . . . .	464
1.2.3.25	Co-Ni-Ti . . . . .	477
1.2.3.26	Co-Ni-Mn . . . . .	477
1.2.3.27	References for 1.2.2 and 1.2.3 . . . . .	480
1.3	4d and 5d elements, alloys and compounds (S. MISAWA, K. KANEMATSU)	491
1.3.1	Introduction to the paramagnetism of 4d and 5d transition metals . . . . .	491
1.3.2	Magnetic susceptibility . . . . .	493
1.3.3	Magnetic susceptibility as a function of composition. . . . .	504
1.3.4	High-field magnetization . . . . .	506
1.3.5	Magnetization density. . . . .	508
1.3.6	Knight shift . . . . .	508
1.3.7	Magnetostriction . . . . .	512
1.3.8	Magneto-resistance and Hall effect . . . . .	513
1.3.9	Magnetic field dependence of the electronic specific heat coefficient . . . . .	515
1.3.10	Effect of plastic deformation on the susceptibility . . . . .	516
1.3.11	References for 1.3. . . . .	517
1.4	Alloys and compounds of 3d elements and 4d or 5d elements . . . . .	519
1.4.1	3d elements and Zr, Nb, Mo or Hf, Ta, W, Re (M. SHIGA)	519
1.4.1.1	Introduction . . . . .	519
1.4.1.2	Ti and V alloys and compounds. . . . .	521
1.4.1.3	Cr alloys and compounds . . . . .	526
1.4.1.4	Mn alloys and compounds . . . . .	530
1.4.1.5	Fe alloys and compounds . . . . .	531
1.4.1.6	Co and Ni alloys and compounds . . . . .	551
1.4.1.7	References for 1.4.1 . . . . .	564

1.4.2	3d elements and Ru, Rh, Pd or Os, Ir, Pt (J. J. M. FRANSE, R. GERSDORF)	566
1.4.2.1	3d-rich alloys.	566
1.4.2.2	Concentrated alloys and intermetallic compounds	577
1.4.2.2.0	Introduction	577
1.4.2.2.1	Sc, Ti, and V alloys and compounds.	578
1.4.2.2.2	Cr alloys and compounds	582
1.4.2.2.3	Mn alloys and compounds.	588
1.4.2.2.4	Fe alloys and compounds	596
1.4.2.2.5	Co alloys and compounds	613
1.4.2.2.6	Ni alloys and compounds	618
1.4.2.3	4d- and 5d-rich alloys	630
1.4.2.4	References for 1.4.2	648