Table of contents

Semiconductors

Subvolume a: Intrinsic properties of group IV elements and III–V, II–VI and I–VII compounds
(edited by O. MADELUNG)

A Introduction (O. MADELUNG)

1 General remarks on the contents and structure of subvolume 22a 1
2 Frequently used symbols 1
3 List of abbreviations, subscripts and superscripts 5
4 Conversion tables 6

B Physical data	Data	Figures
1 Elements of the IVth group and IV–IV compounds (O. MADELUNG)	9	
1.1 Diamond (C)	9	–
1.1.1 Electronic properties	9	261
1.1.2 Lattice properties	11	262f.
1.1.3 Transport and optical properties	12	263
1.1.4 References for 1.1	13	–
1.2 Silicon (Si)	14	–
1.2.1 Electronic properties	14	263ff.
1.2.2 Lattice properties	17	267ff.
1.2.3 Transport properties	21	270ff.
1.2.4 Optical properties	22	273f.
1.2.5 References for 1.2	24	–
1.3 Germanium (Ge)	28	–
1.3.1 Electronic properties	28	261, 275ff.
1.3.2 Lattice properties	31	277ff.
1.3.3 Transport properties	33	279ff.
1.3.4 Optical properties	34	281f.
1.3.5 References for 1.3	36	–
1.4 Grey tin (α-Sn)	39	–
1.4.1 Electronic properties	39	261, 283f.
1.4.2 Lattice properties	41	284f.
1.4.3 Transport properties	42	283, 285
1.4.4 Optical properties	42	286
1.4.5 References for 1.4	42	–
1.5 Silicon carbide (SiC)	43	–
1.5.1 Electronic properties	44	261, 286f.
1.5.2 Lattice properties	46	287ff.
1.5.3 Transport and optical properties	48	289
1.5.4 References for 1.5	49	–
1.6 Silicon germanium alloys (Si_xGe_{1-x})	50	289ff.
References for 1.6	51	–
2 III–V compounds (O. MADELUNG)	52	–
2.1 Boron nitride (BN)	52	–

		Data	Figures
2.1.A	Cubic boron nitride	52	–
2.1.A.1	Electronic properties	52	261, 291
2.1.A.2	Lattice properties	52	–
2.1.A.3	Transport and optical properties	53	–
2.1.B	Hexagonal boron nitride	53	–
2.1.B.1	Electronic properties	53	292ff.
2.1.B.2	Lattice properties	54	294f.
2.1.B.3	Transport and optical properties	54	292ff.
2.1.C	References for 2.1	55	–
2.2	Boron phosphide (BP)	55	–
2.2.1	Electronic properties	55	261, 295f.
2.2.2	Lattice properties	56	296
2.2.3	Transport and optical properties	57	296
2.2.4	References for 2.2	57	–
2.3	Boron arsenide (BAs)	57	–
2.4	Aluminum nitride (AlN)	58	–
2.4.1	Electronic properties	58	292, 297
2.4.2	Lattice properties	59	–
2.4.3	Transport and optical properties	60	–
2.4.4	References for 2.4	60	–
2.5	Aluminum phosphide (AlP)	60	–
2.5.1	Electronic properties	60	261, 298
2.5.2	Lattice properties	61	298
2.5.3	Transport and optical properties	62	298
2.5.4	References for 2.5	62	–
2.6	Aluminum arsenide (AlAs)	63	–
2.6.1	Electronic properties	63	261, 299, 304
2.6.2	Lattice properties	65	299f.
2.6.3	Transport and optical properties	66	300
2.6.4	References for 2.6	66	–
2.7	Aluminum antimonide (AlSb)	67	–
2.7.1	Electronic properties	67	261, 300ff., 304
2.7.2	Lattice properties	69	302
2.7.3	Transport and optical properties	70	303
2.7.4	References for 2.7	71	–
2.8	Gallium nitride (GaN)	72	–
2.9	Gallium phosphide (GaP)	72	–
2.9.1	Electronic properties	72	261, 304
2.9.2	Lattice properties	75	304ff.
2.9.3	Transport properties	78	307ff.
2.9.4	Optical properties	79	308ff.
2.9.5	References for 2.9	80	–
2.10	Gallium arsenide (GaAs)	82	–
2.10.1	Electronic properties	82	261, 304, 310ff.
2.10.2	Lattice properties	87	312ff.
2.10.3	Transport properties	90	314ff.
2.10.4	Optical properties	92	319ff.
2.10.5	References for 2.10	94	–
2.11	Gallium antimonide (GaSb)	97	–
2.11.1	Electronic properties	97	261, 321f., 324
2.11.2	Lattice properties	101	322f.
2.11.3	Transport properties	103	303, 323ff.
2.11.4	Optical properties	104	325
2.11.5	References for 2.11	105	–

	Data	Figures
2.12 Indium nitride (InN)	106	292, 326f.
References for 2.12	106	–
2.13 Indium phosphide (InP)	107	–
2.13.1 Electronic properties	107	261, 327ff.
2.13.2 Lattice properties	110	329ff.
2.13.3 Transport properties	112	332ff.
2.13.4 Optical properties	113	334f.
2.13.5 References for 2.13	115	–
2.14 Indium arsenide (InAs)	117	–
2.14.1 Electronic properties	117	261, 335f.
2.14.2 Lattice properties	119	337
2.14.3 Transport properties	120	316, 337f.
2.14.4 Optical properties	121	338
2.14.5 References for 2.14	122	–
2.15 Indium antimonide (InSb)	123	–
2.15.1 Electronic properties	123	261, 338ff.
2.15.2 Lattice properties	128	340ff.
2.15.3 Transport properties	130	303, 341f.
2.15.4 Optical properties	132	342
2.15.5 References for 2.15	133	–
2.16 Ternary and quaternary alloys between III–V compounds and with other semiconductors	135	343
2.16.1 Ternary alloys of the type $III_x-III_{1-x}-V$	135	–
2.16.1.1 Aluminum gallium nitride ($Al_xGa_{1-x}N$)	135	343f.
2.16.1.2 Aluminum gallium phosphide ($Al_xGa_{1-x}P$)	136	344f.
2.16.1.3 Aluminum gallium arsenide ($Al_xGa_{1-x}As$)	136	345ff.
2.16.1.4 Aluminum gallium antimonide ($Al_xGa_{1-x}Sb$)	139	349f.
2.16.1.5 Aluminum indium phosphide ($Al_xIn_{1-x}P$)	140	–
2.16.1.6 Aluminum indium arsenide ($Al_xIn_{1-x}As$)	140	350
2.16.1.7 Aluminum indium antimonide ($Al_xIn_{1-x}Sb$)	141	–
2.16.1.8 Gallium indium phosphide ($Ga_xIn_{1-x}P$)	141	351f.
2.16.1.9 Gallium indium arsenide ($Ga_xIn_{1-x}As$)	142	343, 352ff.
2.16.1.10 Gallium indium antimonide ($Ga_xIn_{1-x}Sb$)	144	355f.
2.16.1.11 References for 2.16.1	145	–
2.16.2 Ternary alloys of the type $III-V_{1-x}-V_x$	148	–
2.16.2.1 Aluminum arsenide phosphide ($AlAs_{1-x}P_x$)	148	356
2.16.2.2 Gallium arsenide phosphide ($GaAs_{1-x}P_x$)	148	356ff.
2.16.2.3 Gallium arsenide antimonide ($GaAs_{1-x}Sb_x$)	149	357ff.
2.16.2.4 Indium arsenide phosphide ($InAs_{1-x}P_x$)	149	359ff.
2.16.2.5 Indium antimonide arsenide ($InSb_{1-x}As_x$)	150	361
2.16.2.6 Indium antimonide bismuthide ($InSb_{1-x}Bi_x$)	150	–
2.16.2.7 References for 2.16.2	150	–
2.16.3 Quaternary alloys of the type $III_x-III_{1-x}-V_y-V_{1-y}$	151	343
2.16.3.1 Gallium indium arsenide phosphide ($Ga_xIn_{1-x}As_yP_{1-y}$)	151	343, 362ff.
2.16.3.2 Gallium indium arsenide antimonide ($Ga_xIn_{1-x}As_ySb_{1-y}$)	154	343
2.16.3.3 Aluminum gallium arsenide antimonide ($Al_xGa_{1-x}As_ySb_{1-y}$)	154	343
2.16.3.4 References for 2.16.3	154	–
2.16.4 Quaternary alloys of the type $III_{1-x-y}-III_x-III_y-V$	156	–
2.16.4.1 Indium aluminum gallium phosphide ($In_{1-x-y}Al_xGa_yP$)	156	343, 367
2.16.4.2 Indium aluminum gallium arsenide ($In_{1-x-y}Al_xGa_yAs$)	156	343, 367f.
2.16.4.3 Indium aluminum gallium antimonide ($In_{1-x-y}Al_xGa_ySb$)	156	–
2.16.4.4 References for 2.16.4	157	–
2.16.5 Alloys of III–V compounds with elements of the IVth group	158	368
2.16.5.1 Gallium antimonide – germanium ($(GaSb)_{1-x}(Ge_2)_x$)	158	368f.

	Data	Figures
2.16.5.2 Gallium arsenide – germanium ($(GaAs)_{1-x}(Ge_2)_x$)	159	369
2.16.5.2 References for 2.16.5	159	–
3 II–VI compounds (U. Rössler)	160	–
3.1 Zinc oxide (ZnO)	160	–
3.1.1 Electronic properties	160	297, 370ff.
3.1.2 Lattice properties	162	297, 374ff.
3.1.3 Transport and optical properties	164	376ff.
3.1.4 References for 3.1	165	–
3.2 Zinc sulfide (ZnS)	167	–
3.2.1 Electronic properties	167	261, 297, 379ff.
3.2.2 Lattice properties	170	381ff.
3.2.3 Transport and optical properties	174	377f., 385ff.
3.2.4 References for 3.2	175	–
3.3 Zinc selenide (ZnSe)	176	–
3.3.1 Electronic properties	176	261, 387ff.
3.3.2 Lattice properties	180	390ff.
3.3.3 Transport and optical properties	183	328, 392ff.
3.3.4 References for 3.3	183	–
3.4 Zinc telluride (ZnTe)	186	–
3.4.1 Electronic properties	186	261, 394ff.
3.4.2 Lattice properties	189	396ff., 419
3.4.3 Transport and optical properties	191	395f.
3.4.4 References for 3.4	191	–
3.5 Cadmium oxide (CdO)	192	–
3.5.1 Electronic properties	192	261, 399f.
3.5.2 Lattice properties	193	–
3.5.3 Transport and optical properties	193	400
3.5.4 References for 3.5	193	–
3.6 Cadmium sulfide (CdS)	194	–
3.6.1 Electronic properties	194	261, 297, 400ff.
3.6.2 Lattice properties	198	297, 404ff.
3.6.3 Transport and optical properties	201	377f., 404ff.
3.6.4 References for 3.6	202	–
3.7 Cadmium selenide (CdSe)	204	–
3.7.1 Electronic properties	204	297, 409f.
3.7.2 Lattice properties	206	–
3.7.3 Transport and optical properties	208	377f., 410
3.7.4 References for 3.7	209	–
3.8 Cadmium telluride (CdTe)	210	–
3.8.1 Electronic properties	210	261, 411ff., 434
3.8.2 Lattice properties	213	413, 421, 432
3.8.3 Transport and optical properties	215	414f.
3.8.4 References for 3.8	215	–
3.9 Mercury oxide (HgO)	217	415
References for 3.9	217	–
3.10 Mercury sulfide (HgS)	217	416
References for 3.10	217	–
3.11 Mercury selenide (HgSe)	218	–
3.11.1 Electronic properties	218	261, 417
3.11.2 Lattice properties	219	261, 416f.
3.11.3 Transport and optical properties	220	416ff.
3.11.4 References for 3.11	220	–

	Data	Figures
3.12 Mercury telluride (HgTe)	220	–
3.12.1 Electronic properties	220	261, 419f.
3.12.2 Lattice properties	223	261, 416f., 420f.
3.12.3 Transport and optical properties	225	416f., 422ff.
3.12.4 References for 3.12	226	–
3.13 Solid solutions	227	411, 417ff., 425ff.
References for 3.13	232	–
4 I–VII compounds (W. von der Osten)	235	–
4.1 Cuprous chloride (γ-CuCl)	235	–
4.1.1 Electronic properties	235	261, 440ff.
4.1.2 Lattice properties	239	442f.
4.1.3 Optical properties	240	443
4.1.4 References for 4.1	241	–
4.2 Cuprous bromide (γ-CuBr)	243	–
4.2.1 Electronic properties	243	261, 443ff.
4.2.2 Lattice properties	247	443, 445
4.2.3 Optical properties	248	443, 445f.
4.2.4 References for 4.2	248	–
4.3 Cuprous iodide (γ-CuI)	250	–
4.3.1 Electronic properties	250	261, 444, 446f.
4.3.2 Lattice properties	252	447
4.3.3 Optical properties	253	443, 447
4.3.4 References for 4.3	253	–
4.4 Silver chloride (AgCl)	254	–
4.4.1 Electronic properties	254	261, 447f.
4.4.2 References for 4.4	255	–
4.5 Silver bromide (AgBr)	256	–
4.5.1 Electronic properties	256	261, 448f.
4.5.2 Lattice and transport properties	258	449
4.5.3 References for 4.5	258	–
4.6 Silver iodide (AgI)	259	–
4.6.1 Electronic properties	259	450
4.6.2 Lattice and optical properties	260	450f.
4.6.3 References for 4.6	260	–