

Table of contents

Low frequency properties of dielectric crystals

Subvolume b: Piezoelectric, pyroelectric and related constants

3	Piezoelectric, electrostrictive and dielectric constants, and electromechanical coupling factors of piezoelectric crystals (W.R. COOK, jr.)	1
3.1	Introduction	1
3.1.1	Notation, units and abbreviations	1
3.1.2	General remarks	3
3.1.3	Basic relations. Symbols, definitions and units for piezoelectric coefficients	4
3.1.4	Methods of measurement	10
3.1.5	Electromechanical coupling factors	10
3.1.6	Electrostriction	12
3.1.7	Arrangement of tables	13
3.2	General data on crystals, ceramics and polymers	15
3.3	Tables of relative dielectric constants (numeric)	45
3.3.1	Cubic (isometric), $m\bar{3}m$ (O_h)	45
3.3.2	Cubic (isometric), $\bar{4}3m$ (T_d)	46
3.3.3	Cubic (isometric), $m\bar{3}$ (T_h)	45
3.3.4	Cubic (isometric), 23 (T)	49
3.3.5	Hexagonal, $6/mmm$ (D_{6h}), 622 (D_6), and $\bar{6}m2$ (D_{3h})	50
3.3.6	Hexagonal, $6mm$ (C_{6v})	50
3.3.7	Symmetry ∞m ($C_{\infty v}$), poled ceramics	52
3.3.8	Symmetry ∞m ($C_{\infty v}$). Polymer sheet, poled	64
3.3.9	Hexagonal, 6 (C_6)	65
3.3.10	Symmetry ∞ (C_∞)	66
3.3.11	Trigonal, $\bar{3}2/m$ (D_{3d})	66
3.3.12	Trigonal (rhombohedral), 32 (D_3)	67
3.3.13	Trigonal, $3m$ (C_{3v})	69
3.3.14	Trigonal (rhombohedral), 3 (C_3)	71
3.3.15	Tetragonal, 422 (D_4)	71
3.3.16	Tetragonal, $\bar{4}2m$ (D_{2d})	72
3.3.17	Tetragonal, $4mm$ (C_{4v})	75
3.3.18	Tetragonal, $\bar{4}$ (S_4), 4 (C_4)	79
3.3.19	Orthorhombic, mmm (D_{2h})	79
3.3.20	Orthorhombic, 222 (D_2)	80
3.3.21	Orthorhombic, $mm2$ (C_{2v})	82
3.3.22	Orthorhombic, $mm2$ (C_{2v})	89
3.3.23	Monoclinic, $2/m$ (C_{2h})	89
3.3.24	Monoclinic, 2 (C_2)	90
3.3.25	Monoclinic, m (C_s)	93
3.3.26	Triclinic, 1 (C_1)	94
3.4	Tables of temperature coefficients of dielectric constants	95
3.4.1	Cubic (isometric), $\bar{4}3m$ (T_d), 23 (T)	95
3.4.2	Hexagonal, $6mm$ (C_{6v}), 6 (C_6), and ∞m ($C_{\infty v}$), poled ceramics	96
3.4.3	Trigonal (rhombohedral), 32 (D_3)	96
3.4.4	Trigonal (rhombohedral), $3m$ (C_{3v})	97
3.4.5	Tetragonal, $\bar{4}2m$ (D_{2d}) and $4mm$ (C_{4v})	97
3.4.6	Orthorhombic, 222 (D_2), $mm2$ (C_{2v})	98

3.4.7	Monoclinic, 2 (C_2)	99
3.5	Tables of piezoelectric constants	99
3.5.1	Cubic (isometric), $\bar{4}3m$ (T_d)	99
3.5.1.1	Electromechanical coupling factors k_{lp} (numeric)	99
3.5.1.2	Piezoelectric strain coefficients d_{lp}	101
3.5.1.3	Piezoelectric stress coefficients e_{lp}	102
3.5.1.4	Piezoelectric strain coefficients g_{lp}	103
3.5.1.5	Piezoelectric stress coefficients h_{lp}	104
3.5.2	Cubic (isometric), 23 (T)	104
3.5.2.1	Electromechanical coupling factors k_{lp} (numeric)	104
3.5.2.2	Piezoelectric strain coefficients d_{lp}	105
3.5.2.3	Piezoelectric stress coefficients e_{14} and h_{14} and piezoelectric strain coefficient g_{14}	105
3.5.3	Hexagonal, 622 (D_6)	106
3.5.4	Hexagonal, $\bar{6}m2$ (D_{3h})	106
3.5.5	Hexagonal, 6mm (C_{6v})	107
3.5.5.1	Electromechanical coupling factors k_{lp} (numeric)	107
3.5.5.2	Piezoelectric strain coefficients d_{lp}	108
3.5.5.3	Piezoelectric stress coefficients e_{lp}	109
3.5.6	Symmetry ∞m ($C_{\infty v}$), poled ceramics	110
3.5.6.1	Electromechanical coupling factors k_{lp} (numeric)	110
3.5.6.2	Piezoelectric strain coefficients d_{lp}	121
3.5.6.3	Piezoelectric stress coefficients e_{lp}	128
3.5.6.4	Piezoelectric strain coefficients g_{lp}	129
3.5.6.5	Piezoelectric stress coefficients h_{lp}	133
3.5.7	Symmetry ∞m ($C_{\infty v}$), polymer sheet, biaxially stretched	133
3.5.7.1	Electromechanical coupling factors k_{lp} (numeric)	133
3.5.7.2	Piezoelectric strain coefficients d_{lp}	134
3.5.7.3	Piezoelectric stress coefficients e_{lp}	135
3.5.7.4	Piezoelectric strain coefficients g_{lp}	136
3.5.7.5	Piezoelectric stress coefficients h_{lp}	136
3.5.8	Hexagonal, 6 (C_6)	136
3.5.8.1	Electromechanical coupling factors k_{lp} (numeric)	136
3.5.8.2	Piezoelectric strain coefficients d_{lp}	137
3.5.8.3	Piezoelectric stress coefficients e_{lp}	138
3.5.8.4	Piezoelectric strain coefficients g_{lp}	138
3.5.9	Symmetry ∞ (C_∞), piezoelectric polymers	138
3.5.9.1	Piezoelectric strain coefficients d_{lp}	138
3.5.9.2	Piezoelectric stress coefficients e_{14} and h_{14} , and piezoelectric strain coefficient g_{14}	139
3.5.10	Trigonal (rhombohedral), 32 (D_3)	140
3.5.10.1	Electromechanical coupling factors k_{lp} (numeric)	140
3.5.10.2	Piezoelectric strain coefficients d_{lp}	141
3.5.10.3	Piezoelectric stress coefficients e_{lp}	143
3.5.10.4	Piezoelectric strain coefficients g_{lp} and piezoelectric stress coefficients h_{lp}	144
3.5.11	Trigonal (rhombohedral), 3m (C_{3v})	144
3.5.11.1	Electromechanical coupling factors k_{lp} (numeric)	144
3.5.11.2	Piezoelectric strain coefficients d_{lp}	145
3.5.11.3	Piezoelectric stress coefficients e_{lp}	147

3.5.11.4	Piezoelectric strain coefficients g_{lp}	147
3.5.11.5	Piezoelectric stress coefficients h_{lp}	148
3.5.12	Trigonal (rhombohedral), 3 (C_3)	148
3.5.12.1	Electromechanical coupling factors k_{lp} (numeric)	148
3.5.12.2	Piezoelectric strain coefficients d_{lp}	148
3.5.12.3	Piezoelectric stress coefficients e_{lp}	148
3.5.13	Tetragonal, 422 (D_4)	149
3.5.14	Tetragonal, 42m (D_{2d})	150
3.5.14.1	Electromechanical coupling factors k_{lp} (numeric)	150
3.5.14.2	Piezoelectric strain coefficients d_{lp}	150
3.5.14.3	Piezoelectric stress coefficients e_{lp}	152
3.5.14.4	Piezoelectric strain coefficients g_{lp}	152
3.5.14.5	Piezoelectric stress coefficients h_{lp}	153
3.5.15	Tetragonal, 4mm (C_{4v})	153
3.5.15.1	Electromechanical coupling factors k_{lp} (numeric)	153
3.5.15.2	Piezoelectric strain coefficients d_{lp}	154
3.5.15.3	Piezoelectric stress coefficients e_{lp}	155
3.5.15.4	Piezoelectric strain coefficients g_{lp}	156
3.5.15.5	Piezoelectric stress coefficients h_{lp}	156
3.5.16	Tetragonal, $\bar{4}$ (S_4)	156
3.5.17	Tetragonal, 4 (C_4)	157
3.5.18	Orthorhombic, 222 (D_2)	157
3.5.18.1	Electromechanical coupling factors k_{lp} (numeric)	157
3.5.18.2	Piezoelectric strain coefficients d_{lp}	158
3.5.18.3	Piezoelectric stress coefficients e_{lp}	161
3.5.18.4	Piezoelectric strain coefficients g_{lp}	161
3.5.18.5	Piezoelectric stress coefficients h_{lp}	161
3.5.19	Orthorhombic, mm2 (C_{2v})	162
3.5.19.1	Electromechanical coupling factors k_{lp} (numeric)	162
3.5.19.2	Piezoelectric strain coefficients d_{lp}	164
3.5.19.3	Piezoelectric stress coefficients e_{lp}	168
3.5.19.4	Piezoelectric strain coefficients g_{lp}	169
3.5.19.5	Piezoelectric stress coefficients h_{lp}	169
3.5.20	Orthorhombic, mm2 (C_{2v}), piezoelectric polymers	170
3.5.20.1	Electromechanical coupling factors k_{lp} (numeric)	170
3.5.20.2	Piezoelectric strain coefficients d_{lp}	171
3.5.20.3	Piezoelectric stress coefficients e_{lp}	173
3.5.20.4	Piezoelectric strain coefficients g_{lp}	174
3.5.21	Monoclinic, 2 (C_2)	175
3.5.21.1	Electromechanical coupling factors k_{lp} (numeric)	175
3.5.21.2	Piezoelectric strain coefficients d_{lp}	176
3.5.21.3	Piezoelectric stress coefficients e_{lp}	178
3.5.21.4	Piezoelectric strain coefficients g_{lp}	179
3.5.22	Monoclinic, m (C_s)	179
3.5.22.1	Electromechanical coupling factors k_{lp} (numeric)	179
3.5.22.2	Piezoelectric strain coefficients d_{lp}	180
3.5.22.3	Piezoelectric strain coefficients g_{lp}	180
3.5.23	Triclinic, 1 (C_1)	180
3.5.23.1	Electromechanical coupling factors k_{lp} (numeric)	180
3.5.23.2	Piezoelectric strain coefficients d_{lp}	181
3.5.23.3	Piezoelectric strain coefficients g_{lp}	182

3.6 Tables of temperature coefficients of piezoelectric coefficients 182

3.6.1 Cubic (isometric), $\bar{4}3m$ (T_d) 182

3.6.1.1 Temperature coefficients of d_{14} and e_{14} 182

3.6.2 Cubic (isometric), 23 (T) 183

3.6.2.1 Temperature coefficients of d_{14} 183

3.6.3 Hexagonal, 622 (D_6) 183

3.6.3.1 Temperature coefficients of d_{14} 183

3.6.4 Hexagonal, $6mm$ (C_{6v}) 183

3.6.4.1 Temperature coefficients of e_{lp} 183

3.6.5 Symmetry ∞m ($C_{\infty v}$), poled ceramics 184

3.6.5.1 Temperature coefficients of k_{lp} 184

3.6.5.2 Temperature coefficients of e_{lp} 184

3.6.6 Hexagonal, 6 (C_6) 185

3.6.6.1 Temperature coefficients of k_{lp} 185

3.6.6.2 Temperature coefficients of e_{lp} 185

3.6.7 Trigonal (rhombohedral), 32 (D_3) 185

3.6.7.1 Temperature coefficients of d_{lp} and e_{lp} 185

3.6.8 Trigonal (rhombohedral), $3m$ (C_{3v}) 186

3.6.8.1 Temperature coefficients of k_{lp} 186

3.6.8.2 Temperature coefficients of d_{lp} 186

3.6.8.3 Temperature coefficients of e_{lp} 186

3.6.9 Tetragonal, $\bar{4}2m$ (D_{2d}) 187

3.6.9.1 Temperature coefficients of k_{lp} 187

3.6.9.2 Temperature coefficients of d_{lp} 187

3.6.9.3 Temperature coefficients of e_{lp} 188

3.6.10 Tetragonal, $4mm$ (C_{4v}) 188

3.6.10.1 Temperature coefficients of k_{lp} 188

3.6.10.2 Temperature coefficients of d_{lp} 188

3.6.10.3 Temperature coefficients of e_{lp} 189

3.6.11 Orthorhombic, 222 (D_2) 189

3.6.11.1 Temperature coefficients of d_{lp} 189

3.6.12 Orthorhombic, $mm2$ (C_{2v}) 190

3.6.12.1 Temperature coefficients of d_{lp} 190

3.6.12.2 Temperature coefficients of e_{lp} 190

3.6.13 Monoclinic, 2 (C_2) 191

3.6.13.1 Temperature coefficients of d_{lp} 191

3.7 Tables of electrostrictive coefficients 192

3.7.1a Cubic, $m3m$ (O_h) 192

3.7.1b Temperature coefficients of Q 194

3.7.2 Cubic, $\bar{4}3m$ (T_d) 194

3.7.3 Cubic (isometric), $m3$ (T_h) 195

3.7.4 Cubic (isometric), 23 (T) 195

3.7.5 Symmetry ∞m ($C_{\infty v}$), ceramics 196

3.7.6 Hexagonal, $\bar{6}$ (C_{3h}) 198

3.7.7 Trigonal (rhombohedral), $\bar{3}2/m$ (D_{3d}) 199

3.7.8 Tetragonal, $4/mmm$ (D_{4h}) 199

3.7.9 Tetragonal, 422 (D_4) 199

3.7.10 Tetragonal, $\bar{4}2m$ (D_{2d}) 200

3.7.11 Tetragonal, $4mm$ (C_{4v}) 200

3.7.12 Orthorhombic, mmm (D_{2h}) 201

3.7.13 Orthorhombic, 222 (D_2) 202

3.7.14	Orthorhombic, mm2 (C_{2v})	202
3.7.15	Monoclinic, 2/m (C_2)	203
3.7.16	Monoclinic, 2 (C_2)	204
3.8	Figures	206
3.9	Bibliography	280
3.9.1	Books and review articles	280
3.9.2	Journals	281
4	Pyroelectric coefficients (A.S. BHALLA, S.T. LIU)	325
4.1	Introduction	325
4.1.1	Symbols and units	325
4.1.2	General remarks	326
4.1.3	Pyroelectric equations of state and definition of pyroelectric coefficients	327
4.1.4	Methods for determination of pyroelectric coefficients	330
4.1.5	Arrangement of tables	332
4.2	Tables	333
4.2.1	Pyroelectrics with known primary and secondary coefficients	333
4.2.2	Pyroelectric coefficients of non-ferroelectric pyroelectrics	335
4.2.3	Pyroelectric coefficients of ferroelectric pyroelectrics	339
4.2.4	Pyroelectric coefficients of liquid crystals and composites	353
4.2.5	Materials without measured pyroelectric coefficients	354
4.3	Figures and individual tables	358
4.4	Bibliography	424
4.4.1	Books and review articles	424
4.4.2	References	425
5	Index of substances for Volumes III/29a, b	436
5.1	Alphabetical index of element systems	438
5.2	Alphabetical index of names	502

Subvolume a: Second and higher order elastic constants

1	The elastic constants of crystals	1
1.1	Introduction	11
1.2	Tables	11
1.2.1	Elastic constants $s_{\rho\sigma}$, $c_{\rho\sigma}$	11
1.2.2	Temperature coefficients $Tc_{\rho\sigma}$	224
1.2.3	Pressure coefficients $Pc_{\rho\sigma}$	227
1.3	Figures	296
1.4	Bibliography	576
2	The third and higher-order elastic constants	635
2.1	Introduction	635
2.2	Tables of third-order stiffnesses	647
2.3	Tables of fourth-order stiffnesses	663
2.4	Figures	666
2.5	Bibliography	674
2.6	Index of substances	683