

CONTENTS

	PAGE
FOREWORD	vii
ACKNOWLEDGEMENTS	viii
1 THE ELECTRON OPTICAL PROPERTIES OF MAGNETIC BETA RAY SPECTROMETERS	1
<i>N. F. Verster</i>	
Institute for Nuclear Research, Zeeman Laboratory, Amsterdam	
2 NUCLEAR PARAMAGNETIC RESONANCE	21
<i>R. V. Pound</i>	
Lyman Laboratory, Harvard University, Cambridge, Mass.	
3 LUMINESCENT MATERIALS FOR SCINTILLATION COUNTERS	51
<i>G. F. J. Garlick</i>	
Department of Physics, University of Birmingham	
4 THE NEUTRON-PROTON INTERACTION	89
<i>G. L. Squires</i>	
Atomic Energy Research Establishment, Harwell	
5 FISSION	120
<i>W. J. Whitehouse</i>	
Atomic Energy Research Establishment, Harwell	
6 THE LOW-LYING EXCITED STATES OF LIGHT NUCLEI	174
<i>W. E. Burcham</i>	
Department of Physics, University of Birmingham	
7 THE NUCLEAR SHELL MODEL	235
<i>B. H. Flowers</i>	
Atomic Energy Research Establishment, Harwell	
8 IONISATION BY FAST PARTICLES	271
<i>T. E. Cranshaw</i>	
Atomic Energy Research Establishment, Harwell	
NAME INDEX	285
SUBJECT INDEX	294

LUMINESCENT MATERIALS FOR SCINTILLATION COUNTERS

G. F. J. Garlick

CONTENTS

1. General Introduction	51
(a) Short historical survey	51
(b) Desirable characteristics of luminescent materials	53
(c) The photomultiplier characteristics	54
2. Classes of luminescent materials for scintillation counters.	54
(a) Inorganic crystals	55
(b) Organic crystals	58
(c) Organic liquids and plastics	61
3. The production of large crystals for scintillation counters	63
(a) Growth of cadmium and zinc sulphide crystals	63
(b) Synthetic halide crystals	64
(c) Tungstate and sapphire crystals	65
(d) Growth of hydrocarbon crystals	67
4. Energy measurements with scintillation counters	67
(a) Response of scintillators to different radiations	67
(b) Detection of charge particles	68
(c) Detection of neutrons	70
(d) Detection of cosmic ray particles	71
(e) Detection of fission fragments	72
(f) Measurement of gamma ray energies	72
(g) X-ray measurements	75
(h) Miscellaneous	75
5. Fundamental mechanisms in scintillation crystals.	76
(a) Inorganic crystals	76
(b) Luminescence processes in organic molecules	81

THE NEUTRON-PROTON INTERACTION

G. L. Squires

I. Introduction	89
II. Effective range theory	91
III. Neutron-proton scattering	99
IV. Photo-disintegration of the deuteron	105
V. Comparison of the proton-proton and neutron-proton forces	114
VI. High energy data and tensor forces	116
VII. Summary	117

NUCLEAR FISSION

W. J. Whitehouse

1. Introduction	120
(1.1) Historical	120
(1.2) A summary of some theoretical work	123
(1.3) Experimental techniques	126
2. Fission cross-sections and thresholds	128
(2.1) Neutron cross-sections and thresholds	128
(2.2) Cross-sections for fission by charged particles	130
(2.3) Photofission cross-sections and thresholds	131
3. The distribution in mass, energy and charge of the fragments from binary fission	133
(3.1) The mass distribution	133
(3.2) The energy distribution	135
(3.3) The velocity distribution	139
(3.4) The relationship between the mass ratio and the energy ratio	140
(3.5) The distribution of nuclear charge in fission	141
4. The ranges of the fission fragments	144
5. Emission of neutrons and γ -rays in fission	148
6. Angular correlations between the directions of emission of neutrons and γ -rays, and that of the fragments	151
7. Spontaneous fission	152
(7.1) Experimental conditions	152
(7.2) Spontaneous fission rates	153
(7.3) Neutron and γ -ray emission in spontaneous fission	154
(7.4) The mass and energy distribution of the fragments in spontaneous fission	155
(7.5) Similarity between spontaneous and induced fission	156
8. Fission and the shell model of the nucleus	157
9. The emission of light nuclei during fission	158
(9.1) The discovery of the particles	158
(9.2) The long-range particles	159
(9.3) The short-range particles	161
10. Fission into three or more parts of comparable size	163
11. The characteristics of very high energy fission	164
12. Miscellaneous experiments	167
(12.1) Fission by π^- -mesons	167
(12.2) The possibility of fission following the capture of μ^- -mesons	168
(12.3) The apparent emission of a meson in fission	168
(12.4) A search for the hypothetical negative proton in fission	169
(12.5) A search for the hypothetical di-neutron in fission	169
(12.6) The time required for fission	169

THE LOW-LYING EXCITED STATES OF LIGHT NUCLEI

W. E. Burcham

CONTENTS

III. Introduction	174
III. The theoretical description of nuclear spectra	175
III. The width of nuclear levels	182
IV. Experimental methods for the study of excited states	184
(a) Energy release in transmutations produced by charged particles	184
(a.1) Particle accelerators	184
(a.2) Detection and analysis of particle groups	185
(a.3) Typical results	186
(b) Inelastic scattering of charged particles	189
(c) Transmutations produced by neutrons	190
(d) Elastic scattering of charged particles and neutrons	192
(e) The study of radiative transitions	194
(e.1) Radiative capture of protons	194
(e.2) Radiative capture of alpha-particles	197
(e.3) Radiative capture of neutrons	197
(e.4) Analysis of decay schemes	197
(e.4.1) Measurement of energy of gamma radiation and correlation with particle groups	199
(e.4.2) Determination of internal conversion coefficients	202
(e.4.3) Beta-decay	202
(f) Excitation by the photo-effect	204
(g) Angular distribution and angular correlation experiments	205
(h) Angular distributions in stripping processes	209
(i) Measurements of lifetime of nuclear states	210
(j) Summary of experimental methods for study of excited states of light nuclei	211
V. Experimental evidence	211
A. The odd isobars	213
B. The even isobars of mass $4n$	220
C. The even isobars of mass $4n+2$	227

IONISATION BY FAST PARTICLES

T. E. Cranshaw

1. Introduction	271
2. Theory of ionisation	271
3. Statistics of ionisation losses	273
(i) Small energy loss	273
(ii) Large energy loss	274
(iii) Loss of entire energy	275
4. The behaviour of W , the energy loss per ion pair	276
5. The determination of A_0 from experimental results	277
6. Comparison with experiment	279
7. The behaviour in liquids and solids	280
8. The behaviour of scintillators	281
9. Photographic plates	281
10. The logarithmic increase in energy loss with energy	282