

CONTENTS

| | PAGE |
|--|------|
| FOREWORD | vii |
| 1 THE BUBBLE CHAMBER | 1 |
| <i>D. V. Bugg</i> Cavendish Laboratory, University of Cambridge | |
| 2 RESONANCE FLUORESCENCE IN NUCLEI | 53 |
| <i>Franz R. Metzger</i> Bartol Research Foundation of the Franklin Institute, Swarthmore, Pennsylvania | |
| 3 SPALLATION | 89 |
| <i>Bernard G. Harvey</i> Radiation Laboratory, University of California, Berkeley, California | |
| 4 OPTICAL MODEL FOR NUCLEAR SCATTERING | 123 |
| <i>A. E. Glassgold</i> Radiation Laboratory, University of California, Berkeley, California | |
| 5 MEASUREMENT OF HELICITY | 163 |
| <i>Lee Grodzins</i> Brookhaven National Laboratory, Upton, New York | |
| 6 WEAK INTERACTIONS | 243 |
| <i>J. J. Sakurai</i> Laboratory of Nuclear Studies, Cornell University, Ithaca, New York | |
| CONTENTS OF PREVIOUS VOLUMES | 313 |
| NAME INDEX | 315 |
| SUBJECT INDEX | 325 |

1

THE BUBBLE CHAMBER*

D. V. Bugg

Cavendish Laboratory, University of Cambridge

CONTENTS

| | PAGE |
|--|------|
| 1. INTRODUCTION | 2 |
| 2. THEORIES OF BUBBLE CHAMBER OPERATION | 5 |
| 2.1 The operating range | 5 |
| 2.2 The foam limit | 6 |
| 2.3 Bubble nucleation by ionizing particles | 7 |
| 2.4 The bubble density along particle tracks | 14 |
| 2.5 The rate of bubble growth | 15 |
| 2.6 Lifetimes of bubble nuclei | 16 |
| 2.7 The expansion cycle | 17 |
| 3. LIQUIDS USED IN BUBBLE CHAMBERS | 19 |
| 3.1 Organic liquids | 19 |
| 3.2 Liquid hydrogen | 22 |
| (a) Liquid expansion systems | 23 |
| (b) Vapour expansion systems | 26 |
| 3.3 Deuterium | 31 |
| 3.4 Helium | 31 |
| 3.5 Gas-liquid and liquid-liquid mixtures | 32 |
| 3.6 Heavy liquids | 33 |
| 4. ILLUMINATION AND PHOTOGRAPHY | 36 |
| 5. BUBBLE CHAMBER MAGNETS | 41 |
| 6. THE ANALYSIS OF BUBBLE CHAMBER PHOTOGRAPHS | 44 |
| 6.1 The nature of the problem | 44 |
| 6.2 Semi-automatic measuring devices | 45 |
| 6.3 Franckenstein | 48 |
| 7. IMPROVEMENTS IN THE DUTY CYCLE OF THE BUBBLE CHAMBER | 50 |
| REFERENCES | 51 |

* Work performed while the author was a guest of the Brookhaven National Laboratory, under the auspices of the U.S. Atomic Energy Commission.

2

RESONANCE FLUORESCENCE IN NUCLEI

Franz R. Metzger

Bartol Research Foundation of the Franklin Institute, Swarthmore, Pennsylvania

CONTENTS

| | PAGE |
|---|------|
| 1. INTRODUCTION | 54 |
| 2. GENERAL CONSIDERATIONS | 56 |
| 2.1. Cross-sections | 56 |
| 2.2. Doppler effect | 56 |
| 2.3. Recoil energy losses | 58 |
| 2.4. Scattering experiment | 59 |
| 2.5. Self-absorption experiment | 62 |
| 2.6. Transmission experiment | 63 |
| 2.7. Classification of sources; energy distribution of the exciting radiation | 64 |
| 3. GROUP A SOURCES ($\tau_{\text{coll}} \ll \tau_{\text{level}}$) | 65 |
| 3.1. Background radiation | 67 |
| 3.2. Centrifuge method | 69 |
| 3.3. Thermal method | 71 |
| 4. GROUP B SOURCES (τ_{coll} not $\ll \tau_{\text{level}}$) | 73 |
| 4.1. Radioactive isotopes | 74 |
| (a) solid and liquid sources | 74 |
| (b) gaseous sources | 74 |
| 4.2. Nuclear reactions | 78 |
| (a) background problems | 78 |
| (b) (p, α) -reactions | 79 |
| (c) inelastic scattering | 80 |
| (d) proton capture | 81 |
| 5. BREMSSTRAHLUNG | 82 |
| 6. SUMMARY OF RESULTS, COMPARISON WITH OTHER METHODS | 83 |
| REFERENCES | 86 |

3

SPALLATION

Bernard G. Harvey

Lawrence Radiation Laboratory, University of California, Berkeley, California

CONTENTS

| | PAGE |
|---|------|
| 1. INTRODUCTION | 90 |
| 2. THE CASCADE STEP | 91 |
| 2.1 Theory | 91 |
| 2.2 The Monte Carlo calculations | 94 |
| 2.3 Energy spectra and angular distributions of emitted particles | 97 |
| 2.4 Results of radiochemical experiments | 100 |
| 2.4.1 General comments | 100 |
| 2.4.2 Mass-yield distributions | 101 |
| 2.4.3 Surface interactions | 105 |
| 2.4.4 The fragmentation process | 106 |
| 2.4.5 Reactions induced by mesons | 111 |
| 3. THE EVAPORATION STEP | 112 |
| 3.1 Introduction | 112 |
| 3.2 Evaporation theory | 112 |
| 3.3 Evaporation Monte Carlo calculations | 114 |
| 3.4 Neutron evaporation from heavy nuclei | 115 |
| REFERENCES | 117 |

4

OPTICAL MODEL FOR NUCLEAR SCATTERING

A. E. Glassgold

Lawrence Radiation Laboratory, University of California, Berkeley, California

CONTENTS

| | PAGE |
|---|------|
| 1. INTRODUCTION | 124 |
| 2. THE OPTICAL MODEL POTENTIAL | 126 |
| 3. NUCLEON SCATTERING | 130 |
| (a) Low energy neutron scattering (0-14 MeV) | 130 |
| (b) Low energy proton scattering (0-17 Mev) | 138 |
| (c) Nucleon scattering at intermediate energies (20-400 MeV) | 140 |
| (d) Relation between nucleon-nucleon and nucleon-nucleus scattering | 146 |
| (e) Nucleon scattering at very high energies (greater than 400 MeV) | 149 |
| 4. SCATTERING OF PARTICLES OTHER THAN NUCLEONS | 151 |
| (a) Alpha-particle scattering | 151 |
| (b) Scattering of low-energy deuterons | 156 |
| (c) Antiproton scattering | 157 |
| REFERENCES | 159 |

5

MEASUREMENT OF HELICITY

*Lee Grodzins**Brookhaven National Laboratory, Upton, New York*

CONTENTS

| | PAGE |
|---|------|
| 1. INTRODUCTION | 165 |
| 2. SOURCES OF HELICITY | 167 |
| 2.1 Before Lee and Yang | 167 |
| 2.1.1 Compton scattering by polarized electrons | 168 |
| 2.1.2 Gamma-ray emission from polarized nuclei | 168 |
| 2.1.3 Annihilation quanta | 168 |
| 2.1.4 Compton scattering of helical photons | 169 |
| 2.1.5 External bremsstrahlung and pair production | 169 |
| 2.1.6 Annihilation of positrons in flight | 169 |
| 2.1.7 One-quantum annihilation and the photoelectric effect | 170 |
| 2.2 Since Lee and Yang | 171 |
| 2.2.1 Gamma rays following beta decay | 171 |
| 2.2.2 Polarization of internal conversion electrons following beta decay | 174 |
| 2.2.3 Inner bremsstrahlung | 174 |
| 2.2.4 Beta rays from unpolarized nuclei | 175 |
| 2.2.5 π and μ meson decay | 176 |
| 3. MEASUREMENT OF THE HELICITY OF GAMMA RAYS | 176 |
| 3.1 Compton effect, theory | 177 |
| 3.1.1 Differential cross-section | 178 |
| 3.1.2 Total cross-section | 180 |
| 3.1.3 Sources of polarized bound electrons | 180 |
| 3.2 Compton effect, experiment | 182 |
| 3.2.1 Transmission through magnetized iron | 182 |
| 3.2.2 Angular dependence | 185 |
| 3.2.3 Beard and Rose method | 187 |
| 3.2.4 $\beta\text{-}\mathcal{H}_\gamma$ measurements | 187 |
| 3.2.5 Summary of experimental results of $\beta\text{-}\mathcal{H}_\gamma$ measurements | 190 |
| 4. MEASUREMENT OF THE HELICITY OF ELECTRONS | 193 |
| 4.1 Mott scattering | 193 |
| 4.1.1 Mostly history | 193 |
| 4.1.2 Absolute measurements | 199 |
| 4.1.3 Summary of results | 205 |
| 4.2 Møller and Bhabha scattering | 206 |
| 4.2.1 Theory | 206 |
| 4.2.2 Experiment | 206 |

MEASUREMENT OF HELICITY

| | PAGE |
|--|------------|
| 4.3 Bremsstrahlung | 210 |
| 4.3.1 External | 210 |
| 4.3.2 Inner | 212 |
| 4.3.2.1 K-capture | 212 |
| 4.3.2.2 β -emission | 214 |
| 4.4 Cascade-producing electrons (from μ^- and μ^+ decay) | 214 |
| 5. MEASUREMENT OF THE HELICITY OF POSITRONS | 216 |
| 5.1 Page and Heineberg experiment | 216 |
| 5.2 Annihilation in flight quanta | 219 |
| 5.3 Annihilation with polarized electrons | 223 |
| 5.3.1 near zero energy | 224 |
| 5.3.2 in flight | 225 |
| 5.4 Summary of positron helicity measurements | 225 |
| 6. MEASUREMENT OF THE HELICITY OF THE NEUTRINO AND ANTI-NEUTRINO | 226 |
| 6.1 Relation between neutrino helicity and β -decay interaction mode | 226 |
| 6.2 Helicity of the neutrino | 227 |
| 6.3 Helicity of the anti-neutrino | 235 |
| 7. SUMMARY | 235 |
| REFERENCES | 238 |

6

WEAK INTERACTIONS

J. J. Sakurai

*Laboratory of Nuclear Studies, Cornell University, Ithaca, New York**

CONTENTS

| | PAGE |
|--|------------|
| 1. INTRODUCTION | 244 |
| 2. THE τ - θ PUZZLE AND THE QUESTION OF PARITY NONCONSERVATION | 245 |
| 3. THE π - μ - e SEQUENCE | 250 |
| 3.1 Pion decay | 250 |
| 3.2 The CPT theorem | 252 |
| 3.3 Muon decay | 254 |
| 3.4 The two-component neutrino theory and lepton conservation | 257 |
| 4. β DECAY | 263 |
| 4.1 Old theory | 263 |
| 4.2 Parity experiments | 266 |
| 4.3 Recoil experiments | 276 |
| 5. HYPERON DECAY | 280 |
| 6. THE UNIVERSAL V_A THEORY | 285 |
| 7. UNSOLVED PROBLEMS | 293 |
| <i>Appendix A. THE CPT THEOREM AND THE HERMITICITY REQUIREMENT</i> | <i>299</i> |
| <i>Appendix B. TWO-COMPONENT WAVE EQUATIONS</i> | <i>301</i> |
| <i>Appendix C. LEPTON CONSERVATION IN β DECAY</i> | <i>304</i> |
| NOTE ADDED (November, 1958) | 306 |
| REFERENCES | 307 |

* *Now at Enrico Fermi Institute for Nuclear Studies and Department of Physics, University of Chicago, Chicago, Illinois.*