Pr	eface	vii
1	Parity Violation in Electromagnetic and Strong Interaction Processes W. D. Hamilton	1
2	Excitation of Simple Particle-Hole Configurations in the Residual Nucleus C. BLOCH, N. CINDRO and S. HARAR	77
3	Sources of Polarized Negative Hydrogen or Deuterium Ions Based on the $2S_{1/2}$ State Properties A. Cesati, F. Cristofori, L. Milazzo Colli and P. G. Sona	117
4	Theory of Photon Scattering by Nuclei and the Dynamic Collective Model H. Arenhövel and W. Greiner	167
5	Structure of the Ground and Excited States of Deformed Nuclei V. G. Soloviev	239
6	Evidence for Nucleon Clusters in the Lightest Nuclei of the 1 p-shell from Data on Reactions at High Energies V. G. NEUDATCHIN and YU. F. SMIRNOV	273
7	On the Quasispin Formalism M. ICHIMURA	307
8	Physical Information Needed to Solve the Three-nucleon Problem H. PIERRE NOYES	355
In	dex	381
Co	ontents of Previous Volumes	387



PARITY VIOLATION IN ELECTROMAGNETIC AND STRONG INTERACTION PROCESSES

W. D. HAMILTON

School of Mathematical and Physical Sciences, University of Sussex

1.	Introduction	3
2.	THE SOURCE AND MAGNITUDE OF PARITY VIOLATION	5
	2.1. The current-current interaction	6
	2.2. The finite range interaction	7
	2.3. The single particle potential	8
	2.4. The nuclear structure ratio	10
3.	METHODS FOR OBSERVING PARITY VIOLATION	13
	3.1. Selection rule violation	14
	3.2. Pseudoscalar quantities	16
	3.2.1. The angular distribution of gamma-radiation emitted by polarized	
	nuclei	17
	3.2.2. The beta-gamma-ray angular correlation	19
	3.2.3. Nuclear polarization by a nuclear reaction	21
	3.2.4. The circular polarization of radiation	22
	3.2.5. The helicity of internal conversion electrons	24
4.	EXPERIMENTAL MEASUREMENTS AND RESULTS	26
	4.1. Parity violating α -decay	27
	4.2. The beta-gamma-ray angular correlation	28
	4.3. Polarized neutron capture γ -rays	30
5.	CIRCULAR POLARIZATION OF RADIATION EMITTED BY UNPOLARIZED NUCLEI	37
	5.1. Forward scattering of γ -rays by magnetized iron	38
	5.2. Transmission of γ -rays through magnetized from	40
	5.3. The 482 keV transition in ¹⁸¹ Ta	44
	5.4. The 343 keV transition in ¹⁷⁵ Lu	54
	5.5. The 396 keV transition in ¹⁷⁵ Lu	56
	5.6. The 273 keV transition in ²⁰³ Hg	58
	5.7. The K-forbidden E 1 transition in ¹⁸⁰ Hf	59
	5.8. Intensity ratio of the components of the hyperfine spectrum	66

W. D. HAMILTON

6. Comments on Sources of Error and Data Analysis	68
6.1. The influence of the magnetic field on the photomultiplier	68
6.2. Magnetostriction	69
6.3. Data analysis	71
Acknowledgements	73
References	74



EXCITATION OF SIMPLE PARTICLE-HOLE CONFIGURATIONS IN THE RESIDUAL NUCLEUS

C. BLOCH[†], N. CINDRO[‡] and S. HARAR[§]

CONTENTS

1.	Introduction	79
2.	Theory	81
3.	ONE-PARTICLE-ONE-HOLE EXCITATIONS IN THE NUCLEAR CORE; INTRINSIC CORE STATES	86
	 3.1. Qualitative description of one-particle-one-hole states in the nuclear core 3.2. Experimental evidence for one-particle-one-hole states excited in the residual nucleus 3.2a. One-nucleon transfer reactions 	86 88 89
	3.2b. $(p, p'\gamma)$ to the ground state	99
	3.2c. Inelastic alpha scattering	102
	3.2d. Comparison of states observed in the different processes	104
4.	Two-particle–One-hole and More Complicated Configurations in the Residual Nucleus	106
	4.1. General	106
	4.2. Two-particle-one-hole configurations; relation to states in the compound nucleus4.3. Two-particle-two-hole and more complicated configurations	107 110
5.	Conclusion	113
A	CKNOWLEDGEMENTS	113
R	EFERENCES	114

†Service de Physique Théorique, CEN Saclay, BP No. 2, 91-Gif-sur-Yvette, France. ‡Service de Physique Nucléaire à Basse Energie, CEN Saclay and Institute "Ruder Bóskovic", Zagreb, Yugoslavia.


§Service de Physique Nucléaire à Basse Energie, CEN Saclay.

SOURCES OF POLARIZED NEGATIVE HYDROGEN OR DEUTERIUM IONS BASED ON THE $2S_{1/2}$ STATE PROPERTIES

A. CESATI, F. CRISTOFORI, L. MILAZZO COLLI and P. G. SONA

Laboratori CISE, Segrate (Milano) and Istituto di Fisica dell'Università, Milano

	INTRODUCTION	119
Ι.	DESCRIPTION OF THE POLARIZATION METHOD 1.1. Definition of the polarization degree for a beam of protons and deuterons 1.2. Properties of the $2S_{1/2}$ metastable state of hydrogen: hyperfine structure and	120 120
	Zeeman effect	121
	1.3. Hyperfine structure and Zeeman effect in the case of deuterium 1.4. Polarization of hydrogen and deuterium atoms excited in their metastable $2S_{1/2}$	124
	state	125
	1.5. Possibility of increasing the polarization of the beam	129
2.	PRODUCTION AND MEASUREMENT OF A BEAM OF HYDROGEN ATOMS EXCITED	
	IN THE $2S_{1/2}$ METASTABLE STATE	135
	2.1. The methods employed	135
	2.2. Theoretical aspects of charge exchange process leading to the $2S_{1/2}$ state of hydrogen	136
	2.3. Experimental results on the reaction $H^+ + Cs \rightarrow H(2S) + Cs^+$	139
	2.4. Method of measurement of the metastable and ground state hydrogen atom	,
	beam intensity	140
3.	THE IONIZATION OF THE METASTABLE HYDROGEN BEAM	143
	3.1. Theoretical considerations	143
	3.2. Experimental results	149
1.	THE POLARIZED NEGATIVE ION SOURCE	152
	4.1 Discussion on the validity of the edichetic commovimation	152
	4.1. Discussion on the validity of the adiabatic approximation4.2. Methods for detecting the deuteron polarization	157
	4.3. Polarized deuteron source and measurement of polarization degree	137
	4.4. Comparison with other existing polarized ion sources. Conclusions	162



THEORY OF PHOTON SCATTERING BY NUCLEI AND THE DYNAMIC COLLECTIVE MODEL†

H. ARENHÖVEL and W. GREINER

Institut für Theoretische Physik der Universität Frankfurt/Main, Germany

CONTENTS

1.	Introduction	169
2.	ELEMENTARY RADIATION THEORY 2.1. General perturbation theory for electromagnetic interaction 2.2. The nuclear system 2.3. The radiation field 2.4. The form of the interaction 2.5. The multipole expansion of the interaction	170 170 171 172 173 174
3.	THE FORMALISM FOR PHOTON SCATTERING 3.1. The transition probability for photon scattering 3.2. The differential scattering cross-section	176 176 180
4.	THE DECOMPOSITION OF THE SCATTERING AMPLITUDE AND THE DENSITY MATRICES INTO IRREDUCIBLE COMPONENTS 4.1. The generalized polarizabilities 4.2. The photon density matrices 4.3. The density matrices of the nuclear states	181 181 183 184
5.	DISCUSSION OF THE DIFFERENTIAL SCATTERING CROSS-SECTION 5.1. The decomposition of the differential scattering cross-section 5.2. Unpolarized radiation and unoriented nuclei 5.3. Partially polarized radiation and unoriented nuclei 5.4. Unpolarized radiation and oriented nuclei	185 185 190 192 196
6.	Photon Scattering and Absorption and Nuclear Models	198
7.	THE DYNAMIC COLLECTIVE MODEL FOR DEFORMED NUCLEI 7.1. Definition of collective variables and elementary concepts of nuclear	199
	hydrodynamics	199
	7.2. The Hamiltonian for deformed even-even nuclei7.3. The wave function and energies for the giant dipole resonance of even-	202
	even nuclei	205
	7.4. The wave functions and energies for the giant quadrupole resonance of	
	even-even nuclei	207
	7.5. The Hamiltonian for deformed odd-A nuclei	208

†This work has been supported by the Deutsche Forschungsgemeinschaft with a contract for studies in nuclear structure.

H. ARENHÖVEL AND W. GREINER

7.6. The wave functions and energies of the giant dipole resonance of deformed	
odd-A nuclei	209
7.7. The dipole and quadrupole operators in collective variables	210
8. Analysis of Experimental Data for Deformed Nuclei	21
8.1. Erbium	212
8.2. Holmium	216
8.3. Terbium	220
8.4. Conclusions for deformed nuclei	220
9. THE DYNAMIC COLLECTIVE MODEL FOR SPHERICAL EVEN-EVEN NUCLEI	222
9.1. The structure of the Hamiltonian	222
9.2. The wave functions and energies of the giant dipole resonance in spherical	
even-even nuclei	224
10. Analysis of Experimental Data for Spherical Nuclei	227
Appendix A: The Density Matrix	230
	230
APPENDIX B: THE ANGULAR FUNCTIONS FOR DIPOLE AND QUADRUPOLE	
Scattering of Unpolarized Radiation by Unoriented Nuclei	233
REFEDENCES	235

STRUCTURE OF THE GROUND AND EXCITED STATES OF DEFORMED NUCLEI

V. G. Soloviev

Joint Institute for Nuclear Research, Dubna

1.	Introduction		241
2.	Nucleon Pairing Correlations of the Superconducting Type		245
3.	Collective Non-rotational States in Even-Even Deformed Nuclei		248
4.	Interaction of Quasiparticles with Phonons in Odd-Mass Deformed Nuclei		251
5.	Interaction of Quasiparticles with Phonons in Even–Mass Deformed Nuclei		262
6.	SPECTROSCOPIC FACTORS IN DIRECT NUCLEAR REACTIONS		265
7.	Equilibrium Deformations of the Excited States of Non-spherical Nuclei	•	268
8.	Conclusion		270
Ri	EFERENCES		271



EVIDENCE FOR NUCLEON CLUSTERS IN THE LIGHTEST NUCLEI OF THE 1p-SHELL FROM DATA ON REACTIONS AT HIGH ENERGIES

V. G. NEUDATCHIN and Yu. F. SMIRNOV

1. Introduction	275
2. METHOD FOR CALCULATING THE ELECTRON INELASTIC FORM FACTORS	s 278
3. The Structure of the Li ⁶ Nucleus	287
4. The Structure of the Li ⁷ and Be ⁹ Nuclei	297
5. Some General Features of the Nucleon Cluster Motion in t Nuclei and α -model	THE LIGHT 302
References	304




7

ON THE QUASISPIN FORMALISM

MUNETAKE ICHIMURA

Department of Physics and Atomic Energy Research Institute, Nihon University, Kanda. Tokyo

1. Introduction	309
2. Quasispin Formalism for an Identical Nucleon System	31
2.1. Quasispin and pairing interaction 2.2. Spherical tensors	31 31
 2.3. Quasispin tensors and nucleon number dependence of nuclear matrix elements 2.4. More complete classification of operators and states 2.5. Sum rule for energy matrix elements 	313 319 321
3. QUASISPIN FORMALISM FOR A PROTON–NEUTRON SYSTEM – FIVE-DIMENSIONAL OUASISPIN	322
 3.1. Five-dimensional quasispin and charge independent pairing interaction 3.2. Representation of the five-dimensional rotational group 3.3. Five-dimensional quasispin tensors and nucleon number – isospin dependence 	322 325
of nuclear matrix elements 3.4. More complete classification of operators and states 3.5. Sum rule for energy matrix elements	329 337 340
4. General Theory of Quasispins	341
5. Discussions	347
6. Acknowledgements	349
Appendix I Table of Corresponding Notations	349
Appendix II Phase Conventions of the Representations of R_{5}	349
Appendix III Wigner Coefficients of R_5 used in § 3.3	352
References	352



PHYSICAL INFORMATION NEEDED TO SOLVE THE THREE-NUCLEON PROBLEM

H. PIERRE NOYES

Stanford Linear Accelerator Centre, Stanford University

1. Introduction	357
2. Structure of the Three-nucleon Problem	358
3. Information from Nucleon-Nucleon Elastic Scattering	362
4. Theoretical Description of the Two-nucleon Interaction	365
5. ELECTROMAGNETIC EFFECTS	374
6. Conclusions	37€
References	377