

CONTENTS

A Review of Supersymmetry and Supergravity J. G. TAYLOR	1
Nearside and Farside: The Optics of Heavy Ion Elastic Scattering M. S. HUSSEIN and K. W. McVOY	103
Hyperon-Nucleus Potentials C. B. DOVER and A. GAL	171
Renormalisation of the Standard Electroweak Model J. P. COLE	241
Double Beta Decay W. C. HAXTON and G. J. STEPHENSON, Jr.	409
Author Index	481
Contents of Previous Volumes	489

A REVIEW OF SUPERSYMMETRY AND SUPERGRAVITY

J. G. TAYLOR

Department of Mathematics, King's College, London, U.K.

CONTENTS

1. INTRODUCTION	1
1.1. Preamble	1
1.2. Towards the unification of all forces	2
1.3. The search for a new symmetry	8
2. SUPERSYMMETRIC MODELS	11
2.1. The Wess-Zumino model	11
2.2. Supersymmetric gauge theories	14
2.3. Supersymmetry breaking	15
2.4. Towards a realistic SUSY gauge model	20
*2.5. Extended supersymmetric gauge theories	27
3. SUPERGRAVITY	30
3.1. The construction of supergravity	30
3.2. Extended supergravities	32
3.3. Supergravity in higher dimensions	33
3.4. $N = 8$ supergravity and further symmetries	35
3.5. Spontaneous compactifications	38
3.6. Superunification	40
4. GLOBAL SUPERSPACE	43
4.1. The super-Poincaré algebra	43
4.2. Superfields	47
4.3. The Wess-Zumino model in superspace	52
4.4. Supergraph rules	53
5. GAUGED SUPERSPACE	55
5.1. Supersymmetric gauge theories	55
5.2. $N = 1$ SYM in superspace	56
*5.3. $N = 2$ SYM in superspace	58
5.4. The $N = 3$ barrier in gauged superspace	60
5.5. Quantum properties of supergauge theories	64
*5.6. SYM in light cone superspace	67
6. LOCAL SUPERSPACE	71
6.1. Super-differential geometry	71
6.2. Discovering auxiliary fields	74
6.3. Constrained superspace	79
6.4. Superspace supergravity actions	85
6.5. Supergravity ultra-violet divergences	86
6.6. The $N = 3$ barrier in local superspace	88
*6.7. Central charges	91
7. CONCLUSIONS AND FUTURE DIRECTIONS	95
ACKNOWLEDGEMENTS	96
REFERENCES	96

1. INTRODUCTION

1.1. Preamble

Supersymmetry is a proposed symmetry of nature in indistinguishable. In the form it is known and used today, it was first introduced by Wess

CONTENTS

1. INTRODUCTION	104
1.1. Purpose of the review	104
1.2. The 2-slit pattern for absorbers: Edge waves	105
1.3. Examples of Near-side/Far-side decompositions	108
1.4. Geometry-dominance in Born approximation	111
1.5. Further examples	114
2. ELEMENTARY SEMI-CLASSICAL TECHNIQUES AND IMPORTANT OPTICAL THEOREMS	117
2.1. The Stationary-phase or saddle-point approximation to oscillatory integrals	118
2.2. The Near/Far decomposition	119
2.2.1. <i>Physical ideas and approximate formulae</i>	119

* Supported in part by the CNPq, Brazil and NSF, USA.

2.2.2. <i>Essential properties:</i>	121
2.2.2.1. "Exploring the potential"	121
2.2.2.2. Single-trajectory dominance of σ_N and σ_F	122
2.2.2.3. Running waves in angle	122
2.2.2.4. Real phase shifts and rainbow shadows	122
2.2.2.5. Absorption and diffractive shadows	124
2.2.3. The correct mathematics, à la Fuller	124
3. A FEW ESSENTIAL PROPERTIES OF HEAVY-ION ANGULAR DISTRIBUTIONS	125
3.1. Exponential shadow tails from peripheral ℓ -windows	125
3.2. Babinet symmetry for pure absorbers	126
3.3. The single-slit edge wave of an absorber	127
3.4. Slopes of exponential shadows: orbiting at complex ℓ	128
3.5. External refractors: The Coulomb prism	132
4. PRACTICAL APPLICATIONS AND EXAMPLES	134
4.1. Summary of Sections 2 and 3	134
4.2. The influence of nuclear refraction: ${}^9\text{Be} + {}^{16}\text{O}$ at 158 MeV	135
4.3. Nuclear rainbows?	138
4.4. A hidden rainbow	144
4.5. The case of the transparent surface	144
4.6. Potential ambiguities	148
4.7. Just for fun	153
4.7.1. <i>Another hidden rainbow?</i>	153
4.7.2. <i>A bizarre α-dip</i>	153
4.7.3. <i>A pure Coulomb rainbow</i>	154
4.7.4. <i>Pure glass</i>	155
5. NUCLEAR FORWARD-GLORY SCATTERING	155
6. DEVIATIONS FROM OPTICAL BEHAVIOR	158
6.1. Anomalous back-angle scattering	158
6.2. Static and dynamic deformation effects: Long range absorption	160
7. SUMMARY	163
ACKNOWLEDGEMENTS	165
REFERENCES	165
NOTES ADDED IN PROOF	166
APPENDIX A. THE DEFLECTION FUNCTION AND FERMAT: LENSES AS PHASE-SHIFTERS	167
APPENDIX B. THE KNOLL-SCHAEFFER-GLAUBER-BORN APPROXIMATION TO THE DEFLECTION FUNCTION IN THE $E \gg V$ LIMIT	169

CONTENTS

1. INTRODUCTION	172
2. ONE BOSON EXCHANGE MODELS FOR THE TWO BODY PROBLEM	174
3. THE EFFECTIVE TWO-BODY INTERACTION	197
4. SINGLE PARTICLE POTENTIALS FOR BARYONS IN THE NUCLEUS	202
5. SELECTED NUMERICAL RESULTS	211
6. HYPERNUCLEAR WIDTHS	221
7. CONCLUSIONS	234
ACKNOWLEDGEMENTS	237
REFERENCES	237

* Supported in part by the U.S.-Israel Binational Science Foundation.

† Supported by the U.S. Department of Energy under contract DE-AC02-76CH00016.

This manuscript has been authored under contract DE-AC02-76CH00016 with the U.S. Department of Energy. Accordingly, the U.S. Government retains a nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or allow others to do so, for U.S. Government purposes.

CONTENTS

NOTATION, SYMBOLS AND ABBREVIATIONS	242
INTRODUCTION	243
1. INTRODUCTION TO GAUGE THEORIES	245
1.1. Symmetries in field theories	245
1.2. Gauge fields	247
1.3. Yang–Mills field	248
1.4. Spontaneously broken symmetry	249
2. QUANTISATION OF FIELD THEORIES AND THE STANDARD ELECTROWEAK MODEL	252
2.1. Quantisation of scalar field theory	252
2.2. Quantisation of gauge theories	257
2.3. The standard electroweak model	261
3. RENORMALISATION OF THE MODEL	272
3.1. Renormalisation of ϕ^4 theory	272
3.2. Renormalisation of the vector boson propagator	276
3.3. Renormalisation of the fermion propagator	278
3.4. Example calculations in QED	279
3.5. Other schemes of renormalisation	283
3.6. Renormalisation of the GWS model (Part 1)	285
3.7. Renormalisation of the GWS model (Part 2)	292
4. GAUGE INVARIANCE AND RENORMALISATION	296
4.1. The fermion self-energies	297
4.2. The fermion charges	301
4.3. The fermion–Z coupling	305
4.4. Gauge-invariance of the neutral current scattering amplitudes	307
4.5. Gauge-invariance of the charged scattering amplitudes	315
4.6. Search for a fourth condition	320
5. CALCULATION OF THE RENORMALISATION CONSTANTS	328
5.1. The fermion self-energies	328
5.2. General three-point functions	329
5.3. The fermion charges	331
5.4. The boson renormalisation constants	333
6. ONE LOOP DIAGRAMS	338
6.1. Weak corrections to the neutral currents	338
6.1.1. <i>Vertex corrections</i>	338
6.1.2. <i>Bosonic corrections</i>	340
6.1.3. <i>The box diagrams</i>	342
6.2. Weak corrections to the charged currents	344
6.2.1. <i>Vertex corrections</i>	344
6.2.2. <i>The box diagrams</i>	346
6.2.3. <i>The W-boson self-energy</i>	348
6.3. Photonic corrections	348
6.3.1. <i>Box diagrams</i>	349
6.3.2. <i>Vertex corrections</i>	349
6.3.3. <i>The Bremsstrahlung cross-sections</i>	351
6.3.4. <i>The finite results</i>	351

7. EXPERIMENTAL CORRECTIONS	353
7.1. Neutrino experiments	353
7.2. The corrections to the Fermi coupling constant, G_F	361
7.3. Polarised electron scattering experiments	365
7.4. Conclusions	371
APPENDIX 1. THE SOLUTION OF TENSOR EQUATIONS⁽⁵⁶⁾	372
APPENDIX 2. THE DIMENSIONAL REGULARISATION METHOD	373
A.2.1. Feynman parametrisation	373
A.2.2. Formulae of dimensional regularisation	375
APPENDIX 3. GAMMA MATRIX ALGEBRA	379
A.3.1. Trace identities	380
A.3.2. Matrix identities	380
A.3.3. ϵ -tensor identities	381
A.3.4. Matrices between Dirac spinors	381
A.3.5. V, A matrices	382
APPENDIX 4. TADPOLE CONTRIBUTIONS TO BOSON SELF-ENERGIES	383
APPENDIX 5. CALCULATION OF PARAMETER INTEGRALS	385
APPENDIX 6. NUMERICAL ANALYSIS OF THE RESULTS	395
A.6.1. Boson self-energies	397
A.6.2. Weak corrections to the ν -scattering cross-sections	397
A.6.3. Photonic corrections to the ν -scattering cross-sections	398
A.6.4. Weak corrections to $e-D$ scattering asymmetry	403
APPENDIX 7. A NOTE ON THE MINIMAL SUBTRACTION SCHEME	403
A.7.1. QED	405
A.7.2. GWS model	406
REFERENCES	407

DOUBLE BETA DECAY*

W. C. HAXTON

*Department of Physics, Princeton University, Princeton, NJ 08540 and
Theoretical Division, Los Alamos National Laboratory, Los Alamos, NM 87545, U.S.A.*†

and

G. J. STEPHENSON, Jr.

Physics and Theoretical Divisions, Los Alamos National Laboratory, Los Alamos, NM 87545, U.S.A.

CONTENTS

1. INTRODUCTION	410
2. EXPERIMENTAL EVIDENCE	413
2.1. Occurrence of $\beta\beta$ decay	413
2.2. Direct detection experiments	417
2.3. Geochemical half life determinations	421
2.4. Radiochemical experiments	425
3. THEORETICAL TREATMENT	425
3.1. The Hamiltonian	425
3.2. The neutrino mass matrix and CP properties	427
3.3. Derivation of two-nucleon 2ν and $0\nu \beta\beta$ decay rates	430
3.3.1. Two-nucleon mechanism for $2\nu 0^+ \rightarrow 0^+$ decay in the standard model	430
3.3.2. Two-neutrino $0^+ \rightarrow 1^+$ and $0^+ \rightarrow 2^+$ decays	435
3.3.3. Two-nucleon mechanism for $0\nu 0^+ \rightarrow 0^+$ decays	436
3.3.4. Neutrinoless $0^+ \rightarrow 1^+$ and $0^+ \rightarrow 2^+$ decays	440
3.4. The neutrino propagator for light and heavy neutrinos	443
3.4.1. First approximation: Light or heavy neutrinos	443
3.4.2. Light neutrinos	444
3.4.3. Effects due to finite nuclear size	444
3.4.4. Correlations	445
3.5. The neutrino mass in $\beta\beta$ and constraints imposed by CP conservation	445
3.5.1. Dirac limit	446
3.5.2. Majorana limit	447
3.5.3. Dominant right-handed mass limit	447
3.5.4. Pseudo-Dirac limit	447
3.6. Transitions involving nucleon isobars	448
3.7. Mechanisms beyond the standard model	450
3.8. Positron-emitting electron capture and double electron capture	451
4. NUCLEAR STRUCTURE	452
4.1. General observations	452
4.2. Nuclear calculations	453
4.3. Other structure studies	455
4.4. Theoretical approximations: Are there any surprises?	458
5. RATES FOR $\beta\beta$ DECAY AND LIMITS ON LEPTON NUMBER VIOLATION	459
5.1. $0^+ \rightarrow 0^+$ and $0^+ \rightarrow 2^+$ 2ν decay rates	459
5.2. $0^+ \rightarrow 0^+$ 0ν decay and light-mass neutrinos	460
5.3. $0^+ \rightarrow 0^+$ 0ν decay mediated by heavy neutrinos	469
5.4. $0^+ \rightarrow 2^+$ 0ν decay	471
6. SUMMARY AND CONCLUSIONS	472
APPENDIX: COULOMB CORRECTIONS AND PHASE-SPACE ESTIMATES OF 2ν HALF LIVES	473
REFERENCES	475

* Work performed under the auspices of the U.S. Department of Energy and the National Science Foundation.

† Permanent address.