

CONTENTS

Foreword	v
Best Paper Awards	vii
1993 International Cryogenic Materials Conference Board of Directors	ix

A – SUPERCONDUCTORS

High-Temperature Superconductors: Properties

Effect of Ag on Microstructure and Superconducting Properties of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_x$	1
H. Kumakura, T. Hasegawa, H. Kobayashi, H. Kitaguchi, K. Togano, and H. Maeda	
Dependence of the Angular Anisotropy of the Critical Current Density on Texture in Silver-sheathed Bi-2223 Tapes	9
J.O. Willis, J.Y. Coulter, E.J. Peterson, G.F. Chen, L.L. Daemen, L.N. Bulaevskii, M.P. Maley, G.N. Riley, W.L. Carter, S.E. Dorris, M.T. Lanagan, and B.C. Prorok	
Anisotropy of Critical Current in (Bi,Pb)–Sr–Ca–Cu–O Silver-sheathed Tapes	17
A. Nagata, S. Kamada, K. Sugawara, C. Takahashi, M. Komatsu, Y. Yaegashi, M. Nagano, and H. Takahashi	
Heavy Ion Irradiation of Bi-2223 Silver-clad Tapes for Superconducting Current Density Enhancement	25
A.P. Malozemoff, R. Wheeler IV, W.L. Carter, G.N. Riley, Jr., M.A. Kirk, L. Civale, and A.D. Marwick	
Anisotropy of Irreversibility Line in a Superconducting Bi-2223 Tape Wire	33
T. Matsushita, E.S. Otabe, M. Kiuchi, T. Hikata, and K. Sato	
Growth of Cu-free Phases in Bi(2212)	41
J. Polonka, M. Xu, J.E. Ostenson, A.I. Goldman, and D.K. Finnemore	
AC Losses in Bi-2223 Composite Tapes	45
J.J. Gannon, Jr., A.P. Malozemoff, M.J. Minot, F. Barengi, P. Metra, G. Vellego, J. Orehtsky, and M. Suenaga	

Specific Aspects of AC Losses in High- T_c Superconductors	53
K. Kwasnitza and S. Clerc	
Mechanical Properties of Fiber-Reinforced $\text{YBa}_2\text{Cu}_3\text{O}_x$ and $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_x$ Bars	63
K.C. Goretta, L.J. Martin, D. Singh, R.B. Poeppel, N. Chen, C.-Y. Chu, J.L. Routbort, and R.A. Gleixner	
Flux Pinning by Perovskite Type Impurities in $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$	71
K. Osamura, T. Kizu, and T. Oku	
Irreversibility Lines and Critical Currents in Neutron Irradiated MPMG $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ Superconductors	79
C. Czurda, M. Wacenovsky, H.W. Weber, and M. Murakami	
Flux Pinning Associated with Y_2BaCuO_5 Precipitates in Melt-Processed $\text{YBa}_2\text{Cu}_3\text{O}_x$	87
S. Sengupta, D. Shi, J.S. Luo, V.R. Todt, Z. Wang, C. Varanasi, P.J. McGinn, U. Balachandran, and K.C. Goretta	
Magnetic Properties of Melt-Processed $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ Crystals	95
S. Takebayashi, M. Tanaka, and M. Hashimoto	
Structures and Superconducting Properties of Tl-Base High- T_c Oxides Synthesized by a Diffusion Process	103
A. Kikuchi, T. Kinoshita, K. Tachikawa, and S. Haseyama	
Molecular Dynamics Simulations of Flux Line Lattice in High- T_c Superconductors	111
C.G. Tretiatchenko	
Routine Measurements of Specific Heat Capacity and Thermal Conductivity of High- T_c Superconducting Materials in the Range 4–300 K Using Modular Equipment	119
F. Pavese and V.M. Malishev	
Thermal Expansion of High- T_c -Superconducting Ceramics and Polycarbonate	125
U. Escher, E. Wöller, and E. Hegenbarth	

High-Temperature Superconductors: Processing

Advances in Long-Length BSCCO HTS Multifilamentary Composite Wire Development	131
M.J. Minot, W.L. Carter, J.J. Gannon, Jr., R.S. Hamilton, P.K. Miles, D.R. Parker, G.N. Riley, Jr., M. Rupich, M. Teplitsky, E.D. Thompson, and K. Zafar	
Processing and Properties of 2223 BiPbSrCaCuO Silver Sheathed Tapes	139
H.-W. Neumüller, M. Wilhelm, K. Fischer, A. Jenovelis, M. Schubert, and C. Rodig	
Fabrication of BSCCO-2212 Composite Conductors by Dip Coating and Powder-in-Tube Techniques	147
K.R. Marken, W. Dai, and S. Hong	
High- J_c Reproducibility of Ag-sheathed Bi-2212 Tapes	153
Y. Tanaka, T. Yanagiya, F. Matsumoto, and H. Maeda	

Effect of Final Cold Rolling on Flux Pinning in Multiply-processed Bi:2223 Powder-in-Tube Tapes	161
E.W. Collings, M.D. Sumption, S.X. Dou, and H.K. Liu	
Effects of Hot-Rolling on Powder-in-Tube BSCCO Tapes	169
J. Guo, J. Schwartz, Y.S. Cha, C.-T. Wu, and K.C. Goretta	
Highly Anisotropic Filaments in BSCCO-based Multifilamentary Tapes	177
G. Duperray and D. Legat	
Effect of Heat Treatment on Transport Critical Current Densities in Ag-clad Bi-based Superconducting Tapes	185
J. Chikaba	
The Effect of Sheath Material and Deformation Method on the Oxide Core Density, Filament Uniformity, and Critical Current Density of (Bi,Pb) ₂ Sr ₂ Ca ₂ Cu ₃ O _x Tapes	193
J.A. Parrell, S.E. Dorris, and D.C. Larbalestier	
Improving Critical Current Anisotropy in Bi-2212 Coatings through Controlled Flow of the Melt Formed in Partial Melt Processing	201
A.P. Baker, B.A. Glowacki, and R. Riddle	
The Development of Non-superconducting Phases during Melt Processing of Ag-sheathed 2212 Tapes	209
W. Zhang, R.D. Ray II, and E.E. Hellstrom	
Texture Formation in the Bi-System Superconductor	215
Z.P. Xi and L. Zhou	
The Role of Platinum in Melt-Processed YBa ₂ Cu ₃ O _{7-x} Superconductor with Y ₂ BaCuO ₅ Additions	221
G. Kozlowski and W.E. Endres	
Fabrication and Microstructural Development of Ag-clad TlBa ₂ Ca ₂ Cu ₃ O _x Tapes	229
A.C. Biondo, M.T. Lanagan, K.C. Goretta, J. Hu, D.J. Miller, C.-T. Wu, C.A. Youngdahl, B.L. Fisher, and R.B. Poeppel	

High-Temperature Superconductors: Applications

Magnetic Shielding of High- <i>T_c</i> Superconducting Plates	237
H. Fujimoto, T. Ban, T. Higuchi, H. Kamijo, K. Nemoto, and K. Ohno	
Improvement in Magnetic Shielding by Use of a Triple-Cylinder Configuration of Superconducting BPSCCO	245
T. Ohyama, M. Itoh, T. Minemoto, and K. Hoshino	
High- <i>T_c</i> Magnetic Shields Prepared by a Low Pressure Plasma Spray	253
Y. Shimbo, K. Niki, M. Kabasawa, and K. Tachikawa	
Influence of Wall Thickness on Magnetic Shielding Effects of BPSCCO Cylinders	261
M. Itoh	

Plasma Sprayed High- T_c Layers for Magnetic Shielding	271
H. Hemmes, R. Chaouadi, W. Aschern, M. Pont, H. Rogalla, J. Cornelis, D. Stöver, and J.S. Muñoz	
High- T_c Oxide Current Leads and Superconducting Magnet Using No Liquid Helium	281
Y. Yamada, J. Sakuraba, T. Hasebe, F. Hata, C.K. Chong, M. Ishihara, and K. Watanabe	
Fabrication, Properties, and Microstructures of High- T_c Tapes and Coils Made from Ag-clad Bi-2223 Superconductors	289
U. Balachandran, A.N. Iyer, C.A. Youngdahl, L.R. Motowidlo, J.G. Hoehn, Jr., and P. Haldar	
Development of Superconducting Coil Using Bi-2212/Ag Tapes	297
N. Tomita, J. Shimoyama, H. Kitaguchi, H. Kumakura, K. Togano, H. Maeda, H. Fujii, and K. Nomura	
Recent Results on Test Windings and Coils of Bi-2212/Ag HTSC Wires	305
J. Tenbrink and H. Krauth	
Fabrication and Characteristics of a Test Magnet from HTS Bi-2223 Silver-clad Tapes	313
P. Haldar, J.G. Hoehn, Jr. L.R. Motowidlo, U. Balachandran, and Y. Iwasa	
Oxide Superconducting Magnets Operating near 20 K	319
S. Hayashi, T. Egi, T. Hase, K. Shibutani, R. Ogawa, and Y. Kawate	
Test Results of Two Small, High-Temperature Superconducting Coils	327
J.W. Lue, S.W. Schwenterly, M.S. Lubell, J.N. Luton, M.D. Manlief, C.H. Joshi, E.R. Podtburg, and L. J. Masur	

High-Temperature Superconductors: Films and Devices

Superconductive Electronics with High Transition Temperature Films	335
A. Davidson, J. Talvacchio, M.G. Forrester, and J.R. Gavaler	
Design of Josephson Junctions for X-Ray Detection with a Smaller Quasiparticle Loss at the Edges	345
J.G. Gijsbertsen, E.P. Houwman, J. Flokstra, and H. Rogalla	
Bi-epitaxial Template Grain Boundary Weak Links on MgO: High T_c Josephson Junctions	353
R.P.J. IJsselsteijn, J.W.M. Hilgenkamp, D. Terpstra, J. Flokstra, and H. Rogalla	
SNS Josephson Junctions and DC SQUIDS	361
R. Wunderlich, J. Langer, B. Meyer, and J. Müller	
High T_c DC SQUIDS Based on Various Types of Josephson Junctions and Planar Coil Fabrication	369
J.W.M. Hilgenkamp, R.P.J. IJsselsteijn, G.C.S. Brons, I.H. Huisman, A.J.H.M. Rijnders, J. Flokstra, and H. Rogalla	
Electric-Field-Effect Devices Based on Partially Oxygen-depleted, Superconducting Y-Ba-Cu-O Thin Films	377
W. Kula and R. Sobolewski	

Fabrication of High- T_c Superconducting Electronic Devices Using the Laser-Writing Technique	385
W. Xiong, W. Kula, and R. Sobolewski	
The E - J Characteristic of YBaCuO Films Determined by Inductive Measurements	393
W. Schauer, V. Windte, M. Dickgießer, D. Yin, C. Neumann, W. Maurer, and H. Reiner	
Superconducting Transport Properties, Mechanisms of Growth, and Microstructure of Deposited HTSC Materials	401
V.M. Pan, V.L. Svetchnikov, A.L. Kasatkin, and V.S. Flis	
Growth and Microstructure of YBa ₂ Cu ₃ O _{7-x} Thin Films for Superconductor Devices	409
N. Savvides, A. Katsaros, C.P. Foley, and G.J. Sloggett	
In Situ MOCVD of Dielectric Materials for High- T_c Superconducting Devices	417
B. Han, D.A. Neumayer, B.H. Goodreau, and T.J. Marks	
Cryoconductors and Stabilizers	
Anomalous Magnetoresistance Mechanisms	425
O.R. Christianson and J.H. Parker, Jr.	
Magnetoresistivity and Size Effects in Aluminum Hyperconductors	435
R.K. Dawless, M.K. Premkumar, W.N. Lawless, C.F. Clark, J.C. Ho, and A. Austen	
Residual Resistivity Measurements on High RRR Aluminum by the Eddy Current Decay Method	443
K.T. Hartwig and H. Zho	
Hall Current in Aluminum-Copper Composite	451
H. Kaneko	
Experimental Observation of Anomalous Magnetoresistivity in 10–20 kA Class Aluminum-Stabilized Superconductors for the Large Helical Device	459
N. Yanagi, T. Mito, K. Takahata, M. Sakamoto, A. Nishimura, S. Yamada, S. Imagawa, S. Yamaguchi, H. Kaneko, T. Satow, J. Yamamoto, and O. Motojima	
Analysis of Anomalous Resistivity in an Aluminum Stabilized Superconductor for the Large Helical Device	469
S. Imagawa, N. Yanagi, T. Mito, T. Satow, J. Yamamoto, and O. Motojima	
Magnetoresistance of SSC Beam Tube Samples	479
V.T. Kovachev, M.J. Neal, J. Zbasnik, M. Tuli, P.G. Cline, F.Y. Clark, Q.S. Shu, and J.M. Suentjens	
Magnetoresistance of Gallium at Liquid Helium Temperatures and Related Transport Phenomena	487
T.H.K. Frederking and V. Purdy	
Thermal Stabilization of Ceramic Superconductors	495
W.N. Lawless and C.F. Clark	

Low-Temperature Superconductors: AC Loss

AC Losses of Rutherford-Type Superconducting Cables	501
T. Shintomi, A. Kimura, Y.Z. Lei, A. Terashima, and H. Hirabayashi	
AC Losses of a Prototype 10-kA Cable-in-Conduit NbTi Superconductor for SMES Applications	509
K. Kwasnitza, A. Sultan, S. Al-Wakeel, and D. Salathé	
Magnetic Hysteresis Losses and Critical Current Densities in Submicron Filament Bronze-Processed Nb ₃ Sn Wires	513
S. Sakai, K. Miyashita, K. Kamata, M. Kobayashi, K. Tachikawa, and H. Tanaka	
The Effect of Transverse Pressure on the Inter-strand Coupling Loss of Rutherford Type of Cables	521
A.P. Verweij, A. den Ouden, B. Sachse, and H.H.J. Ten Kate	
Influence of Stochastic Contact Resistances on Coupling Losses	529
E.M.J. Niessen and R.M.J. van Damme	
Coupling Losses for Superconducting Cables in Pulsed Fields	537
V.E. Sytnikov and I.B. Peshkov	
Electromagnetic Properties of Nb–Ti Superconducting Wires with Cu–Ni–Mn Matrix for AC Use	543
K. Miyashita, M. Toyama, S. Sakai, K. Kamata, and H. Tanaka	
Measurement of AC Penetration Depth in Superconducting Wires with Fine Filaments	551
T. Matsushita, E.S. Otabe, M. Iwakuma, K. Funaki, K. Yamafuji, O. Miura, K. Matsumoto, and Y. Tanaka	

Low-Temperature Superconductors: Stability

AC Losses and Magnet Research	559
H.H.J. ten Kate	
Superconducting State Stability	569
R.G. Mints	
Influence of Cable and Twist Pitch Interactions on Eddy Currents in Multifilamentary Strands Calculated Using an Anisotropic Continuum Model	579
M.D. Sumption and E.W. Collings	
Current Degradation in Superconducting AC Coils—Causes and Stabilization	589
O. Tsukamoto, N. Amemiya, and I. Hlásnik	
Transient Response of a Composite Superconducting Wire in Spatially Periodical Longitudinal A.C. Magnetic Fields	599
E.M.J. Niessen, R.M.J. van Damme, and P.J. Zandbergen	
Propagating Normal Domains in Large Composite Superconductors with Transition Layer	607
V.S. Kovner and R.G. Mints	

Cryocooler Materials

The Heat Capacity Characteristics of Er ₃ Ni below 20 K	617
E.L. Hershberg, I.E. Anderson, M.G. Osborne, M.F. Hundley, and J.L. Smith	
Theory and Experiment for Rare-Earth Magnetic Regenerative Materials	625
S. Li, Y. Mao, H. Zhao, H. Pan, Z. Huang, and S. Ge	
Centrifugal Atomization of Neodymium and Er ₃ Ni Regenerator Particulate	631
M.G. Osborne, I.E. Anderson, K.A. Gschneidner, Jr., M.J. Gailloux, and T.W. Ellis	
Improvement of Two-Stage GM Refrigerator Performance Using a Hybrid Regenerator	639
G. Ke, H. Makuuchi, T. Hashimoto, A. Onishi, R. Li, T. Satoh, and Y. Kanazawa	
Properties of a Ductile Magnetic Refrigerant	647
C.B. Zimm	
Effect of High Entropy Magnetic Regenerator Materials on Power of the GM Refrigerator	655
T. Hashimoto, M. Yabuki, T. Eda, T. Kuriyama, and H. Nakagome	
Regenerator Matrix Materials Based on Ceramic Composites	663
W.N. Lawless	

Cryoconductors

Resistivity and RRR Measurements on Grooved SMES Aluminum Stabilizer Bar by the Eddy Current Decay Method	669
C.Y. Hua, J. Harper, and K.T. Hartwig	
Strand Joint Losses in Superconductors Employing Monolithic High Purity Aluminum Stabilizers	677
T. Kupiszewski and O.R. Christianson	
Annealing Study on Aluminum Composite Cryoconductors	685
P. Sundby and K.T. Hartwig	
Electrical and Mechanical Behavior of Micro-alloyed Aluminum (RRR > 2500) at 4.2 K	693
L.C. McDonald and K.T. Hartwig	
Eddy Current Determination of the Effects of Cyclic Strain and Temperature on the Magnetoresistivity of Pure Aluminum	701
L.C. McDonald and K.T. Hartwig	

Low-Temperature Superconductors: NbTi

Transition Temperatures and Upper Critical Fields in Multifilamentary NbTi Wires . . .	709
M. Suzuki and S. Mitsuhashi	
Influence of Manganese on the Upper Critical Field of Two Series of β -quenched and Precipitation-heat-treated NbTi Alloys	717
D.S. Pyun and E.W. Collings	

Restricted Novel Heat Treatments for Obtaining High J_c in Nb-46.5 Wt. % Ti:	
II. Prestrain Dependence	725
P.J. Lee, J.C. McKinnell, and D.C. Larbalestier	
Calculating the J_c , B , T Surface for Commercial Niobium Tin Conductors	
Using a Reduced State Model	733
M.A. Green	
Filament Area Variations and Critical Current in Nb-Ti Superconducting	
Composites	741
G. Narang and W.H. Warnes	
A Test for Gaussian Critical Current Distributions in $\text{Bi}_2\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_{10}$	
and Nb-Ti Superconducting Wires	749
H.S. Edelman and D.C. Larbalestier	
The Influence of Niobium and Niobium-Titanium Grain Size on the Drawing	
Instability of Niobium Diffusion Barriers in Niobium-Titanium Wire	755
R.W. Heussner, P.J. Lee, P.D. Jablonski, and D.C. Larbalestier	
Prevention of Barrier Degradation in Fine Filament NbTi Conductor Produced	
from As-cast NbTi Ingot	763
M.K. Rudziak, J. Wong, and D.G. Frost	
Production and Quality Control of High Homogeneity Niobium 47 Weight Percent	
Titanium for Accelerator Applications	771
D.B. Smathers, J. Tosdale, B. VanDoren, P. O'Larey, and D. Leonard	
Closely Spaced Fine Filament Multifilamentary NbTi Strands	779
E. Gregory, H. Liu, and J.M. Seuntjens	
Development of 32 and 34 Strand Inner Cables for the SSCL	
Make Magnet Program	787
J.M. Seuntjens, P.G. Cline, S.O. Graham, C.R. Hannford,	
and V.T. Kovachev	
Quantification of Second Phase Morphology in SSCL VQP Samples	793
J.M. Seuntjens, F.Y. Clark, T.J. Headley, A.C. Kilgo, and N.Y.C. Yang	
Field and Length Dependence of the Creep Rate in Proximity Effect	
Multifilamentary Strands	799
M.D. Sumption and E.W. Collings	
Transverse Resistivities of Cu-Matrix and CuMn-Matrix Multifilamentary Strands	
as Functions of Magnetic Field and Temperature	807
M.D. Sumption and E.W. Collings	
Longitudinal Component Resistivities of Multifilamentary Composite Strands—	
Influences of Size Effect and Filament/Matrix Interdiffusion	815
D.S. Pyun and E.W. Collings	
Mechanics of Nb-Ti Superconducting Composites	823
Z. Guo and W.H. Warnes	
Magnetic Susceptibility Studies of the Influences of Thermomechanical Processing	
and Mn Addition on Phase Stability and Precipitation in NbTi Alloys	831
D.S. Pyun, R.D. Smith, and E.W. Collings	

Low-Temperature Superconductors: A-15 Compounds

An Analysis of the Nb ₃ Sn Critical Current Data Obtained in VAMAS Round Robins	839
C.R. Walters	
Characteristics of High Temperature Operation in a Conduction Cooled (Nb,Ti) ₃ Sn Superconducting Magnet	847
K. Watanabe, S. Awaji, Y. Yamada, J. Sakuraba, F. Hata, C.K. Chong, T. Hasebe, and M. Ishihara	
Effect of the Void-Fraction on the Property of the Nb ₃ Sn Cable-in-Conduit Conductor	853
M. Nishi, K. Yamamoto, T. Sasaki, Y. Wadayama, A. Miyake, H. Hanawa, Y. Takaya, H. Tsuji, M. Ono, Y. Wachi, S. Hanawa, M. Shimada, T. Hamajima, T. Takano, and T. Fujioka	
The Characterization of Nb ₃ Sn Conductors for High Field Magnet	861
H. Kurahashi, Y. Monju, M. Shimada, M. Taneda, S. Hayashi, R. Ogawa, and Y. Kawate	
The Reduction of the Critical Current under Transverse Pressure in a New TWCA MJR Cabled Conductor	867
J.M. van Oort, R.M. Scanlan, H.W. Weijers, and H.H.J. Ten Kate	
The Influence of Various Strain Components on the Critical Parameters of Layer Shaped Nb ₃ Sn	875
B. Ten Haken, A. Godeke, and H.H.J. Ten Kate	
(Nb,Ti) ₃ Sn Multifilamentary Wires with Cu-Nb Reinforcing Stabilizer	883
K. Goto, M. Sugimoto, S. Saito, O. Kohno, S. Awaji, and K. Watanabe	
V ₃ Si Multifilamentary Superconductor with High Overall J_c	891
T. Takeuchi, K. Inoue, M. Kosuge, Y. Iijima, and K. Watanabe	
Nb ₃ Al Multifilament Wires Continuously Fabricated by Rapid-Quenching	899
Y. Iijima, M. Kosuge, T. Takeuchi, and K. Inoue	
Development of Nb ₃ Al/Cu Multifilamentary Superconductors	907
Y. Yamada, N. Ayai, K. Takahashi, K. Sato, M. Sugimoto, T. Ando, Y. Takahashi, and M. Nishi	
High J_c Nb ₃ Sn Wire Processed by Internal Tin Diffusion Method	915
H. Higuma, Y. Kubo, S. Miyashita, K. Egawa, T. Nagai, F. Uchikawa, and K. Sato	
Superconducting Properties and Structures of A15 Nb ₃ (Al,Ge) Tape Fabricated by a New Process	923
K. Sakinada, M. Kobayashi, M. Natsuume, and K. Tachikawa	
Development of a High J_c Bronze Route Nb ₃ Sn Conductor Using Nb-Ta Composite Filaments	931
K. De Moranville, D. Yu, and J. Wong	
The Effect of Artificial Pinning Centers on the Superconducting Properties of Nb and Nb ₃ Sn	939
R. Zhou, S. Hong, K.R. Marken, and B.H. Kear	
Increased Superconducting Critical Current Density in Internal Tin Niobium-Tin (Nb ₃ Sn) Composite Wires by Magnesium Doping	945
J.C. McKinnell, M.B. Siddall, P.M. O'Larey, and D.B. Smathers	

Nb ₃ Sn Thin Film and Microstructure Made by RF Magnetron Sputtering Process with a Nb ₃ Sn Single Target	953
K. Agatsuma, H. Tateishi, K. Arai, T. Saitoh, N. Sadakata, and M. Nakagawa	

