

## B - STRUCTURAL MATERIALS

### Nonmetallic Composites: Properties and Radiation Resistance

|  |      |
|--|------|
| Status and Future of Fibre Composites . . . . .  | 961  |
| G. Hartwig   |      |
| Shear/Compressive Tests for ITER Magnet Insulation . . . . .   | 977  |
| N.J. Simon, E.S. Drexler, and R.P. Reed  |      |
| Inorganic and Hybrid Insulation Materials for ITER . . . . .   | 985  |
| J.B. Schutz and R.P. Reed  |      |
| Application of Pitch-Type Carbon Fiber Reinforced Plastics for<br>Cryogenic Thermal Shielding . . . . .  | 993  |
| B. Rugaiganisa, S. Nishijima, T. Okada, K. Nojima, and K. Asano  |      |
| Small Specimens and New Testing Techniques for Fiber Reinforced Plastics in<br>the Crack Opening Mode (Mode I) and in the Shear Mode (Mode II) . . . . . | 999  |
| K. Humer, E.K. Tscheegg, and H.W. Weber  |      |
| Properties of Candidate ITER Vacuum Impregnation Insulation Systems . . . . .  | 1007 |
| P.E. Fabian, J.B. Schutz, C.S. Hazelton, and R.P. Reed   |      |
| Tensile and Shear Fracture Behavior of Fiber Reinforced Plastics at 77 K<br>Irradiated by Various Radiation Sources . . . . .                            | 1015 |
| K. Humer, H.W. Weber, E.K. Tscheegg, S. Egusa, R.C. Birtcher,<br>and H. Gerstenberg  |      |
| Static and Fatigue Properties of UD Carbon Fibre Composites at 77 K . . . . .  | 1025 |
| K. Pannkoke  |      |
| Effects of Surface Treatment with Plasma on Adhesive Strengths at<br>Cryogenic Temperature . . . . .   | 1035 |
| S. Nishijima, S. Ueno, M. Nunogaki, T. Okada, and S. Namba   |      |
| Compression Strength of Composite Tubular Struts for<br>Superconducting Magnetic Energy Storage . . . . .  | 1043 |
| C. Miller and D. Cotter  |      |
| Glass Fiber Reinforced Plastics for Cryogenic Use: Improvement of<br>Thermal Contraction and Elastic Modulus in Thickness Direction . . . . .            | 1051 |
| S. Nishijima, K. Nojima, K. Asano, A. Nakahira, T. Okada,<br>and K. Niihara  |      |
| Dielectric Strength of Candidate ITER Insulation Materials . . . . .   | 1059 |
| J.B. Schutz, J.B. Darr, and R.P. Reed  |      |
| Tensile Creep Response of CTD-101 S-2 Glass Reinforced Composites at 76 K . . . . .  | 1067 |
| C.S. Hazelton, J.B. Darr, and R.P. Reed  |      |
| Effects of Synergistic Irradiation and Stress on FRP at Cryogenic Temperatures . . . . .   | 1075 |
| T. Nishiura, S. Nishijima, and T. Okada  |      |

|  |      |
|--|------|
| <b>Effect of Cure on the Radiation Resistance of Superconducting Magnet Resin Systems</b> . . . . .  | 1083 |
| N.A. Munshi  |      |
| <b>A Low Cost Support Post for SSC Quadrupole Magnets and Other Cryogenic Applications</b> . . . . .   | 1091 |
| M.W. Hiller, R.J. Kunz, G.A. Lehmann, and M.J. Nilles  |      |
| <b>The Measurement of Thermal Conductivity of Plastics at Cryogenic Temperatures—A Discussion of Contact Resistance Problems and One's Naiveté</b> . . . . . | 1099 |
| J. Sondericker, W. DeVito, and D. Zantopp  |      |
| <b>Support Elements with Negative Thermal Expansion</b> . . . . .  | 1107 |
| G. Hartwig, K. Enders, and O. Haider   |      |

### **Resins: Properties and Radiation Resistance**

|  |      |
|--|------|
| <b>Fracture Toughness and Relaxation of Epoxy Resins at Cryogenic Temperatures</b> . . . . .   | 1113 |
| F. Sawa, S. Nishijima, Y. Ohtani, K. Matsushita, and T. Okada  |      |
| <b>Fracture Properties of Polymers at Cryogenic Temperatures</b> . . . . .   | 1121 |
| G. Hartwig and T. Saatkamp   |      |
| <b>Tensile Properties of Resins at Low Temperatures</b> . . . . .  | 1129 |
| R.P. Reed and R.P. Walsh   |      |
| <b>Evaluation of Epoxy Resin by Positron Annihilation for Cryogenic Use</b> . . . . .  | 1137 |
| S. Nishijima, T. Okada, and Y. Honda   |      |
| <b>Thermal Expansion Measurements of Resins (4 K-300 K)</b> . . . . .  | 1145 |
| R.P. Walsh and R.P. Reed   |      |
| <b>Thermal and Dielectric Properties of Epoxy Resin at Low Temperatures after Irradiation and H<sub>2</sub> Permeation of Fibre Composites at Room Temperature</b> . . . . . | 1153 |
| M. Jäckel, U. Leucke, K. Jahn, F. Fietzke, and E. Hegenbarth   |      |
| <b>Reactor Irradiations at Temperatures below 6 K</b> . . . . .  | 1161 |
| H. Gerstenberg, E. Krähling, H. Katheder, and M. Söll  |      |
| <b>Low-Temperature Electron Irradiation of Insulating Films and Adhesives</b> . . . . .  | 1169 |
| A. Spindel, R.P. Reed, M. Tupper, J. Darr, and D. Pollock  |      |
| <b>A Spray-on Cryogenic Insulating Material for NASA which Prevents the Formation of Liquid Oxygen on Liquid Hydrogen Vent Lines</b> . . . . .                               | 1177 |
| M.L. Tupper, A.L. Pulley, E.F. Johnson, N.A. Munshi, P.E. Fabian, and J. O'Leary   |      |

### **Austenitic Steels: Properties and Magnetic Field Effects**

|   |      |
|---|------|
| <b>Effects of Deformation-Induced Twinning and Martensitic Transformation on the Cryogenic Mechanical Properties of Fe-19Mn-5Cr-(0.5)Al-0.2C Alloys</b> . . . . . | 1183 |
| B.W. Oh, S.J. Cho, S.H. Hong, Y.G. Kim, W.J. Kim, and Y.P. Kim  |      |
| <b>VAMAS Tests of Structural Materials at Liquid Helium Temperature</b> . . . . .   | 1191 |
| T. Ogata, K. Nagai, and K. Ishikawa   |      |

|   |      |
|---|------|
| Strength and Toughness at 4 K of Forged, Heavy-Section 316LN . . . . .  | 1199 |
| E.S. Drexler, N.J. Simon, and R.P. Reed   |      |
| Effects of High Magnetic Fields on Martensitic Transformation at Cryogenic Temperatures for Variously Heat Treated Stainless Steels . . . . . | 1207 |
| K. Shibata, Y. Kurita, T. Shimonosono, Y. Murakami, S. Awaji, and K. Watanabe   |      |
| Cryogenic Fracture Behavior of 316LN in Magnetic Fields up to 14.6 T . . . . .  | 1215 |
| J.W. Chan, D. Chu, C. Tseng, and J.W. Morris, Jr.   |      |
| Effects of an 8 Tesla Magnetic Field on Tensile Deformation of Stainless Steels at 4 K . . . . .  | 1223 |
| Y. Kurita, T. Shimonosono, and K. Shibata   |      |
| Review of High Cycle Fatigue Properties of Structural Materials at Cryogenic Temperatures . . . . .   | 1231 |
| O. Umezawa, T. Ogata, T. Yuri, K. Nagai, and K. Ishikawa  |      |
| Simulations on Jacket Material Failure of NET-Superconductors by Surface Crack Growth in 316LN Type Materials at 12 K . . . . .               | 1239 |
| A. Nyilas, B. Obst, and A. Ulbricht   |      |
| Effect of Segregation on the Cryogenic Mechanical Properties of Some Precipitation-hardened Austenitic Alloys . . . . .                       | 1247 |
| A.C. Wang, Y.Y. Li, D.F. Li, X. Zhao, C.G. Fan, and C.X. Shi  |      |
| Thermal Conductivity of Commercially Available 21-6-9 Stainless Steel . . . . .   | 1255 |
| A. Yücel and J.R. Maddocks  |      |
| Effect of Delta-Ferrite on Properties of Welds in Austenitic Steels at Cryogenic Temperatures . . . . .                                       | 1263 |
| K.A. Yushchenko, V.S. Savchenko, A.M. Solokha, and S.A. Voronin   |      |
| Cyclic Strength and Fatigue Life on Base Metal and Welded Joints of Candidate Steels for ITER Applications . . . . .                          | 1267 |
| V.N. Maley, S.A. Voronin, R.V. Chvartatsky, and S.V. Gavrilov   |      |
| Mechanism of the Effect of Cr on the Low-Temperature Toughness of High-Mn Austenitic Steels . . . . .   | 1275 |
| K.S. Xue, J.J. Zhang, E.L. Rong, X.M. Jing  |      |
| Effect of Hydrogen on Mechanical Properties of EB-Welded Joints of JBK-75 Steel from Ambient to Cryogenic Temperatures . . . . .              | 1283 |
| Y.Y. Li, L.M. Ma, G.J. Liang, Q.H. Gui, and Z.K. Li   |      |

### Nickel-Base Alloys: Properties

|  |      |
|--|------|
| Stress Accelerated Grain Boundary Oxidation of Incoloy Alloy 908 in High Temperature Oxygenous Atmospheres . . . . . | 1291 |
| M.M. Morra, S. Nicol, L. Toma, I.S. Hwang, M.M. Steeves, and R.G. Ballinger  |      |
| Growth of Small Fatigue Cracks in Incoloy-908 . . . . .  | 1299 |
| Z. Mei, C. Krenn, and J.W. Morris, Jr.   |      |
| Thermomechanical Process Effects on Hardness and Grain Size in Incoloy® Alloy 908 . . . . .                          | 1307 |
| L.S. Toma, I.S. Hwang, M.M. Steeves, and R.N. Randall  |      |

|   |      |
|---|------|
| Fatigue Crack Thresholds of a Nickel-Iron Alloy<br>for Superconductor Sheaths at 4 K . . . . .    | 1315 |
| R.L. Tobler and I.S. Hwang  |      |
| Development of High Toughness Weld for Incoloy Alloy 908 . . . . .                                | 1323 |
| C.H. Jang, I.S. Hwang, R.G. Ballinger, and M.M. Steeves   |      |
| Mechanical Properties of Large Ni-Base Superalloy Forgings<br>at Cryogenic Temperatures . . . . . | 1331 |
| O. Matsumoto, M. Kohno, T. Honjo, K. Hirose, M. Okamura,<br>K. Hattori, Y. Tsuda, and N. Suzuki   |      |

### Aluminum Alloys: Properties

|   |      |
|---|------|
| On a Dislocation-Crack Tip Model in Cyclic Al-Li Alloy . . . . .  | 1339 |
| A. Bussiba and Y. Katz  |      |
| The Tensile Fracture of Ag-containing Al-Li-Cu-Mg-Zr Alloys . . . . .   | 1347 |
| X.J. Jiang, Y.Y. Li, and C.X. Shi   |      |
| Influence of Grain Structure and Solute Composition on the Work Hardening<br>Behavior of Aluminum at Cryogenic Temperatures . . . . . | 1355 |
| D. Chu and J.W. Morris, Jr.   |      |
| Effect of Minor Yttrium Additions on the Mechanical Properties of<br>8090 Al-Li Alloy at Ambient and Cryogenic Temperatures . . . . . | 1363 |
| Y.Y. Li, Q.H. Gui, L.M. Ma, and X.J. Jiang  |      |
| Effects of Scandium on the Microstructure and Tensile Behavior<br>of Al-Li-Cu-Mg-Zr Alloy . . . . .                                   | 1369 |
| X.J. Jiang, Y.Y. Li, W. Deng, L.Y. Xiong, W.M. Wu,<br>Y.J. Gao, and C.X. Shi  |      |
| Electrical Characteristics of Al-Y Dilute Alloys under Low-Temperature<br>Plastic Deformation . . . . .                               | 1377 |
| S. Demyanov, A. Drozd, A. Petrov, and S. Zakatov  |      |

### Special Low-Temperature Mechanical-Property Phenomena

|   |      |
|---|------|
| Mechanical Properties of High RRR Niobium at Cryogenic Temperatures . . . . .                                     | 1383 |
| M.G. Rao and P. Kneisel   |      |
| Criterion of Geometric Instability for the Process of Plastic Deformation<br>of Thin Specimens . . . . .          | 1391 |
| V.I. Eremin and V.D. Natsik   |      |
| Effect of Instability of Plastic Deformation during Creep<br>on Long-Term Strength of Metals and Alloys . . . . . | 1399 |
| V.I. Eremin   |      |
| Fracto-Emission from Single Crystals of Quartz at a Cryogenic Temperature . . . . .                               | 1407 |
| S. Koyama, S. Owaki, and T. Okada   |      |

## **Coil Pack, Divertor, and Diode Materials and Analyses**

|   |      |
|---|------|
| Experimental Rigidity Evaluation of Conduit Pack for Forced-Flow<br>Superconducting Coil . . . . .              | 1413 |
| A. Nishimura, H. Tamura, S. Imagawa, T. Mito, K. Takahata,<br>J. Yamamoto, S. Mizumaki, H. Ogata, and H. Takano |      |
| Analysis of Mechanical Rigidity Simulates Superconducting Coil Pack<br>at Low Temperature . . . . .             | 1421 |
| H. Tamura, Y. Takagi, Y. Shindo, A. Nishimura, T. Mito,<br>J. Yamamoto, O. Motojima, and LHD group              |      |
| Materials Selection, Qualification and Manufacturing of the In-Vessel<br>Divertor Cryopump for JET . . . . .    | 1429 |
| S. Papastergiou, W. Obert, and E. Thompson  |      |
| Radiation Resistant Quench Protection Diodes for the LHC . . . . .  | 1437 |
| D. Hagedorn and L. Coull  |      |

## **INDEXES**

### **Volume 40**

|                           |      |
|---------------------------|------|
| Author Index . . . . .    | 1445 |
| Materials Index . . . . . | 1449 |
| Subject Index . . . . .   | 1453 |

### **Volumes 22–40**

|                           |      |
|---------------------------|------|
| Materials Index . . . . . | 1459 |
| Subject Index . . . . .   | 1469 |

