



# ANALYTICAL TABLE OF CONTENTS.

## CHAPTER I.

	PAGES
INTRODUCTION .....	1-29

ART. 1. List of some important homogeneous linear partial differential equations of Physics. — ARTS. 2-4. Distinction between *the general solution* and a *particular solution* of a differential equation. Need of additional data to make the solution of a differential equation determinate. Definition of *linear* and of *linear and homogeneous*. — ARTS. 5-6. Particular solutions of homogeneous linear differential equations may be combined into a more general solution. Need of development in terms of normal forms. — ART. 7. Problem: Permanent state of temperatures in a thin rectangular plate. Need of a development in *sine series*. Example. — ART. 8. Problem: Transverse vibrations of a stretched elastic string. A development in *sine series* suggested. — ART. 9. Problem: Potential function due to the attraction of a circular ring of small cross-section. Surface Zonal Harmonics (Legendre's Coefficients). Example. — ART. 10. Problem: Permanent state of temperatures in a solid sphere. Development in terms of Surface Zonal Harmonics suggested. — ARTS. 11-12. Problem: Vibrations of a circular drumhead. Cylindrical Harmonics (Bessel's Functions). Recapitulation. — ART. 13. Method of making the solution of a linear partial differential equation depend upon solving a set of ordinary differential equations by assuming the dependent variable equal to a product of factors each of which involves but one of the independent variables. ARTS. 14-15. Method of solving ordinary homogeneous linear differential equations by development in power series. Applications. — ART. 16. Application to Legendre's Equation. Several forms of general solution obtained. Zonal Harmonics of the second kind. — ART. 17. Application to Bessel's Equation. General solution obtained for the case where  $m$  is not an integer, and for the case where  $m$  is zero. Bessel's Function of the second kind and zeroth order. — ART. 18. Method of obtaining the general solution of an ordinary linear differential equation of the second order from a given particular solution. Application to the equations considered in Arts. 14-17.

## CHAPTER II.

DEVELOPMENT IN TRIGONOMETRIC SERIES.....	30-54
--	-------

ARTS. 19-22. Determination of the coefficients of  $n$  terms of a sine series so that the sum of the terms shall be equal to a given function of  $x$  for  $n$  given values of  $x$ . Numerical example. — ART. 23. Problem of development in sine series treated as a limiting case of the problem just solved. — ARTS. 24-25. Shorter method of solving the problem of development in series involving sines of whole multiples of the variable. Working rule deduced. Recapitulation. — ART. 26. A

few important sine developments obtained. Examples. — ARTS. 27–28. Development in cosine series. Examples. — ART. 29. Sine series an odd function of the variable, cosine series an even function, and both series periodic functions. — ART. 30. Development in series involving both sines and cosines of whole multiples of the variable. Fourier's series. Examples. — ART. 31. Extension of the range within which the function and the series are equal. Examples. — ART. 32. Fourier's Integral obtained.

### CHAPTER III.

#### CONVERGENCE OF FOURIER'S SERIES ..... 55–68

ARTS. 33–36. The question of the convergence of the sine series for unity considered at length. — ARTS. 37–38. Statement of the conditions which are sufficient to warrant the development of a function into a Fourier's series. Historical note. ART. 39. Graphical representation of successive approximations to a sine series. Properties of a Fourier's series inferred from the constructions. — ARTS. 40–42. Investigation of the conditions under which a Fourier's series can be differentiated term by term. — ART. 43. Conditions under which a function can be expressed as a Fourier's Integral.

### CHAPTER IV.

#### SOLUTION OF PROBLEMS IN PHYSICS BY THE AID OF FOURIER'S INTEGRALS AND FOURIER'S SERIES ..... 69–134

ARTS. 44–48. *Logarithmic Potential*. Flow of electricity in an infinite plane, where the value of the Potential Function is given along an infinite straight line; along two mutually perpendicular straight lines; along two parallel straight lines. Examples. Use of Conjugate Functions. Sources and Sinks. Equipotential lines and lines of Flow. Examples. — ARTS. 49–52. *One-dimensional flow of heat*. Flow of heat in an infinite solid; in a solid with one plane face at the temperature zero; in a solid with one plane face whose temperature is a function of the time (Riemann's solution); in a bar of small cross section from whose surface heat escapes into air at temperature zero. Limiting state approached when the temperature of the origin is a periodic function of the time. Examples. — ARTS. 53–54. Temperatures due to instantaneous and to permanent heat sources and sinks, and to heat doublets. Examples. Application to the case where there is leakage. — ARTS. 55–56. Transmission of a disturbance along an infinite stretched elastic string. Examples. — ARTS. 57–58. Stationary temperatures in a long rectangular plate. Temperature of the base unity. Summation of a Trigonometric series. Isothermal lines and lines of flow. Examples. — ART. 59. Potential Function given along the perimeter of a rectangle. Examples. — ARTS. 60–63. One-dimensional flow of heat in a slab with parallel plane faces. Both faces at temperature zero. Both faces adiathermanous. Temperature of one face a function of the time. Examples. — ART. 64. Motion of a stretched elastic string fastened at the ends. Steady vibration. Nodes. Examples. — ART. 65. Motion of a string in a resisting medium. — ART. 66. Flow of heat in a sphere whose surface is kept at a constant temperature. — ARTS. 67–68. *Cooling of a sphere in air*. Surface condition given by a differential equation. Development in a Trigonometric series of which Fourier's Sine Series is a special case. Examples. —

	PAGES
ARTS. 69-70. Flow of heat in an infinite solid with one plane face which is exposed to air whose temperature is a function of the time. Solution for an instantaneous heat source when the temperature of the air is zero. Examples. —	
ARTS. 71-73. <i>Vibration of a rectangular drumhead.</i> Development of a function of two variables in a double Fourier's Series. Examples. Nodal lines in a rectangular drumhead. Nodal lines in a square drumhead.	
MISCELLANEOUS PROBLEMS .....	135-143
<p>I. Logarithmic Potential. Polar Coördinates. — II. Potential Function in Space.                      III. Conduction of heat in a plane. — IV. Conduction of heat in Space.</p>	

CHAPTER V.

ZONAL HARMONICS.....	144-194
<p>ART. 74. Recapitulation. Surface Zonal Harmonics (Legendrians). Zonal Harmonics of the second kind. — ARTS. 75-76. Legendrians as coefficients in a Power Series. Special values. — ART. 77. Summary of the properties of a Legendrian. List of the first eight Legendrians. Relation connecting any three successive Legendrians. — ARTS. 78-81. <i>Problems in Potential.</i> Potential Function due to the attraction of a material circular ring of small cross section. Potential Function due to a charge of electricity placed on a thin circular disc. Examples: Spheroidal conductors. Potential Function due to the attraction of a material homogeneous circular disc. Examples: Homogeneous hemisphere; Heterogeneous sphere; Homogeneous spheroids. Generalisation. — ART. 82. Legendrian as a sum of cosines. — ARTS. 83-84. Legendrian as the <math>m</math>th derivative of the <math>m</math>th power of <math>x^2 - 1</math>. — ART. 85. Equations derivable from Legendre's Equation. — ART. 86. Legendrian as a Partial Derivative. — ART. 87. Legendrian as a Definite Integral. ARTS. 88-90. <i>Development in Zonal Harmonic Series.</i> Integral of the product of two Legendrians of different degrees. Integral of the square of a Legendrian. Formulas for the coefficients of the series. — ARTS. 91-92. Integral of the product of two Legendrians obtained by the aid of Legendre's Equation; by the aid of Green's Theorem. Additional formulas for integration. Examples. — ARTS. 93-94. Problems in Potential where the value of the Potential Function is given on a spherical surface and has circular symmetry about a diameter. Examples. — ART. 95. Development of a power of <math>x</math> in Zonal Harmonic Series. — ART. 96. Useful formulas. — ART. 97. Development of <math>\sin n\theta</math> and <math>\cos n\theta</math> in Zonal Harmonic Series. Examples. Graphical representation of the first seven Surface Zonal Harmonics. Construction of successive approximations to Zonal Harmonic Series. ARTS. 98-99. Method of dealing with problems in Potential when the density is given. Examples. — ART. 100. Surface Zonal Harmonics of the second kind. Examples: Conal Harmonics.</p>	

CHAPTER VI.

SPHERICAL HARMONICS.....	195-218
<p>ARTS. 101-102. Particular Solutions of Laplace's Equation obtained. Associated Functions. Tesseral Harmonics. Surface Spherical Harmonics. Solid Spherical Harmonics. Table of Associated Functions. Examples. — ARTS. 103-108. <i>Development in Spherical Harmonic Series.</i> The integral of the product of two</p>	

Surface Spherical Harmonics of different degrees taken over the surface of the unit sphere is zero. Examples. The integral of the product of two Associated Functions of the same order. Formulas for the coefficients of the series. Illustrative example. Examples. — ARTS. 109–110. Any homogeneous rational integral Algebraic function of  $x$ ,  $y$ , and  $z$  which satisfies Laplace's Equation is a Solid Spherical Harmonic. Examples. — ART. 111. A transformation of axes to a new set having the same origin will change a Surface Spherical Harmonic into another of the same degree. — ARTS. 112–114. *Laplacians*. Integral of the product of a Surface Spherical Harmonic by a Laplacian of the same degree. Development in Spherical Harmonic Series by the aid of Laplacians. Table of Laplacians. Example. — ART. 115. Solution of problems in Potential by direct integration. Examples. — ARTS. 116–118. Differentiation along an axis. Axes of a Spherical Harmonic. — ART. 119. Roots of a Zonal Harmonic. Roots of a Tesseral Harmonic. Nomenclature justified.

## CHAPTER VII.

## CYLINDRICAL HARMONICS (BESSEL'S FUNCTIONS).....219–237

ART. 120. Recapitulation. Cylindrical Harmonics (Bessel's Functions) of the zeroth order; of the  $n$ th order; of the second kind. General solution of Bessel's Equation. — ART. 121. Bessel's Functions as definite integrals. Examples. — ART. 122. Properties of Bessel's Functions. Semi-convergent series for a Bessel's Function. Examples. — ART. 123. Problem: Stationary temperatures in a cylinder ( $a$ ) when the temperature of the convex surface is zero; ( $b$ ) when the convex surface is adiabatic; ( $c$ ) when the convex surface is exposed to air at the temperature zero. — ART. 124. Roots of Bessel's functions. — ART. 125. The integral of  $r$  times the product of two Cylindrical Harmonics of the zeroth order. Example. — ART. 126. Development in Cylindrical Harmonic Series. Formulas for the coefficients. Examples. — ART. 127. Problem: Stationary temperatures in a cylindrical shell. Bessel's Functions of the second kind employed. Example: Vibration of a ring membrane. — ART. 128. Problem: Stationary temperatures in a cylinder when the temperature of the convex surface varies with the distance from the base. Bessel's Functions of a complex variable. Examples. — ART. 129. Problem: Stationary temperatures in a cylinder when the temperatures of the base are unsymmetrical. Bessel's Functions of the  $n$ th order employed. Miscellaneous examples. Bessel's Functions of fractional order.

## CHAPTER VIII.

## LAPLACE'S EQUATION IN CURVILINEAR COÖRDINATES. ELLIPSOIDAL HARMONICS.....238–266

ARTS. 130–131. *Orthogonal Curvilinear Coördinates* in general. Laplace's Equation expressed in terms of orthogonal curvilinear coördinates by the aid of Green's theorem. — ARTS. 132–135. *Spheroidal Coördinates*. Laplace's Equation in spheroidal coördinates, in normal spheroidal coördinates. Examples. Condition that a set of curvilinear coördinates should be normal. Thermometric Parameters. Particular solutions of Laplace's Equation in spheroidal coördinates. Spheroidal Harmonics. Examples. The Potential Function due to the attraction of an oblate spheroid. Solution for an external point. Examples. — ARTS. 136–141.

	PAGES
<p><i>Ellipsoidal Coördinates.</i> Laplace's Equation in ellipsoidal coördinates. Normal ellipsoidal coördinates expressed as Elliptic Integrals. Particular solutions of Laplace's Equation. Lamé's Equation. Ellipsoidal Harmonics (Lamé's Functions). Tables of Ellipsoidal Harmonics of the degrees 1, 2, and 3. Lamé's Functions of the second kind. Examples. Development in Ellipsoidal Harmonic series. Value of the Potential Function at any point in space when its value is given at all points on the surface of an ellipsoid.—ART. 142. <i>Conicidal Coördinates.</i> The product of two Ellipsoidal Harmonics a Spherical Harmonic.—ART. 143. <i>Toroidal Coördinates.</i> Laplace's Equation in toroidal coördinates. Particular solutions. Toroidal Harmonics. Potential Function for an anchor ring.</p>	

CHAPTER IX.

HISTORICAL SUMMARY.....	267-275
-------------------------	---------

APPENDIX.

TABLES.....	277-287
TABLE I. Surface Zonal Harmonics. Argument $\theta$ .....	278
TABLE II. Surface Zonal Harmonics. Argument $x$ .....	280
TABLE III. Hyperbolic Functions.....	282
TABLE IV. Roots of Bessel's Functions.....	286
TABLE V. Roots of Bessel's Functions.....	286
TABLE VI. Bessel's Functions.....	287