



# CONTENTS

## PART I CRITICAL EXTREMALS

|          |  |           |
|----------|--|-----------|
| <b>1</b> | <b>Minimizing Extremals <math>g</math>: Fixed Endpoints</b>      | <b>9</b>  |
| 1        | The Euler Equations, 9   |           |
| 2        | The Existence of Extremals Near $g$ , 13                         |           |
| 3        | The Necessary Conditions of Weierstrass and Legendre, 17         |           |
| 4        | The Jacobi Condition, 19   |           |
| 5        | Conjugate Points in the Nonsingular Case, 23                     |           |
| 6        | The Hilbert Integral, 31   |           |
| 7        | Sufficient Conditions, 39  |           |
| <b>2</b> | <b>The Algebraic Index of a Critical Extremal <math>g</math></b> | <b>48</b> |
| 8        | General End Conditions $C_r$ , Locally Defined, 49               |           |
| 9        | $C_r$ -Transversality Conditions on $g$ , 53                     |           |
| 10       | The Second Variation of $(J, C_r)$ , $r > 0$ , 56                |           |
| 11       | Critical Secondary Extremals: Endpoints Variable, 64             |           |
| 12       | Critical Secondary Extremals: Endpoints Fixed, 73                |           |

## PART II QUADRATIC INDEX FORMS, DERIVED AND FREE

|          |   |           |
|----------|---|-----------|
| <b>3</b> | <b>Derived Index Forms</b>  | <b>79</b> |
| 13       | The Framed Family $\Gamma^\lambda$ of Broken $\lambda$ -Extremals, 79 |           |
| 14       | The “Geometric” Index of a Critical Extremal $g$ , 85                 |           |
| <b>4</b> | <b>Free Index Forms</b>   | <b>93</b> |
| 15       | Free Linear Differential and Boundary Conditions, 93                  |           |
| 16       | Relative Minima under General End Conditions $C_r$ , 106              |           |

## **X CONTENTS**

### **PART III FOCAL CONDITIONS AND STURM-LIKE THEOREMS**

#### **5 The Focal Point Theorem 117**

- 17 Focal Conditions, Derived and Free, 117
- 18 Conjugate Families (von Escherich), 124
- 19 Proof of Focal Point Theorem 17.3, 128

#### **6 Sturm-Like Theorems in $E_{m+1}$ 140**

- 20 The Separation Theorem in  $E_{m+1}$ , 140
- 21 Comparison of Free Focal Conditions, 144
- 22 The Sturm Comparisons When  $m = 1$ , 155
- 23 The Variation of Conjugate Points, 164

### **PART IV GENERAL BOUNDARY CONDITIONS**

#### **7 The Oscillation Number, Index $W_0$ 169**

- 24 Conjugate Points and Characteristic Roots, 169
- 25 The Auxiliary Theorem on Quadratic Forms, 172
- 26 Proof of Oscillation Theorem 24.1, 174
- 27 Quadratic End Forms of the System  $W_r$ , 176
- 28 A Minimizing Periodic Extremal  $g$ , 181

#### **8 Selfadjoint Boundary Conditions 185**

- 29 General Mixed Boundary Conditions, 185
- 30 Conditions for Selfadjointness, 188
- 31 The Reduction of Selfadjoint  $BC$  to Canonical Form, 190

### **PART V PRESTRUCTURES FOR CHARACTERISTIC ROOT THEORY**

#### **9 Admissible Canonical Systems $\dot{W}_r$ 197**

- 32 The Dependence on  $\lambda$ , 197
- 33 Canonical Systems  $\dot{W}_r$ , 202

#### **10 The Existence of Characteristic Roots 209**

- 34 Selfconjugate Limit Values, 209
- 35 Comparison of Characteristic Roots, 216
- 36 The  $\dot{W}_r$ -Nuclear Comparison Test, 219
- 37 Oscillation Criteria, 224

## APPENDIX I FREE LINEAR CONDITIONS

|          |   |            |
|----------|---|------------|
| <b>1</b> | <b>Free Second-Order Differential Equations</b>               | <b>229</b> |
| <b>2</b> | <b>Solution of the Differential Equations (1.5)</b>           | <b>231</b> |
| <b>3</b> | <b>Conjugate Points</b>                                       | <b>232</b> |
| <b>4</b> | <b>Second-Order DE with a Parameter <math>\alpha</math></b>   | <b>236</b> |
| <b>5</b> | <b>The End Space <math>((W_r))</math> of <math>W_r</math></b> | <b>238</b> |

APPENDIX II SUBORDINATE QUADRATIC FORMS AND THEIR  
COMPLEMENTARY FORMS

|          |   |            |
|----------|---|------------|
| <b>1</b> | <b>Auxiliary Theorem 25.1</b>                             | <b>241</b> |
| <b>2</b> | <b>The Case of a Nonsingular Form <math>P(0,s)</math></b> | <b>243</b> |
| <b>3</b> | <b>Proof of Theorem 25.1 Completed</b>                    | <b>246</b> |

## APPENDIX III MODEL FAMILIES OF QUADRATIC FORMS

|          |  |            |
|----------|--|------------|
| <b>1</b> | <b>Model Families <math>F</math></b>         | <b>250</b> |
| <b>2</b> | <b>Model Families <math>G</math></b>         | <b>251</b> |
| <b>3</b> | <b>The Principal Theorem of Appendix III</b> | <b>253</b> |
|          | <b>References</b>                            | <b>255</b> |
|          | <b>Index</b>                                 | <b>259</b> |