

Contents

| | |
|---|----|
| <i>Chapter 1. Introduction</i> | 1 |
| <i>Chapter 2. Modal Analysis of Slab Waveguides</i> | 5 |
| 2.1. Introduction | 5 |
| 2.2. General Theoretical Considerations | 7 |
| 2.3. A Simple Planar Waveguide | 12 |
| 2.3.1. TE Modes | 13 |
| 2.3.2. TM Modes | 17 |
| 2.4. Asymmetric Guides | 24 |
| <i>Chapter 3. Planar Waveguides with Continuous Dielectric Constant Variation</i> | 31 |
| 3.1. The Square-Law Medium | 32 |
| 3.1.1. Modal Analysis | 33 |
| 3.1.2. The Kernel | 36 |
| 3.1.3. The Parabolic Equation Approach | 42 |
| 3.2. Exponential Variation of the Refractive Index | 44 |
| 3.2.1. TE Modes | 46 |
| 3.2.2. TM Modes | 48 |
| 3.3. A Continuous Dielectric Constant Model for $p-n$ Junctions | 49 |
| 3.4. Summary | 53 |

| | |
|---|------------|
| Chapter 4. Dielectric Clad Cylindrical Waveguides | 55 |
| 4.1. The Ray Analysis | 56 |
| 4.2. Solutions of Bessel's Equation | 57 |
| 4.3. Modal Analysis (Approximate Theory) | 61 |
| 4.3.1. The Poynting Vector | 70 |
| 4.4. Rigorous Modal Analysis | 71 |
| Chapter 5. Inhomogeneous Circular Waveguides | 79 |
| 5.1. Modal Analysis | 80 |
| 5.1.1. The Kernel | 83 |
| 5.1.2. Propagation of a Gaussian Beam Incident Normally at an Off-Axis Point | 85 |
| 5.1.3. Path of Rays: A General Treatment | 87 |
| 5.1.4. Three-Dimensional Intensity Pattern Near Focus | 91 |
| 5.1.5. Effect of Absorption | 93 |
| 5.2. The Parabolic Equation Approach | 95 |
| 5.2.1. Solution of Eq. (5.96) when K_2 is Independent of z | 100 |
| 5.2.2. Analytical Solutions for Specific Dependence of $K_2(z)$ and Path of Rays in Conical SELFOC Fibers | 105 |
| 5.2.3. Resolving Power of a SELFOC Lens | 111 |
| 5.2.4. Focusing by a Gas Lens | 113 |
| 5.2.5. Effect of Random Inhomogeneities in a SELFOC Fiber | 117 |
| 5.3. Considerations for General Inhomogeneous Media | 119 |
| 5.4. Summary | 124 |
| Chapter 6. Vector Theory for Inhomogeneous Circular Waveguides | 125 |
| 6.1. General Solutions for Arbitrary Inhomogeneity | 126 |
| 6.2. Solutions for a Square-Law Medium | 132 |
| 6.3. Asymptotic Solutions for Arbitrary Profiles | 136 |
| 6.4. Approximate Methods | 139 |
| 6.5. The Perturbation Method | 139 |
| 6.5.1. Perturbation Theory for Cladded Square-Law Media | 140 |
| 6.5.2. Perturbation Theory for Planar Waveguides Formed by the Outdiffusion Technique | 143 |
| 6.5.3. Perturbation Theory for Taking into Account Higher Order Terms in a SELFOC Fiber | 144 |

| | |
|--|-----|
| 6.5.4. Perturbation Theory for Studying the Effect of ∇K Term in Lens-like Media | 145 |
| 6.6. The WKB Method | 148 |
| 6.7. The Variational Method | 151 |
| Chapter 7. Dispersion in Optical Waveguides | 153 |
| 7.1. Introduction | 153 |
| 7.2. Impulse Response for a Gaussian Source in a Cladded Fiber-Ray Treatment | 155 |
| 7.3. Gaussian Temporal and Spatial Distribution | 159 |
| 7.4. Ray Delay in Graded Index Fibers | 160 |
| 7.5. Broadening of a Gaussian Temporal Pulse using Modal Analysis | 161 |
| 7.6. Gaussian Temporal and Spatial Pulse in a SELFOC Fiber | 164 |
| 7.7. Response of a Gaussian Pulse in a Cladded Fiber: Wave Optics Treatment | 170 |
| 7.8. Dependence of Dispersion on Input Pulse Widths | 175 |
| Chapter 8. Propagation in Imperfect Waveguides | 177 |
| 8.1. $K = K_0(z) + K_1(x, y)$ | 178 |
| 8.2. $K = K_0 - K_2(z)r^2$ | 181 |
| 8.3. $K = K^{(0)}(x, y) + K^{(p)}(x, y, z)$ | 187 |
| 8.4. Application | 191 |
| 8.4.1. Guided Modes | 192 |
| 8.4.2. Radiation Modes | 193 |
| Chapter 9. Ray Tracing and Aberrations in Lens-like Media | 201 |
| 9.1. Hamiltonian Formulation | 202 |
| 9.2. Ray Tracing Method | 215 |
| 9.3. Numerical Results | 219 |
| Appendix A. Fabrication of Planar Waveguides | 227 |
| A.1. Thin-Film Waveguides | 227 |
| A.1.1. Thin-Film Dielectric Waveguides | 227 |
| A.1.2. Guided Propagation through Thin Films | 228 |
| A.1.3. Asymmetric Slab Waveguides | 229 |
| A.2. Optical Waveguides Formed by Electrically Induced Migration of Ions in Glass Plates | 230 |
| A.3. Optical Waveguides of LiNbO_3 and LiTaO_3 | 231 |
| A.4. Fabrication of Optical Waveguides by Diffusion | 236 |
| A.5. $p-n$ Junctions as Waveguides | 237 |

| | |
|---|-----|
| <i>Appendix B. Fabrication of Inhomogeneous Circular Waveguides</i> | 239 |
| B.1. Conventional SELFOC Fibers | 240 |
| B.1.1. Fiber Diameter | 240 |
| B.1.2. Change in Refractive Index Induced by Ion-Exchange Methods | 240 |
| B.1.3. Results of Typical Experiments | 242 |
| B.2. The New SELFOC Fibers | 244 |
| B.3. SELFOC Fibers by Copolymerization | 246 |
| B.4. Gas Lenses | 247 |
| B.4.1. Experimental Method | 247 |
| B.4.2. Temperature and Refractive Index Variation in a Gas Lens | 248 |
| <i>Appendix C. General Solution of Eq. (5.84)</i> | 253 |
| <i>Appendix D. Derivation of the Ray Equation</i> | 255 |
| <i>References</i> | 259 |
| <i>Author Index</i> | 265 |
| <i>Subject Index</i> | 267 |