

Contents

| | |
|--|-----|
| Preface | vii |
| A. Summary | 1 |
| 1. Model | 1 |
| 2. List of data | 1 |
| (a) Bone | 1 |
| (b) Calcium | 1 |
| (c) Strontium | 2 |
| (d) Barium | 2 |
| (e) Radium | 2 |
| 3. Results | 2 |
| 4. Intended uses | 2 |
| 5. Estimate of accuracy | 3 |
| 6. Comparison with existing models | 3 |
| B. Introduction | 3 |
| 1. Method | 4 |
| 2. Organization of this report | 4 |
| C. Non-mathematical Description of the Model | 5 |
| 1. History | 5 |
| 2. The new whole body retention function | 9 |
| 3. Nine postulates of the new model | 10 |
| I. The excretion postulate | 10 |
| II. The retention postulate | 10 |
| III. The age-invariance postulate | 10 |
| IV. The equilibration postulate | 10 |
| V. The compact-cancellous postulate | 11 |
| VI. The diminution-resorption postulate | 12 |
| VII. The new bone postulate | 13 |
| VIII. The old bone postulate | 13 |
| IX. The bone surfaces postulate | 13 |
| D. Mathematical Details | 14 |
| 1. Subdivision of activity within the model | 14 |
| 2. List of the retention functions | 14 |
| 3. Local retention functions in detail | 14 |
| (a) Bone volume | 14 |
| (b) Bone surface | 15 |
| (c) Fraction of bone volume activity deposited in compact bone | 15 |
| (d) Blood activity | 16 |
| (e) Derivation of function θ | 16 |
| (f) Deposition of activity in cancellous bone volume | 17 |
| (g) Complete functions for bone volume | 18 |
| (h) Soft tissue | 18 |
| 4. Continuous dietary intake | 18 |

| | |
|---|--------|
| 5. Observed ratio model | 19 |
| (a) Discrimination factors | 19 |
| (b) Discussion | 20 |
| 6. How to use results to calculate doses | 21 |
| (a) Cells at risk for radiation carcinogenesis in bone | 22 |
| 7. Subsidiary calculations | 22 |
| (a) Relation between power function slope, b , and coefficient of diffusion, D | 22 |
| (b) Calculation of radioisotope uptake in bone volume as a function of age using microscopic measurements of diffuse uptake | 24 |
| (c) The generation distribution of remodeling bone | 26 |
| (d) Relation between discrimination factors in bone, body, and soft tissue | 27 |
| (e) Recycling correction, r | 28 |
| E. Comparison of Model With Data for Normal Man | 29 |
| 1. Bone data (see also Figs. 2-7) | 30 |
| (a) The number of osteons in human compact bone as a function of age | 30 |
| (b) Tetracycline data for rates of bone formation in man | 34 |
| (c) Microradiographic measurements of bone formation surface in normal man | 36 |
| 2. Calcium data (see also Figs. 8-11) | 37 |
| (a) Radiocalcium in human plasma | 37 |
| (b) ^{45}Ca at human bone surfaces | 38 |
| 3. Strontium data (see also Figs. 12-17) | 41 |
| (a) Whole body counting of ^{85}Sr (Fig. 12) | 41 |
| (b) Whole body counting and excretion collection for ^{90}Sr dial painters (Fig. 12) | 42 |
| (c) Radiostrontium in blood plasma | 42 |
| (d) Stable strontium in bone | 44 |
| (e) Soft tissue strontium (see also Fig. 14) | 44 |
| (f) Fallout ^{90}Sr (Figs 16 and 17) | 44 |
| Continuous intake calculation | 45 |
| Treatment of diet data | 46 |
| Treatment of bone data | 47 |
| Value of long-term measurements of ^{90}Sr in normal human bone | 49 |
| Ratios of activity per gram calcium in individual bones (see Fig. 17) | 51 |
| 4. Barium data (see Figs. 18-19) (no other discussion) | 51 |
| 5. Radium data (see also Figs. 20-28) | 51 |
| (a) Existing models of radium retention—comparison with new model | 51 |
| (b) Detailed reanalysis of Elgin data for retention, R | 52 |
| Radon retention in man | 54 |
| Timing of radium injections | 54 |
| Number of injections | 54 |
| Case L | 56 |
| Case T | 56 |
| Retention measurements in tables 22 and 23 | 56 |
| Multiple injection correction (MULTCOR) | 58 |
| An effect of age at radium intake upon subsequent retention | 59 |
| (c) Rate of change of retention | 60 |
| (d) Radium in blood | 62 |
| Short-term | 62 |
| Long-term | 62 |
| (e) Continuous radium intake in Stateville prisoners | 63 |
| (f) Natural levels of ^{226}Ra in body | 64 |
| (g) Radium in soft tissue | 64 |
| (h) Autoradiographic measurements of resorption | 64 |
| (i) Autoradiographic measurements of diffuse/uniform label | 65 |
| (j) Modified model—(tentative) | 66 |
| (k) Diminution of radium in hotspots in Elgin cases | 67 |
| F. Terminology | 68 |
| 1. List of parameters and variables | 70 |

| | |
|---|----|
| G. Results | 71 |
| 1. Values of the parameters | 72 |
| 2. Values of the retention functions | 74 |
| (a) Calcium | 74 |
| (b) Strontium | 76 |
| (c) Barium | 78 |
| (d) Radium | 80 |
| (e) Radium modified | 82 |
| 3. Integral values of effective retention | 83 |
| (a) Calcium | 83 |
| (b) Strontium | 84 |
| (c) Barium | 85 |
| (d) Radium | 86 |
| (e) Radium modified | 87 |
| H. Need for More Data | 88 |
| References | 89 |
| Other I.C.R.P. Publications | 93 |