

**VOLUME 2**

**Fusion Magnets**

Construction of New Divertor Coil for JT-60 .....	761
<i>Y. Itou, T. Watanabe, H. Kamiya, K. Goto, T. Yonezawa, M. Shimizu, T. Koike, T. Ando and Y. Okumura</i>	

Reliable and Stable Operation on the High-Field Superconducting Tokamak TRIAM-1M . . . . .	767
<i>Y. Nakamura, A. Nagao, N. Hiraki and S. Itoh</i>	
First Tests of T-15 Toroidal Field Superconducting System . . . . .	773
<i>V.A. Alhimovch, I.O. Anashkin, A.N. Vertiporokh, A.N. Volobuev, V.F. Zhulkin, D.P. Ivanov, G.I. Kiknadze, I.A. Posadsky, A.N. Safronov, B.A. Stavissky, S.A. Lelekov, V.S. Strelkov, P.P. Khvostenko, N.A. Chernoplekov, V.A. Glukhikh, L.B. Dinaburg, M.V. Zhelamsky, A.B. Konstantinov, Yu.A. Konstantinov, A.I. Kostenko, A.D. Malakhov, I.F. Malyshev, N.A. Monoszon, V.P. Muratov, V.I. Peregyd, I.I. Sabansky, Yu.V. Spirchenko, G.V. Trokhachev, G.F. Churakov, I.K. Butkevich, Yu.I. Dukhanin, S.P. Gorbachev, V.D. Kovalenko, I.N. Morkovkin, N.V. Filin and G.Yu. Tsfasman</i>	
Project of Large Helical Device for Currentless Steady Experiment . . . . .	777
<i>O. Motojima, J. Yamamoto, K. Yamazaki, N. Ohyabu, T. Mito, M. Takeo, S. Morimoto, M. Fujiwara and A. Iiyoshi</i>	
Excitation Tests of the First Superconducting Helical Coil as an R&D Program of Large Helical Device . . . . .	783
<i>T. Mito, J. Yamamoto, O. Motojima, K. Takahata, M. Takeo, Y. Tuda, T. Obiki and A. Iiyoshi</i>	
First Construction of a Superconducting Helical Coil for Feasibility Study of Large Helical Coil . . . . .	789
<i>Y. Tuda, K. Toyoda, T. Hirayama, S. Kida, K. Kuno, T. Mito, J. Yamamoto, K. Takahata, M. Takeo, I. Ohtake, Y. Takeiri, O. Motojima and A. Iiyoshi</i>	
Fundamental Design of Large Helical Device with Pool-Cooled Superconducting Magnets . . . . .	795
<i>S. Suzuki, S. Imagawa, H. Miyazawa, R. Saito, F. Iida, H. Ogata, O. Motojima, A. Iiyoshi, M. Fujiwara, K. Yamazaki and M. Takeo</i>	
Structural Analysis of Forced-Cooled Superconducting Helical Coil for Large Helical Device . . . . .	800
<i>K. Kitamura, M. Shibui, K. Yamamoto, K. Nakamoto, H. Takano, S. Ioka, O. Motojima, J. Yamamoto, T. Mito, M. Fujiwara, Y. Takeiri, K. Yamazaki, M. Takeo, A. Iiyoshi and the Large Helical Design Team</i>	
Evolutions of the Demo Poloidal Coil Program . . . . .	806
<i>H. Tsuji, E. Tada, K. Okuno, T. Ando, T. Hiyama, Y. Takahashi, M. Nishi, K. Yoshida, Y. Ohkawa, K. Koizumi, H. Nakajima, T. Kato, K. Kawano, T. Isono, M. Sugimoto, H. Yamamura, M. Satoh, M. Hasegawa, J. Yoshida, E. Kawagoe, Y. Kamiyauchi, M. Konno, H. Ishida, N. Itoh, M. Oshikiri, Y. Kurosawa, H. Nisugi, Y. Matsuzaki, H. Sirakata and S. Shimamoto</i>	
The First Experiment of the 30-kA, Nb–Ti Demo Poloidal Coils (DPC-U1 and -U2) . . . . .	812
<i>K. Okuno, H. Tsuji, Y. Takahashi, H. Nakajima, K. Kawano, T. Ando, T. Hiyama, M. Nishi, E. Tada, K. Yoshida, K. Koizumi, T. Kato, T. Isono, H. Yamamura, M. Satoh, J. Yoshida, N. Itoh, M. Oshikiri, H. Nisugi, M. Konno, E. Kawagoe, Y. Kamiyauchi, M. Hasegawa, Y. Matsuzaki, S. Shimamoto, T. Satou and T. Ichihara</i>	
Further Progress in the Manufacture of the US-DPC Test Coil . . . . .	818
<i>M.M. Steeves, T.A. Painter, J.E. Tracey, M.O. Hoenig, M. Takayasu, R.N. Randall, M.M. Morra, I.S. Hwang and P. Marti</i>	
Mechanical Characteristics in the Experiment of the Nb–Ti Demo Poloidal Coils (DPC-U1, U2) . . . . .	824
<i>H. Nakajima, K. Okuno, H. Tsuji, K. Yoshida, K. Koizumi, T. Isono, E. Yaguchi, H. Shimane and S. Shimamoto</i>	

Thermal Performance Results of the Nb–Ti Demo Poloidal Coils (DPC-U1, U2) . . . . .	830
<i>E. Tada, T. Kato, T. Hiyama, K. Kawano, T. Ando, H. Tsuji, Y. Takahashi, M. Nishi, K. Yoshida, K. Okuno, K. Koizumi, H. Nakajima, T. Isono, M. Sugimoto, E. Kawagoe, J. Yoshida, Y. Kamiyaichi, H. Ishida, H. Nisugi, M. Oshikiri, M. Yamamura, M. Sato, I. Ito, Y. Wachi and S. Shimamoto</i>	
Power Supply System for the Demo Poloidal Coils . . . . .	835
<i>T. Isono, K. Yoshida, Y. Ohkawa, K. Okuno, H. Tsuji, T. Ando, S. Takahashi and S. Shimamoto</i>	
Development of Superconductors for the Demo Poloidal Coils (DPC-U1, U2) . . . . .	841
<i>T. Kumano, N. Aoki, M. Ichihara, E. Suzuki, Y. Nakabayashi, F. Fujiwara, T. Sasaki, T. Ichihara, T. Satow, H. Tsuji, H. Nakajima, K. Okuno, Y. Takahashi and S. Shimamoto</i>	
Fabrication of Demo Poloidal Coils, DPC-U1 and U2 . . . . .	847
<i>T. Ichihara, T. Sasaki, T. Minato, S. Takagi, T. Murai, Y. Tsuda, T. Satow, K. Okuno, H. Tsuji, Y. Takahashi, M. Nishi, K. Yoshida, H. Nakajima and S. Shimamoto</i>	
Fabrication of DPC-TJ, a Forced-Cooled Large Superconducting Coil . . . . .	852
<i>H. Mukai, O. Osaki, T. Hamajima, N. Naganuma, H. Shiraki, T. Fujioka, M. Nishi, Y. Takahashi, H. Tsuji, T. Ando and S. Shimamoto</i>	
Results of Verification Tests and Coil Test of DPC-TJ . . . . .	856
<i>M. Nishi, H. Tsuji, Y. Takahashi, H. Nakajima, T. Isono, T. Ando, S. Shimamoto, H. Mukai, T. Hamajima, H. Shiraki and T. Fujioka</i>	
Verification Tests of the Nb <sub>3</sub> Sn Demo Poloidal Coil (DPC-EX) . . . . .	862
<i>Y. Takahashi, T. Ando, M. Nishi, H. Tsuji, T. Hiyama, K. Okuno, K. Yoshida, H. Nakajima, K. Koizumi, E. Tada, T. Kato, T. Isono, K. Kawano and S. Shimamoto</i>	
Stability Experiment on the KfK Poloidal Field Coil Cable . . . . .	868
<i>H. Tateishi and C. Schmidt</i>	
Relevance of Superconducting Model Coil Tests for Fusion Reactor Application . . . . .	874
<i>W. Maurer</i>	
Progress in the Development of a 40 kA Superconductor for the Net Central Solenoid . . . . .	880
<i>J.V. Minervini, N. Mitchell, R. Poehlchen, M. Ricci, E. Salpietro, A. Torossian, P. Bruzzone, P. Marti, J. Rauch, P. Blasio, S. Ceresara and S. Rossi</i>	
Programme of the Conductor Development for the ITER Toroidal Field Coils . . . . .	886
<i>V.A. Glukhikh</i>	
Developments of the Prototype Conductors and Design of the Proto Toroidal Coil for the Fusion Experimental Reactor . . . . .	890
<i>K. Yoshida, M.F. Nishi, Y. Takahashi, M. Sugimoto, H. Tsuji, K. Koizumi, K. Okuno, Y. Wachi, I. Itoh and T. Ando</i>	
The RFX Ohmic Heating Coils: Design of the Electric Terminals and Busbars . . . . .	896
<i>F. Bellina, G. Chitarin and P. Zaccaria</i>	
Japanese Design of ITER Superconducting Magnet System . . . . .	902
<i>M. Hasegawa, K. Yoshida, K. Koizumi, K. Okuno, Y. Takahashi, E. Tada and H. Tsuji</i>	
Design Study of FER Superconducting Magnet System . . . . .	908
<i>K. Yoshida, K. Koizumi, M. Sugimoto, K. Okuno, E. Tada, H. Tsuji, M. Hasegawa, S. Matsuda and S. Shimamoto</i>	

## Conductor Development

Trial-Fabrication of Superconducting Rutherford Type Cable Having Large Keystone Angle . . . . . <i>H. Ii, Y. Nagasu, M. Ikeda, T. Shintomi and H. Hirabayashi</i>	914
Advantages of CICC for Large-Scale DC Applications . . . . . <i>P.G. Marston, J.R. Hale and A.M. Dawson</i>	920
Mechanical Behaviour under Transversal Load of the 40 kA Nb <sub>3</sub> Sn Cable-in-Conduit Conductor for the NET Inner Poloidal Coils . . . . . <i>P. Bruzzone, N. Mitchell and J. Kuebler</i>	926
High-Field Superconducting Properties of a 16 T Class (Nb,Ti) <sub>3</sub> Sn Conductor by the Tube Method . . . . . <i>K. Inoue, T. Takeuchi, K. Itoh, S. Murase, H. Shiraki, S. Nakayama, T. Fujioka, T. Hamajima and Y. Sumiyoshi</i>	932
Parameters Relevant to <i>n</i> -Value in Nb <sub>3</sub> Sn Superconducting Wires . . . . . <i>K. Katagiri, M. Fukumoto, K. Saito, M. Ohgami, T. Okada, A. Nagata, K. Noto, K. Watanabe, H. Yoshida and H. Kodaka</i>	938
The Effect of Manganese Addition to Multifilamentary Nb <sub>3</sub> Sn Superconducting Wire . . . . . <i>N. Sadakata, M. Sugimoto, M. Tange and O. Kohno</i>	944
Development of Nb <sub>3</sub> Al Multifilamentary Superconductors . . . . . <i>T. Takeuchi, M. Kosuge, Y. Iijima, K. Inoue and K. Watanabe</i>	950
Strain Effects and Pinning Mechanism in Nb <sub>3</sub> Al Multifilamentary Superconductors . . . . . <i>T. Kuroda, M. Yuyama, K. Itoh and H. Wada</i>	956
Magnetization of Composite-Diffusion Processed Nb <sub>3</sub> Al Superconductors Containing Ultra-Fine Filaments . . . . . <i>K. Itoh, M. Yuyama, T. Kuroda, T. Takeuchi, M. Kosuge and H. Wada</i>	962
Powder Metallurgy Processed Nb <sub>3</sub> Al Wire in Comparison with Nb Tube Process . . . . . <i>K. Watanabe, K. Noto, Y. Kamisada, E. Suzuki and Y. Muto</i>	968
Nb <sub>3</sub> Al Superconducting Wires Fabricated by the Clad-Chip Extrusion Method . . . . . <i>S. Saito, K. Ikeda, S. Ikeda, A. Nagata and K. Noto</i>	974
Fabrication of Superconducting Tapes by YAG-Laser Irradiation . . . . . <i>H. Wada, M. Yuyama, T. Kuroda, K. Itoh, Y. Niimura, A. Shimomura and K. Shinohara</i>	980
Magnetic Conditioning for Flux Jump Instabilities in Superconducting Nb <sub>3</sub> Sn Tape Magnet . . . . . <i>H. Kobayashi and M. Uchida</i>	985
High Critical Current Densities in Fine-Multifilamentary Nb-46.5wt%Ti Composites . . . . . <i>K. Matsumoto and Y. Tanaka</i>	991
Degradation of the Critical Current of Multifilamentary Nb <sub>3</sub> Sn Wires under Transverse Mechanical Load . . . . . <i>H. Boschman, P. Fornerod, H.H.J. ten Kate and L.J.M. van de Klundert</i>	997

Compressive Stress Effects on the Critical Current of Nb <sub>3</sub> Sn Cable-in-Conduit Conductors . . . . .	1003
<i>T. Ando, M. Nishi, H. Nakajima, T. Isono, Y. Takahashi, D. Zeritis and S. Shimamoto</i>	
The Effect of Axial Stresses in $I_c$ of Subsize NET Nb <sub>3</sub> Sn Conductors . . . . .	1009
<i>W. Specking, A. Nyilas, M. Klemm, A. Kling and R. Flükiger</i>	
Design and Analysis of a Superconducting Cable-in-Conduit Test Coil for Operation at 15 T and 40 A·mm <sup>-2</sup> . . . . .	1015
<i>J.R. Heim, S.S. Shen, R.E. Patrick, J.R. Miller, M.R. Chaplin, J.A. Kerns, R.L. Wong, D.S. Slack and L.T. Summers</i>	

### Characteristics at Pulsed Operation

Degradation of the Maximum Transport Current in Wires and Cables Caused by Coupling Currents . . . . .	1021
<i>L.J.M. van de Klundert, T.A.W. van Elswijk, A. Nijhuis and G.B.J. Mulder</i>	
AC Losses of NbTi Superconductor for a Quick Response Superconducting Generator . . . . .	1027
<i>M. Nagata, K. Ohmatsu, H. Hitotsuyanagi and M. Kawashima</i>	
Calorimetric Measurement of AC Loss in Nb <sub>3</sub> Sn Superconductors . . . . .	1033
<i>M. Takayasu, C.Y. Gung, M.M. Steeves, B. Oliver, D. Reisner and M.O. Hoenig</i>	
Electromagnetic and Mechanical Properties of Nb <sub>3</sub> Sn Pulsed Superconducting Magnets . . . . .	1039
<i>T. Onishi, H. Tateishi, K. Arai, K. Kaiho, H. Nomura, T. Oku, C. Suzawa and M. Nagata</i>	
Development of NbTi Superconducting Wire for AC Application . . . . .	1045
<i>T. Kumano, M. Ichihara, E. Suzuki, E. Shimizu, D. Ito, I. Takano, H. Kasahara, S. Akita and T. Tanaka</i>	
The Power Balance and Losses in Superconducting Hollow Filaments with Transport Currents . . . . .	1049
<i>J.A. Eikelboom, R.A. Hartmann and L.J.M. van de Klundert</i>	
Transverse Resistivity of Cables . . . . .	1055
<i>R.A. Hartmann and L.J.M. van de Klundert</i>	
An Indirect Estimation Method of an Inter-Strand Resistance of Superconducting Cabled-Conductors . . . . .	1061
<i>F. Sumiyoshi, S. Kawabata, N. Oohito and T. Kawashima</i>	
Effect of Heat Capacity and Matrix Resistivity on Stability of Superconductor in Fast Changing Fields . . . . .	1066
<i>E.Yu. Klimenko, N.N. Martovetsky and S.I. Novikov</i>	

### Stability and Reliability

Residual Resistance Ratio — How Much is Enough . . . . .	1072
<i>J.E.C. Williams</i>	
Current Diffusion Phenomena in Stabilizer and Stability of Large Superconducting Magnet . . . . .	1078
<i>M. Fujiwara, T. Irie, O. Ukai, Y. Mochizuki and K. Hayakawa</i>	

Propagation of Normal Zones of Finite Size in Large, Composite Superconductors . . . . .	1084
<i>L. Dresner</i>	
Quench Property of a Hybrid Split Solenoid Magnet . . . . .	1090
<i>M. Wake, K. Maehata, H. Hirabayashi and Y. Tsuda</i>	
Very Rapid Apparent Normal Zone Propagation Velocity in AC Superconducting Coils . . . . .	1096
<i>E.S. Yoneda and D. Ito</i>	
Analysis of Friction Effects Between Case and Winding in a Tokamak Superconducting Toroidal Field Coil . . . . .	1102
<i>N. Mitchell, R. Sturt and P. Dallard</i>	
Technique to Reduce Disturbance Energy Due to Frictional Conductor Motion in Superconducting Magnet . . . . .	1108
<i>T. Takao, S. Honjo and O. Tsukamoto</i>	
Stabilization for Wind and React Nb <sub>3</sub> Sn High Field Insert Coil . . . . .	1114
<i>H. Maeda, M. Urata, H. Ogiwara, S. Miyake, N. Aoki, M. Sugimoto and J. Tani</i>	
Transient Heat Transfer to HE II under Atmospheric Pressure . . . . .	1120
<i>Th. Gradt, K. Lüders, R.Z. Wang, U. Ruppert and K. Funaki</i>	
Computer Modeling of Stability of He-II Cooled Conductors . . . . .	1126
<i>I.-K. Kim and S.D. Peck</i>	
A Geometric Scaling Law of Quench Propagation Velocity in Epoxy-Impregnated Superconducting Windings . . . . .	1131
<i>A. Ishiyama, K. Urayama, M. Kawamura and Y. Iwasa</i>	
Numerical Calculation of Quench Energies of Adiabatic Superconducting Magnets . . . . .	1137
<i>D.L. Zha, S. Han and L.Z. Lin</i>	
Double-Cascade Process of the Normal Zone Propagation in Multisectional Superconducting Solenoid . . . . .	1143
<i>V.V. Matokhin, O.A. Kleshnina, A.A. Konjukhov and V.A. Malginov</i>	
Propagation of Normal Zone in an AC Single-Layer Superconducting Coil . . . . .	1149
<i>K. Funaki, Y. Tokunaga, M. Iwakuma, M. Takeo and K. Yamafuji</i>	
Performance of Nb <sub>3</sub> Sn Tape Coil Cooled by Solid Conduction . . . . .	1155
<i>Y. Matsubara, T. Ogasawara, M. Kaneko, M. Furuyama, H. Yamamoto and M. Tanaka</i>	
Experimental Verification of Dynamic Stability of Face-Cooled Superconducting Tape . . . . .	1160
<i>H. Ohkubo, T. Noguchi, Y. Matsubara and T. Ogasawara</i>	
Toroidal Coils Analysis under Fault Conditions with Non-uniform Current Distribution . . . . .	1165
<i>I. Montanari and P.L. Ribani</i>	
3-D Model of a Toroidal Magnet for the Calculation of Current and Temperature Distributions under Fault Conditions: Theoretical Aspects . . . . .	1171
<i>I. Montanari and P.L. Ribani</i>	

## Instrumentation and Measurements

Magnetic Field Measurement of the Medium Resolution Spectrometer (MRS) Dipole Magnets . . . . .	1176
<i>B.L. Weintraub, S.F. Archuleta, M.G. Mays, M.P. Harrington and G.A. Montoya</i>	
A Microcomputer Controlled, Self-Contained Field Measurement and Analysis System . . . . .	1183
<i>C. Haddock, G. Smith and J.S.C. McKee</i>	
Wireless Cryogenic Quartz Thermometer with High Resolution (0.01 K) from 400 K to 4.2 K without Magnetic Field Dependence . . . . .	1189
<i>K. Agatsuma, F. Uchiyama, K. Tukamoto, T. Ohara, H. Tateishi, S. Fuchino, Y. Nobue, S. Ishigami, M. Sato and H. Sugimoto</i>	
SQUID Measurement of Joint Resistance between Multifilamentary Wires . . . . .	1195
<i>T. Tominaka and H. Tomeoku</i>	
Quench Detection and Diagnosis of Superconducting Magnets Using Ultrasonic Wave . . . . .	1201
<i>A. Ninomiya, K. Sakaniwa, T. Ishigohka, N. Mizukami, H. Toyoda, Y. Higo and H. Inaba</i>	
Detection and Evaluation of Instability in Race-Track Shaped Superconducting Coils . . . . .	1207
<i>K. Seo, S. Nishijima, K. Takahata and T. Okada</i>	
New Analytical Formulas for Calculating Magnetic Fields, Flux, and Vector Potential . . . . .	1213
<i>C.F. Weggel, D.P. Schwartz and R.J. Weggel</i>	
Dipole Field Measurement Technique Utilizing the Faraday Rotation Effect in Polarization Preserving Optical Fibers . . . . .	1219
<i>C. Haddock and M.Y.M. Tong</i>	
Measurement of Magnetic Field Distribution Using the Highly Sensitive Force Sensor and its Application to Measurement of the Two-Dimensional Distribution of Meissner Effect in Superconductors . . . . .	1225
<i>H. Ishigaki, A. Hida, M. Itoh and T. Minemoto</i>	
Construction of High-Field Uniaxial-Strain-Effect and Transverse-Stress-Effect Measurement System . . . . .	1231
<i>K. Kamata, K. Katagiri, T. Okada, T. Takeuchi, K. Inoue, K. Watanabe, Y. Muto, T. Ogata and T. Tsujii</i>	
New Magnetic Circuits for Planar Magnetron Sputtering . . . . .	1237
<i>H. Sato, M. Fukuda and H. Goto</i>	
The Design of Capacitor Banks for Pulsed Magnetic Fields . . . . .	1243
<i>F. Herlach, G. Heremans, S. Askenazy and J. Marquez</i>	
Fault Protection of the RFX Magnetic System . . . . .	1249
<i>P.P. Camprostrini, G. Chitarin, M. Guarnieri and A. Stella</i>	

## Imaging Magnets

Compact Superconducting Magnets for Magnetic Resonance Imaging . . . . .	1255
<i>M. Saeki, S. Suzuki, G. Miyazima and N. Saho</i>	

Superconducting Magnetization as a Cause of Field Errors and Field Drift in NMR-Magnets . . . . .	1260
<i>P. Turowski and Th. Schneider</i>	
The Coil Design of the New Superconducting MRI Magnet . . . . .	1266
<i>M. Fujita and T. Take</i>	
Permanent Magnet with High Homogeneity for MR Imaging . . . . .	1271
<i>R.Z. Zhou, K.W. Wang and S. Han</i>	
Field Regression Analysis and Field Correction of NMR Imaging Magnets . . . . .	1276
<i>X.H. Jiang and S. Han</i>	
An Efficient Method of Regulation of Electrical Shim System to Correct Magnetic Field . . . . .	1281
<i>P. Xia</i>	

### Magnet Technologies for Researches

High Current Density Superconducting Magnet for Gyrotron . . . . .	1286
<i>V.S. Vysotsky, V.R. Karasik, O.A. Kleshnina, S.G. Derjagin, S.M. Levit, V.A. Malginov, A.P. Sretensky, F. Chovanec, J. Kokavec, L. Krempasky, P. Usak and B. Gregor</i>	
Superconducting Magnetic System of the Spectrometer for Electron Antineutrino Mass Measuring . . . . .	1291
<i>A.I. Belesev, A.I. Bleule, E.V. Geraskin, A.A. Golubev, N.A. Golubev, O.V. Kazachenko, Yu. E. Kuznetsov, V.M. Lobashov, B.M. Ovchinnikov, I.V. Sekachev, A.P. Solodukhin, V.I. Parfenov and I.E. Yarykin</i>	
A New Superconducting Solenoid Development from a Magnetic Shielding Device Made of NbTi–Cu Films . . . . .	1296
<i>S. Ogawa, K. Nishigaki, Y. Saji, T. Sugioka and M. Inoue</i>	
Superconducting Magnetic Flux Shield with Nb <sub>3</sub> Sn Tube . . . . .	1300
<i>M. Ohgami, K. Takahata, K. Katagiri, S. Nishijima and T. Okada</i>	
A High Current Density Superconducting Solenoid with Joints within the Winding . . . . .	1306
<i>L. Yan, J. Qin, C. Yi, S. Wang, D. Xu and R. Xu</i>	
Superconducting Magnets for Energy Devices . . . . .	1312
<i>V.R. Karasik, O.A. Kleshnina, A.A. Konjukhov, V.A. Malginov, V.V. Matokhin, M.V. Sidorov, V.S. Vysotsky and G.I. Agapov</i>	
Design and Fabrication of the CPQ Coil . . . . .	1318
<i>S.S. Shen, R.E. Patrick, J.R. Miller, M.R. Chaplin, J.R. Heim, J.A. Kerns, D.S. Slack and L.T. Summers</i>	
Progress Report of the High Field Superconducting Facility at LASA Laboratory . . . . .	1324
<i>E. Acerbi, G. Baccaglioni, C. Barrilá and L. Rossi</i>	
Design of 20 T Class Superconducting Magnet with Large Bore . . . . .	1330
<i>T. Kiyoshi, K. Inoue, K. Itoh, T. Takeuchi, H. Wada, H. Maeda, K. Nii, K. Kuroishi, F. Suzuki, T. Takizawa and N. Tada</i>	



Sending Payloads into Space via an Electromagnetic Launcher . . . . .	1336
<i>E.M.W. Leung, R.E. Bailey, D.D. Madura, L.R. Patterson and F.L. Landon</i>	
Development of a Thin Superconducting Solenoid for Particle Astrophysics . . . . .	1341
<i>Y. Makida, A. Yamamoto, H. Inoue, N. Kimura, H. Yamaoka, N. Minowa, K. Tanaka, T. Mito, T. Haruyama and Y. Doi</i>	
A Device for Mechanical Testing of Superconductors and Superconducting Solenoids . . . . .	1347
<i>V.R. Karasik and M.V. Sidorov</i>	

### **Cryogenic System and Components**

Operation Performance of DPCF in the Test of the Nb–Ti Demo Poloidal Coils (DPC-U1,U2) . . . . .	1350
<i>T. Kato, J. Yoshida, E. Tada, T. Hiyama, K. Kawano, M. Sugimoto, E. Kawagoe, Y. Kamiyauchi, M. Yamamura, M. Sato, H. Ishida, N. Ito and S. Shimamoto</i>	
Advanced Helium Refrigerator for Superconducting MRI Magnet . . . . .	1355
<i>T. Inaguchi, M. Nagao and H. Yoshimura</i>	
Tests of a Cryogenic System for the TRISTAN Low-Beta Superconducting Insertion Magnets . . . . .	1361
<i>N. Ohuchi, K. Tsuchiya, A. Terashima and K. Shinkai</i>	
A 12 K Superconducting Magnet System . . . . .	1366
<i>M.T.G. van der Laan, R.B. Tax, H.H.J. ten Kate and L.J.M. van de Klundert</i>	
Cryogenic System for the Electron Antineutrino Mass Experiment . . . . .	1371
<i>A.I. Belevsev, A.I. Bleule, E.V. Geraskin, A.A. Golubev, N.A. Golubev, O.V. Kazachenko, V.M. Lobashev, V.M. Ovchinnikov and I.E. Jarykin</i>	
Development of Co-axial Type Current Lead . . . . .	1376
<i>K. Maehata, M. Wake, N. Sato, T. Fujino and H. Hirabayashi</i>	
Current Leads Design Considering Unsteady State . . . . .	1381
<i>T. Yazawa, A. Sato, T. Okamura, K. Ishito and S. Kabashima</i>	
Dynamical Adsorption Measurement of Helium Impurities on a Charcoal Bed at 77K . . . . .	1387
<i>H. Yanagi, T. Yabana, K. Fujima and N. Ino</i>	

### **High $T_c$ Superconductors**

Superconducting Properties of Bi(Pb)-Sr-Ca-Cu-O Oxides Prepared by an Intermediate Repress-Processing . . . . .	1391
<i>T. Asano, Y. Tanaka, M. Fukutomi, K. Jikihara and H. Maeda</i>	
Improvements in Superconducting Characteristics of Bi-(Pb)-Sr-Ca-Cu-O Superconductors . . . . .	1396
<i>H. Sekine, K. Inoue, H. Maeda and K. Numata</i>	
Critical Current Density and Microstructure of YBCO Superconductors . . . . .	1401
<i>A. Nagata, M. Oikawa and O. Izumi</i>	

AC Magnetic Field Penetration into Superconducting Shields of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> Ceramics and Nb–Ti Foil . . . . .	1407
<i>Yu.A. Bashkurov, K.Sh. Lutidze, L.S. Fleishman and I.V. Yakimetz</i>	
Improvement of the Critical Current Density by Strengthening Silver Sheath in High T <sub>c</sub> Superconducting Y-Ba-Cu-O Wires . . . . .	1413
<i>J. Chikaba</i>	
Enhancement of T <sub>c</sub> Y-Ba-Cu-O Thin Films after Proton Irradiation . . . . .	1419
<i>A.A. Nikonov, G.V. Sotnikov and A.S. Tokarev</i>	
The Grain Boundaries of High-T <sub>c</sub> Copper Oxides and A-15 Compounds . . . . .	1425
<i>M. Akinaga</i>	
Preparation of As-Deposited Superconducting Y-Ba-Cu-O Films by DC Magnetron Sputtering from Single Target . . . . .	1431
<i>M. Suzuki, T. Uchiyama and K. Takahashi</i>	
Preparation of Superconducting YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> Thin Film on Metal Substrate by Chemical Vapor Deposition Process . . . . .	1437
<i>S. Aoki, T. Yamaguchi, N. Sadakata and O. Kohno</i>	
Preparation of Thin Film of Superconducting Oxide by Sputtering on Metal Substrate with Intermediate Buffer Layer . . . . .	1442
<i>Y. Iijima, H. Hayakawa, N. Sadakata and O. Kohno</i>	
The Critical Current Testing of High T <sub>c</sub> Superconductors in High Magnetic Fields . . . . .	1448
<i>L. Cowey, H. Jones and D. Dew-Hughes</i>	
High T <sub>c</sub> Superconductivity of Bi-Pb-(Te,Se,Sb)-Sr-Ca-Cu-O . . . . .	1454
<i>H. Ohtsuka, T. Akeyoshi, K. Kawasaki and M. Sugahara</i>	
Flux Pinning Characteristics in Superconducting Y-Ba-Cu-O Prepared by the Quench and Melt Growth Process . . . . .	1460
<i>T. Matsushita, B. Ni, M. Murakami, M. Morita, K. Miyamoto, K. Sawano and S. Matsuda</i>	
Thermal Conductivity and Stability of Several High-T <sub>c</sub> Oxide Superconductors . . . . .	1466
<i>K. Noto, K. Mori, K. Watanabe, H. Morita, Y. Ogiso, T. Igarashi, M. Sasakawa and Y. Muto</i>	
AC Losses in High Temperature Superconductors . . . . .	1470
<i>M.A. Hilal, J.D. Lloyd and A.D. Crapo</i>	
Characteristics of Superconducting Y-Ba-Cu-O for Magnetic Shields . . . . .	1476
<i>M. Itoh, H. Ishigaki, T. Ohyama, T. Minemoto, M. Motokawa and H. Nojiri</i>	
Bi(Pb)-Sr-Ca-Cu-O Superconducting Tapes Prepared by Doctor Blade Method . . . . .	1482
<i>H. Kumakura, K. Togano, D.R. Dietderich, H. Maeda and E. Yanagisawa</i>	
Surface Modification by CO <sub>2</sub> Laser and Surface Concentration Current in Oxide Superconductor . . . . .	1488
<i>H. Nomura, M. Okutomi, A. Kitagawa and T. Onishi</i>	
High T <sub>c</sub> Superconducting Films of Y-Ba-Cu Oxides Prepared by a Low-Pressure Plasma Spraying . . . . .	1494
<i>K. Tachikawa, Y. Shimbo, M. Ono, M. Kabasawa and S. Kosuge</i>	

The High Field Magnetic Dependence of Critical Current Density at 4.2K for Ag-Sheathed Bi-Sr-Ca-Cu-O Superconducting Tape and Magnetic Design by Using It . . . . .	1498
<i>N. Enomoto, H. Kikuchi, N. Uno, M. Ikeda, H. Kumakura, K. Togano and K. Watanabe</i>	
<i>Conference Attendees</i> . . . . .	1503
<i>Index of Contributors</i> . . . . .	1525