

Contents

<i>Preface</i>	v
<i>Acknowledgments</i>	vi
<i>Highlights</i>	vii
<i>Organizers</i>	xxxix
<i>Collaborating Organizers and Societies</i>	xxxix
<i>International Organizing Committee</i>	xxxix
<i>National Organizing Committee</i>	xxxix
<i>Treasury Committee</i>	xxxix
<i>Executive Committee</i>	xxxix
<i>Program Committee</i>	xxxix
<i>Accounts Committee</i>	xxxix
<i>Local Executive Committee</i>	xxxix
<i>Publication Staff</i>	xxxix
<i>Sponsors</i>	xxxix
<i>List of Exhibitors</i>	xxxix

VOLUME 1

Plenary Talks

Progress in MR Systems for Medical Applications	1
<i>I. Mano</i>	
Current Status of Maglev Transportation System in the World	9
<i>J. Fujie</i>	
Present Achievements and Prospects for Superconducting Tokamaks in the World	18
<i>P. Komarek</i>	
World's Achievements in the Development of Superconducting Materials at Liquid Helium Temperature	27
<i>K. Inoue</i>	

High Energy Physics I

First Nb ₃ Sn, 1 m Long Superconducting Dipole Model Magnets for LHC Break the 10 Tesla Field Threshold	36
<i>A. Asner, R. Perin, S. Wenger and F. Zerobin</i>	
First Results of the High-Field Magnet Development for the Large Hadron Collider	42
<i>The CERN LHC Magnet Team, reported by R. Perin</i>	
Design and Construction of a Twin-Aperture Prototype Magnet for the CERN LHC Project	48
<i>D. Hagedorn, Ph. Lebrun, D. Leroy, R. Perin, J. Vlogaert and A. McInturff</i>	
Coupling Losses in a Superconducting Model Magnet for the LHC	54
<i>P. Tixador, D. Leroy and L. Oberli</i>	
Critical Current Measurements of Prototype Cables for the CERN LHC up to 50 kA and Between 7 and 13 Tesla Using a Superconducting Transformer Circuit	60
<i>H.H.J. ten Kate, B. ten Haken, S. Wessel, J.A. Eikelboom and E.M. Hornsveld</i>	
Development of a 10 T Nb ₃ Sn ‘Twin Aperture’ Model Dipole Magnet for the CERN LHC	66
<i>H.H.J. ten Kate, C. Daum, L.J.M. van de Klundert, H. Bode, W. Hoogland, J.D. Elen, F. van Overbeeke and R. Perin</i>	
Magnetic Fields and Lorentz Forces in an LHC Dipole Magnet: 3-D Analysis Using the FEM Program TOSCA	72
<i>D. ter Avest, C. Daum and H.H.J. ten Kate</i>	
Measurements of Quench Propagation Velocity along a Super-stabilized Conductor	78
<i>A. Devred</i>	
Mechanical Analysis of Different Yoke Configurations for the SSC Dipole	85
<i>M.S. Chapman, J.M. Cortella, R.I. Schermer and R.H. Wands</i>	
Investigation of Heater-Induced Quenches in a Full-Length SSC R&D Dipole	91
<i>A. Devred, M. Chapman, J. Cortella, A. Desportes, J. DiMarco, J. Kaugerts, R. Schermer, J.C. Tompkins, J. Turner, J.G. Cottingham, P. Dahl, G. Ganetis, M. Garber, A. Ghosh, C. Goodzeit, A. Greene, J. Herrera, S. Kahn, E. Kelly, G. Morgan, A. Prodell, E.P. Rohrer, W. Sampson, R. Shutt, P. Thompson, P. Wanderer, E. Willen, M. Bleadon, B.C. Brown, R. Hanft, M. Kuchnir, M. Lamm, P. Mantsch, P.O. Mazur, D. Orris, J. Peoples, J. Strait, G. Tool, S. Caspi, W. Gilbert, C. Peters, J. Rechen, J. Royer, R. Scanlan, C. Taylor and J. Zbasnik</i>	
Design of a Very High Field Magnet for an SSC Detector	96
<i>H. Hirabayashi, A. Maki, S. Terada, K. Tsuchiya, T. Akiyama, T. Doi, H. Kakui and T. Oba</i>	
Study of the Current Carrying Element of the Superconducting Dipole Magnet for the UNK	102
<i>A.N. Baidakov, K.P. Myznikov, L.S. Shirshov, V.P. Snitko, A.N. Surkov, V.V. Sytnik, N.V. Taran, V.A. Vasiliev, M.G. Vybornov and A.V. Zlobin</i>	
Heat Load on a Superconducting UNK Dipole	107
<i>A.I. Ageyev, Yu.G. Bozhko, E.M. Kashtanov, S.S. Kozub, K.P. Myznikov, Ya.V. Shpakovich, V.V. Sytnik, A.V. Tarasov and A.A. Zolotov</i>	

Study of the Models of Superconducting Dipole Magnet for the UNK	111
<i>A.I. Ageyev, N.I. Andreyev, V.I. Balbekov, V.I. Dolzhenkov, K.F. Gertsev, V.I. Gridasov, K.P. Myznikov, A.P. Orlov, N.L. Smirnov, V.V. Sytnik, N.M. Tarakanov, L.M. Tkachenko, Yu.V. Vanenkov, L.M. Vasiliev, V.A. Vasiliev, V.V. Yelistratov and A.V. Zlobin</i>	
Experimental Study of Cooldown and Warmup of a UNK Superconducting Dipole	117
<i>A.I. Ageyev, Yu.G. Bozhko, K.P. Myznikov, A.N. Shamichev, V.V. Sytnik, A.V. Tarasov and A.V. Zhirnov</i>	
Magnetic System of the Pulse Stretcher Ring PSR-2000	121
<i>P.I. Gladkikh, Yu.N. Grigor'ev, S.V. Efimov, A.Yu. Zelinskij, I.M. Karnaukhov, S.G. Kononenko, N.I. Mocheshnikov, A.S. Tarasenko, A.A. Shcherbakov, M.G. Nagaenko, A.V. Popov, B.V. Rozhdestvenskij and N.F. Shilkin</i>	
The Bending Magnet System of LEP	125
<i>M. Giesch and J.P. Gourber</i>	
Construction of the L3 Magnet	130
<i>F. Wittgenstein, A. Hervé, M. Feldmann, D. Luckey and I. Vellitsky</i>	
Critical Current Measurements of Superconducting Cables for HERA Dipole Magnets Using the Facility MA.RI.S.A.	136
<i>P. Fabbriatore, R. Musenich, R. Parodi and R. Vaccarone</i>	
Time Dependence of Persistent Current Effects in the Superconducting HERA Magnets	141
<i>H. Brück, Z. Jiao, D. Gall, G. Knies, J. Krzywinski, R. Meinke, H. Preissner and P. Schmüser</i>	
Performance of the Superconducting Magnets for the HERA Accelerator	147
<i>H.R. Barton Jr, R. Bouchard, Y. Bi, H. Brück, M. Dabrowska, D. Darvill, W. He, Z. Chen, Z. Jiao, D. Gall, G. Knies, J. Krzywinski, J. Kulka, A. Ladage, R. Lange, L. Lin, A. Makulski, R. Meinke, F. Müller, K. Nesteruk, J. Nogiec, H. Preissner, W. Rakoczy, P. Schmüser, M. Surala, E. Schnacke, Z. Skotniczny and W. Shi</i>	

High Energy Physics II

Industrial Series Fabrication of 722 Superconducting Dipole- and Sextupole/Quadrupole-Correction Magnets for the HERA Proton Storage Ring by Holec, Ridderkerk, The Netherlands	153
<i>H.J. Israël, P.A.M. Bracké, P. Schmüser and C. Daum</i>	
Structural Analysis of the LHC 10 T Twin-Aperture Dipole	159
<i>D. Leroy, R. Perin, D. Perini and A. Yamamoto</i>	
Development of Superconducting Dipole Magnets for Accelerator	165
<i>K. Asano, T. Yamagiwa and T. Shintomi</i>	
Superconducting Quadrupole Magnets for the TRISTAN Low-Beta Insertion	171
<i>K. Tsuchiya, N. Ohuchi, A. Terashima, H. Nakayama, K. Egawa, S. Takasaki, K. Asano, R. Hoshi and T. Yamagiwa</i>	
Training in High-Performance Superconducting Dipole Magnets and Room-Temperature Acoustic Signal Attenuation	176
<i>O.O. Ige and Y. Iwasa</i>	

Development of Superconducting Dipole Magnet with Ideal Arch Structure Using Large Keystone Angle Cable	181
<i>T. Shintomi, A. Terashima and H. Hirabayashi</i>	
The TBA Prototype Dipole Magnet of SRRC	187
<i>C.H. Chang, C.S. Hwang, J.C. Lee, W.C. Chou, J.H. Huang, P.K. Tseng, C.S. Hsue and G.J. Hwang</i>	
Design of the Sextupole Magnet for an 8 GeV Storage Ring	194
<i>J. Ohnishi and S. Motonaga</i>	
Development of a Superconducting Sextupole–Dipole Corrector Magnet	200
<i>A. Ijspeert, R. Perin, E. Baynham, P. Clee, R. Coombs, J. Wheatley and D. Willis</i>	
Towards the Realization of Two 1.2 Tesla Superconducting Solenoids for Particle Physics Experiments	206
<i>P.T.M. Clee and D.E. Baynham</i>	
Main Results of Magnetic Measurements on the OAE Modification of SSC2 (the Second Separated Sector Cyclotrons of GANIL)	212
<i>D. Bibet, M. Barré, J. Blanchet, M. Duval, Cl. Eveillard, J. Fermé, A. Lemarié, M. Legay and J.F. Libin</i>	
The Upgrade of MA.RI.S.A. Facility from 6.5 to 10 Tesla: Design, Construction and Preliminary Test	218
<i>S. Angius, P. Fabbriatore, R. Marabotto, R. Musenich, R. Parodi, M. Perrella, S. Pepe and R. Vaccarone</i>	
Dynamic and Magnetic Behaviour of Large Superconducting Coils in the Magnet of the Milan Heavy Ion Cyclotron	223
<i>E. Acerbi and L. Rossi</i>	
ZEUS Magnets Construction Status Report	229
<i>A. Bonito Oliva, F. Bordin, O. Dormicchi, G. Gaggero, M. Losasso, R. Penco, N. Valle, R. Bruzzese, M. Spadoni, N. Sacchetti and Q. Lin</i>	
Magnet Design Studies for the TRIUMF KAON Factory Proposal	235
<i>A.J. Otter, L. Ellstrom, C. Haddock, M. Harold, P. Reeve, H. Sasaki and P. Schwandt</i>	
Development of Superconducting Bending Magnets for the SR Ring	241
<i>T. Okazaki, Y. Hosoda, S. Isojima, T. Keishi, C. Suzawa and T. Masuda</i>	

High Energy Physics III

Three Dimensional Magnetic Field Analysis for 5 m Superconducting Dipole Magnet	247
<i>H. Hirabayashi, T. Shintomi, K. Kondo, M. Yamaguchi, S. Itoh, S. Murai and M. Hirano</i>	
Analysis of the Performance of the Eight Superconducting Quadrupoles for the LEP Low-Beta Insertions	253
<i>P.J. Ferry, D. Semal, Ph. Lebrun, O. Pagano, S. Pichler, T.M. Taylor, T. Tortschanoff, L. Walckiers and L. Williams</i>	
Numerical Analysis of the Voltage Current Transition in Superconducting Cables	259
<i>D. ter Avest and L.J.M. van de Klundert</i>	

Design of an AC Magnetic Biasing Circuit for the KAON Factory Booster RF Cavity	264
<i>C. Haddock, R.L. Poirier, A. Otter, T. Energren and M. Zanolli</i>	
Dipole and Quadrupole Magnets Design with 2D and 3D Electromagnetic Analysis Codes	270
<i>P. Molfino, M. Repetto, A. Matrone and P. Prati</i>	
Pole Shaping for Improving the Deviation of the Effective Length in Thin Quadrupole Magnets	275
<i>S. Yamamoto, M. Morita, T. Matsuda and T. Yamada</i>	
Three Dimensional Analysis of a Deflection Yoke with Surface Charge Method	280
<i>T. Nakagawa and S. Okuda</i>	
Quench Behaviour of a Thin Solenoid Model	285
<i>A. Bonito Oliva, G. Masullo, O. Dormicchi, G. Gaggero and R. Penco</i>	
High Precision Automatic Magnetic Field Mapping System for the Dipole Magnet	291
<i>C.S. Hwang, W.C. Chou, J.H. Huang, M.Y. Lin, T. Chang and P.K. Tseng</i>	
Field Inhomogeneity Effects on the Relation Between Short Sample Critical Current and the Quench Current of High Field Dipole Magnets	297
<i>P. Fabbriatore, R. Musenich and R. Parodi</i>	
Three-Dimensional Computation of Magnetic Fields and Lorentz Forces of an LHC Dipole Magnet Using the Method of Image Currents	302
<i>C. Daum and D. ter Avest</i>	
The Magnetic Design and Field Measurement of Fermilab Collider Detectors: CDF and D0	308
<i>R. Yamada</i>	

High Energy Physics IV

A Five Pole Superconducting Vertical Wiggler	314
<i>K. Ohmi, T. Yamakawa, T. Doi, H. Kakui and H. Ukisuka</i>	
Design of Superconducting Wiggler for a Synchrotron Radiation Facility	319
<i>K. Aizawa, M. Sakiyama, M. Yokoyama, A. Iwata, I. Endo, T. Kasuga, M. Taniguchi, M. Tobiyaama and M. Nomura</i>	
A Superconducting Wiggler Magnet for an Electron Beam of 120 MeV	325
<i>S. Owaki, K. Katagiri, S. Nishijima, T. Nishiura, K. Takahata, K. Seo and T. Okada</i>	
Successful Test of a Superconducting Wiggler for the Frascati Electron Storage Ring Adone	331
<i>M. Barone, A. Cattoni and C. Sanelli</i>	
Final Design of a 7.5 T Superconducting Wiggler Magnet	337
<i>J.-T. Eriksson, L. Kettunen, R. Mikkonen and L. Söderlund</i>	
Determination of Loading Order of Permanent Magnet Blocks in the Soft X-Ray Undulator (SXU) at the NSLS	343
<i>M. Kitamura, L. Solomon, G. Decker and J. Galayda</i>	

A Magnet with a Highly Homogeneous Field for a Frozen Spin Polarized Target of Proton and Deuteron	348
<i>S. Isagawa, S. Ishimoto, K. Morimoto, A. Masaike, S. Suzuki and E. Ban</i>	
Design and Construction of a Large Superconducting Spectrometer Magnet . . .	354
<i>T. Shintomi, Y. Doi, O. Hashimoto, T. Kitami, Y. Makida and T. Nagae</i>	
An Ultra-Precise Storage Ring for the Muon $g-2$ Measurement	360
<i>D. Brown, T. DeWinter, E. Hazen, C. Heisey, B. Kerosky, F. Krienen, D. Loomba, E. McIntyre, D. Magaud, W. Meng, J. Miller, L. Posnick, B. Roberts, D. Stassinopoulos, L. Sulak, W. Worstell, G. Bunce, H. Brown, B. Chertok, G. Cottingham, J. Cullen, G. Danby, B. DeVito, J. Jackson, M. May, J. Mills, C. Pai, A. Pendzick, I. Polk, A. Prodell, L. Snydstrup, R. Shutt, A. Soukas, K. Woodle, K. Becker, M. Lubell, T. Kinoshita, Y. Orlov, D. Winn, K. Jungmann, H. Mundinger, G. zu Putlitz, K. Endo, H. Hirabayashi, S. Kurokawa, T. Sato, A. Yamamoto, K. Ishida, W. Lysenko, L. Barkov, B. Khazin, E. Kuraev, Ya. Shatunov, J.T. Reidy, K. Nagamine, K. Nishiyama, H. Ahn, J. Bailey, P. Cushman, S. Dhawan, A. Disco, F. Farley, V. Hughes, H. Venkataramania</i>	
A Superconducting Toroidal Magnet for Charged Particle Spectroscopy	366
<i>J. Imazato, H. Tamura, T. Ishikawa, R.S. Hayano, T. Yamazaki, A. Yamamoto and T. Kawaguchi</i>	
Corrective Coils for the Electron Cooler at ESR (GSI)	372
<i>Th. Odenweller</i>	
Energy Storage, Power Applications and MHD Magnets	
A Method for the High Energy Density SEMES—Superconducting Magnetic Energy Storage	378
<i>Y. Mitani and Y. Murakami</i>	
An Optimal Design of Solenoidal Superconducting Coil Used for Electrical Power System Stabilization	384
<i>Y. Mitani and Y. Murakami</i>	
Desired Capacity and Control Strategy of SMES for Load Change Compensation Aid of Power System	390
<i>J. Hasegawa and E. Tanaka</i>	
Study of SMES System with DC Intertie for Power Line Stabilization	396
<i>H. Okada, T. Ezaki, K. Ogawa, H. Koba, F. Irie, M. Takeo, S. Sato, K. Terazono, M. Takamatu, N. Kawakami and M. Hirano</i>	
On the Multiple-Ring Coil System for SMES	402
<i>T. Ezaki and F. Irie</i>	
Design and Tests of the Superconducting Magnet for Energy Storage	408
<i>T. Tominaga, O. Takashiba, H. Fujita and K. Asano</i>	
25 kV Superconducting Fault Current Limiter	413
<i>T. Verhaege, J.P. Tavergnier, A. Février, Y. Laumond, M. Bekhaled, M. Collet and V.D. Pham</i>	
Switch of Magnetic Field by Rotating Superconducting Shield	419
<i>K. Takahata, S. Nishijima and T. Okada</i>	
Development of the Thermal Superconducting Switch and Research on its Closed Process	425
<i>Y.B. Lin, Y.L. Chen, L.Z. Lin and S. Han</i>	

Theory and Verification Tests of the Nb-Ti Ribbon Thermally Controlled Switch for 50 Hz Applications	431
<i>I. Hlásnik, N.V. Markovsky, O.A. Shevchenko and J. Kokavec</i>	
Basic Test of a 3-Phase Superconducting Fault Current Limiting Reactor	437
<i>H. Kado and T. Ishigohka</i>	
Nb ₃ Sn Persistent Current Switch	443
<i>M. Urata, H. Maeda, M. Tanaka, S. Murase, Y. Oda, S. Nakamura, E. Suzuki, S. Kageyama and S. Kabashima</i>	
Test on Superconducting AC Fault Current Limiter	449
<i>D. Ito, E.S. Yoneda, T. Fujioka and K. Tsurunaga</i>	
Off-On Characteristics of Magnetically Controlled Superconducting Switch . .	455
<i>T. Nitta, M. Tada, T. Okada and S. Isojima</i>	
Operation of a New-Type Rectifier Fluxpump with Saturable Core Transformer .	461
<i>K. Funayama, T. Isono, M. Suzuki, M. Sato and T. Anayama</i>	
Design, Construction and Testing of a 50 kA Superconducting Transformer . .	467
<i>G. Pasztor, E. Aebli, B. Jakob, P. Ming, E. Siegrist and P. Weymuth</i>	
Quench Recovery Test of 3-Winding Superconducting Transformer with an Auxiliary Winding Only in Low Voltage Side	473
<i>H. Kamijo, T. Ishigohka, N. Mizukami and M. Yamamoto</i>	
On the Inductive Method for Maximum Current Testing of Superconducting Cables	479
<i>G.B.J. Mulder, H.H.J. ten Kate, H.J.G. Krooshoop and L.J.M. van de Klundert</i>	
AC Loss Characteristics of Superconducting Power Transmission Cable	485
<i>K. Arai, N. Natori, N. Higuchi and T. Hoshino</i>	
Sectionalizing and Optimization of Toroidal Superconductive Windings	491
<i>V.V. Andrianov, A.Y. Archangelsky, V.V. Zheltov, S.I. Kopylov and M.B. Parizh</i>	
The Influence of a Real Magnet on the Performance of Cold MHD Device	497
<i>P. Del Vecchio, G. Pasotti and G.M. Veca</i>	
MHD Magnet Design for the J.E. Corette Plant Retrofit	502
<i>H. Gurol</i>	
High Field Superconducting Magnet for a Closed Cycle Disk MHD Generator	507
<i>T. Okamura, Y. Okuno and S. Shioda</i>	
Superconducting Magnets for Disk-Shaped MHD Generators: Review and Pre-design	513
<i>H.G. Knoopers, H.H.J. ten Kate, L.J.M. van de Klundert, P. Masseur, H.A.L.M. de Graaf and W.J.M. Balemans</i>	
SC Generators and Motors	
First Results of the Start-up Phase of the 2 MVA Superconducting Generator SMG	519
<i>H. Köfler, F. Ramsauer and H. Fillunger</i>	

Design Concepts and Experimental Results of Superconductor for Field Windings of 70 MW Class Superconducting Generator	525
<i>A. Ueda, S. Maeda, T. Hirao, K. Mio, Y. Nagata, T. Yamada, M. Morita and H. Yoshimura</i>	
300 MVA Superconducting Generator and First Experiments of its Cooling-Down	529
<i>G.M. Khutoretsky, I.F. Filippov, V.D. Varschawsky, Yu. L. Rybin and S.G. Stefanovich</i>	
Electrical Power System Stabilization Utilizing Energy in Field Winding of Superconducting Generator	534
<i>Y. Mitani, Y. Kowada, K. Tsuji and Y. Murakami</i>	
Finite Element Modelling of Electromagnetic Shields in Superconducting AC Generator	540
<i>S. Hahn, D. Han, H. Sin, B. Lee, G. Cha, S. Hahn and Y. Won</i>	
Calculation of Magnetic Field Caused by Armature Winding of Superconducting Generator	545
<i>K. Yamaguchi and N. Maki</i>	
Specifications and Selecting Procedures on Superconducting Field Windings of Superconducting Generators	550
<i>K. Uyeda, S. Meguro, T. Saitoh, K. Takahashi and H. Hatakeyama</i>	
Current Situation of R&D on Superconducting Generators Carried Out by Engineering Research Association for Superconductive Generation Equipment and Materials	556
<i>T. Tanaka, S. Hirose, M. Tanaka, T. Kitajima and M. Sunada</i>	
Design and Manufacture of Superconducting Generator with High-Response Excitation	562
<i>T. Okada, T. Nitta, S. Hayashi, K. Saikawa, M. Tari and M. Kumagai</i>	
Fully Superconducting AC Generator with Brushless Excitation System	568
<i>I. Muta, H. Tsukiji, Y. Tsutsui, T. Hoshino, E. Mukai and T. Furukawa</i>	
A Study of Application of High T_c Superconductors to Superconducting Generators	574
<i>N. Maki, K. Yamaguchi and Y. Yagi</i>	
Test Results of Motors with a Superconducting Rotor	580
<i>M. Takahashi, K. Arai, M. Satoh, M. Watanabe, N. Takahashi and R. Takahashi</i>	
Fundamental Design for Meissner Motor	586
<i>A. Ishikawa, A. Takeoka and Y. Kishi</i>	
Thermo-Electromagnetic Stability of Ultrafine Multifilamentary Superconducting Cables for Industrial Frequency Use	592
<i>A. Guéraud, J.P. Tavergnier, A. Février, Y. Laumond, A. Lacaze, B. Dalle and A. Ansart</i>	
Performances of Industrial Superconducting Wires for 50–60 Hz Applications	598
<i>J.Y. Georges, A. Février, Y. Laumond, L. Lacaze and P. Bonnet</i>	

Influence of Thermomechanical Working Schedules on Critical Current Density and Structure of Superconductor Nb–Ti Base Alloys	604
<i>G.K. Zelenskiy, A.V. Arsent'ev, A.P. Golub', E.A. Golub', V.E. Klepatsky, V.V. Medkov, E.V. Nikulenkov, A.D. Nikulin, V.Ya. Fil'kin, V.S. Titov, P.P. Pashkov, V.A. Vasil'ev and A.I. Nikulin</i>	

Development of kA-Class Superconducting Cables for AC Use: (I) Design and Fabrication	610
<i>T. Hamajima, M. Shimada, M. Ono, M. Yamaguchi, D. Itoh, T. Fujioka, K. Funaki, K. Tasaki, M. Iwakuma, M. Takeo, K. Yamafuji, T. Kumano and E. Suzuki</i>	

Development of kA-Class Superconducting Cables for AC Use: (II) Electromagnetic Properties	615
<i>K. Funaki, K. Tasaki, M. Iwakuma, M. Takeo, K. Yamafuji, T. Hamajima, M. Shimada, M. Ono, M. Yamaguchi, D. Itoh, T. Fujioka, T. Kumano and H. Suzuki</i>	

Superconductors and Rare Earth Magnets: An Exciting Combination for Electrical Motors	621
<i>P. Tixador, Y. Brunet, P. Brissonneau and M. Ivanec</i>	

Hybrid Magnets

45 T, Steady State	627
<i>R.J. Weggel, M.J. Leupold, J.E.C. Williams and Y. Iwasa</i>	

A Design of 50 T Hybrid Magnet for Quasi-Stationary Operation	633
<i>Y. Nakagawa, G. Kido, S. Miura, A. Hoshi, K. Watanabe and Y. Muto</i>	

The Construction of Pulsed Field Solenoids in the Oxford–Leuven Collaboration	639
<i>H. Jones, F. Herlach and J.A. Lee</i>	

Generation of Long Flat-Top Pulse Fields for Solid State Physics	645
<i>N. Miura, S. Takeyama and K. Watanabe</i>	

Primary Design of 40 Tesla Class Hybrid Magnet System	651
<i>K. Inoue, T. Takeuchi, T. Kiyoshi, K. Itoh, H. Wada, H. Maeda, K. Nii, T. Fujioka, Y. Sumiyoshi, S. Hanai, T. Hamajima and H. Maeda</i>	

Removal of Dissolved Oxygen in Water for High-Power Resistive Magnet	657
<i>A. Hoshi, S. Miura and Y. Nakagawa</i>	

A 20 T, 130 mm Bore Hybrid Magnet	663
<i>P. Rub, M. Ohl, H.-J. Schneider-Muntau and J.C. Vallier</i>	

The Nijmegen High-Field Magnet Laboratory: Experience with the New 30-T Hybrid Magnet System	668
<i>K. van Hulst, H. van Luong, J.A.A.J. Perenboom, J. Rook and J. Singleton</i>	

Mechanical Design and Materials

Plastic Bending Large Displacement Analysis and Spring-Back of a Conductor Jacket of a Superconducting Magnet for Fusion Reactors	674
<i>R.E. Gori and P. Zaccaria</i>	

Structural Characteristics and the Influence of Mechanical Disturbance in Superconducting Toroidal Coils	680
<i>Y. Kannoto, H. Hashizume, M. Minami, K. Hayakawa, T. Takagi and K. Miya</i>	
Temperature Rise Due to Frictional Sliding of SUS316L vs SUS316L and SUS316L vs Polyimide at 4 K	686
<i>A. Iwabuchi and T. Honda</i>	
Fracture Toughness of 304 Stainless Steel in High Magnetic Fields at Cryogenic Temperature	692
<i>E. Fukushima, S. Kobatake, M. Tanaka and H. Ogiwara</i>	
Superconducting Magnets in High Radiation Environments: Design Problems and Solutions	697
<i>S.J. St Lorant and E. Tillmann</i>	
Investigation of Impregnants for Superconducting Magnets	703
<i>D.L. Zha, S. Han and L.Z. Lin</i>	
Creep Test of Composite Materials under Irradiation Condition	708
<i>T. Nishiura, S. Nishijima, K. Katagiri, T. Okada, J. Yasuda and T. Hirokawa</i>	
Mechanical Behavior of Insulating Material of Forced Flow Superconducting Magnets	714
<i>S. Nishijima, T. Okada and M. Kawakami</i>	
Comparison of Test Results with Analysis of Glass Fibre Reinforced Epoxy Shear Test Samples	719
<i>F. Fardi, N. Mitchell and R. Poehlchen</i>	
Development of Radiation-Resistant Magnets for High Intensity Beam Lines	725
<i>K.H. Tanaka, Y. Yamanoi, M. Takasaki, T. Suzuki and K. Kato</i>	
Effect of Cold Work and Heat Treatment on the 4°K Tensile, Fatigue and Fracture Toughness Properties of Incoloy 908	731
<i>M.M. Morra, I.S. Hwang, R.G. Ballinger, M.M. Steeves and M.O. Hoenig</i>	
Effect of Stiffness on Serrated Deformation at Very Low Temperatures under Constant Loading Rate Conditions and its Computer Simulation	737
<i>K. Shibata and K. Fujita</i>	
Mechanical Properties of SUS304 Stainless Steel under Cold Thermal Cycles	743
<i>Y. Mukai and A. Nishinura</i>	
Creep and Discontinuous Deformation Behavior of Austenitic Steels at Cryogenic Temperatures	749
<i>T. Ogata, K. Ishikawa, T. Yuri and O. Umezawa</i>	
Fatigue and Fracture of Ti Alloys at Cryogenic Temperatures	754
<i>K. Nagai, T. Yuri, O. Umezawa and K. Ishikawa</i>	