

CONTENTS

I. MICRO FRESNEL LENSES

by H. NISHIHARA and T. SUHARA (OSAKA, JAPAN)

| | |
|---|----|
| 1. INTRODUCTION | 3 |
| 2. PRINCIPLES OF FRESNEL LENSES | 5 |
| 2.1 Phase shift function | 5 |
| 2.2 Zones | 6 |
| 2.3 Diffraction efficiency | 9 |
| 2.4 Focusing | 10 |
| 3. FABRICATION TECHNIQUES OF MICRO FRESNEL LENSES | 12 |
| 3.1 Photoreduction method | 12 |
| 3.2 Interference method | 12 |
| 3.3 Optical duplication | 15 |
| 3.4 Electron-beam writing | 15 |
| 4. FRESNEL LENSES FABRICATED BY ELECTRON-BEAM LITHOGRAPHY | 17 |
| 4.1 Electron-beam writing system | 17 |
| 4.2 Blazing technique | 17 |
| 4.3 Examples | 20 |
| 4.4 Characteristics | 20 |
| 4.4.1 Focusing spot | 20 |
| 4.4.2 Focal length | 21 |
| 4.4.3 Diffraction efficiency | 22 |
| 4.4.4 Wavefront aberration | 23 |
| 4.5 Lens array | 23 |
| 4.6 Elliptical lens | 26 |
| 5. WAVEGUIDE FRESNEL LENSES | 26 |
| 5.1 Waveguide lenses: requirements and problems | 26 |
| 5.2 Theoretical considerations | 28 |
| 5.3 Fabrications and results | 32 |
| 6. CONCLUSION | 35 |
| REFERENCES | 36 |

II. DEPHASING-INDUCED COHERENT PHENOMENA

by L. ROTHBERG (MURRAY HILL, NJ, USA)

| | |
|--|----|
| 1. INTRODUCTION TO DEPHASING-INDUCED COHERENCE | 41 |
| 1.1 Description and importance of the phenomenon | 41 |
| 1.2 Historical evolution of the problem | 42 |
| 1.3 Overview of the article | 44 |
| 2. THEORETICAL TREATMENT | 45 |

| | |
|--|----|
| 2.1 Conventional description of coherent nonlinear optical mixing | 45 |
| 2.1.1 Framework of the traditional theory | 45 |
| 2.1.2 Calculation of nonlinear susceptibilities with damping | 47 |
| 2.1.3 Other features of multiresonant nonlinear optical mixing | 52 |
| 2.2 Diagrammatic picture of nonlinear optical processes | 54 |
| 2.2.1 Double sided diagrams | 54 |
| 2.2.2 Dephasing-induced coherent behavior | 56 |
| 2.3 Relationship of pressure-induced coherent four-wave mixing to collisional redistribution | 58 |
| 2.3.1 Dressed atom model of collision-induced coherence | 59 |
| 2.4 Field-induced resonances | 63 |
| 2.4.1 Fluctuation-induced extra resonances | 64 |
| 2.4.2 Higher-order power and dephasing-induced resonances | 65 |
| 3. EXPERIMENTAL RESULTS | 67 |
| 3.1 Classification of observed dephasing-induced coherent processes | 67 |
| 3.2 Extra resonances between "unpopulated" excited states | 67 |
| 3.2.1 Collision-induced resonances between 2P fine-structure components in Na vapor | 68 |
| 3.2.2 Thermally induced excited state coherent Raman spectroscopy of molecular crystals | 70 |
| 3.2.3 Pressure-induced Hanle resonances between Zeeman sublevels of an excited state | 77 |
| 3.3 Collision-induced population grating resonances | 80 |
| 3.3.1 Grating picture of four-wave mixing and the role of dephasing | 80 |
| 3.3.2 Characterization of pressure-induced population grating resonances in Na vapor | 82 |
| 3.4 Collision-induced coherent Raman resonances between equally populated states | 86 |
| 3.4.1 Hyperfine and Zeeman coherences in the ground state of sodium vapor | 87 |
| 3.4.2 Collision-induced Hanle resonances in the ground state of sodium vapor | 90 |
| 3.4.3 Collision-induced four-wave mixing lineshapes and velocity changing collisions | 92 |
| 4. SUMMARY AND FUTURE PROSPECTS | 94 |
| 4.1 Effects of damping on coherent nonlinear optics | 94 |
| 4.2 Studies of dephasing mechanisms | 96 |
| 4.3 Novel spectroscopy | 97 |
| ACKNOWLEDGEMENTS | 98 |
| REFERENCES | 99 |

III. INTERFEROMETRY WITH LASERS

by P. HARIHARAN (SYDNEY, AUSTRALIA)

| | |
|-------------------------------|-----|
| 1. INTRODUCTION | 105 |
| 1.1 Laser sources | 105 |
| 1.2 Laser modes | 106 |
| 1.3 Laser linewidth | 106 |

| | |
|--|------------|
| 1.4 Frequency stabilization | 108 |
| 1.5 Problems with laser sources | 109 |
| 2. MEASUREMENTS OF LENGTH | 110 |
| 2.1 Definition of the metre | 110 |
| 2.2 Measurements of length | 111 |
| 2.3 Fringe counting | 111 |
| 3. MEASUREMENTS OF CHANGES IN OPTICAL PATH LENGTH | 113 |
| 3.1 Closed-loop feedback systems | 114 |
| 3.2 Heterodyne methods | 114 |
| 3.2.1 Thermal expansion | 115 |
| 3.2.2 The Michelson–Morley experiment | 116 |
| 3.3 Techniques using tunable lasers | 117 |
| 3.3.1 Two-wavelength interferometry | 117 |
| 3.3.2 Frequency-modulation interferometry | 117 |
| 4. DETECTION OF GRAVITATIONAL WAVES | 118 |
| 4.1 Prototype interferometric detectors | 118 |
| 4.2 Methods of obtaining increased sensitivity | 119 |
| 5. LASER DOPPLER INTERFEROMETRY | 120 |
| 5.1 Measurement of surface velocities | 121 |
| 5.2 Measurements of vibrations | 123 |
| 6. LASER-FEEDBACK INTERFEROMETERS | 125 |
| 7. OPTICAL TESTING | 127 |
| 7.1 Unequal-path interferometers | 127 |
| 7.2 Tests on ground surfaces | 129 |
| 7.3 Electronic measurements of optical path differences | 129 |
| 7.3.1 Heterodyne techniques | 129 |
| 7.3.2 Quasi-heterodyne techniques | 130 |
| 7.3.3 Phase-stepping methods | 130 |
| 7.3.4 Residual errors | 131 |
| 7.4 Applications | 131 |
| 8. HETERODYNE SPATIAL INTERFEROMETRY | 132 |
| 8.1 Infrared heterodyne detection | 133 |
| 8.2 Infrared heterodyne stellar interferometry | 134 |
| 8.3 Large infrared heterodyne stellar interferometer | 136 |
| 9. INTERFEROMETRIC SENSORS | 138 |
| 9.1 Interferometric rotation sensors | 138 |
| 9.1.1 Ring-laser rotation sensors | 138 |
| 9.1.2 Passive interferometric rotation sensors | 139 |
| 9.1.3 Limits of sensitivity | 140 |
| 9.2 Fibre-optic interferometric sensors | 140 |
| 9.2.1 Rotation sensing | 140 |
| 9.2.2 Generalized fibre-interferometric sensors | 142 |
| 9.2.3 Applications | 143 |
| 10. PULSED-LASER AND NONLINEAR INTERFEROMETERS | 144 |
| 10.1 Interferometry with pulsed lasers | 144 |
| 10.2 Two-wavelength interferometry | 144 |
| 10.3 Second-harmonic interferometers | 144 |
| 10.3.1 Second-harmonic interferometers using critical phase-matching | 147 |
| 10.4 Phase-conjugate interferometers | 148 |

| | |
|--|-----|
| 10.5 Interferometers with phase-conjugating mirrors | 150 |
| 10.6 Photorefractive oscillators | 151 |
| 11. INTERFEROMETRIC MEASUREMENTS ON LASERS | 152 |
| 11.1 Analysis of spatial coherence and wavefront aberrations | 152 |
| 11.2 Measurements of spectral linewidth | 153 |
| 11.3 Heterodyne methods of frequency measurement | 155 |
| 11.4 Laser wavelength meters | 156 |
| 11.4.1 Dynamic wavelength meters | 156 |
| 11.4.2 Static wavelength meters | 158 |
| 12. CONCLUSIONS | 158 |
| ACKNOWLEDGEMENTS | 159 |
| REFERENCES | 159 |

IV. UNSTABLE RESONATOR MODES

by K. E. OUGHSTUN (MADISON, WI, USA)

| | |
|--|-----|
| 1. INTRODUCTION | 167 |
| 2. GENERAL FORMULATION OF THE TRANSVERSE MODE STRUCTURE PROPERTIES | 168 |
| 2.1 Paraxial scalar wave propagation phenomena in open optical cavities | 170 |
| 2.2 Canonical formulation of unstable cavity modes | 180 |
| 2.2.1 Geometrical properties | 181 |
| 2.2.2 Diffractive properties | 184 |
| 2.2.3 Collimated and equivalent Fresnel numbers | 188 |
| 2.3 Transverse mode orthogonality in open cavities | 190 |
| 2.3.1 Transverse mode orthogonality in optical cavities with a single diffracting aperture | 191 |
| 2.3.2 Transverse mode orthogonality and reciprocity in multi-aperture optical cavities | 196 |
| 2.4 Questions of existence and completeness of the transverse modes in open optical cavities | 201 |
| 2.4.1 On the existence of the eigenvalues | 202 |
| 2.4.2 Schmidt expansion of the cavity modes | 206 |
| 2.4.3 Nonstationary modes and the question of completeness | 213 |
| 2.5 Polarization eigenstates and the vector modes of an optical cavity | 221 |
| 2.5.1 Jones calculus and the polarization eigenstates | 222 |
| 2.5.2 Vector modes of an optical cavity | 225 |
| 2.6 Standing-wave interference and the resonance condition | 228 |
| 2.7 Spatial coherence of the transverse mode structure | 230 |
| 2.7.1 Coherent mode representation | 231 |
| 2.7.2 Second-order coherence of the stationary field in an optical cavity | 233 |
| 3. PASSIVE CAVITY MODE STRUCTURE BEHAVIOR | 240 |
| 3.1 Asymptotic behavior and the geometrical approximation | 243 |
| 3.1.1 Asymptotic approximation of the rectangular cavity eigenvalue equation | 250 |
| 3.1.2 Asymptotic approximation of the cylindrical cavity eigenvalue equation | 257 |
| 3.2 Eigenvalue behavior | 260 |
| 3.3 Transverse mode structure | 269 |
| 3.3.1 Equivalent Fresnel number and magnification dependence | 270 |
| 3.3.2 Transverse mode hierarchy supported by an unstable cavity | 276 |

| | |
|--|-----|
| 3.4 Aperture apodization and intracavity spatial filtering | 287 |
| 3.4.1 Aperture apodization in rectangular unstable cavities | 288 |
| 3.4.2 Intracavity spatial filtering in unstable ring resonators | 300 |
| 3.5 Geometry-dependent properties | 320 |
| 3.5.1 Off-axis cavity geometry | 321 |
| 3.5.2 Elliptical aperture cavity | 325 |
| 3.5.3 Outcoupling mirror effects | 326 |
| 3.5.4 Exotic cavity geometries | 328 |
| 4. ACTIVE CAVITY MODE STRUCTURE BEHAVIOR | 330 |
| 4.1 Equation of state of the active cavity mode structure | 330 |
| 4.1.1 Longitudinal mode expansion | 333 |
| 4.1.2 Outcoupled power and the cavity Q factor | 334 |
| 4.2 Saturable gain medium effects | 336 |
| 4.2.1 Laser amplifier gain and saturation | 337 |
| 4.2.2 Transverse mode structure behavior | 343 |
| 5. CONCLUDING REMARKS | 354 |
| ACKNOWLEDGEMENTS | 355 |
| APPENDIX. NUMERICAL TECHNIQUES AND SAMPLING CRITERIA | 355 |
| A.1 Scalar wave propagation methods | 356 |
| A.1.1 Cartesian coordinate solution | 356 |
| A.1.2 Polar cylindrical coordinate solution | 358 |
| A.2 Spherical wave coordinate transformation | 364 |
| A.3 Numerical sampling criteria | 366 |
| A.3.1 Guard band requirement | 366 |
| A.3.2 Sampling interval requirement in cartesian coordinates | 367 |
| A.3.3 Fresnel zone requirement in cartesian coordinates | 369 |
| A.3.4 Sampling interval and Fresnel zone requirements in polar cylindrical coordinates | 371 |
| A.4 Thin-sheet gain-phase approximation | 373 |
| REFERENCES | 378 |

V. INFORMATION PROCESSING WITH SPATIALLY INCOHERENT LIGHT

by I. GLASER (REHOVOTH, ISRAEL)

| | |
|---|-----|
| 1. INTRODUCTION | 391 |
| 1.1 Coherent versus incoherent light for information processing | 393 |
| 1.1.1 Advantages and disadvantages of incoherent optical processing | 395 |
| 1.2 Linear systems | 396 |
| 1.2.1 Shift invariant linear systems | 397 |
| 1.2.2 The Fourier transform | 398 |
| 1.2.3 Radon space | 399 |
| 1.2.4 Sampling | 399 |
| 2. PHYSICAL APPROACHES TO NONCOHERENT OPTICAL PROCESSING | 400 |
| 2.1 Scanning | 400 |
| 2.1.1 Correlations and convolutions | 401 |
| 2.1.2 Time integrating scanners | 403 |
| 2.1.3 Radon space processors | 407 |
| 2.1.4 Sequential processors for general linear transformations | 414 |

| | | |
|-------|---|-----|
| 2.2 | Shadow casting | 420 |
| 2.2.1 | Performance of shadow casting processors | 422 |
| 2.3 | The lenslet array processor | 423 |
| 2.3.1 | Performance analysis | 427 |
| 2.3.2 | Special configurations | 432 |
| 2.4 | Spectral dispersion | 434 |
| 2.4.1 | Wavelength spectrum correlators | 435 |
| 2.4.2 | Dispersive processing of spatial information | 436 |
| 2.5 | OTF synthesis | 438 |
| 2.5.1 | Geometrical-optics OTF synthesis | 439 |
| 2.5.2 | Diffractive OTF synthesis | 441 |
| 2.5.3 | Holographic incoherent OTF synthesis | 445 |
| 2.6 | Interferometric methods | 458 |
| 2.7 | Direct, parallel, vector-matrix multiplication | 461 |
| 3. | BIPOLAR AND COMPLEX-VALUED SPATIAL SIGNALS | 463 |
| 3.1 | Multiple channel systems | 463 |
| 3.1.1 | Optimal choice of the component spatial signals | 465 |
| 3.2 | Temporal encoding | 468 |
| 3.3 | Spatial encoding | 470 |
| 3.3.1 | Space segmentation | 471 |
| 3.3.2 | Spatial carrier | 473 |
| 3.4 | Polychromatic encoding | 477 |
| 4. | APPLICATIONS OF INCOHERENT PROCESSING SYSTEMS | 477 |
| 4.1 | Image pattern recognition | 479 |
| 4.1.1 | Statistical pattern recognition | 479 |
| 4.1.2 | Geometrical correlation methods | 481 |
| 4.1.3 | Non-correlation methods | 488 |
| 4.1.4 | Associative memories via neural networks | 490 |
| 4.2 | Coded aperture imaging | 491 |
| 4.3 | Optical tomographic reconstruction | 494 |
| 4.4 | Incoherent Fourier transforms | 494 |
| 4.4.1 | Computation with a vector-matrix multiplier | 494 |
| 4.4.2 | The Chirp-Z algorithm | 495 |
| 4.4.3 | Fourier transform via the Radon transform | 496 |
| 4.4.4 | Interferometric Fourier transform | 497 |
| 4.5 | Digital optical processing | 497 |
| 4.5.1 | Binary multiplication via analog convolution | 498 |
| 4.5.2 | Logical operations using linear transformations | 500 |
| 5. | CONCLUDING REMARKS | 502 |
| | ACKNOWLEDGMENT | 503 |
| | REFERENCES | 503 |
| | AUTHOR INDEX | 511 |
| | SUBJECT INDEX | 523 |
| | CUMULATIVE INDEX, VOLUMES I-XXIV | 527 |