

CONTENTS

I. QUANTUM FLUCTUATIONS IN OPTICAL SYSTEMS

by S. REYNAUD, A. HEIDMANN, E. GIACOBINO and C. FABRE (PARIS, FRANCE)

| | |
|---|----|
| § 1. INTRODUCTION | 3 |
| 1.1. Field fluctuations | 4 |
| 1.1.1. Vacuum fluctuations | 5 |
| 1.1.2. Squeezed states | 6 |
| 1.1.3. Intensity measurements | 6 |
| 1.2. The beam splitter in quantum optics | 7 |
| 1.2.1. The beam splitter and photon noise | 7 |
| 1.2.2. Homodyne measurements | 8 |
| 1.2.3. Effects of losses | 9 |
| § 2. TECHNIQUES FOR QUANTUM NOISE REDUCTION | 10 |
| 2.1. Parametric generation | 10 |
| 2.2. Bistability | 14 |
| 2.3. Second-harmonic generation | 15 |
| 2.4. Non-degenerate parametric generation | 16 |
| 2.5. Lasers with reduced pump noise | 20 |
| 2.6. Reduction of quantum fluctuations using servo techniques | 21 |
| § 3. APPLICATIONS OF SQUEEZED LIGHT | 22 |
| 3.1. Improvement of the sensitivity in optical measurements | 22 |
| 3.1.1. Interferometric measurements | 22 |
| 3.1.2. Polarization measurements | 24 |
| 3.1.3. Intensity measurements | 25 |
| 3.1.4. Symmetric heterodyne scattering | 26 |
| 3.2. Quantum non-demolition (QND) measurements | 27 |
| 3.2.1. QND measurements using optical Kerr effect | 27 |
| 3.2.2. QND measurements using squeezed fields | 28 |
| 3.3. Inhibition of phase diffusion | 29 |
| 3.4. Interference effects with twin photons | 29 |
| 3.5. Inhibition of relaxation phenomena | 30 |
| 3.5.1. Inhibition of spontaneous emission | 31 |
| 3.5.2. Inhibition of tunnelling | 31 |
| 3.6. Optical communication techniques | 31 |
| 3.6.1. Amplification and noise | 32 |
| 3.6.2. QND measurements on an optical channel | 32 |
| 3.6.3. Decrease of energy cost per bit in an optical channel | 32 |
| 3.6.4. Communication systems using twin photons | 32 |
| § 4. THEORY OF QUANTUM NOISE IN OPTICS | 33 |
| 4.1. Quantum field fluctuations | 33 |
| 4.1.1. The quantum field | 33 |

| | |
|--|----|
| 4.1.2. Intensity of the field | 34 |
| 4.1.3. Photon noise spectrum | 35 |
| 4.1.4. Standard shot noise | 36 |
| 4.1.5. Limit of small fluctuations | 37 |
| 4.1.6. Effect of a reflecting plate | 38 |
| 4.1.7. Heterodyne measurements | 39 |
| 4.1.8. Imperfect photodetectors | 40 |
| 4.2. Ideal squeezed states | 41 |
| 4.2.1. The generalized Heisenberg inequality | 41 |
| 4.2.2. Minimum states | 42 |
| 4.2.3. Generalized coherent states | 43 |
| 4.2.4. Wigner representation of minimum states | 45 |
| 4.2.5. Frequency multimode squeezing | 47 |
| 4.3. Squeezed-state generation by ideal parametric interaction | 49 |
| 4.3.1. Effect of an ideal quadratic Hamiltonian | 49 |
| 4.3.2. Perturbative approach | 50 |
| 4.3.3. Parametric amplification and deamplification | 52 |
| 4.3.4. Semiclassical pendulum | 53 |
| § 5. SQUEEZED-STATE GENERATION BY PARAMETRIC INTERACTION | 54 |
| 5.1. Parametric amplification in an optical cavity | 55 |
| 5.1.1. Resonant case | 55 |
| 5.1.2. Non-resonant case | 58 |
| 5.1.3. Good-cavity limit | 59 |
| 5.1.4. Case of incoming vacuum field | 60 |
| 5.2. Degenerate parametric oscillation | 62 |
| 5.2.1. Equations of evolution | 62 |
| 5.2.2. Stationary solutions and stability analysis | 62 |
| 5.2.3. Linear analysis of fluctuations | 64 |
| 5.2.4. Resonant case | 64 |
| 5.2.5. Bistable region | 65 |
| 5.2.6. Unstable region | 66 |
| 5.2.7. General characteristics of the noise spectra | 67 |
| 5.3. Non-degenerate optical parametric oscillator (NDOPO) | 67 |
| 5.3.1. Stationary values | 67 |
| 5.3.2. Linearized equations for the fluctuations | 68 |
| 5.3.3. Quantum fluctuations of the signal field | 69 |
| 5.3.4. Quantum fluctuations in the difference between the signal and idler fields | 70 |
| 5.3.5. Effect of extra losses and imbalance | 71 |
| 5.3.6. Effect of phase diffusion | 72 |
| APPENDIX. SEMICLASSICAL REPRESENTATIONS OF THE FIELD | 72 |
| A.1. Definition of semiclassical representations | 73 |
| A.1.1. Formal definition | 73 |
| A.1.2. The usual definitions | 74 |
| A.1.3. Relation between the representations | 75 |
| A.2. Semiclassical equations of evolution | 76 |
| A.2.1. Hamiltonian evolution in the Wigner representation | 76 |
| A.2.2. Hamiltonian evolution in the \mathcal{P} - and \mathcal{Q} -representations | 78 |
| A.2.3. Quadratic Hamiltonian | 78 |
| A.2.4. Canonical transformations | 79 |
| A.2.5. Parametric generation | 80 |
| ACKNOWLEDGEMENTS | 81 |
| REFERENCES | 81 |

II. CORRELATION HOLOGRAPHIC AND SPECKLE INTERFEROMETRY

by YU. I. OSTROVSKY (ST. PETERSBURG, RUSSIA) and V. P. SHCHEPINOV (MOSCOW, RUSSIA)

| | |
|--|-----|
| § 1. INTRODUCTION | 89 |
| § 2. FRINGE CONTRAST IN HOLOGRAPHIC INTERFEROMETRY AND SPECKLE PHOTOGRAPHY AS RELATED TO A CHANGE IN SURFACE MICRORELIEF | 90 |
| 2.1. Fringe contrast in holographic interferometry | 90 |
| 2.2. Young's fringe contrast in speckle photography | 92 |
| 2.3. Visualization of areas in which the surface microrelief varies | 96 |
| 2.3.1. The use of carrier fringes | 96 |
| 2.3.2. Image subtraction | 99 |
| 2.3.3. Simultaneous recording of holograms and speckle photographs | 101 |
| § 3. MECHANICS OF CONTACT INTERACTION | 103 |
| 3.1. Determination of the contact area | 103 |
| 3.1.1. Evaluation of the plastic component of actual contact surface | 103 |
| 3.1.2. Recording the contact contour surface by correlation holographic interferometry | 106 |
| 3.1.3. Recording the contact countour surface by correlation speckle photography | 111 |
| 3.2. Contact pressure measurements | 113 |
| 3.2.1. Effect of contact pressure on carrier fringe contrast in holographic interferometry and speckle photography | 113 |
| 3.2.2. Contact pressure measurement by holographic interferometry and speckle photography | 118 |
| § 4. CORROSION, EROSION AND WEAR PROCESSES | 121 |
| 4.1. Investigation of chemical corrosion | 121 |
| 4.2. Investigation of cavitation-induced erosion | 123 |
| 4.3. Investigation of mechanical wear | 130 |
| § 5. CONCLUSIONS | 133 |
| REFERENCES | 134 |

III. LOCALIZATION OF WAVES IN MEDIA WITH ONE-DIMENSIONAL DISORDER

by V. D. FREILIKHER (RAMAT-GAN, ISRAEL) and S. A. GREDESKUL (BEER-SHEVA, ISRAEL)

| | |
|--|-----|
| § 1. INTRODUCTION | 139 |
| § 2. STATISTICAL PROPERTIES OF PHYSICAL QUANTITIES IN RANDOM MEDIA | 143 |
| § 3. ONE-DIMENSIONAL LOCALIZATION | 148 |
| 3.1. Lyapunov exponent. Localization length | 148 |
| 3.2. Scattering problem | 154 |
| 3.3. Resonance transmission | 161 |
| 3.4. Intensity of a wave passing through a random layer | 164 |
| 3.5. Some numerical and experimental results | 167 |
| § 4. WAVES IN RANDOMLY LAYERED MEDIA | 170 |
| 4.1. Point source in a randomly stratified layer | 170 |
| 4.2. Fluctuation waveguide | 173 |
| 4.3. Quasihomogeneous waves | 178 |
| 4.4. Quasistationary states in an open system | 185 |
| 4.5. Point source in an infinite layered medium | 188 |
| § 5. CONCLUSIONS | 199 |
| ACKNOWLEDGEMENT | 200 |
| REFERENCES | 200 |

IV. THEORETICAL FOUNDATION OF OPTICAL-SOLITON CONCEPT IN FIBERS

by Y. KODAMA (COLUMBUS, OH, USA) and A. HASEGAWA (MURRAY HILL, NJ, USA)

| | |
|--|-----|
| INTRODUCTION | 207 |
| § 1. SOLITONS IN OPTICS | 207 |
| 1.1. Introduction | 207 |
| 1.2. Envelope solitons in optical fibers | 211 |
| 1.3. Non-linear Schrödinger soliton | 213 |
| 1.4. Modulational instability | 220 |
| § 2. OPTICAL SOLITONS IN FIBERS | 221 |
| 2.1. Introduction | 221 |
| 2.2. Derivation of the non-linear envelope equation | 222 |
| 2.3. Effects of higher-order terms | 229 |
| § 3. GUIDING CENTER SOLITON | 231 |
| 3.1. Introduction | 231 |
| 3.2. Compensation of fiber loss in long-distance propagation of optical solitons | 233 |
| 3.3. Guiding center equation and the Lie transformation | 235 |
| 3.4. Properties of the guiding center solitons | 243 |
| ACKNOWLEDGEMENTS | 249 |
| APPENDIX A. INVERSE SCATTERING TRANSFORM AND N -SOLITON SOLUTIONS | 249 |
| APPENDIX B. CALCULUS ON INFINITE-DIMENSIONAL SPACES OF DIFFERENTIAL POLYNOMIALS | 253 |
| REFERENCES | 258 |

V. CAVITY QUANTUM OPTICS AND THE QUANTUM MEASUREMENT PROCESS

by P. MEYSTRE (TUCSON, AZ, USA)

| | |
|---|-----|
| § 1. INTRODUCTION | 263 |
| § 2. JAYNES-CUMMINGS MODEL | 265 |
| 2.1. Eigenstates and eigenvalues | 265 |
| 2.2. Dynamics | 267 |
| 2.3. Trapping states | 270 |
| § 3. CAVITY QED | 271 |
| 3.1. Enhanced and inhibited spontaneous emission | 271 |
| 3.2. Collective effects | 277 |
| 3.3. Coupled-modes approach | 280 |
| 3.4. Vacuum Rabi splitting as a feature of linear dispersion theory | 283 |
| § 4. THE MICROMASER | 286 |
| 4.1. Phenomenology | 286 |
| 4.2. Quantum theory | 290 |
| 4.3. Fokker-Planck approach and semiclassical limit | 293 |
| 4.4. Experiments | 297 |
| § 5. QUANTUM MEASUREMENTS | 301 |
| 5.1. Single quantum systems versus ensembles | 301 |
| 5.2. Repeated quantum measurements on a single harmonic oscillator | 302 |
| 5.3. Continuous photodetection | 304 |
| 5.4. Measurement-induced oscillations of the Fano factor | 307 |
| 5.5. Measurement-induced dynamics of the micromaser field | 309 |

| | |
|--|-----|
| § 6. QUANTUM NON-DEMOLITION MEASUREMENTS | 312 |
| 6.1. Back-action evasion | 312 |
| 6.2. QND measurements in optics | 314 |
| 6.3. QND measurements in micromaser cavities | 316 |
| § 7. MACROSCOPIC SUPERPOSITIONS | 321 |
| 7.1. Tangent and cotangent states of the electromagnetic field | 321 |
| 7.2. Effects of dissipation | 326 |
| 7.3. Detection: non-linear atomic homodyning | 334 |
| § 8. SEPARATED FIELDS | 336 |
| 8.1. Micromaser tests of quantum mechanical complementarity | 336 |
| 8.2. Quantum superpositions of macroscopically separated cavity fields | 338 |
| § 9. OUTLOOK: MECHANICAL EFFECTS | 341 |
| 9.1. Light forces and mechanical motion | 341 |
| 9.2. Atomic beam deflection in a quantum field | 343 |
| 9.3. Atomic reflection at a micromaser cavity | 347 |
| 9.4. Atomic trapping by the vacuum field in a cavity | 349 |
| ACKNOWLEDGEMENTS | 351 |
| REFERENCES | 351 |
| AUTHOR INDEX | 357 |
| SUBJECT INDEX | 365 |
| CUMULATIVE INDEX, VOLUMES I-XXX | 369 |